

# Kai-Ping Chang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8032349/publications.pdf>

Version: 2024-02-01

161  
papers

4,732  
citations

101496

36  
h-index

138417

58  
g-index

167  
all docs

167  
docs citations

167  
times ranked

8049  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. <i>JAMA Oncology</i> , 2017, 3, 636.	3.4	376
2	Oral Microbiota Community Dynamics Associated With Oral Squamous Cell Carcinoma Staging. <i>Frontiers in Microbiology</i> , 2018, 9, 862.	1.5	211
3	Candidate Serological Biomarkers for Cancer Identified from the Secretomes of 23 Cancer Cell Lines and the Human Protein Atlas. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1100-1117.	2.5	177
4	Genome-wide Association Study Reveals Multiple Nasopharyngeal Carcinoma-Associated Loci within the HLA Region at Chromosome 6p21.3. <i>American Journal of Human Genetics</i> , 2009, 85, 194-203.	2.6	166
5	Prognostic Significance of <sup>18</sup> F-FDG PET Parameters and Plasma Epstein-Barr Virus DNA Load in Patients with Nasopharyngeal Carcinoma. <i>Journal of Nuclear Medicine</i> , 2012, 53, 21-28.	2.8	96
6	Saliva protein biomarkers to detect oral squamous cell carcinoma in a high-risk population in Taiwan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11549-11554.	3.3	91
7	The Epstein-Barr Virus-Encoded MicroRNA MiR-BART9 Promotes Tumor Metastasis by Targeting E-Cadherin in Nasopharyngeal Carcinoma. <i>PLoS Pathogens</i> , 2014, 10, e1003974.	2.1	89
8	APOBEC3A is an oral cancer prognostic biomarker in Taiwanese carriers of an APOBEC deletion polymorphism. <i>Nature Communications</i> , 2017, 8, 465.	5.8	89
9	Enhanced Interferon Signaling Pathway in Oral Cancer Revealed by Quantitative Proteome Analysis of Microdissected Specimens Using <sup>16</sup> O/ <sup>18</sup> O Labeling and Integrated Two-dimensional LC-ESI-MALDI Tandem MS. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1453-1474.	2.5	88
10	Saliva proteome profiling reveals potential salivary biomarkers for detection of oral cavity squamous cell carcinoma. <i>Proteomics</i> , 2015, 15, 3394-3404.	1.3	86
11	Identification of PRDX4 and P4HA2 as Metastasis-Associated Proteins in Oral Cavity Squamous Cell Carcinoma by Comparative Tissue Proteomics of Microdissected Specimens Using iTRAQ Technology. <i>Journal of Proteome Research</i> , 2011, 10, 4935-4947.	1.8	82
12	Clinical utility of simultaneous whole-body <sup>18</sup> F-FDG PET/MRI as a single-step imaging modality in the staging of primary nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1297-1308.	3.3	81
13	Impact of Pretreatment Body Mass Index on Patients With Head-and-Neck Cancer Treated With Radiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e93-e100.	0.4	73
14	Review of emerging biomarkers in head and neck squamous cell carcinoma in the era of immunotherapy and targeted therapy. <i>Head and Neck</i> , 2019, 41, 19-45.	0.9	70
15	Identification of Guanylate-Binding Protein 1 as a Potential Oral Cancer Marker Involved in Cell Invasion Using Omics-Based Analysis. <i>Journal of Proteome Research</i> , 2011, 10, 3778-3788.	1.8	68
16	Macrophage Inflammatory Protein-3 $\alpha$ Is a Novel Serum Marker for Nasopharyngeal Carcinoma Detection and Prediction of Treatment Outcomes. <i>Clinical Cancer Research</i> , 2008, 14, 6979-6987.	3.2	63
17	Salivary Biomarkers for Detection of Oral Squamous Cell Carcinoma in a Taiwanese Population. <i>Clinical Cancer Research</i> , 2016, 22, 3340-3347.	3.2	62
18	Identification of Salivary Biomarkers for Oral Cancer Detection with Untargeted and Targeted Quantitative Proteomics Approaches. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1796-1806.	2.5	61

#	ARTICLE	IF	CITATIONS
19	Nasopharyngectomy for recurrent nasopharyngeal carcinoma: a review of 53 patients and prognostic factors. <i>Acta Oto-Laryngologica</i> , 2008, 128, 473-481.	0.3	60
20	Evaluation of Lymphatic and Vascular Invasion in Relation to Clinicopathological Factors and Treatment Outcome in Oral Cavity Squamous Cell Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e1510.	0.4	58
21	Multiplexed immunobead-based profiling of cytokine markers for detection of nasopharyngeal carcinoma and prognosis of patient survival. <i>Head and Neck</i> , 2011, 33, 886-897.	0.9	55
22	Secretome Profiling of Primary Cells Reveals That THBS2 Is a Salivary Biomarker of Oral Cavity Squamous Cell Carcinoma. <i>Journal of Proteome Research</i> , 2014, 13, 4796-4807.	1.8	50
23	Nomogram based on albumin and neutrophil-to-lymphocyte ratio for predicting the prognosis of patients with oral cavity squamous cell carcinoma. <i>Scientific Reports</i> , 2018, 8, 13081.	1.6	50
24	Heterogeneous Ribonucleoprotein K and Thymidine Phosphorylase Are Independent Prognostic and Therapeutic Markers for Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 3807-3813.	3.2	48
25	Overexpression of Activin A in Oral Squamous Cell Carcinoma: Association with Poor Prognosis and Tumor Progression. <i>Annals of Surgical Oncology</i> , 2010, 17, 1945-1956.	0.7	48
26	Identification of candidate nasopharyngeal carcinoma serum biomarkers by cancer cell secretome and tissue transcriptome analysis: Potential usage of cystatin A for predicting nodal stage and poor prognosis. <i>Proteomics</i> , 2010, 10, 2644-2660.	1.3	48
27	Salvage Surgery for Locally Recurrent Nasopharyngeal Carcinoma—A 10-Year Experience. <i>Otolaryngology - Head and Neck Surgery</i> , 2004, 131, 497-502.	1.1	45
28	Endoscopic Management of Skull Base Osteoradionecrosis. <i>Laryngoscope</i> , 2000, 110, 1162-1165.	1.1	43
29	Complementary serum test of antibodies to Epstein-Barr virus nuclear antigen-1 and early antigen: A possible alternative for primary screening of nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2008, 44, 784-792.	0.8	43
30	Serum levels of chemokine (C-X-C motif) ligand 9 (CXCL9) are associated with tumor progression and treatment outcome in patients with oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2013, 49, 802-807.	0.8	42
31	Ultrasound-guided closed drainage for abscesses of the head and neck. <i>Otolaryngology - Head and Neck Surgery</i> , 2005, 132, 119-124.	1.1	40
32	Prevalence of promoter mutations in the TERT gene in oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 1131-1137.	0.9	40
33	Histological Differentiation of Primary Oral Squamous Cell Carcinomas in an Area of Betel Quid Chewing Prevalence. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 141, 743-749.	1.1	39
34	Matrix metalloproteinase 12 is induced by heterogeneous nuclear ribonucleoprotein K and promotes migration and invasion in nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2014, 14, 348.	1.1	39
35	Precision Adjuvant Therapy Based on Detailed Pathologic Risk Factors for Resected Oral Cavity Squamous Cell Carcinoma: Long-Term Outcome Comparison of CGMH and NCCN Guidelines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 916-925.	0.4	39
36	Silencing of miRNA-148a by hypermethylation activates the integrin-mediated signaling pathway in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2014, 5, 7610-7624.	0.8	38

#	ARTICLE	IF	CITATIONS
37	Association between multidisciplinary team care approach and survival rates in patients with oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1544-53.	0.9	38
38	Promoter polymorphisms of DNMT3B and the risk of head and neck squamous cell carcinoma in Taiwan: A case-control study. <i>Oral Oncology</i> , 2007, 43, 345-351.	0.8	37
39	Pretreatment Interleukin-6 Serum Levels Are Associated with Patient Survival for Oral Cavity Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 148, 786-791.	1.1	37
40	Overexpression of BST2 is associated with nodal metastasis and poorer prognosis in oral cavity cancer. <i>Laryngoscope</i> , 2014, 124, E354-E360.	1.1	37
41	Low-molecular-mass secretome profiling identifies HMGA2 and MIF as prognostic biomarkers for oral cavity squamous cell carcinoma. <i>Scientific Reports</i> , 2015, 5, 11689.	1.6	37
42	Classification of vocal fold leukoplakia by clinical scoring. <i>Head and Neck</i> , 2016, 38, E1998-2003.	0.9	37
43	Overexpressed tryptophanyl-tRNA synthetase, an angiostatic protein, enhances oral cancer cell invasiveness. <i>Oncotarget</i> , 2015, 6, 21979-21992.	0.8	37
44	Association between the diagnosis-to-treatment interval and overall survival in Taiwanese patients with oral cavity squamous cell carcinoma. <i>European Journal of Cancer</i> , 2017, 72, 226-234.	1.3	35
45	Tumor heterogeneity measured on <sup>18</sup> F fluorodeoxyglucose positron emission tomography/computed tomography combined with plasma Epstein-Barr Virus load predicts prognosis in patients with primary nasopharyngeal carcinoma. <i>Laryngoscope</i> , 2017, 127, E22-E28.	1.1	34
46	Integrated analyses utilizing metabolomics and transcriptomics reveal perturbation of the polyamine pathway in oral cavity squamous cell carcinoma. <i>Analytica Chimica Acta</i> , 2019, 1050, 113-122.	2.6	34
47	Prognostic cytokine markers in peripheral blood for oral cavity squamous cell carcinoma identified by multiplexed immunobead-based profiling. <i>Clinica Chimica Acta</i> , 2011, 412, 980-987.	0.5	33
48	Overexpression of macrophage inflammatory protein-3 $\alpha$ in oral cavity squamous cell carcinoma is associated with nodal metastasis. <i>Oral Oncology</i> , 2011, 47, 108-113.	0.8	33
49	Overexpression of caldesmon is associated with lymph node metastasis and poorer prognosis in patients with oral cavity squamous cell carcinoma. <i>Cancer</i> , 2013, 119, 4003-4011.	2.0	33
50	Development and Validation of a Nomogram for Assessing Survival in Patients With Metastatic Lung Cancer Referred for Radiotherapy for Bone Metastases. <i>JAMA Network Open</i> , 2018, 1, e183242.	2.8	30
51	Assessment of candidate biomarkers in paired saliva and plasma samples from oral cancer patients by targeted mass spectrometry. <i>Journal of Proteomics</i> , 2020, 211, 103571.	1.2	30
52	Multiparametric imaging using <sup>18</sup> F-FDG PET/CT heterogeneity parameters and functional MRI techniques: prognostic significance in patients with primary advanced oropharyngeal or hypopharyngeal squamous cell carcinoma treated with chemoradiotherapy. <i>Oncotarget</i> , 2017, 8, 62606-62621.	0.8	30
53	Prognostic Stratification of Patients With Advanced Oral Cavity Squamous Cell Carcinoma. <i>Current Oncology Reports</i> , 2017, 19, 65.	1.8	29
54	The 30-bp Deletion of Epstein-Barr Virus Latent Membrane Protein-1 Gene Has No Effect in Nasopharyngeal Carcinoma. <i>Laryngoscope</i> , 2006, 116, 541-546.	1.1	27

#	ARTICLE	IF	CITATIONS
55	Identification of potential serum markers for nasopharyngeal carcinoma from a xenografted mouse model using Cy5 dye labeling combined with three-dimensional fractionation. <i>Proteomics</i> , 2008, 8, 3605-3620.	1.3	27
56	Postoperative Morbidity and Mortality of Head and Neck Cancers in Patients With Liver Cirrhosis Undergoing Surgical Resection Followed by Microsurgical Free Tissue Transfer. <i>Annals of Surgical Oncology</i> , 2010, 17, 536-543.	0.7	27
57	ASC contributes to metastasis of oral cavity squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 50074-50085.	0.8	27
58	Detection of Epstein-Barr Virus-Derived Latent Membrane Protein-1 Gene in Various Head and Neck Cancers: Is It Specific for Nasopharyngeal Carcinoma?. <i>Laryngoscope</i> , 2003, 113, 1050-1054.	1.1	26
59	Postoperative morbidity in head and neck cancer ablative surgery followed by microsurgical free tissue transfer in the elderly. <i>Oral Oncology</i> , 2012, 48, 811-816.	0.8	26
60	Pathological risk factors stratification in pN3b oral cavity squamous cell carcinoma: Focus on the number of positive nodes and extranodal extension. <i>Oral Oncology</i> , 2018, 86, 188-194.	0.8	26
61	Value of early evaluation of treatment response using 18F-FDG PET/CT parameters and the Epstein-Barr virus DNA load for prediction of outcome in patients with primary nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 650-660.	3.3	26
62	Inactivation of the tight junction gene CLDN11 by aberrant hypermethylation modulates tubulins polymerization and promotes cell migration in nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 102.	3.5	25
63	Heterogeneous ribonucleoprotein K and thymidine phosphorylase are independent prognostic and therapeutic markers for oral squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 516-522.	0.8	24
64	The Prediction Value of the Systemic Inflammation Score for Oral Cavity Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2018, 158, 1042-1050.	1.1	24
65	Integrated genomic analyses in PDX model reveal a cyclin-dependent kinase inhibitor Palbociclib as a novel candidate drug for nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 233.	3.5	23
66	An immuno-MALDI mass spectrometry assay for the oral cancer biomarker, matrix metalloproteinase-1, in dried saliva spot samples. <i>Analytica Chimica Acta</i> , 2020, 1100, 118-130.	2.6	23
67	Verification of Saliva Matrix Metalloproteinase-1 as a Strong Diagnostic Marker of Oral Cavity Cancer. <i>Cancers</i> , 2020, 12, 2273.	1.7	23
68	Functional Impact of RNA editing and ADARs on regulation of gene expression: perspectives from deep sequencing studies. <i>Cell and Bioscience</i> , 2014, 4, 44.	2.1	22
69	Salivary Auto-Antibodies as Noninvasive Diagnostic Markers of Oral Cavity Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1569-1578.	1.1	22
70	Development of a Multiplexed Assay for Oral Cancer Candidate Biomarkers Using Peptide Immunoaffinity Enrichment and Targeted Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 1829-1849.	2.5	22
71	Proteomic Profiling of Paired Interstitial Fluids Reveals Dysregulated Pathways and Salivary NID1 as a Biomarker of Oral Cavity Squamous Cell Carcinoma* [S]. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1939-1949.	2.5	22
72	Rapid fabrication method of a microneedle mold with controllable needle height and width. <i>Biomedical Microdevices</i> , 2016, 18, 85.	1.4	21

#	ARTICLE	IF	CITATIONS
73	Serum CXCL9 Levels Are Associated with Tumor Progression and Treatment Outcome in Patients with Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2013, 8, e80052.	1.1	21
74	Assessing the suitability of medial sural artery perforator flaps in tongue reconstruction – An outcome study. <i>PLoS ONE</i> , 2017, 12, e0171570.	1.1	20
75	Treatment patterns and survival outcomes of advanced hypopharyngeal squamous cell carcinoma. <i>World Journal of Surgical Oncology</i> , 2020, 18, 82.	0.8	19
76	Choice of Flap Affects Fistula Rate after Salvage Laryngopharyngectomy. <i>Scientific Reports</i> , 2015, 5, 9180.	1.6	18
77	Detection of anti-p53 autoantibodies in saliva using microfluidic chips for the rapid screening of oral cancer. <i>RSC Advances</i> , 2018, 8, 15513-15521.	1.7	18
78	Clinical Outcomes of Taiwanese Patients with cT4 Oral Cavity Squamous Cell Carcinoma: Toward the Identification of the Optimal Initial Treatment Approach for cT4b Patients. <i>Annals of Surgical Oncology</i> , 2017, 24, 785-793.	0.7	17
79	Variability Assessment of 90 Salivary Proteins in Intraday and Interday Samples from Healthy Donors by Multiple Reaction Monitoring–Mass Spectrometry. <i>Proteomics - Clinical Applications</i> , 2018, 12, 1700039.	0.8	17
80	How Genome-Wide SNP-SNP Interactions Relate to Nasopharyngeal Carcinoma Susceptibility. <i>PLoS ONE</i> , 2013, 8, e83034.	1.1	17
81	Differentiation of Recurrent Nasopharyngeal Carcinoma and Skull Base Osteoradionecrosis by Epstein-Barr Virus-Derived Latent Membrane Protein-1 Gene. <i>Laryngoscope</i> , 2001, 111, 650-652.	1.1	16
82	Clinical Implications of Tumor-Associated Tissue Eosinophilia in Tongue Squamous Cell Carcinoma. <i>Laryngoscope</i> , 2019, 129, 1123-1129.	1.1	16
83	Activin A regulates the epidermal growth factor receptor promoter by activating the PI3K/SP1 pathway in oral squamous cell carcinoma cells. <i>Scientific Reports</i> , 2019, 9, 5197.	1.6	16
84	Endoplasmic reticulum aminopeptidase 2 involvement in metastasis of oral cavity squamous cell carcinoma discovered by proteome profiling of primary cancer cells. <i>Oncotarget</i> , 2017, 8, 61698-61708.	0.8	16
85	Application of a patient-derived xenograft model in cytolytic viral activation therapy for nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015, 6, 31323-31334.	0.8	16
86	A Lack of Association Between p53 Mutations and Recurrent Nasopharyngeal Carcinomas Refractory to Radiotherapy. <i>Laryngoscope</i> , 2002, 112, 2015-2019.	1.1	15
87	Human Papillomavirus Infections are Common and Predict Mortality in a Retrospective Cohort Study of Taiwanese Patients With Oral Cavity Cancer. <i>Medicine (United States)</i> , 2015, 94, e2069.	0.4	15
88	Using a nasoseptal flap for the reconstruction of osteoradionecrosis in nasopharyngeal carcinoma: A case report. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2016, 45, 27.	0.9	15
89	Intensity Modulated Proton Beam Therapy versus Volumetric Modulated Arc Therapy for Patients with Nasopharyngeal Cancer: A Propensity Score-Matched Study. <i>Cancers</i> , 2021, 13, 3555.	1.7	15
90	Gene expression and promoter polymorphisms of DNA methyltransferase 3B in nasopharyngeal carcinomas in Taiwanese people: a case-control study. <i>Oncology Reports</i> , 2008, 19, 217-22.	1.2	15

#	ARTICLE	IF	CITATIONS
91	Endoscopic CO2 laser surgery for an atypical carcinoid tumor of the epiglottis masquerading as a supraglottic cyst. <i>Head and Neck</i> , 2005, 27, 1004-1007.	0.9	14
92	Quantitative plasma proteome analysis reveals aberrant level of blood coagulation-related proteins in nasopharyngeal carcinoma. <i>Journal of Proteomics</i> , 2011, 74, 744-757.	1.2	14
93	The Roles of Albumin Levels in Head and Neck Cancer Patients with Liver Cirrhosis Undergoing Tumor Ablation and Microsurgical Free Tissue Transfer. <i>PLoS ONE</i> , 2012, 7, e52678.	1.1	14
94	Positive Clinical Impact of an Additional PET/CT Scan Before Adjuvant Radiotherapy or Concurrent Chemoradiotherapy in Patients with Advanced Oral Cavity Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2015, 56, 22-30.	2.8	14
95	Feasibility and Outcomes of the Third or More Episodes of Sequential Microvascular Reconstruction for Recurrent or Second Primary Oral Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 3765-3772.	0.7	14
96	Cotargeting CHK1 and PI3K Synergistically Suppresses Tumor Growth of Oral Cavity Squamous Cell Carcinoma in Patient-Derived Xenografts. <i>Cancers</i> , 2020, 12, 1726.	1.7	14
97	The impacts of liver cirrhosis on head and neck cancer patients undergoing microsurgical free tissue transfer: An evaluation of flap outcome and flap-related complications. <i>Oral Oncology</i> , 2009, 45, 1058-1062.	0.8	13
98	CMPD: cancer mutant proteome database. <i>Nucleic Acids Research</i> , 2015, 43, D849-D855.	6.5	13
99	Association of overexpressed karyopherin alpha 2 with poor survival and its contribution to interleukin-1 $\beta$ -induced matrix metalloproteinase expression in oral cancer. <i>Head and Neck</i> , 2018, 40, 1719-1733.	0.9	13
100	Targeted sequencing of cancer-related genes in nasopharyngeal carcinoma identifies mutations in the TGF $\beta$ 2 pathway. <i>Cancer Medicine</i> , 2019, 8, 5116-5127.	1.3	13
101	<p>Digital Image Analysis of CD8+ and CD3+ Tumor-Infiltrating Lymphocytes in Tongue Squamous Cell Carcinoma</p>.	0.9	13
102	Prognostic significance of dynamic changes in lymphocyte-to-monocyte ratio in patients with head and neck cancer treated with radiotherapy: results from a large cohort study. <i>Radiotherapy and Oncology</i> , 2021, 154, 76-86.	0.3	13
103	Predicting postoperative morbidity and mortality by model for endstage liver disease score for patients with head and neck cancer and liver cirrhosis. <i>Head and Neck</i> , 2011, 33, 529-534.	0.9	12
104	Clinical Outcomes in pT4 Tongue Carcinoma are Worse than in pT3 Disease: How Extrinsic Muscle Invasion Should be Considered?. <i>Annals of Surgical Oncology</i> , 2017, 24, 2570-2579.	0.7	12
105	Comparative clinical outcomes of Taiwanese patients with resected buccal and tongue squamous cell carcinomas. <i>Oral Oncology</i> , 2017, 67, 95-102.	0.8	12
106	Hyperglycemia and risk of adverse outcomes following microvascular reconstruction of oncologic head and neck defects. <i>Oral Oncology</i> , 2018, 79, 15-19.	0.8	12
107	High metastatic node number, not extranodal extension, as a node-related prognosticator in surgically treated patients with nodal metastatic salivary gland carcinoma. <i>Head and Neck</i> , 2019, 41, 1572-1582.	0.9	12
108	A nomogram to predict osteoradionecrosis in oral cancer after marginal mandibulectomy and radiotherapy. <i>Laryngoscope</i> , 2020, 130, 101-107.	1.1	12

#	ARTICLE	IF	CITATIONS
109	Combing MRI Perfusion and 18F-FDG PET/CT Metabolic Biomarkers Helps Predict Survival in Advanced Nasopharyngeal Carcinoma: A Prospective Multimodal Imaging Study. <i>Cancers</i> , 2021, 13, 1550.	1.7	12
110	Molecular and serologic markers of HPV 16 infection are associated with local recurrence in patients with oral cavity squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 34820-34835.	0.8	12
111	Tobacco-Smoking, Alcohol-Drinking, and Betel-Quid-Chewing Behaviors: Development and Use of a Web-Based Survey System. <i>JMIR MHealth and UHealth</i> , 2018, 6, e142.	1.8	12
112	Complementary role of the Memorial Sloan Kettering Cancer Center nomogram to the American Joint Committee on Cancer system for the prediction of relapse of major salivary gland carcinoma after surgery. <i>Head and Neck</i> , 2017, 39, 860-867.	0.9	11
113	Anterolateral Thigh Flap Combined with Reconstruction Plate Versus Double Free Flaps for Composite Mandibular Reconstruction: A Propensity Score-Matched Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 829-836.	0.7	11
114	Free Flap Outcomes of Microvascular Reconstruction after Repeated Segmental Mandibulectomy in Head and Neck Cancer Patients. <i>Scientific Reports</i> , 2019, 9, 7951.	1.6	10
115	Endoscopic transcanal removal of external auditory canal osteomas. <i>Biomedical Journal</i> , 2021, 44, 489-494.	1.4	10
116	The Prognostic Value of Lymph Node Burden in Oral Cavity Cancer: Systematic Review and Meta-Analysis. <i>Laryngoscope</i> , 2021, , .	1.1	10
117	The prognostic value of radiologic extranodal extension in nasopharyngeal carcinoma: Systematic review and meta-analysis. <i>Oral Oncology</i> , 2021, 122, 105518.	0.8	10
118	Tumor Depth of Invasion (Tumorâ€™sâ€™4â€™cm/Depthâ€™sâ€™10â€™mm and Depthâ€™sâ€™20â€™mm) and Through Cortex/Skin Invasion are Both Valid Criteria for Classifying Tumors as pT4a in AJCC 2018 Oral Cavity Cancer Staging System. <i>Annals of Surgical Oncology</i> , 2019, 26, 3663-3672.	0.7	9
119	Comparative prognostic value of different preoperative complete blood count cell ratios in patients with oral cavity cancer treated with surgery and postoperative radiotherapy. <i>Cancer Medicine</i> , 2021, 10, 1975-1988.	1.3	9
120	Understanding the impact of high-risk human papillomavirus on oropharyngeal squamous cell carcinomas in Taiwan: A retrospective cohort study. <i>PLoS ONE</i> , 2021, 16, e0250530.	1.1	9
121	Correlation between overall survival and differential plasma and tissue tumor marker expression in nasopharyngeal carcinoma patients with different sites of organ metastasis. <i>Oncotarget</i> , 2016, 7, 53217-53229.	0.8	9
122	Multiple concomitant oral cavity cancers: Incidence, management, and outcomes. <i>Journal of Surgical Oncology</i> , 2017, 115, 835-841.	0.8	8
123	Prognostic significance of combined pretreatment lymphocyte counts and body mass index in patients with head and neck cancer treated with radiation therapy. <i>Cancer Medicine</i> , 2018, 7, 2808-2815.	1.3	8
124	Characterization of Copy Number Variations in Oral Cavity Squamous Cell Carcinoma Reveals a Novel Role for MLLT3 in Cell Invasiveness. <i>Oncologist</i> , 2019, 24, e1388-e1400.	1.9	8
125	Genomic Signature of Mismatch Repair Deficiency in Areca Nut-Related Oral Cancer. <i>Journal of Dental Research</i> , 2020, 99, 1252-1261.	2.5	8
126	Prognostic significance of the preoperative systemic immuneâ€™inflammation index in patients with oral cavity squamous cell carcinoma treated with curative surgery and adjuvant therapy. <i>Cancer Medicine</i> , 2021, 10, 649-658.	1.3	8



#	ARTICLE	IF	CITATIONS
127	Clinical Outcomes of Patients with Resected Oral Cavity Cancer and Simultaneous Second Primary Malignancies. <i>PLoS ONE</i> , 2015, 10, e0136918.	1.1	8
128	Cavernous sinus involvement is not a risk factor for the primary tumor site treatment outcome of Sinonasal adenoid cystic carcinoma. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2018, 47, 12.	0.9	7
129	A combined analysis of maximum standardized uptake value on FDG-PET, genetic markers, and clinicopathological risk factors in the prognostic stratification of patients with resected oral cavity squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 84-93.	3.3	7
130	Effects of Epstein-Barr Virus Infection on the Risk and Prognosis of Primary Laryngeal Squamous Cell Carcinoma: A Hospital-Based Case-Control Study in Taiwan. <i>Cancers</i> , 2021, 13, 1741.	1.7	7
131	Identification of predisposing factors for osteonecrosis of the jaw after marginal mandibulectomy in the surgical management of oral squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , 2018, 117, 781-787.	0.8	6
132	Associations between ALDH Genetic Variants, Alcohol Consumption, and the Risk of Nasopharyngeal Carcinoma in an East Asian Population. <i>Genes</i> , 2021, 12, 1547.	1.0	6
133	Characterization of Recurrent Relevant Genes Reveals a Novel Role of RPL36A in Radioresistant Oral Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 5623.	1.7	6
134	Target peptide enrichment microfluidic chip for rapid detection of oral squamous cell carcinoma using stable isotope standards and capture by anti-peptide antibodies. <i>Sensors and Actuators B: Chemical</i> , 2020, 322, 128607.	4.0	5
135	Anti-p53 Autoantibody Detection in Automatic Glass Capillary Immunoassay Platform for Screening of Oral Cavity Squamous Cell Carcinoma. <i>Sensors</i> , 2020, 20, 971.	2.1	5
136	Dose-escalated radiation therapy is associated with better overall survival in patients with bone metastases from solid tumors: a propensity score-matched study. <i>Cancer Medicine</i> , 2017, 6, 2087-2097.	1.3	4
137	Branchial cleft cyst: An unusual site for the cervical metastasis of nasopharyngeal carcinoma. <i>Auris Nasus Larynx</i> , 2018, 45, 328-331.	0.5	4
138	Low expression of pRB predicts disease relapse in early glottic cancer treated with transoral laser microsurgery. <i>Laryngoscope</i> , 2019, 129, E220-E226.	1.1	4
139	ASC modulates HIF-1 $\alpha$ stability and induces cell mobility in OSCC. <i>Cell Death and Disease</i> , 2020, 11, 721.	2.7	4
140	Combination of Epithelial Growth Factor Receptor Blockers and CDK4/6 Inhibitor for Nasopharyngeal Carcinoma Treatment. <i>Cancers</i> , 2021, 13, 2954.	1.7	4
141	Clinical Outcomes of Taiwanese Patients with Resected Oral Cavity Squamous Cell Carcinoma Who Underwent Reconstruction with Free Versus Local Flaps. <i>Annals of Surgical Oncology</i> , 2022, 29, 1130-1140.	0.7	4
142	The second-time flap from the previously used anterior thigh donor site for head and neck microsurgical reconstruction. <i>Journal of Surgical Oncology</i> , 2017, 115, 392-401.	0.8	3
143	BRAF protein immunoprecipitation, elution, and digestion from cell extract using a microfluidic mixer for mutant BRAF protein quantification by mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 1085-1094.	1.9	3
144	Influence of Hyperglycemia on Treatment Outcomes of Oral Cavity Squamous Cell Carcinoma. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020, 78, 935-942.	0.5	3

#	ARTICLE	IF	CITATIONS
145	Missed radiation therapy sessions in first three weeks predict distant metastasis and less favorable outcomes in surgically treated patients with oral cavity squamous cell carcinoma. <i>Radiation Oncology</i> , 2020, 15, 194.	1.2	3
146	Multiparametric positron emission tomography/magnetic resonance imaging in nasopharyngeal carcinoma: Correlations between magnetic resonance imaging functional parameters and 18F-fluorodeoxyglucose positron emission tomography imaging biomarkers and their predictive value for treatment failure. <i>Tzu Chi Medical Journal</i> , 2021, 33, 61.	0.4	3
147	Prognostic value of radiologic extranodal extension in patients with hypopharyngeal cancer treated with primary chemoradiation. <i>Radiotherapy and Oncology</i> , 2021, 156, 217-222.	0.3	3
148	The role of postoperative radiotherapy in pN1 oral cavity cancer without extranodal extension. <i>World Journal of Surgical Oncology</i> , 2021, 19, 279.	0.8	3
149	Surgical salvage of recurrent nasopharyngeal cancer- a multi-institutional review. <i>Oral Oncology</i> , 2021, 122, 105556.	0.8	3
150	Efficacy of Postoperative Unilateral Neck Irradiation in Patients with Buccal Mucosa Squamous Carcinoma with Extranodal Extension: A Propensity Score Analysis. <i>Cancers</i> , 2021, 13, 5997.	1.7	3
151	Refinement of the myocutaneous anterolateral thigh flap for reconstruction of frontonasal fistula defects. <i>Head and Neck</i> , 2016, 38, E552-8.	0.9	2
152	Life quality improvement in hoarse patients with early glottic cancer after transoral laser microsurgery. <i>Head and Neck</i> , 2017, 39, 2070-2078.	0.9	2
153	Third Repeat Microvascular Reconstruction in Head and Neck Cancer Patients Aged 65 Years and Older: A Longitudinal and Sequential Analysis. <i>Scientific Reports</i> , 2017, 7, 15740.	1.6	2
154	Prognostic significance of pretreatment neutrophil-to-lymphocyte ratio in older patients with metastatic cancer. <i>Journal of Geriatric Oncology</i> , 2019, 10, 757-762.	0.5	2
155	circRNAome Profiling in Oral Carcinoma Unveils a Novel circFLNB that Mediates Tumour Growth-Regulating Transcriptional Response. <i>Cells</i> , 2020, 9, 1868.	1.8	2
156	The impact of preoperative glycosylated hemoglobin levels on outcomes in oral squamous cell carcinoma. <i>Oral Diseases</i> , 2020, 26, 1449-1458.	1.5	2
157	Genomic and Molecular Signatures of Successful Patient-Derived Xenografts for Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 792297.	1.3	2
158	Aesthetic single-stage vermilion reconstruction using facial artery musculomucosal flap and radial forearm free flap following cancer resection: A case report. <i>Microsurgery</i> , 2020, 40, 224-228.	0.6	1
159	Cochlear implantation in a post-irradiated patient for nasopharyngeal carcinoma. <i>Cochlear Implants International</i> , 2004, 5, 227-227.	0.5	0
160	In Response to <i>A</i> Nomogram to Predict Osteoradionecrosis in Oral Cancer After Marginal Mandibulectomy and Radiotherapy. <i>Laryngoscope</i> , 2019, 129, E344.	1.1	0
161	Prognostic Significance of Granuloma and Amyloid Deposition in Nasopharyngeal Carcinoma. <i>Head and Neck Pathology</i> , 2021, 15, 153-162.	1.3	0