

# Kai-Ping Chang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8032349/publications.pdf>

Version: 2024-02-01

161  
papers

4,732  
citations

101496

36  
h-index

138417

58  
g-index

167  
all docs

167  
docs citations

167  
times ranked

8049  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Outcomes of Taiwanese Patients with Resected Oral Cavity Squamous Cell Carcinoma Who Underwent Reconstruction with Free Versus Local Flaps. <i>Annals of Surgical Oncology</i> , 2022, 29, 1130-1140.	0.7	4
2	Genomic and Molecular Signatures of Successful Patient-Derived Xenografts for Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 792297.	1.3	2
3	Endoscopic transcanal removal of external auditory canal osteomas. <i>Biomedical Journal</i> , 2021, 44, 489-494.	1.4	10
4	Prognostic Significance of Granuloma and Amyloid Deposition in Nasopharyngeal Carcinoma. <i>Head and Neck Pathology</i> , 2021, 15, 153-162.	1.3	0
5	Prognostic significance of dynamic changes in lymphocyte-to-monocyte ratio in patients with head and neck cancer treated with radiotherapy: results from a large cohort study. <i>Radiotherapy and Oncology</i> , 2021, 154, 76-86.	0.3	13
6	Multiparametric positron emission tomography/magnetic resonance imaging in nasopharyngeal carcinoma: Correlations between magnetic resonance imaging functional parameters and 18F-fluorodeoxyglucose positron emission tomography imaging biomarkers and their predictive value for treatment failure. <i>Tzu Chi Medical Journal</i> , 2021, 33, 61.	0.4	3
7	Comparative prognostic value of different preoperative complete blood count cell ratios in patients with oral cavity cancer treated with surgery and postoperative radiotherapy. <i>Cancer Medicine</i> , 2021, 10, 1975-1988.	1.3	9
8	Prognostic value of radiologic extranodal extension in patients with hypopharyngeal cancer treated with primary chemoradiation. <i>Radiotherapy and Oncology</i> , 2021, 156, 217-222.	0.3	3
9	Combining MRI Perfusion and 18F-FDG PET/CT Metabolic Biomarkers Helps Predict Survival in Advanced Nasopharyngeal Carcinoma: A Prospective Multimodal Imaging Study. <i>Cancers</i> , 2021, 13, 1550.	1.7	12
10	Effects of Epstein-Barr Virus Infection on the Risk and Prognosis of Primary Laryngeal Squamous Cell Carcinoma: A Hospital-Based Case-Control Study in Taiwan. <i>Cancers</i> , 2021, 13, 1741.	1.7	7
11	Understanding the impact of high-risk human papillomavirus on oropharyngeal squamous cell carcinomas in Taiwan: A retrospective cohort study. <i>PLoS ONE</i> , 2021, 16, e0250530.	1.1	9
12	Combination of Epithelial Growth Factor Receptor Blockers and CDK4/6 Inhibitor for Nasopharyngeal Carcinoma Treatment. <i>Cancers</i> , 2021, 13, 2954.	1.7	4
13	The Prognostic Value of Lymph Node Burden in Oral Cavity Cancer: Systematic Review and Meta-Analysis. <i>Laryngoscope</i> , 2021, , .	1.1	10
14	Intensity Modulated Proton Beam Therapy versus Volumetric Modulated Arc Therapy for Patients with Nasopharyngeal Cancer: A Propensity Score-Matched Study. <i>Cancers</i> , 2021, 13, 3555.	1.7	15
15	The role of postoperative radiotherapy in pN1 oral cavity cancer without extranodal extension. <i>World Journal of Surgical Oncology</i> , 2021, 19, 279.	0.8	3
16	Associations between ALDH Genetic Variants, Alcohol Consumption, and the Risk of Nasopharyngeal Carcinoma in an East Asian Population. <i>Genes</i> , 2021, 12, 1547.	1.0	6
17	The prognostic value of radiologic extranodal extension in nasopharyngeal carcinoma: Systematic review and meta-analysis. <i>Oral Oncology</i> , 2021, 122, 105518.	0.8	10
18	Prognostic significance of the preoperative systemic immune-inflammatory index in patients with oral cavity squamous cell carcinoma treated with curative surgery and adjuvant therapy. <i>Cancer Medicine</i> , 2021, 10, 649-658.	1.3	8

#	ARTICLE	IF	CITATIONS
19	Surgical salvage of recurrent nasopharyngeal cancer- a multi-institutional review. <i>Oral Oncology</i> , 2021, 122, 105556.	0.8	3
20	Efficacy of Postoperative Unilateral Neck Irradiation in Patients with Buccal Mucosa Squamous Carcinoma with Extranodal Extension: A Propensity Score Analysis. <i>Cancers</i> , 2021, 13, 5997.	1.7	3
21	Characterization of Recurrent Relevant Genes Reveals a Novel Role of RPL36A in Radioresistant Oral Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 5623.	1.7	6
22	A nomogram to predict osteoradionecrosis in oral cancer after marginal mandibulectomy and radiotherapy. <i>Laryngoscope</i> , 2020, 130, 101-107.	1.1	12
23	Aesthetic single-stage vermilion reconstruction using facial artery musculomucosal flap and radial forearm free flap following cancer resection: A case report. <i>Microsurgery</i> , 2020, 40, 224-228.	0.6	1
24	Precision Adjuvant Therapy Based on Detailed Pathologic Risk Factors for Resected Oral Cavity Squamous Cell Carcinoma: Long-Term Outcome Comparison of CGMH and NCCN Guidelines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 916-925.	0.4	39
25	A combined analysis of maximum standardized uptake value on FDG-PET, genetic markers, and clinicopathological risk factors in the prognostic stratification of patients with resected oral cavity squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 84-93.	3.3	7
26	Assessment of candidate biomarkers in paired saliva and plasma samples from oral cancer patients by targeted mass spectrometry. <i>Journal of Proteomics</i> , 2020, 211, 103571.	1.2	30
27	An immuno-MALDI mass spectrometry assay for the oral cancer biomarker, matrix metalloproteinase-1, in dried saliva spot samples. <i>Analytica Chimica Acta</i> , 2020, 1100, 118-130.	2.6	23
28	&lt;p&gt;Digital Image Analysis of CD8+ and CD3+ Tumor-Infiltrating Lymphocytes in Tongue Squamous Cell Carcinoma&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 8275-8285.	0.9	13
29	Influence of Hyperglycemia on Treatment Outcomes of Oral Cavity Squamous Cell Carcinoma. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020, 78, 935-942.	0.5	3
30	Target peptide enrichment microfluidic chip for rapid detection of oral squamous cell carcinoma using stable isotope standards and capture by anti-peptide antibodies. <i>Sensors and Actuators B: Chemical</i> , 2020, 322, 128607.	4.0	5
31	circRNAome Profiling in Oral Carcinoma Unveils a Novel circFLNB that Mediates Tumour Growth-Regulating Transcriptional Response. <i>Cells</i> , 2020, 9, 1868.	1.8	2
32	ASC modulates HIF-1 $\alpha$ stability and induces cell mobility in OSCC. <i>Cell Death and Disease</i> , 2020, 11, 721.	2.7	4
33	Missed radiation therapy sessions in first three weeks predict distant metastasis and less favorable outcomes in surgically treated patients with oral cavity squamous cell carcinoma. <i>Radiation Oncology</i> , 2020, 15, 194.	1.2	3
34	Verification of Saliva Matrix Metalloproteinase-1 as a Strong Diagnostic Marker of Oral Cavity Cancer. <i>Cancers</i> , 2020, 12, 2273.	1.7	23
35	Treatment patterns and survival outcomes of advanced hypopharyngeal squamous cell carcinoma. <i>World Journal of Surgical Oncology</i> , 2020, 18, 82.	0.8	19
36	The impact of preoperative glycated hemoglobin levels on outcomes in oral squamous cell carcinoma. <i>Oral Diseases</i> , 2020, 26, 1449-1458.	1.5	2

#	ARTICLE	IF	CITATIONS
37	Genomic Signature of Mismatch Repair Deficiency in Areca Nut-Related Oral Cancer. <i>Journal of Dental Research</i> , 2020, 99, 1252-1261.	2.5	8
38	Cotargeting CHK1 and PI3K Synergistically Suppresses Tumor Growth of Oral Cavity Squamous Cell Carcinoma in Patient-Derived Xenografts. <i>Cancers</i> , 2020, 12, 1726.	1.7	14
39	Anti-p53 Autoantibody Detection in Automatic Glass Capillary Immunoassay Platform for Screening of Oral Cavity Squamous Cell Carcinoma. <i>Sensors</i> , 2020, 20, 971.	2.1	5
40	Clinical Implications of Tumor-Associated Tissue Eosinophilia in Tongue Squamous Cell Carcinoma. <i>Laryngoscope</i> , 2019, 129, 1123-1129.	1.1	16
41	Proteomic Profiling of Paired Interstitial Fluids Reveals Dysregulated Pathways and Salivary NID1 as a Biomarker of Oral Cavity Squamous Cell Carcinoma*[S]. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1939-1949.	2.5	22
42	Targeted sequencing of cancer-related genes in nasopharyngeal carcinoma identifies mutations in the TGF $\beta$ 2 pathway. <i>Cancer Medicine</i> , 2019, 8, 5116-5127.	1.3	13
43	Identification of Salivary Biomarkers for Oral Cancer Detection with Untargeted and Targeted Quantitative Proteomics Approaches. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1796-1806.	2.5	61
44	Tumor Depth of Invasion (Tumor $\times$ 4cm/Depth $\times$ 10mm and Depth $\times$ 20mm) and Through Cortex/Skin Invasion are Both Valid Criteria for Classifying Tumors as pT4a in AJCC 2018 Oral Cavity Cancer Staging System. <i>Annals of Surgical Oncology</i> , 2019, 26, 3663-3672.	0.7	9
45	Review of emerging biomarkers in head and neck squamous cell carcinoma in the era of immunotherapy and targeted therapy. <i>Head and Neck</i> , 2019, 41, 19-45.	0.9	70
46	BRAF protein immunoprecipitation, elution, and digestion from cell extract using a microfluidic mixer for mutant BRAF protein quantification by mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 1085-1094.	1.9	3
47	High metastatic node number, not extranodal extension, as a node-related prognosticator in surgically treated patients with nodal metastatic salivary gland carcinoma. <i>Head and Neck</i> , 2019, 41, 1572-1582.	0.9	12
48	Free Flap Outcomes of Microvascular Reconstruction after Repeated Segmental Mandibulectomy in Head and Neck Cancer Patients. <i>Scientific Reports</i> , 2019, 9, 7951.	1.6	10
49	In Response to <i>A</i> Nomogram to Predict Osteoradionecrosis in Oral Cancer After Marginal Mandibulectomy and Radiotherapy <i>. Laryngoscope</i> , 2019, 129, E344.	1.1	0
50	Prognostic significance of pretreatment neutrophil-to-lymphocyte ratio in older patients with metastatic cancer. <i>Journal of Geriatric Oncology</i> , 2019, 10, 757-762.	0.5	2
51	Activin A regulates the epidermal growth factor receptor promoter by activating the PI3K/SP1 pathway in oral squamous cell carcinoma cells. <i>Scientific Reports</i> , 2019, 9, 5197.	1.6	16
52	Characterization of Copy Number Variations in Oral Cavity Squamous Cell Carcinoma Reveals a Novel Role for MLLT3 in Cell Invasiveness. <i>Oncologist</i> , 2019, 24, e1388-e1400.	1.9	8
53	Low expression of pRB predicts disease relapse in early glottic cancer treated with transoral laser microsurgery. <i>Laryngoscope</i> , 2019, 129, E220-E226.	1.1	4
54	Integrated analyses utilizing metabolomics and transcriptomics reveal perturbation of the polyamine pathway in oral cavity squamous cell carcinoma. <i>Analytica Chimica Acta</i> , 2019, 1050, 113-122.	2.6	34

#	ARTICLE	IF	CITATIONS
55	Value of early evaluation of treatment response using 18F-FDG PET/CT parameters and the Epstein-Barr virus DNA load for prediction of outcome in patients with primary nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 650-660.	3.3	26
56	Clinical utility of simultaneous whole-body 18F-FDG PET/MRI as a single-step imaging modality in the staging of primary nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1297-1308.	3.3	81
57	The Prediction Value of the Systemic Inflammation Score for Oral Cavity Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2018, 158, 1042-1050.	1.1	24
58	Variability Assessment of 90 Salivary Proteins in Intraday and Interday Samples from Healthy Donors by Multiple Reaction Monitoring-Mass Spectrometry. <i>Proteomics - Clinical Applications</i> , 2018, 12, 1700039.	0.8	17
59	Anterolateral Thigh Flap Combined with Reconstruction Plate Versus Double Free Flaps for Composite Mandibular Reconstruction: A Propensity Score-Matched Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 829-836.	0.7	11
60	Hyperglycemia and risk of adverse outcomes following microvascular reconstruction of oncologic head and neck defects. <i>Oral Oncology</i> , 2018, 79, 15-19.	0.8	12
61	Association of overexpressed karyopherin alpha 2 with poor survival and its contribution to interleukin-1 $\beta$ -induced matrix metalloproteinase expression in oral cancer. <i>Head and Neck</i> , 2018, 40, 1719-1733.	0.9	13
62	Branchial cleft cyst: An unusual site for the cervical metastasis of nasopharyngeal carcinoma. <i>Auris Nasus Larynx</i> , 2018, 45, 328-331.	0.5	4
63	Identification of predisposing factors for osteonecrosis of the jaw after marginal mandibulectomy in the surgical management of oral squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , 2018, 117, 781-787.	0.8	6
64	Pathological risk factors stratification in pN3b oral cavity squamous cell carcinoma: Focus on the number of positive nodes and extranodal extension. <i>Oral Oncology</i> , 2018, 86, 188-194.	0.8	26
65	Integrated genomic analyses in PDX model reveal a cyclin-dependent kinase inhibitor Palbociclib as a novel candidate drug for nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 233.	3.5	23
66	Development and Validation of a Nomogram for Assessing Survival in Patients With Metastatic Lung Cancer Referred for Radiotherapy for Bone Metastases. <i>JAMA Network Open</i> , 2018, 1, e183242.	2.8	30
67	Nomogram based on albumin and neutrophil-to-lymphocyte ratio for predicting the prognosis of patients with oral cavity squamous cell carcinoma. <i>Scientific Reports</i> , 2018, 8, 13081.	1.6	50
68	Prognostic significance of combined pretreatment lymphocyte counts and body mass index in patients with head and neck cancer treated with radiation therapy. <i>Cancer Medicine</i> , 2018, 7, 2808-2815.	1.3	8
69	Oral Microbiota Community Dynamics Associated With Oral Squamous Cell Carcinoma Staging. <i>Frontiers in Microbiology</i> , 2018, 9, 862.	1.5	211
70	Cavernous sinus involvement is not a risk factor for the primary tumor site treatment outcome of Sinonasal adenoid cystic carcinoma. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2018, 47, 12.	0.9	7
71	Detection of anti-p53 autoantibodies in saliva using microfluidic chips for the rapid screening of oral cancer. <i>RSC Advances</i> , 2018, 8, 15513-15521.	1.7	18
72	Inactivation of the tight junction gene CLDN11 by aberrant hypermethylation modulates tubulins polymerization and promotes cell migration in nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 102.	3.5	25

#	ARTICLE	IF	CITATIONS
73	Tobacco-Smoking, Alcohol-Drinking, and Betel-Quid-Chewing Behaviors: Development and Use of a Web-Based Survey System. <i>JMIR MHealth and UHealth</i> , 2018, 6, e142.	1.8	12
74	Association between the diagnosis-to-treatment interval and overall survival in Taiwanese patients with oral cavity squamous cell carcinoma. <i>European Journal of Cancer</i> , 2017, 72, 226-234.	1.3	35
75	Complementary role of the Memorial Sloan Kettering Cancer Center nomogram to the American Joint Committee on Cancer system for the prediction of relapse of major salivary gland carcinoma after surgery. <i>Head and Neck</i> , 2017, 39, 860-867.	0.9	11
76	Prevalence of promoter mutations in the TERT gene in oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 1131-1137.	0.9	40
77	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. <i>JAMA Oncology</i> , 2017, 3, 636.	3.4	376
78	Clinical Outcomes of Taiwanese Patients with cT4 Oral Cavity Squamous Cell Carcinoma: Toward the Identification of the Optimal Initial Treatment Approach for cT4b Patients. <i>Annals of Surgical Oncology</i> , 2017, 24, 785-793.	0.7	17
79	Clinical Outcomes in pT4 Tongue Carcinoma are Worse than in pT3 Disease: How Extrinsic Muscle Invasion Should be Considered?. <i>Annals of Surgical Oncology</i> , 2017, 24, 2570-2579.	0.7	12
80	The second-time flap from the previously used anterior thigh donor site for head and neck microsurgical reconstruction. <i>Journal of Surgical Oncology</i> , 2017, 115, 392-401.	0.8	3
81	Comparative clinical outcomes of Taiwanese patients with resected buccal and tongue squamous cell carcinomas. <i>Oral Oncology</i> , 2017, 67, 95-102.	0.8	12
82	Multiple concomitant oral cavity cancers: Incidence, management, and outcomes. <i>Journal of Surgical Oncology</i> , 2017, 115, 835-841.	0.8	8
83	Development of a Multiplexed Assay for Oral Cancer Candidate Biomarkers Using Peptide Immunoaffinity Enrichment and Targeted Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 1829-1849.	2.5	22
84	APOBEC3A is an oral cancer prognostic biomarker in Taiwanese carriers of an APOBEC deletion polymorphism. <i>Nature Communications</i> , 2017, 8, 465.	5.8	89
85	Life quality improvement in hoarse patients with early glottic cancer after transoral laser microsurgery. <i>Head and Neck</i> , 2017, 39, 2070-2078.	0.9	2
86	Dose-escalated radiation therapy is associated with better overall survival in patients with bone metastases from solid tumors: a propensity score-matched study. <i>Cancer Medicine</i> , 2017, 6, 2087-2097.	1.3	4
87	Prognostic Stratification of Patients With Advanced Oral Cavity Squamous Cell Carcinoma. <i>Current Oncology Reports</i> , 2017, 19, 65.	1.8	29
88	Third Repeat Microvascular Reconstruction in Head and Neck Cancer Patients Aged 65 Years and Older: A Longitudinal and Sequential Analysis. <i>Scientific Reports</i> , 2017, 7, 15740.	1.6	2
89	Tumor heterogeneity measured on $^{18}$ F-fluorodeoxyglucose positron emission tomography/computed tomography combined with plasma Epstein-Barr Virus load predicts prognosis in patients with primary nasopharyngeal carcinoma. <i>Laryngoscope</i> , 2017, 127, E22-E28.	1.1	34
90	Assessing the suitability of medial sural artery perforator flaps in tongue reconstruction – An outcome study. <i>PLoS ONE</i> , 2017, 12, e0171570.	1.1	20

#	ARTICLE	IF	CITATIONS
91	Multiparametric imaging using 18F-FDG PET/CT heterogeneity parameters and functional MRI techniques: prognostic significance in patients with primary advanced oropharyngeal or hypopharyngeal squamous cell carcinoma treated with chemoradiotherapy. <i>Oncotarget</i> , 2017, 8, 62606-62621.	0.8	30
92	Molecular and serologic markers of HPV 16 infection are associated with local recurrence in patients with oral cavity squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 34820-34835.	0.8	12
93	Endoplasmic reticulum aminopeptidase 2 involvement in metastasis of oral cavity squamous cell carcinoma discovered by proteome profiling of primary cancer cells. <i>Oncotarget</i> , 2017, 8, 61698-61708.	0.8	16
94	Association between multidisciplinary team care approach and survival rates in patients with oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1544-53.	0.9	38
95	Classification of vocal fold leukoplakia by clinical scoring. <i>Head and Neck</i> , 2016, 38, E1998-2003.	0.9	37
96	Saliva protein biomarkers to detect oral squamous cell carcinoma in a high-risk population in Taiwan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11549-11554.	3.3	91
97	Feasibility and Outcomes of the Third or More Episodes of Sequential Microvascular Reconstruction for Recurrent or Second Primary Oral Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 3765-3772.	0.7	14
98	Rapid fabrication method of a microneedle mold with controllable needle height and width. <i>Biomedical Microdevices</i> , 2016, 18, 85.	1.4	21
99	Using a nasoseptal flap for the reconstruction of osteoradionecrosis in nasopharyngeal carcinoma: A case report. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2016, 45, 27.	0.9	15
100	Refinement of the myocutaneous anterolateral thigh flap for reconstruction of frontonasal fistula defects. <i>Head and Neck</i> , 2016, 38, E552-8.	0.9	2
101	Salivary Biomarkers for Detection of Oral Squamous Cell Carcinoma in a Taiwanese Population. <i>Clinical Cancer Research</i> , 2016, 22, 3340-3347.	3.2	62
102	ASC contributes to metastasis of oral cavity squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 50074-50085.	0.8	27
103	Correlation between overall survival and differential plasma and tissue tumor marker expression in nasopharyngeal carcinoma patients with different sites of organ metastasis. <i>Oncotarget</i> , 2016, 7, 53217-53229.	0.8	9
104	Choice of Flap Affects Fistula Rate after Salvage Laryngopharyngectomy. <i>Scientific Reports</i> , 2015, 5, 9180.	1.6	18
105	Saliva proteome profiling reveals potential salivary biomarkers for detection of oral cavity squamous cell carcinoma. <i>Proteomics</i> , 2015, 15, 3394-3404.	1.3	86
106	Human Papillomavirus Infections are Common and Predict Mortality in a Retrospective Cohort Study of Taiwanese Patients With Oral Cavity Cancer. <i>Medicine (United States)</i> , 2015, 94, e2069.	0.4	15
107	Evaluation of Lymphatic and Vascular Invasion in Relation to Clinicopathological Factors and Treatment Outcome in Oral Cavity Squamous Cell Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e1510.	0.4	58
108	Low-molecular-mass secretome profiling identifies HMGA2 and MIF as prognostic biomarkers for oral cavity squamous cell carcinoma. <i>Scientific Reports</i> , 2015, 5, 11689.	1.6	37

#	ARTICLE	IF	CITATIONS
109	CMPD: cancer mutant proteome database. <i>Nucleic Acids Research</i> , 2015, 43, D849-D855.	6.5	13
110	Positive Clinical Impact of an Additional PET/CT Scan Before Adjuvant Radiotherapy or Concurrent Chemoradiotherapy in Patients with Advanced Oral Cavity Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2015, 56, 22-30.	2.8	14
111	Clinical Outcomes of Patients with Resected Oral Cavity Cancer and Simultaneous Second Primary Malignancies. <i>PLoS ONE</i> , 2015, 10, e0136918.	1.1	8
112	Overexpressed tryptophanyl-tRNA synthetase, an angiostatic protein, enhances oral cancer cell invasiveness. <i>Oncotarget</i> , 2015, 6, 21979-21992.	0.8	37
113	Application of a patient-derived xenograft model in cytolytic viral activation therapy for nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015, 6, 31323-31334.	0.8	16
114	Silencing of miRNA-148a by hypermethylation activates the integrin-mediated signaling pathway in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2014, 5, 7610-7624.	0.8	38
115	The Epstein-Barr Virus-Encoded MicroRNA MiR-BART9 Promotes Tumor Metastasis by Targeting E-Cadherin in Nasopharyngeal Carcinoma. <i>PLoS Pathogens</i> , 2014, 10, e1003974.	2.1	89
116	Overexpression of BST2 is associated with nodal metastasis and poorer prognosis in oral cavity cancer. <i>Laryngoscope</i> , 2014, 124, E354-E360.	1.1	37
117	Secretome Profiling of Primary Cells Reveals That THBS2 Is a Salivary Biomarker of Oral Cavity Squamous Cell Carcinoma. <i>Journal of Proteome Research</i> , 2014, 13, 4796-4807.	1.8	50
118	Functional Impact of RNA editing and ADARs on regulation of gene expression: perspectives from deep sequencing studies. <i>Cell and Bioscience</i> , 2014, 4, 44.	2.1	22
119	Matrix metalloproteinase 12 is induced by heterogeneous nuclear ribonucleoprotein K and promotes migration and invasion in nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2014, 14, 348.	1.1	39
120	Salivary Auto-Antibodies as Noninvasive Diagnostic Markers of Oral Cavity Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1569-1578.	1.1	22
121	Overexpression of caldesmon is associated with lymph node metastasis and poorer prognosis in patients with oral cavity squamous cell carcinoma. <i>Cancer</i> , 2013, 119, 4003-4011.	2.0	33
122	Serum levels of chemokine (C-X-C motif) ligand 9 (CXCL9) are associated with tumor progression and treatment outcome in patients with oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2013, 49, 802-807.	0.8	42
123	Pretreatment Interleukin-6 Serum Levels Are Associated with Patient Survival for Oral Cavity Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 148, 786-791.	1.1	37
124	Serum CXCL9 Levels Are Associated with Tumor Progression and Treatment Outcome in Patients with Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2013, 8, e80052.	1.1	21
125	How Genome-Wide SNP-SNP Interactions Relate to Nasopharyngeal Carcinoma Susceptibility. <i>PLoS ONE</i> , 2013, 8, e83034.	1.1	17
126	Impact of Pretreatment Body Mass Index on Patients With Head-and-Neck Cancer Treated With Radiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e93-e100.	0.4	73



#	ARTICLE	IF	CITATIONS
127	Prognostic Significance of <sup>18</sup> F-FDG PET Parameters and Plasma Epstein-Barr Virus DNA Load in Patients with Nasopharyngeal Carcinoma. <i>Journal of Nuclear Medicine</i> , 2012, 53, 21-28.	2.8	96
128	Postoperative morbidity in head and neck cancer ablative surgery followed by microsurgical free tissue transfer in the elderly. <i>Oral Oncology</i> , 2012, 48, 811-816.	0.8	26
129	The Roles of Albumin Levels in Head and Neck Cancer Patients with Liver Cirrhosis Undergoing Tumor Ablation and Microsurgical Free Tissue Transfer. <i>PLoS ONE</i> , 2012, 7, e52678.	1.1	14
130	Heterogeneous ribonucleoprotein K and thymidine phosphorylase are independent prognostic and therapeutic markers for oral squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 516-522.	0.8	24
131	Identification of Guanylate-Binding Protein 1 as a Potential Oral Cancer Marker Involved in Cell Invasion Using Omics-Based Analysis. <i>Journal of Proteome Research</i> , 2011, 10, 3778-3788.	1.8	68
132	Identification of PRDX4 and P4HA2 as Metastasis-Associated Proteins in Oral Cavity Squamous Cell Carcinoma by Comparative Tissue Proteomics of Microdissected Specimens Using iTRAQ Technology. <i>Journal of Proteome Research</i> , 2011, 10, 4935-4947.	1.8	82
133	Prognostic cytokine markers in peripheral blood for oral cavity squamous cell carcinoma identified by multiplexed immunobead-based profiling. <i>Clinica Chimica Acta</i> , 2011, 412, 980-987.	0.5	33
134	Overexpression of macrophage inflammatory protein-3 $\beta$ in oral cavity squamous cell carcinoma is associated with nodal metastasis. <i>Oral Oncology</i> , 2011, 47, 108-113.	0.8	33
135	Predicting postoperative morbidity and mortality by model for endstage liver disease score for patients with head and neck cancer and liver cirrhosis. <i>Head and Neck</i> , 2011, 33, 529-534.	0.9	12
136	Multiplexed immunobead-based profiling of cytokine markers for detection of nasopharyngeal carcinoma and prognosis of patient survival. <i>Head and Neck</i> , 2011, 33, 886-897.	0.9	55
137	Quantitative plasma proteome analysis reveals aberrant level of blood coagulation-related proteins in nasopharyngeal carcinoma. <i>Journal of Proteomics</i> , 2011, 74, 744-757.	1.2	14
138	Postoperative Morbidity and Mortality of Head and Neck Cancers in Patients With Liver Cirrhosis Undergoing Surgical Resection Followed by Microsurgical Free Tissue Transfer. <i>Annals of Surgical Oncology</i> , 2010, 17, 536-543.	0.7	27
139	Overexpression of Activin A in Oral Squamous Cell Carcinoma: Association with Poor Prognosis and Tumor Progression. <i>Annals of Surgical Oncology</i> , 2010, 17, 1945-1956.	0.7	48
140	Identification of candidate nasopharyngeal carcinoma serum biomarkers by cancer cell secretome and tissue transcriptome analysis: Potential usage of cystatin A for predicting nodal stage and poor prognosis. <i>Proteomics</i> , 2010, 10, 2644-2660.	1.3	48
141	Candidate Serological Biomarkers for Cancer Identified from the Secretomes of 23 Cancer Cell Lines and the Human Protein Atlas. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1100-1117.	2.5	177
142	Enhanced Interferon Signaling Pathway in Oral Cancer Revealed by Quantitative Proteome Analysis of Microdissected Specimens Using <sup>16</sup> O/ <sup>18</sup> O Labeling and Integrated Two-dimensional LC-ESI-MALDI Tandem MS. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1453-1474.	2.5	88
143	The impacts of liver cirrhosis on head and neck cancer patients undergoing microsurgical free tissue transfer: An evaluation of flap outcome and flap-related complications. <i>Oral Oncology</i> , 2009, 45, 1058-1062.	0.8	13
144	Genome-wide Association Study Reveals Multiple Nasopharyngeal Carcinoma-Associated Loci within the HLA Region at Chromosome 6p21.3. <i>American Journal of Human Genetics</i> , 2009, 85, 194-203.	2.6	166

#	ARTICLE	IF	CITATIONS
145	Histological Differentiation of Primary Oral Squamous Cell Carcinomas in an Area of Betel Quid Chewing Prevalence. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 141, 743-749.	1.1	39
146	Identification of potential serum markers for nasopharyngeal carcinoma from a xenografted mouse model using Cy5 dye labeling combined with three-dimensional fractionation. <i>Proteomics</i> , 2008, 8, 3605-3620.	1.3	27
147	Complementary serum test of antibodies to Epstein-Barr virus nuclear antigen-1 and early antigen: A possible alternative for primary screening of nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2008, 44, 784-792.	0.8	43
148	Nasopharyngectomy for recurrent nasopharyngeal carcinoma: a review of 53 patients and prognostic factors. <i>Acta Oto-Laryngologica</i> , 2008, 128, 473-481.	0.3	60
149	Heterogeneous Ribonucleoprotein K and Thymidine Phosphorylase Are Independent Prognostic and Therapeutic Markers for Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 3807-3813.	3.2	48
150	Macrophage Inflammatory Protein-3 $\alpha$ Is a Novel Serum Marker for Nasopharyngeal Carcinoma Detection and Prediction of Treatment Outcomes. <i>Clinical Cancer Research</i> , 2008, 14, 6979-6987.	3.2	63
151	Gene expression and promoter polymorphisms of DNA methyltransferase 3B in nasopharyngeal carcinomas in Taiwanese people: a case-control study. <i>Oncology Reports</i> , 2008, 19, 217-22.	1.2	15
152	Promoter polymorphisms of DNMT3B and the risk of head and neck squamous cell carcinoma in Taiwan: A case-control study. <i>Oral Oncology</i> , 2007, 43, 345-351.	0.8	37
153	The 30-bp Deletion of Epstein-Barr Virus Latent Membrane Protein-1 Gene Has No Effect in Nasopharyngeal Carcinoma. <i>Laryngoscope</i> , 2006, 116, 541-546.	1.1	27
154	Endoscopic CO2 laser surgery for an atypical carcinoid tumor of the epiglottis masquerading as a supraglottic cyst. <i>Head and Neck</i> , 2005, 27, 1004-1007.	0.9	14
155	Ultrasound-guided closed drainage for abscesses of the head and neck. <i>Otolaryngology - Head and Neck Surgery</i> , 2005, 132, 119-124.	1.1	40
156	Cochlear implantation in a post-irradiated patient for nasopharyngeal carcinoma. <i>Cochlear Implants International</i> , 2004, 5, 227-227.	0.5	0
157	Salvage Surgery for Locally Recurrent Nasopharyngeal Carcinoma—A 10-Year Experience. <i>Otolaryngology - Head and Neck Surgery</i> , 2004, 131, 497-502.	1.1	45
158	Detection of Epstein-Barr Virus-Derived Latent Membrane Protein-1 Gene in Various Head and Neck Cancers: Is It Specific for Nasopharyngeal Carcinoma?. <i>Laryngoscope</i> , 2003, 113, 1050-1054.	1.1	26
159	A Lack of Association Between p53 Mutations and Recurrent Nasopharyngeal Carcinomas Refractory to Radiotherapy. <i>Laryngoscope</i> , 2002, 112, 2015-2019.	1.1	15
160	Differentiation of Recurrent Nasopharyngeal Carcinoma and Skull Base Osteoradionecrosis by Epstein-Barr Virus-Derived Latent Membrane Protein-1 Gene. <i>Laryngoscope</i> , 2001, 111, 650-652.	1.1	16
161	Endoscopic Management of Skull Base Osteoradionecrosis. <i>Laryngoscope</i> , 2000, 110, 1162-1165.	1.1	43