

Keping Long

List of Publications by Citations

Source: <https://exaly.com/author-pdf/803301/keping-long-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

3,472
citations

25
h-index

56
g-index

177
ext. papers

4,459
ext. citations

5.1
avg, IF

5.95
L-index

#	Paper	IF	Citations
161	Network Slicing Based 5G and Future Mobile Networks: Mobility, Resource Management, and Challenges. <i>IEEE Communications Magazine</i> , 2017 , 55, 138-145	9.1	431
160	Cognitive Internet of Things: A New Paradigm Beyond Connection. <i>IEEE Internet of Things Journal</i> , 2014 , 1, 129-143	10.7	311
159	Full-Duplex Wireless Communications: Challenges, Solutions, and Future Research Directions. <i>Proceedings of the IEEE</i> , 2016 , 104, 1369-1409	14.3	293
158	Energy Efficient User Association and Power Allocation in Millimeter-Wave-Based Ultra Dense Networks With Energy Harvesting Base Stations. <i>IEEE Journal on Selected Areas in Communications</i> , 2017 , 35, 1936-1947	14.2	275
157	On Swarm Intelligence Inspired Self-Organized Networking: Its Bionic Mechanisms, Designing Principles and Optimization Approaches. <i>IEEE Communications Surveys and Tutorials</i> , 2014 , 16, 513-537	37.1	138
156	Self-organization paradigms and optimization approaches for cognitive radio technologies: a survey. <i>IEEE Wireless Communications</i> , 2013 , 20, 36-42	13.4	119
155	Energy-Efficient Resource Allocation in NOMA Heterogeneous Networks. <i>IEEE Wireless Communications</i> , 2018 , 25, 48-53	13.4	99
154	Fog Radio Access Networks: Mobility Management, Interference Mitigation, and Resource Optimization. <i>IEEE Wireless Communications</i> , 2017 , 24, 120-127	13.4	91
153	Secure Communications in NOMA System: Subcarrier Assignment and Power Allocation. <i>IEEE Journal on Selected Areas in Communications</i> , 2018 , 36, 1441-1452	14.2	80
152	Energy Efficient Dynamic Resource Optimization in NOMA System. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 5671-5683	9.6	76
151	Resource Allocation in NOMA-Based Fog Radio Access Networks. <i>IEEE Wireless Communications</i> , 2018 , 25, 110-115	13.4	66
150	On a Mathematical Model for Low-Rate Shrew DDoS. <i>IEEE Transactions on Information Forensics and Security</i> , 2014 , 9, 1069-1083	8	65
149	Energy Efficient Subchannel and Power Allocation for Software-defined Heterogeneous VLC and RF Networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2018 , 36, 658-670	14.2	63
148	Partial Relay Selection With Fixed-Gain Relays and Outdated CSI in Underlay Cognitive Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2013 , 62, 4696-4701	6.8	59
147	Incomplete CSI Based Resource Optimization in SWIPT Enabled Heterogeneous Networks: A Non-Cooperative Game Theoretic Approach. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 1882-1892	9.6	57
146	Energy Efficient Resource Management in SWIPT Enabled Heterogeneous Networks With NOMA. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 835-845	9.6	56
145	Energy Efficient User Clustering, Hybrid Precoding and Power Optimization in Terahertz MIMO-NOMA Systems. <i>IEEE Journal on Selected Areas in Communications</i> , 2020 , 38, 2074-2085	14.2	54

144	Traffic dynamics on layered complex networks. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2011 , 390, 2401-2407	3.3	48
143	. <i>IEEE Transactions on Vehicular Technology</i> , 2012 , 61, 1719-1729	6.8	44
142	. <i>IEEE Transactions on Information Theory</i> , 2015 , 61, 6182-6191	2.8	43
141	Performance Analysis for Opportunistic Full-Duplex Relay Selection in Underlay Cognitive Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2015 , 64, 4905-4910	6.8	43
140	Power Control Based on Deep Reinforcement Learning for Spectrum Sharing. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 4209-4219	9.6	41
139	Energy Efficiency Optimization for NOMA UAV Network With Imperfect CSI. <i>IEEE Journal on Selected Areas in Communications</i> , 2020 , 38, 2798-2809	14.2	39
138	Software-Defined and Fog-Computing-Based Next Generation Vehicular Networks. <i>IEEE Communications Magazine</i> , 2018 , 56, 34-41	9.1	33
137	Resource Allocation for Optimizing Energy Efficiency in NOMA-based Fog UAV Wireless Networks. <i>IEEE Network</i> , 2020 , 34, 158-163	11.4	29
136	A V-shape photonic crystal fiber polarization filter based on surface plasmon resonance effect. <i>Optics Communications</i> , 2019 , 452, 1-6	2	25
135	A simple and efficient frequency offset estimation algorithm for high-speed coherent optical OFDM systems. <i>Optics Express</i> , 2012 , 20, 7350-61	3.3	25
134	Modulation-format-independent blind phase search algorithm for coherent optical square M-QAM systems. <i>Optics Express</i> , 2014 , 22, 24044-54	3.3	23
133	. <i>IEEE Transactions on Communications</i> , 2016 , 64, 5096-5107	6.9	23
132	Deep Learning Based Radio Resource Management in NOMA Networks: User Association, Subchannel and Power Allocation. <i>IEEE Transactions on Network Science and Engineering</i> , 2020 , 7, 2406-2415	4.9	22
131	A genetic algorithm-based task scheduling for cloud resource crowd-funding model. <i>International Journal of Communication Systems</i> , 2018 , 31, e3394	1.7	20
130	Transmitter and receiver DSP for 112 Gbit/s PAM-4 amplifier-less transmissions using 25G-class EML and APD. <i>Optics Express</i> , 2018 , 26, 22673-22686	3.3	20
129	Energy-Efficient Subchannel Matching and Power Allocation in NOMA Autonomous Driving Vehicular Networks. <i>IEEE Wireless Communications</i> , 2019 , 26, 88-93	13.4	19
128	An Efficient Stochastic Gradient Descent Algorithm to Maximize the Coverage of Cellular Networks. <i>IEEE Transactions on Wireless Communications</i> , 2019 , 18, 3424-3436	9.6	19
127	A Network Coding and DES Based Dynamic Encryption Scheme for Moving Target Defense. <i>IEEE Access</i> , 2018 , 6, 26059-26068	3.5	19

126	Deep Neural Network for Resource Management in NOMA Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 876-886	6.8	19
125	Energy Efficient Resource Allocation in Terahertz Downlink NOMA Systems. <i>IEEE Transactions on Communications</i> , 2021 , 69, 1375-1384	6.9	18
124	Design and optimization of 32-core rod/trench assisted square-lattice structured single-mode multi-core fiber. <i>Optics Express</i> , 2017 , 25, 5119-5132	3.3	17
123	. <i>IEEE Vehicular Technology Magazine</i> , 2019 , 14, 56-63	9.9	16
122	Guard Zone Based Interference Management for D2D-Aided Underlying Cellular Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 5466-5471	6.8	16
121	Efficient Joint Carrier Frequency Offset and Phase Noise Compensation Scheme for High-Speed Coherent Optical OFDM Systems. <i>Journal of Lightwave Technology</i> , 2013 , 31, 1755-1761	4	16
120	Secure Beamforming for Multiple-Antenna Amplify-and-Forward Relay Networks. <i>IEEE Transactions on Signal Processing</i> , 2016 , 64, 1477-1492	4.8	15
119	112 Gb/s transmission over 80 km SSMF using PDM-PAM4 and coherent detection without optical amplifier. <i>Optics Express</i> , 2016 , 24, 17359-71	3.3	14
118	Modeling Channel Access Delay and Jitter of IEEE 802.11 DCF. <i>Wireless Personal Communications</i> , 2008 , 47, 417-440	1.9	14
117	Energy-Efficient Power Allocation with Interference Mitigation in MmWave-Based Fog Radio Access Networks. <i>IEEE Wireless Communications</i> , 2018 , 25, 25-31	13.4	13
116	Polarization-interleave-multiplexed discrete multi-tone modulation with direct detection utilizing MIMO equalization. <i>Optics Express</i> , 2015 , 23, 8409-21	3.3	12
115	An Efficient Core Selection Method for Heterogeneous Trench-Assisted Multi-Core Fiber. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 810-813	2.2	12
114	Spray and forward: Efficient routing based on the Markov location prediction model for DTNs. <i>Science China Information Sciences</i> , 2012 , 55, 433-440	3.4	12
113	. <i>IEEE Sensors Journal</i> , 2020 , 20, 9071-9078	4	12
112	Joint Resource Allocation and Trajectory Optimization With QoS in UAV-Based NOMA Wireless Networks. <i>IEEE Transactions on Wireless Communications</i> , 2021 , 1-1	9.6	12
111	Mid-infrared silicon photonic crystal fiber polarization filter based on surface plasmon resonance effect. <i>Optics Communications</i> , 2020 , 463, 125387	2	11
110	Circular-Shift Linear Network Coding. <i>IEEE Transactions on Information Theory</i> , 2019 , 65, 65-80	2.8	11
109	Low-Complexity Carrier Phase Recovery for Square M-QAM Based on S-BPS Algorithm. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1863-1866	2.2	11

108	Complex efficient carrier frequency offset estimation algorithm in OFDM systems. <i>IEEE Transactions on Broadcasting</i> , 2004 , 50, 159-164	4.7	11
107	IEEE 802.11 Distributed Coordination Function: Enhancement and analysis. <i>Journal of Computer Science and Technology</i> , 2003 , 18, 607-614	1.7	11
106	Highly sensitive temperature sensing based on all-solid cladding dual-core photonic crystal fiber filled with the toluene and ethanol. <i>Optics Communications</i> , 2020 , 477, 126357	2	11
105	A stable rate-based algorithm for active queue management. <i>Computer Communications</i> , 2005 , 28, 1731-1740	3.740	10
104	User Association and Power Allocation Based on Q-Learning in Ultra Dense Heterogeneous Networks 2019 ,		9
103	Computation Offloading and Wireless Resource Management for Healthcare Monitoring in Fog-Computing based Internet of Medical Things. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	9
102	Energy-Efficient Resource Allocation in NOMA Heterogeneous Networks with Energy Harvesting 2018 ,		9
101	Accelerated Coverage Optimization With Particle Swarm in the Quotient Space Characterizing Antenna Azimuths of Cellular Networks. <i>IEEE Access</i> , 2019 , 7, 86252-86264	3.5	8
100	An Efficient Geometry-Induced Genetic Algorithm for Base Station Placement in Cellular Networks. <i>IEEE Access</i> , 2019 , 7, 108604-108616	3.5	8
99	Theoretical CSCR Analysis and Performance Comparison for Four Single-Sideband Modulation Schemes With Kramers-Kronig Receiver. <i>IEEE Access</i> , 2019 , 7, 166257-166267	3.5	8
98	Spectrum Management Scheme in Fog IoT Networks. <i>IEEE Communications Magazine</i> , 2018 , 56, 101-107	9.1	8
97	Joint Spectrum-Sharing and Base Station Sleep Model for Improving Energy Efficiency of Heterogeneous Networks. <i>IEEE Systems Journal</i> , 2018 , 12, 560-570	4.3	7
96	. <i>IEEE Journal on Selected Areas in Communications</i> , 2021 , 1-1	14.2	7
95	. <i>IEEE Sensors Journal</i> , 2021 , 21, 4610-4617	4	7
94	Survivability-oriented optimal node density for randomly deployed wireless sensor networks. <i>Science China Information Sciences</i> , 2014 , 57, 1-6	3.4	6
93	Energy Efficient Resource Allocation in Cache Based Terahertz Vehicular Networks: A Mean-Field Game Approach. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 5275-5285	6.8	6
92	Circular-Shift Linear Network Codes With Arbitrary Odd Block Lengths. <i>IEEE Transactions on Communications</i> , 2019 , 67, 2660-2672	6.9	6
91	Self-similar picosecond pulse compression for supercontinuum generation at mid-infrared wavelength in silicon strip waveguides. <i>Optics Communications</i> , 2020 , 454, 124380	2	6

90	Fog Computing Vehicular Network Resource Management Based on Chemical Reaction Optimization. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 1770-1781	6.8	6
89	. <i>Journal of Lightwave Technology</i> , 2018 , 36, 5244-5253	4	6
88	HTTP-sCAN: Detecting HTTP-flooding attack by modeling multi-features of web browsing behavior from noisy web-logs. <i>China Communications</i> , 2015 , 12, 118-128	3	5
87	Energy Efficient Dynamic Resource Allocation in NOMA Networks 2017 ,		5
86	Energy Efficient Resource Allocation for Secure NOMA Networks 2018 ,		5
85	Joint baud-rate and modulation format identification based on asynchronous delay-tap plots analyzer by using convolutional neural network. <i>Optics Communications</i> , 2019 , 450, 97-102	2	5
84	Does amplify-and-forward cooperative relay improve OFDM/OFDMA ergodic capacity?. <i>China Communications</i> , 2014 , 11, 83-89	3	5
83	Polarization-Multiplexed DMT With IM-DD Using 2 \times MIMO Processing Based on SOP Estimation and MPBI Elimination. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-12	1.8	5
82	Dispersion-engineered T-type germanium waveguide for mid-infrared supercontinuum and frequency comb generations in all-normal dispersion region. <i>OSA Continuum</i> , 2020 , 3, 2320	1.4	5
81	Enhancing the Performance of the Quasi-ML Receiver (Detector Plus Decoder) for Coded MIMO Systems Via Statistical Information. <i>IEEE Transactions on Vehicular Technology</i> , 2016 , 65, 3765-3771	6.8	4
80	Slow-Nonlinearity Assisted Supercontinuum Generation in a CS ₂ -Core Photonic Crystal Fiber. <i>IEEE Journal of Quantum Electronics</i> , 2019 , 55, 1-9	2	4
79	Unequal-Error-Correcting-Capability-Aware Iterative Receiver for (Parallel) Turbo-Coded Communications. <i>IEEE Transactions on Vehicular Technology</i> , 2014 , 63, 3446-3451	6.8	4
78	HTTP-SoLDiER: An HTTP-flooding attack detection scheme with the large deviation principle. <i>Science China Information Sciences</i> , 2014 , 57, 1-15	3.4	4
77	Energy-Efficient Resource Allocation in Heterogeneous Small Cell Networks with WiFi Spectrum Sharing 2017 ,		4
76	Resource Allocation in Software Defined Fog Vehicular Networks 2017 ,		4
75	Joint group power allocation and prebeamforming for joint spatial-division multiplexing in multiuser massive MIMO systems 2015 ,		4
74	An adaptive path selection model for WSN multipath routing inspired by metabolism behaviors. <i>Science China Information Sciences</i> , 2015 , 58, 1-15	3.4	4
73	Efficient secondary access with intelligent spectrum sensing in cognitive radio networks. <i>International Journal of Communication Systems</i> , 2014 , 27, 4226-4248	1.7	4

72	An enhanced backward recursive PCE-based computation scheme for end-to-end disjoint paths in multi-domain networks. <i>Photonic Network Communications</i> , 2012 , 24, 22-28	1.7	4
71	A novel segment-shared protection algorithm based on dynamic domain-sequencing scheme for multi-domain optical mesh networks. <i>Photonic Network Communications</i> , 2011 , 22, 276-287	1.7	4
70	Design and optimization of 3-mode 12-core dual-ring structured few-mode multi-core fiber. <i>Optics Communications</i> , 2016 , 381, 30-36	2	4
69	Energy Efficient Resource Allocation and Caching in Fog Radio Access Networks 2018 ,		4
68	Collaborative Geolocation Based on Imprecise Initial Coordinates for Internet of Things. <i>IEEE Access</i> , 2018 , 6, 48850-48858	3.5	4
67	Proximal Policy Optimization-based Transmit Beamforming and Phase-shift Design in an IRS-aided ISAC System for the THz Band. <i>IEEE Journal on Selected Areas in Communications</i> , 2022 , 1-1	14.2	4
66	Multi-Criteria Coverage Map Construction Based on Adaptive Triangulation-Induced Interpolation for Cellular Networks. <i>IEEE Access</i> , 2019 , 7, 80767-80777	3.5	3
65	Modulation format and baud-rate identification using asynchronous single channel sampling based on CNN. <i>Optics Communications</i> , 2020 , 463, 125363	2	3
64	Single Channel 50 Gbit/s Transmission Over 40 km SSMF Without Optical Amplification and In-Line Dispersion Compensation Using a Single-End PD-Based PDM-SSB-DMT System. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-11	1.8	3
63	Constructing multicast networks where vector linear coding outperforms scalar linear coding 2015 ,		3
62	A novel authentication protocol enabling RFID tags ownership transfer 2012 ,		3
61	Comments on "High-Throughput, High-Performance OFDM via Pseudo-Orthogonal Carrier Interferometry Spreading Codes. <i>IEEE Transactions on Communications</i> , 2007 , 55, 232-234	6.9	3
60	Common-mode noise self-suppressed 3-component fiber optic accelerometer based on low-reflectivity Bragg gratings. <i>Optics Letters</i> , 2021 , 46, 1596-1599	3	3
59	Subchannel Assignment and Power Allocation for Time-Varying Fog Radio Access Network With NOMA. <i>IEEE Transactions on Wireless Communications</i> , 2021 , 20, 3685-3697	9.6	3
58	A Breast Cancer Risk Classification Model Based on the Features Selected by Novel F-Score Index for the Imbalanced Multi-Feature Dataset 2016 ,		3
57	RMI-DRE: a redundancy-maximizing identification scheme for data redundancy elimination. <i>Science China Information Sciences</i> , 2016 , 59, 1	3.4	3
56	Polarization Beam Splitter Based on the Gold Wire-Filled Dual-Core Photonic Crystal Fiber at the Communication Wavelengths. <i>Fiber and Integrated Optics</i> , 2021 , 40, 70-83	0.8	3
55	ADVANCED PROGRESS ON (B) NONLINEARITY IN CHIP-SCALE PHOTONIC PLATFORMS (INVITED REVIEW). <i>Progress in Electromagnetics Research</i> , 2021 , 170, 17-62	3.8	3

54	IRS Empowered UAV Wireless Communication with Resource Allocation, Reflecting Design and Trajectory Optimization. <i>IEEE Transactions on Wireless Communications</i> , 2022 , 1-1	9.6	3
53	Generation of parabolic pulse in a dispersion and nonlinearity jointly engineered silicon waveguide taper. <i>Optics Communications</i> , 2019 , 448, 48-54	2	2
52	On Encoding and Decoding of Circular-Shift Linear Network Codes. <i>IEEE Communications Letters</i> , 2019 , 23, 777-780	3.8	2
51	Theoretical analysis on inter-core crosstalk suppression model for multi-core fiber. <i>China Communications</i> , 2016 , 13, 192-197	3	2
50	A Decentralized Private Data Transaction Pricing and Quality Control Method 2019 ,		2
49	WARAS: An adaptive WSN multipath selection model inspired by metabolism behaviors of Escherichia Coli 2015 ,		2
48	Resource Allocation in Terrestrial-Satellite based Next Generation Multiple Access Networks with Interference Cooperation. <i>IEEE Journal on Selected Areas in Communications</i> , 2022 , 1-1	14.2	2
47	Energy Efficient User Association, Resource Allocation and Caching Deployment in Fog Radio Access Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	2
46	Subchannel Assignment and Power Optimization for Energy-Efficient NOMA Heterogeneous Network 2019 ,		2
45	Above-Threshold Queries of Environmental Conditions Based on Bilinear Interpolation in Wireless Sensor Networks. <i>Sensors</i> , 2018 , 18,	3.8	2
44	Fair and Energy-efficient Coverage Optimization for UAV Placement Problem in the Cellular Network. <i>IEEE Transactions on Communications</i> , 2022 , 1-1	6.9	2
43	A bio-inspired OSPF path selection scheme based on an adaptive attractor selection model. <i>International Journal of Communication Systems</i> , 2017 , 30, e2963	1.7	1
42	Improved immunization strategy to reduce energy consumption on nodes traffic. <i>Optics Communications</i> , 2017 , 389, 314-317	2	1
41	Theoretical and numerical analyses for PDM-IM signals using Stokes vector receivers. <i>Science China Information Sciences</i> , 2020 , 63, 1	3.4	1
40	Optimal pilots design for frequency offsets and channel estimation in OFDM modulated single frequency networks. <i>Science China Information Sciences</i> , 2014 , 57, 1-12	3.4	1
39	Advanced in Optical Network Control and Management. <i>Journal of Network and Systems Management</i> , 2012 , 20, 1-4	2.1	1
38	Spline approximation-based data compression for sensor arrays in the wireless hydrologic monitoring system. <i>International Journal of Distributed Sensor Networks</i> , 2017 , 13, 155014771769258	1.7	1
37	PDM-SSB-OFDM transmission over 80km SSMF based on a single photodetector at C-band 2017 ,		1

36	A novel rateless codes design scheme based on two-stage encoding and forward equal probability. <i>International Journal of Communication Systems</i> , 2015 , 28, 426-436	1.7	1
35	40Gbps double-sided multiband OFDM-PON based on polarization interleaving and direct detection 2014 ,		1
34	Knight's tour-based fast fault localization mechanism in mesh optical communication networks. <i>Photonic Network Communications</i> , 2012 , 23, 123-129	1.7	1
33	A distributed backoff-channel deflection algorithm with load balancing for optical burst switching networks. <i>Photonic Network Communications</i> , 2012 , 24, 39-46	1.7	1
32	Local segment-shared protection based on source egress gateway selection for multi-domain optical mesh networks. <i>Science China Information Sciences</i> , 2011 , 54, 227-235	3.4	1
31	A novel radio resource allocation scheme for IEEE 802.16e multicell networks. <i>Science China Information Sciences</i> , 2011 , 54, 1444-1455	3.4	1
30	An effective feedback control mechanism for DiffServ architecture. <i>Journal of Computer Science and Technology</i> , 2002 , 17, 420-431	1.7	1
29	Demonstration of fiber-optic seismic sensor with improved dynamic response in oilfield application. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 1-1	5.2	1
28	Decentralized Baseband Processing with Gaussian Message Passing Detection for Uplink Massive MU-MIMO Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	1
27	High-speed PON downstream transmission based on pre-configured KK scheme with CD pre-compensation and direct detection. <i>Optics Communications</i> , 2022 , 510, 127906	2	1
26	Design of dual-core photonic crystal fiber for temperature sensor based on surface plasmon resonance effect. <i>Optics Communications</i> , 2022 , 508, 127838	2	1
25	Noncooperative Resource optimization for NOMA Based Fog Radio Access Network 2020 ,		1
24	Graphene-Coated Two-Layer Dielectric Loaded Surface Plasmon Polariton Rib Waveguide With Ultra-Long Propagation Length and Ultra-High Electro-Optic Wavelength Tuning. <i>IEEE Access</i> , 2020 , 8, 103433-103442	3.5	1
23	. <i>IEEE Access</i> , 2020 , 8, 202022-202031	3.5	1
22	Low-Complexity EP Receiver Based on Location-Aware and Reliability-Aware Strategy. <i>IEEE Communications Letters</i> , 2021 , 25, 2034-2038	3.8	1
21	Theoretical analysis of PAM-N and M-QAM BER computation with single-sideband signal. <i>Science China Information Sciences</i> , 2021 , 64, 1	3.4	1
20	Design method for low index trench and rod assisted weakly-coupled multi-core fiber. <i>Science China Information Sciences</i> , 2016 , 59, 1	3.4	1
19	Rethinking Cellular System Coverage Optimization: A Perspective of Pseudometric Structure of Antenna Azimuth Variable Space. <i>IEEE Systems Journal</i> , 2021 , 15, 2971-2979	4.3	1

18	Downhole Microseismic Monitoring Using FOSS and Its Field Test Comparison With Moving-Coil Geophone. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2021 , 1-14	8.1	1
17	Deep Dyna-Reinforcement Learning Based on Random Access Control in LEO Satellite IoT Networks. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	1
16	A Stochastic Gradient Descent Algorithm for Antenna Tilt Optimization in Cellular Networks 2018 ,		1
15	ELITE GRADIENT DESCENT OPTIMIZATION OF ANTENNA PARAMETERS CONSTRAINED BY RADIO COVERAGE IN GREEN CELLULAR NETWORKS 2018 ,		1
14	Experimental study of single channel 100 Gbit/s PAM4 transmission over 40 km using 17 GHz EML and APD at O band. <i>Optical Fiber Technology</i> , 2018 , 45, 411-414	2.4	1
13	User Association, Subchannel and Power Allocation in Space-Air-Ground Integrated Vehicular Network with Delay Constraints. <i>IEEE Transactions on Network Science and Engineering</i> , 2022 , 1-1	4.9	1
12	. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 8303-8314	9.6	0
11	Cost Efficient Fault Tolerant Design in Mesh Optical Networks with the Load Aware Method. <i>Journal of Network and Systems Management</i> , 2012 , 20, 56-75	2.1	0
10	Quantitative adaptive RED in differentiated service networks. <i>Journal of Computer Science and Technology</i> , 2003 , 18, 223-229	1.7	0
9	Primal-dual Learning for Cross-layer Resource Management in Cell-free Massive MIMO IIoT. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	0
8	Analysis and suppression of aliased noises in time-division-multiplexing interferometric fiber-optic sensor array. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	0
7	PPO-Based PDACB Traffic Control Scheme for Massive IoV Communications. <i>IEEE Transactions on Intelligent Transportation Systems</i> , 2022 , 1-10	6.1	0
6	Passive Generation of the Multi-Wavelength Parabolic Pulses in Tapered Silicon Nanowires. <i>IEEE Access</i> , 2020 , 8, 77631-77641	3.5	
5	Simple and Robust Chromatic Dispersion Estimation for RGI-CO-OFDM Systems. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 1222-1225	2.2	
4	An intelligent cooperative sensing strategy with low overhead for cognitive radios. <i>Wireless Communications and Mobile Computing</i> , 2015 , 15, 1518-1529	1.9	
3	A new proportional differentiation scheme based on batch scheduling for optical burst switching networks. <i>Photonic Network Communications</i> , 2009 , 18, 49-54	1.7	
2	Allocating network resources by weight between TCP traffics. <i>Journal of Computer Science and Technology</i> , 2003 , 18, 247-251	1.7	
1	C band 112 Gb/s PAM4 signal transmission over 320 km with a quasi-linear double-side electro-absorption modulated laser (DS-EML). <i>Optical Fiber Technology</i> , 2021 , 61, 102407	2.4	

