

# Catherine Guette

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8033309/publications.pdf>

Version: 2024-02-01

47  
papers

2,079  
citations

279701

23  
h-index

243529

44  
g-index

51  
all docs

51  
docs citations

51  
times ranked

3391  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lymphoid Organ Proteomes Identify Therapeutic Efficacy Biomarkers Following the Intracavitary Administration of Curcumin in a Highly Invasive Rat Model of Peritoneal Mesothelioma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8566.	1.8	5
2	tRNA biogenesis and specific aminoacyl-tRNA synthetases regulate senescence stability under the control of mTOR. <i>PLoS Genetics</i> , 2021, 17, e1009953.	1.5	11
3	Anterior gradient protein 2 is a marker of tumor aggressiveness in breast cancer and favors chemotherapy-induced senescence escape. <i>International Journal of Oncology</i> , 2021, 60, .	1.4	8
4	Cross-Species Proteomics Identifies CAPG and SBP1 as Crucial Invasiveness Biomarkers in Rat and Human Malignant Mesothelioma. <i>Cancers</i> , 2020, 12, 2430.	1.7	9
5	RE: Immune Checkpoint Profiles in Luminal B Breast Cancer (Alliance). <i>Journal of the National Cancer Institute</i> , 2020, 112, 863-864.	3.0	1
6	S100A4 Is a Biomarker of Tumorigenesis, EMT, Invasion, and Colonization of Host Organs in Experimental Malignant Mesothelioma. <i>Cancers</i> , 2020, 12, 939.	1.7	17
7	Biomarkers of tumor invasiveness in proteomics (Review). <i>International Journal of Oncology</i> , 2020, 57, 409-432.	1.4	18
8	Chemotherapy-induced senescence, an adaptive mechanism driving resistance and tumor heterogeneity. <i>Cell Cycle</i> , 2019, 18, 2385-2397.	1.3	61
9	OLFM4 Expression in Ductal Carcinoma In Situ and in Invasive Breast Cancer Cohorts by a SWATH-Based Proteomic Approach. <i>Proteomics</i> , 2019, 19, e1800446.	1.3	17
10	Proteomics Approaches to Define Senescence Heterogeneity and Chemotherapy Response. <i>Proteomics</i> , 2019, 19, 1800447.	1.3	6
11	iTRAQ-Based Quantitative Proteomic Analysis Strengthens Transcriptomic Subtyping of Triple-Negative Breast Cancer Tumors. <i>Proteomics</i> , 2019, 19, 1800484.	1.3	14
12	Regulation of senescence escape by TSP1 and CD47 following chemotherapy treatment. <i>Cell Death and Disease</i> , 2019, 10, 199.	2.7	62
13	Regulation of senescence escape by the cdk4-EZH2-AP2M1 pathway in response to chemotherapy. <i>Cell Death and Disease</i> , 2018, 9, 199.	2.7	47
14	Characterization of increasing stages of invasiveness identifies stromal/cancer cell crosstalk in rat models of mesothelioma. <i>Oncotarget</i> , 2018, 9, 16311-16329.	0.8	9
15	BCL-XL directly modulates RAS signalling to favour cancer cell stemness. <i>Nature Communications</i> , 2017, 8, 1123.	5.8	43
16	Akt inhibition improves irinotecan treatment and prevents cell emergence by switching the senescence response to apoptosis. <i>Oncotarget</i> , 2015, 6, 43342-43362.	0.8	27
17	Gene-expression molecular subtyping of triple-negative breast cancer tumours: importance of immune response. <i>Breast Cancer Research</i> , 2015, 17, 43.	2.2	248
18	Prediction of Recurrence and Survival for Triple-Negative Breast Cancer (TNBC) by a Protein Signature in Tissue Samples. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 2936-2946.	2.5	61

#	ARTICLE	IF	CITATIONS
19	Olfactomedin4 is a candidate biomarker of solid gastric, colorectal, pancreatic, head and neck, and prostate cancers. <i>Proteomics - Clinical Applications</i> , 2015, 9, 58-63.	0.8	18
20	Irinotecan treatment and senescence failure promote the emergence of more transformed and invasive cells that depend on anti-apoptotic Mcl-1. <i>Oncotarget</i> , 2015, 6, 409-426.	0.8	42
21	Abstract P2-04-07: Gene-expression molecular subtyping of immunohistochemistry-typed triple-negative breast cancer tumours. , 2015, , .		0
22	Glioblastoma-associated stromal cells (<scp>GASCs</scp>) from histologically normal surgical margins have a myofibroblast phenotype and angiogenic properties. <i>Journal of Pathology</i> , 2014, 233, 74-88.	2.1	67
23	Two-step OFFGEL approach for effective peptide separation compatible with iTRAQ labeling. <i>Proteomics</i> , 2013, 13, 3261-3266.	1.3	2
24	How should we define STAT3 as an oncogene and as a potential target for therapy?. <i>Jak-stat</i> , 2013, 2, e24716.	2.2	43
25	Comparison of Spheroids Formed by Rat Glioma Stem Cells and Neural Stem Cells Reveals Differences in Glucose Metabolism and Promising Therapeutic Applications. <i>Journal of Biological Chemistry</i> , 2012, 287, 33664-33674.	1.6	55
26	Identification of potential prognostic biomarkers for node-negative breast tumours by proteomic analysis: A multicentric 2004 national PHRC study. <i>International Journal of Oncology</i> , 2012, 41, 92-104.	1.4	8
27	Intestinal cell targeting of a stable recombinant CuZn SOD from <i>Cucumis melo</i> fused to a gliadin peptide. <i>Journal of Biotechnology</i> , 2012, 159, 99-107.	1.9	4
28	A Quantitative Proteomic Approach of the Different Stages of Colorectal Cancer Establishes OLFM4 as a New Nonmetastatic Tumor Marker. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M111.009712.	2.5	103
29	OFFGEL-Isoelectric Focusing Fractionation for the Analysis of Complex Proteome. <i>Neuromethods</i> , 2011, , 145-158.	0.2	2
30	A Proteomic Approach for Plasma Biomarker Discovery with iTRAQ Labelling and OFFGEL Fractionation. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-8.	3.0	65
31	Differential Protein Modulation in Midguts of <i>Aedes aegypti</i> Infected with Chikungunya and Dengue 2 Viruses. <i>PLoS ONE</i> , 2010, 5, e13149.	1.1	130
32	Affinity capture using chimeric membrane proteins bound to magnetic beads for rapid ligand screening by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 745-755.	0.7	6
33	Improved proteome coverage by using iTRAQ labelling and peptide OFFGEL fractionation. <i>Proteome Science</i> , 2008, 6, 27.	0.7	60
34	Kalanchose Dimalate, an Anti-inflammatory Salt from <i>Kalanchoe brasiliensis</i> . <i>Journal of Natural Products</i> , 2006, 69, 815-818.	1.5	23
35	Peptide profiling by matrix-assisted laser desorption/ionisation time-of-flight mass spectrometry of the <i>Lasiodora parahybana</i> tarantula venom gland. <i>Toxicon</i> , 2006, 47, 640-649.	0.8	31
36	The antileishmanial activity assessment of unusual flavonoids from <i>Kalanchoe pinnata</i> . <i>Phytochemistry</i> , 2006, 67, 2071-2077.	1.4	139

#	ARTICLE	IF	CITATIONS
37	Solution structure of PcFK1, a spider peptide active against Plasmodium falciparum. Protein Science, 2006, 15, 628-634.	3.1	24
38	Quercitrin: An Antileishmanial Flavonoid Glycoside from Kalanchoe pinnata. Planta Medica, 2006, 72, 81-83.	0.7	118
39	First report in a river in France of the benthic cyanobacterium Phormidium favosum producing anatoxin-a associated with dog neurotoxicosis. Toxicon, 2005, 45, 919-928.	0.8	276
40	Nanospray analysis of the venom of the tarantula Theraphosa leblondi: a powerful method for direct venom mass fingerprinting and toxin sequencing. Rapid Communications in Mass Spectrometry, 2004, 18, 1024-1032.	0.7	24
41	An unusual cleavage reaction of a peptide observed during dithiotreitol and tris(2-carboxyethyl)phosphine reduction: application to sequencing of HpTx2 spider toxin using nanospray tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 1317-1323.	0.7	4
42	Isolation and characterization of Psalmopeotoxin I and II: two novel antimalarial peptides from the venom of the tarantula Psalmopoeus cambridgei. FEBS Letters, 2004, 572, 109-117.	1.3	58
43	Modulation of Kv4.2 channels by a peptide isolated from the venom of the giant bird-eating tarantula Theraphosa leblondi. Toxicon, 2004, 43, 923-932.	0.8	34
44	Isolation and structure of cycloenegalins A and B, novel cyclopeptides from the seeds of Annona senegalensis. Journal of the Chemical Society, Perkin Transactions 1, 2002, , 2712-2718.	1.3	10
45	Bromation sélective en série aromatique. II. Approche théorique du mécanisme de la substitution électrophile par l'ion tribromure Br <sup>3+</sup> . Canadian Journal of Chemistry, 1990, 68, 464-470.	0.6	7
46	Bromation sélective en série aromatique. I: Monobromation en position para de phénols et d'amines aromatiques par le tribromure de tetrabutylammonium. Canadian Journal of Chemistry, 1989, 67, 2061-2066.	0.6	45
47	Curcuminoids as Modulators of EMT in Invasive Cancers: A Review of Molecular Targets With the Contribution of Malignant Mesothelioma Studies. Frontiers in Pharmacology, 0, 13, .	1.6	3