

Dagmar M Haller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8033926/dagmar-m-haller-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

2,413
citations

22
h-index

48
g-index

106
ext. papers

2,902
ext. citations

4
avg, IF

4.86
L-index

#	Paper	IF	Citations
93	Health status and healthcare services utilisation among unaccompanied asylum-seeking minors settled in Switzerland: a protocol for a retrospective cohort study from a hospital-based youth outpatient clinic.. <i>BMJ Open</i> , 2022 , 12, e056276	3	
92	Primary care patients' perspectives on the use of non-pharmacological home remedies in Geneva: a cross-sectional study.. <i>BMC Complementary Medicine and Therapies</i> , 2022 , 22, 126	2.9	0
91	Geneva medical students increasingly identify primary care physicians as role models after introduction of a compulsory clerkship. <i>European Journal of General Practice</i> , 2021 , 27, 326-330	2.8	
90	Three monthly doses of 150,000 IU of oral cholecalciferol correct vitamin D deficiency in adolescents: A pragmatic study. <i>International Journal of Clinical Practice</i> , 2021 , e14989	2.9	
89	How Do Patients Want Us to Use the Computer During Medical Encounters?-A Discrete Choice Experiment Study. <i>Journal of General Internal Medicine</i> , 2021 , 36, 1875-1882	4	2
88	The ABC of Primary Care for University Students: a 3-Step Structured Approach at Geneva University Hospitals. <i>SN Comprehensive Clinical Medicine</i> , 2021 , 3, 1870-1880	2.7	
87	Cross sectional study of the clinical characteristics of French primary care patients with COVID-19. <i>Scientific Reports</i> , 2021 , 11, 12492	4.9	1
86	Beyond the virus: Ensuring continuity of care for people with diabetes during COVID-19. <i>Primary Care Diabetes</i> , 2021 , 15, 16-17	2.4	22
85	Primary care prevention of cardiovascular risk behaviors in adolescents: A systematic review. <i>Preventive Medicine</i> , 2021 , 142, 106346	4.3	2
84	Shifting palliative care paradigm in primary care from better death to better end-of-life: a Swiss pilot study. <i>BMC Health Services Research</i> , 2021 , 21, 629	2.9	1
83	Self-reported symptoms in French primary care SARS-CoV-2 patients: association with gender and age group. <i>Family Practice</i> , 2021 , 38, i37-i44	1.9	0
82	Diagnostic Performance of Self-Reported Smell and Taste Disorders Varies with COVID-19 Prevalence in Primary Care Settings. <i>Journal of General Internal Medicine</i> , 2021 , 36, 3925-3927	4	
81	Self-Reported Loss of Smell and Taste in SARS-CoV-2 Patients: Primary Care Data to Guide Future Early Detection Strategies. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2502-2504	4	30
80	Association between physical activity and Nocturnal Leg Cramps in patients over 60 years old: a case-control study. <i>Scientific Reports</i> , 2020 , 10, 2638	4.9	2
79	Quality of sleep in patients with nocturnal leg cramps and validity of a single-item measure of cramp-related sleep disturbance: an observational study. <i>Swiss Medical Weekly</i> , 2020 , 150, w20217	3.1	0
78	Clinical preventive guidelines for school-aged children and adolescents in primary care: a protocol for a systematic review. <i>BMJ Open</i> , 2020 , 10, e037396	3	
77	Vitamin D in Adolescents: A Systematic Review and Narrative Synthesis of Available Recommendations. <i>Journal of Adolescent Health</i> , 2020 , 66, 388-407	5.8	5

76	A cross-sectional study of Swiss ambulatory care services use by multimorbid patients in primary care in the light of the Andersen model. <i>BMC Family Practice</i> , 2020 , 21, 150	2.6	1
75	Is a COVID-19 prediction model based on symptom tracking through an app applicable in primary care?. <i>Family Practice</i> , 2020 , 37, 866-867	1.9	3
74	General practitioners' perspectives on barriers to depression care: development and validation of a questionnaire. <i>BMC Family Practice</i> , 2020 , 21, 156	2.6	0
73	Detection of adolescent suicidality in primary care: an international utility study of the bullying-insomnia-tobacco-stress test. <i>Microbial Biotechnology</i> , 2020 , 14, 80-86	3.3	3
72	Reducing the use of screen electronic devices in the evening is associated with improved sleep and daytime vigilance in adolescents. <i>Sleep</i> , 2019 , 42,	1.1	30
71	Excessive substance use screening to encourage behaviour change among young people in primary care: Pilot study in preparation for a randomized trial. <i>Addictive Behaviors</i> , 2019 , 98, 106049	4.2	2
70	Factors associated with patients' and GPs' assessment of the burden of treatment in multimorbid patients: a cross-sectional study in primary care. <i>BMC Family Practice</i> , 2019 , 20, 88	2.6	11
69	Family practitioners' top medical priorities when managing patients with multimorbidity: a cross-sectional study. <i>BJGP Open</i> , 2019 , 3, bjgpopen18X101622	3.1	5
68	Reasons for and Frequency of End-of-Life Hospital Admissions: General Practitioners' Perspective on Reducing End-of-Life Hospital Referrals. <i>Journal of Palliative Medicine</i> , 2018 , 21, 1122-1130	2.2	5
67	Prevalence of multimorbidity in general practice: a cross-sectional study within the Swiss Sentinel Surveillance System (Sentinella). <i>BMJ Open</i> , 2018 , 8, e019616	3	24
66	Multimorbidity: can general practitioners identify the health conditions most important to their patients? Results from a national cross-sectional study in Switzerland. <i>BMC Family Practice</i> , 2018 , 19, 66	2.6	5
65	Association Between Alcohol Consumption and Nocturnal Leg Cramps in Patients Over 60 Years Old: A Case-Control Study. <i>Annals of Family Medicine</i> , 2018 , 16, 296-301	2.9	5
64	Factors associated with health literacy in multimorbid patients in primary care: a cross-sectional study in Switzerland. <i>BMJ Open</i> , 2018 , 8, e018281	3	15
63	Treatment of nocturnal leg cramps by primary care patients over the age of 60. <i>Family Practice</i> , 2018 , 35, 29-33	1.9	5
62	Adherence to guidelines when evaluating fitness-to-drive in the elderly: a practice review of Swiss physicians. <i>Swiss Medical Weekly</i> , 2018 , 148, w14632	3.1	1
61	Protocol for a systematic review of the factors associated with binge drinking among adolescents and young adults. <i>Systematic Reviews</i> , 2017 , 6, 76	3	1
60	Training General Practitioners to Detect Probable Mental Disorders in Young People During Health Risk Screening. <i>Journal of Adolescent Health</i> , 2017 , 61, 302-309	5.8	3
59	Screening Obese Adolescents for Binge Eating Disorder in Primary Care: The Adolescent Binge Eating Scale. <i>Journal of Pediatrics</i> , 2017 , 185, 68-72.e1	3.6	11

58	How do general practitioners put preventive care recommendations into practice? A cross-sectional study in Switzerland and France. <i>BMJ Open</i> , 2017 , 7, e017958	3	5
57	Determinants associated with deprivation in multimorbid patients in primary care-A cross-sectional study in Switzerland. <i>PLoS ONE</i> , 2017 , 12, e0181534	3.7	6
56	General practitioners' Views and preferences about quality improvement feedback in preventive care: a cross-sectional study in Switzerland and France. <i>Implementation Science</i> , 2017 , 12, 95	8.4	3
55	Alcohol screening among young people: a prospective study from the Swiss Sentinel Surveillance System (Sentinella) of physicians' a priori opinions. <i>Family Practice</i> , 2017 , 34, 423-429	1.9	3
54	An Expanded Conceptual Framework of Medical Students' Primary Care Career Choice. <i>Academic Medicine</i> , 2017 , 92, 1536-1542	3.9	16
53	Multimorbidity and patterns of chronic conditions in a primary care population in Switzerland: a cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e013664	3	26
52	Accuracy of anthropometric measurements by general practitioners in overweight and obese patients. <i>BMC Obesity</i> , 2017 , 4, 23	3.6	16
51	General Practitioners' Attitudes towards Essential Competencies in End-of-Life Care: A Cross-Sectional Survey. <i>PLoS ONE</i> , 2017 , 12, e0170168	3.7	26
50	Overview of preventive practices provided by primary care physicians: A cross-sectional study in Switzerland and France. <i>PLoS ONE</i> , 2017 , 12, e0184032	3.7	5
49	Comparing the self-perceived quality of life of multimorbid patients and the general population using the EQ-5D-3L. <i>PLoS ONE</i> , 2017 , 12, e0188499	3.7	22
48	Rates, Delays, and Completeness of General Practitioners' Responses to a Postal Versus Web-Based Survey: A Randomized Trial. <i>Journal of Medical Internet Research</i> , 2017 , 19, e83	7.6	58
47	Primary care interventions to reduce cardiovascular risk behaviours in adolescents: a protocol for a systematic review. <i>BMJ Open</i> , 2016 , 6, e011936	3	1
46	Is patient satisfaction with organizational aspects of their general practitioner's practice associated with patient and doctor gender? An observational study. <i>BMC Family Practice</i> , 2016 , 17, 120	2.6	4
45	Impact of the primary care curriculum and its teaching formats on medical students' perception of primary care: a cross-sectional study. <i>BMC Family Practice</i> , 2016 , 17, 135	2.6	7
44	Health-Related Quality of Life in Adolescents and Young Adults with Polycystic Ovary Syndrome: A Systematic Review. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2016 , 29, 551-557	2	37
43	Comparaison des représentations et comportements des médecins généralistes du Canton de Genève et du Poitou-Charentes. <i>Sante Publique</i> , 2016 , 28, 187		1
42	Use of email, cell phone and text message between patients and primary-care physicians: cross-sectional study in a French-speaking part of Switzerland. <i>BMC Health Services Research</i> , 2016 , 16, 549	2.9	14
41	Does screening for and intervening with multiple health compromising behaviours and mental health disorders amongst young people attending primary care improve health outcomes? A systematic review. <i>BMC Family Practice</i> , 2016 , 17, 104	2.6	30

40	From chronic conditions to relevance in multimorbidity: a four-step study in family medicine. <i>Family Practice</i> , 2016 , 33, 439-44	1.9	17
39	Prevalence of cramps in patients over the age of 60 in primary care : a cross sectional study. <i>BMC Family Practice</i> , 2016 , 17, 111	2.6	7
38	Brief interventions to prevent recurrence and alcohol-related problems in young adults admitted to the emergency ward following an alcohol-related event: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 912-7	5.1	10
37	What are patients' expectations about the organization of their primary care physicians' practices?. <i>BMC Health Services Research</i> , 2015 , 15, 328	2.9	11
36	Impact of Interventions to Increase the Proportion of Medical Students Choosing a Primary Care Career: A Systematic Review. <i>Journal of General Internal Medicine</i> , 2015 , 30, 1349-58	4	60
35	Reasons for encounter in young people consulting a family doctor in the French speaking part of Switzerland: a cross sectional study. <i>BMC Family Practice</i> , 2015 , 16, 159	2.6	9
34	How do GPs in Switzerland perceive their patients' satisfaction and expectations? An observational study. <i>BMJ Open</i> , 2015 , 5, e007085	3	6
33	Excessive substance use among young people consulting family doctors: a cross-sectional study. <i>Family Practice</i> , 2015 , 32, 500-4	1.9	3
32	Multimorbidity in primary care: protocol of a national cross-sectional study in Switzerland. <i>BMJ Open</i> , 2015 , 5, e009165	3	14
31	Development of youth friendly family medicine services in Bosnia and Herzegovina: protocol for a cluster randomized controlled trial. <i>SpringerPlus</i> , 2014 , 3, 319		
30	Primary care at Swiss universities--current state and perspective. <i>BMC Research Notes</i> , 2014 , 7, 308	2.3	5
29	Effectiveness of training family physicians to deliver a brief intervention to address excessive substance use among young patients: a cluster randomized controlled trial. <i>Cmaj</i> , 2014 , 186, E263-72	3.5	22
28	Blood pressure measurements are unreliable to diagnose hypertension in primary care. <i>Journal of Hypertension</i> , 2014 , 32, 509-17	1.9	40
27	Effect of magnesium therapy on nocturnal leg cramps: a systematic review of randomized controlled trials with meta-analysis using simulations. <i>Family Practice</i> , 2014 , 31, 7-19	1.9	21
26	White coat in primary care: what do patients think today? Cross-sectional study. <i>Swiss Medical Weekly</i> , 2014 , 144, w14072	3.1	6
25	Text-messaging versus telephone reminders to reduce missed appointments in an academic primary care clinic: a randomized controlled trial. <i>BMC Health Services Research</i> , 2013 , 13, 125	2.9	67
24	Text-messaging to reduce missed appointment in a youth clinic: a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 888-91	5.1	14
23	YFHS-WHO+ Questionnaire: validation of a measure of youth-friendly primary care services. <i>Journal of Adolescent Health</i> , 2012 , 51, 422-30	5.8	26

22	Mental health of young offenders in Switzerland: Recognizing psychiatric symptoms during detention. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2012 , 19, 332-6	1.7	7
21	Global adolescent health: is there a role for general practice?. <i>British Journal of General Practice</i> , 2012 , 62, 608-10	1.6	15
20	Psychiatric symptoms, psychological distress and somatic comorbidity among remand prisoners in Switzerland. <i>International Journal of Law and Psychiatry</i> , 2011 , 34, 13-9	2.6	28
19	Sexual and reproductive health behaviors of undocumented migrants in Geneva: a cross sectional study. <i>Journal of Immigrant and Minority Health</i> , 2011 , 13, 510-7	2.2	17
18	Health problems among detainees in Switzerland: a study using the ICPC-2 classification. <i>BMC Public Health</i> , 2011 , 11, 245	4.1	30
17	Chlamydia trachomatis infection in males in a juvenile detention facility in Switzerland. <i>Swiss Medical Weekly</i> , 2011 , 141, w13220	3.1	1
16	Is there a role for primary care physicians? Screening of excessive weight and eating concerns in adolescence?. <i>Journal of Pediatrics</i> , 2010 , 157, 32-5	3.6	3
15	The identification of young people's emotional distress: a study in primary care. <i>British Journal of General Practice</i> , 2009 , 59, e61-70	1.6	52
14	Text message communication in primary care research: a randomized controlled trial. <i>Family Practice</i> , 2009 , 26, 325-30	1.9	12
13	Handheld vs. laptop computers for electronic data collection in clinical research: a crossover randomized trial. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009 , 16, 651-9	8.6	39
12	Global patterns of mortality in young people: a systematic analysis of population health data. <i>Lancet, The</i> , 2009 , 374, 881-92	40	744
11	Brief intervention addressing excessive cannabis use in young people consulting their GP: a pilot study. <i>British Journal of General Practice</i> , 2009 , 59, 166-72	1.6	21
10	Do young people's illness beliefs affect healthcare? A systematic review. <i>Journal of Adolescent Health</i> , 2008 , 42, 436-49	5.8	22
9	Opportunities for prevention in primary care in a country with universal insurance coverage. <i>Journal of Adolescent Health</i> , 2008 , 43, 517-9	5.8	12
8	Reliability of doctors' anthropometric measurements to detect obesity. <i>Preventive Medicine</i> , 2008 , 47, 389-93	4.3	69
7	Toward youth friendly services: a survey of young people in primary care. <i>Journal of General Internal Medicine</i> , 2007 , 22, 775-81	4	42
6	Youth-friendly primary-care services: how are we doing and what more needs to be done?. <i>Lancet, The</i> , 2007 , 369, 1565-1573	40	420
5	Adolescent detainees in an adult prison in Geneva. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 1831-3	3.1	1

4	Treatment of depression in children and adolescents. <i>Lancet, The</i> , 2005 , 366, 1694	40	1
3	Confidential health care for adolescents: reconciling clinical evidence with family values. <i>Medical Journal of Australia</i> , 2005 , 183, 410-4	4	51
2	Practical evidence in favour of mature-minor consent in primary care research. <i>Medical Journal of Australia</i> , 2005 , 183, 439	4	5
1	Self-reported loss of smell and taste in SARS-CoV-2 patients: primary care data to guide future early detection strategies		4