

Jean-Francois Tanti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8034321/jean-francois-tanti-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

10,393

citations

34

h-index

71

g-index

71

ext. papers

11,636

ext. citations

5.9

avg, IF

5.51

L-index

#	Paper	IF	Citations
68	Metformine et cancer : repositionnement ou non ? La question se pose. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 408-412	0.1	
67	TAXOMET: A French Prospective Multicentric Randomized Phase II Study of Docetaxel Plus Metformin Versus Docetaxel Plus Placebo in Metastatic Castration-Resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2021 ,	3.3	2
66	TNF α Mediates Inflammation-Induced Effects on Splicing in Adipose Tissue and Mesenchymal Precursor Cells.. <i>Cells</i> , 2021 , 11,	7.9	1
65	REDD1 deficiency protects against nonalcoholic hepatic steatosis induced by high-fat diet. <i>FASEB Journal</i> , 2020 , 34, 5046-5060	0.9	10
64	PGC1 α Inhibits Polyamine Synthesis to Suppress Prostate Cancer Aggressiveness. <i>Cancer Research</i> , 2019 , 79, 3268-3280	10.1	15
63	Circulating Levels of Soluble Dipeptidyl Peptidase-4 Are Dissociated from Inflammation and Induced by Enzymatic DPP4 Inhibition. <i>Cell Metabolism</i> , 2019 , 29, 320-334.e5	24.6	65
62	Rab4b Deficiency in T Cells Promotes Adipose Treg/Th17 Imbalance, Adipose Tissue Dysfunction, and Insulin Resistance. <i>Cell Reports</i> , 2018 , 25, 3329-3341.e5	10.6	19
61	Transfer of dysbiotic gut microbiota has beneficial effects on host liver metabolism. <i>Molecular Systems Biology</i> , 2017 , 13, 921	12.2	32
60	ERK1 is dispensable for mouse pancreatic beta cell function but is necessary for glucose-induced full activation of MSK1 and CREB. <i>Diabetologia</i> , 2017 , 60, 1999-2010	10.3	12
59	Implication of REDD1 in the activation of inflammatory pathways. <i>Scientific Reports</i> , 2017 , 7, 7023	4.9	28
58	The energy disruptor metformin targets mitochondrial integrity via modification of calcium flux in cancer cells. <i>Scientific Reports</i> , 2017 , 7, 5040	4.9	36
57	Sirtuin 7: a new marker of aggressiveness in prostate cancer. <i>Oncotarget</i> , 2017 , 8, 77309-77316	3.3	17
56	DNA Damage and the Activation of the p53 Pathway Mediate Alterations in Metabolic and Secretory Functions of Adipocytes. <i>Diabetes</i> , 2016 , 65, 3062-74	0.9	59
55	Hypoxia inhibits Cavin-1 and Cavin-2 expression and down-regulates caveolae in adipocytes. <i>Endocrinology</i> , 2015 , 156, 789-801	4.8	21
54	Inhibition of the GTPase Rac1 mediates the antimigratory effects of metformin in prostate cancer cells. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 586-96	6.1	29
53	The Tpl2 Kinase Regulates the COX-2/Prostaglandin E2 Axis in Adipocytes in Inflammatory Conditions. <i>Molecular Endocrinology</i> , 2015 , 29, 1025-36		9
52	Maintenance of Macrophage Redox Status by ChREBP Limits Inflammation and Apoptosis and Protects against Advanced Atherosclerotic Lesion Formation. <i>Cell Reports</i> , 2015 , 13, 132-144	10.6	25

51	Metformin-induced energy deficiency leads to the inhibition of lipogenesis in prostate cancer cells. <i>Oncotarget</i> , 2015 , 6, 15652-61	3.3	42
50	Implication of the Tpl2 kinase in inflammatory changes and insulin resistance induced by the interaction between adipocytes and macrophages. <i>Endocrinology</i> , 2014 , 155, 951-64	4.8	17
49	Rab4b controls an early endosome sorting event by interacting with the β subunit of the clathrin adaptor complex 1. <i>Journal of Cell Science</i> , 2013 , 126, 4950-62	5.3	18
48	Sestrin2 integrates Akt and mTOR signaling to protect cells against energetic stress-induced death. <i>Cell Death and Differentiation</i> , 2013 , 20, 611-9	12.7	109
47	Impact of Proinflammatory Cytokines on Adipocyte Insulin Signaling 2013 , 297-315		
46	Caloric restriction modulates Mcl-1 expression and sensitizes lymphomas to BH3 mimetic in mice. <i>Blood</i> , 2013 , 122, 2402-11	2.2	36
45	Adipose tissue microRNAs as regulators of CCL2 production in human obesity. <i>Diabetes</i> , 2012 , 61, 1986-93	9.9	217
44	Implication of inflammatory signaling pathways in obesity-induced insulin resistance. <i>Frontiers in Endocrinology</i> , 2012 , 3, 181	5.7	116
43	Prevention of mutagenesis: new potential mechanisms of metformin action in neoplastic cells. <i>Cancer Prevention Research</i> , 2012 , 5, 503-6	3.2	7
42	Metformin and cancer therapy. <i>Current Opinion in Oncology</i> , 2012 , 24, 103-8	4.2	67
41	Regulated in development and DNA damage responses -1 (REDD1) protein contributes to insulin signaling pathway in adipocytes. <i>PLoS ONE</i> , 2012 , 7, e52154	3.7	27
40	Deficiency in the extracellular signal-regulated kinase 1 (ERK1) protects leptin-deficient mice from insulin resistance without affecting obesity. <i>Diabetologia</i> , 2011 , 54, 180-9	10.3	66
39	Metformin, independent of AMPK, induces mTOR inhibition and cell-cycle arrest through REDD1. <i>Cancer Research</i> , 2011 , 71, 4366-72	10.1	455
38	Insulin induces REDD1 expression through hypoxia-inducible factor 1 activation in adipocytes. <i>Journal of Biological Chemistry</i> , 2010 , 285, 5157-64	5.4	42
37	Tpl2 kinase is upregulated in adipose tissue in obesity and may mediate interleukin-1beta and tumor necrosis factor- α effects on extracellular signal-regulated kinase activation and lipolysis. <i>Diabetes</i> , 2010 , 59, 61-70	0.9	49
36	Apelin and APJ regulation in adipose tissue and skeletal muscle of type 2 diabetic mice and humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E1161-9	6	104
35	Targeting cancer cell metabolism: the combination of metformin and 2-deoxyglucose induces p53-dependent apoptosis in prostate cancer cells. <i>Cancer Research</i> , 2010 , 70, 2465-75	10.1	405
34	Metformin in cancer therapy: a new perspective for an old antidiabetic drug?. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 1092-9	6.1	383

33	Muscle inactivation of mTOR causes metabolic and dystrophin defects leading to severe myopathy. <i>Journal of Cell Biology</i> , 2009 , 187, 859-74	7.3	260
32	Hypoxia decreases insulin signaling pathways in adipocytes. <i>Diabetes</i> , 2009 , 58, 95-103	0.9	205
31	Cellular mechanisms of insulin resistance: role of stress-regulated serine kinases and insulin receptor substrates (IRS) serine phosphorylation. <i>Current Opinion in Pharmacology</i> , 2009 , 9, 753-62	5.1	303
30	Muscle inactivation of mTOR causes metabolic and dystrophin defects leading to severe myopathy. <i>Journal of Experimental Medicine</i> , 2009 , 206, i33-i33	16.6	
29	The antidiabetic drug metformin exerts an antitumoral effect in vitro and in vivo through a decrease of cyclin D1 level. <i>Oncogene</i> , 2008 , 27, 3576-86	9.2	693
28	Interleukin-1beta-induced insulin resistance in adipocytes through down-regulation of insulin receptor substrate-1 expression. <i>Endocrinology</i> , 2007 , 148, 241-51	4.8	498
27	Hepatocyte growth factor induces glucose uptake in 3T3-L1 adipocytes through A Gab1/phosphatidylinositol 3-kinase/Glut4 pathway. <i>Journal of Biological Chemistry</i> , 2007 , 282, 10325-32	5.4	32
26	Metabolic endotoxemia initiates obesity and insulin resistance. <i>Diabetes</i> , 2007 , 56, 1761-72	0.9	3888
25	p38MAP Kinase activity is required for human primary adipocyte differentiation. <i>FEBS Letters</i> , 2007 , 581, 5591-6	3.8	54
24	Osmotic regulation of cellular glucose uptake. <i>Methods in Enzymology</i> , 2007 , 428, 343-54	1.7	2
23	Enigma interacts with adaptor protein with PH and SH2 domains to control insulin-induced actin cytoskeleton remodeling and glucose transporter 4 translocation. <i>Molecular Endocrinology</i> , 2006 , 20, 2864-75		24
22	The interaction between the adaptor protein APS and Enigma is involved in actin organisation. <i>Experimental Cell Research</i> , 2005 , 308, 334-44	4.2	21
21	Positive and negative regulation of insulin signaling through IRS-1 phosphorylation. <i>Biochimie</i> , 2005 , 87, 99-109	4.6	646
20	Essential role of chicken ovalbumin upstream promoter-transcription factor II in insulin secretion and insulin sensitivity revealed by conditional gene knockout. <i>Diabetes</i> , 2005 , 54, 1357-63	0.9	39
19	Reduced activation of phosphatidylinositol-3 kinase and increased serine 636 phosphorylation of insulin receptor substrate-1 in primary culture of skeletal muscle cells from patients with type 2 diabetes. <i>Diabetes</i> , 2003 , 52, 1319-25	0.9	241
18	Hyperosmotic stress inhibits insulin receptor substrate-1 function by distinct mechanisms in 3T3-L1 adipocytes. <i>Journal of Biological Chemistry</i> , 2003 , 278, 26550-7	5.4	58
17	A Crk-II/TC10 signaling pathway is required for osmotic shock-stimulated glucose transport. <i>Journal of Biological Chemistry</i> , 2002 , 277, 43980-6	5.4	26
16	The lipid phosphatase SHIP2 controls insulin sensitivity. <i>Nature</i> , 2001 , 409, 92-7	50.4	326

15	Assays of glucose entry, glucose transporter amount, and translocation. <i>Methods in Molecular Biology</i> , 2001 , 155, 157-65	1.4	12
14	Peroxovanadate induces tyrosine phosphorylation of phosphoinositide-dependent protein kinase-1 potential involvement of src kinase. <i>FEBS Journal</i> , 2000 , 267, 6642-9		40
13	Potential role of 3-phosphoinositide-dependent protein kinase 1 (PDK1) in insulin-stimulated glucose transporter 4 translocation in adipocytes. <i>FEBS Letters</i> , 1999 , 461, 277-9	3.8	9
12	Cross-talk between the platelet-derived growth factor and the insulin signaling pathways in 3T3-L1 adipocytes. <i>Journal of Biological Chemistry</i> , 1997 , 272, 19814-8	5.4	45
11	Characterization of 6-deoxy-6-iodo-D-glucose: a potential new tool to assess glucose transport. <i>Nuclear Medicine and Biology</i> , 1997 , 24, 99-104	2.1	16
10	Different effects of insulin and platelet-derived growth factor on phosphatidylinositol 3-kinase at the subcellular level in 3T3-L1 adipocytes. A possible explanation for their specific effects on glucose transport. <i>FEBS Journal</i> , 1996 , 239, 17-22		83
9	Overexpression of a constitutively active form of phosphatidylinositol 3-kinase is sufficient to promote Glut 4 translocation in adipocytes. <i>Journal of Biological Chemistry</i> , 1996 , 271, 25227-32	5.4	127
8	Rab4 is phosphorylated by the insulin-activated extracellular-signal-regulated kinase ERK1. <i>FEBS Journal</i> , 1994 , 219, 1081-5		32
7	Expression of guanine-nucleotide-binding proteins in lean and obese insulin-resistant mice. <i>Molecular and Cellular Endocrinology</i> , 1994 , 99, 169-76	4.4	1
6	Parallel changes in Glut 4 and Rab4 movements in two insulin-resistant states. <i>FEBS Letters</i> , 1994 , 347, 42-4	3.8	15
5	Polymyxin B inhibits insulin-induced glucose transporter and IGF II receptor translocation in isolated adipocytes. <i>FEBS Journal</i> , 1992 , 207, 185-93		11
4	Subcellular distribution of low molecular weight guanosine triphosphate-binding proteins in adipocytes: colocalization with the glucose transporter Glut 4. <i>Endocrinology</i> , 1991 , 129, 3343-50	4.8	52
3	Isolation and characterization of a T lymphocyte mutant defective in the protein kinase C signal transduction pathway. <i>Molecular Immunology</i> , 1991 , 28, 921-9	4.3	2
2	Glucose transporter in insulin sensitive tissues of lean and obese mice. Effect of the thermogenic agent BRL 26830A. <i>Endocrinology</i> , 1990 , 127, 2687-95	4.8	76
1	Alteration of insulin receptor kinase in obese, insulin-resistant mice. <i>Biochimie</i> , 1987 , 69, 387-93	4.6	9