

# M A Islam

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8034335/m-a-islam-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31  
papers

739  
citations

13  
h-index

27  
g-index

33  
ext. papers

842  
ext. citations

2.8  
avg, IF

4.59  
L-index

#	Paper	IF	Citations
31	Model-Based Study of Creep and Recovery of a Glassy Polymer. <i>Advances in Polymer Technology</i> , <b>2022</b> , 2022, 1-14	1.9	0
30	Langmuir Adsorption Kinetics in Liquid Media: Interface Reaction Model. <i>ACS Omega</i> , <b>2021</b> , 6, 14481-14492	3.9	7
29	An alternative electrochemical approach for toluene detection with ZnO/MgO/CrO nanofibers on a glassy carbon electrode for environmental monitoring.. <i>RSC Advances</i> , <b>2020</b> , 10, 44641-44653	3.7	7
28	Selective detection of ascorbic acid with wet-chemically prepared CdO/SnO <sub>2</sub> /V <sub>2</sub> O <sub>5</sub> micro-sheets by electrochemical approach. <i>SN Applied Sciences</i> , <b>2020</b> , 2, 1	1.8	3
27	Detection of uric acid based on doped ZnO/Ag <sub>2</sub> O/Co <sub>3</sub> O <sub>4</sub> nanoparticle loaded glassy carbon electrode. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 8651-8659	3.6	110
26	One-step wet-chemical synthesis of ternary ZnO/CuO/Co <sub>3</sub> O <sub>4</sub> nanoparticles for sensitive and selective melamine sensor development. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 4849-4858	3.6	113
25	Wet-chemically prepared low-dimensional ZnO/AlO/CrO nanoparticles for xanthine sensor development using an electrochemical method.. <i>RSC Advances</i> , <b>2018</b> , 8, 12562-12572	3.7	47
24	3,4-Diaminotoluene sensor development based on hydrothermally prepared MnCoO nanoparticles. <i>Talanta</i> , <b>2018</b> , 176, 17-25	6.2	48
23	In-situ Glycine Sensor Development Based ZnO/Al <sub>2</sub> O <sub>3</sub> /Cr <sub>2</sub> O <sub>3</sub> Nanoparticles. <i>ChemistrySelect</i> , <b>2018</b> , 3, 11460-11468	1.8	27
22	Fabrication of selective chemical sensor with ternary ZnO/SnO/YbO nanoparticles. <i>Talanta</i> , <b>2017</b> , 170, 215-223	6.2	65
21	Ethanol sensor development based on ternary-doped metal oxides (CdO/ZnO/Yb <sub>2</sub> O <sub>3</sub> ) nanosheets for environmental safety. <i>RSC Advances</i> , <b>2017</b> , 7, 22627-22639	3.7	66
20	Nano-sized SnO <sub>2</sub> Photocatalysts: Synthesis, Characterization and Their Application for the Degradation of Methylene Blue Dye. <i>Journal of Scientific Research</i> , <b>2016</b> , 8, 399-411	1.4	13
19	Magneto-structural coupling in [Formula: see text]. <i>SpringerPlus</i> , <b>2015</b> , 4, 468		1
18	Rheological behavior of coir-fiber-filled polypropylene composites at constant shear stress. <i>Polymer Composites</i> , <b>2015</b> , 36, 51-61	3	5
17	Optimal design of an activated sludge plant: theoretical analysis. <i>Applied Water Science</i> , <b>2013</b> , 3, 375-386		7
16	Synthesis of Biodiesel from Waste Cooking Oil. <i>Chemical Engineering and Science</i> , <b>2013</b> , 1, 22-26		29
15	Preparation and Optimization of Biodiesel Production from Mixed Feedstock Oil. <i>Chemical Engineering and Science</i> , <b>2013</b> , 1, 62-66		6

14	Prediction Models for the Elastic Modulus of Fiber-reinforced Polymer Composites: An Analysis. <i>Journal of Scientific Research</i> , <b>2011</b> , 3, 225-238	1.4	17
13	Fickian Diffusion Equation – An Unsolved Problem. <i>Physica Scripta</i> , <b>2004</b> , 70, 114-119	2.6	5
12	Einstein – Smoluchowski Diffusion Equation: A Discussion. <i>Physica Scripta</i> , <b>2004</b> , 70, 120-125	2.6	95
11	A Mathematical Model in Locating an Unknown Emission Source. <i>Water, Air, and Soil Pollution</i> , <b>2002</b> , 136, 331-345	2.6	2
10	Application of a Gaussian Plume Model to Determine the Location of an Unknown Emission Source. <i>Water, Air, and Soil Pollution</i> , <b>1999</b> , 112, 241-245	2.6	21
9	Initial Settling Rate/Concentration Relationship in Zone Settling. <i>Journal of Environmental Engineering, ASCE</i> , <b>1998</b> , 124, 39-42	2	7
8	On the deformational characteristics of porous polymeric tubes. <i>Journal of Applied Polymer Science</i> , <b>1992</b> , 44, 1899-1903	2.9	1
7	On the mechanism of the formation of porous structure in filled polyethylene film by thermomechanical deformation. <i>Journal of Applied Polymer Science</i> , <b>1992</b> , 45, 1035-1040	2.9	5
6	Response of filled polyethylene membranes to the changes in the environmental conditions. <i>Journal of Applied Polymer Science</i> , <b>1992</b> , 45, 1485-1490	2.9	1
5	A mechanical model for the deformational behavior of the polymeric membranes operating in pressure-driven processes. <i>Journal of Applied Polymer Science</i> , <b>1992</b> , 46, 1215-1219	2.9	2
4	Sulfonation of polyethylene membranes. <i>Journal of Applied Polymer Science</i> , <b>1991</b> , 42, 1285-1287	2.9	17
3	A critical analysis on different criteria of the mechanical stability of polymeric membranes operating in the pressure-driven processes. <i>Acta Polymerica</i> , <b>1991</b> , 42, 605-607		5
2	Filler effects on the structure and properties of semipermeable polyethylene membranes. <i>Journal of Applied Polymer Science</i> , <b>1990</b> , 41, 2513-2516	2.9	2
1	A criterion for the evaluation of the mechanical stability of polymeric membranes. <i>Acta Polymerica</i> , <b>1990</b> , 41, 629-630		3