
## Javad Seyfi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8034999/publications.pdf Version: 2024-02-01



IAVAD SEVE

#	Article	IF	CITATIONS
1	Probing the effect of graphene surface chemistry on compatibility, crystallinity, and viscoelastic response of polylactic acid/polyvinylidene fluoride blends. Materials Today Communications, 2022, 30, 103188.	0.9	2
2	Investigating the Effects of Graphene Content and Application Method on Surface Properties of Vinyl Ester/Silica Aerogel Coatings. Macromolecular Research, 2022, 30, 334-341.	1.0	5
3	Preparation and characterization of antibacterial chitosan nanocomposites loaded with cellulose/chitosan nanofibers and essential oils. Polymers and Polymer Composites, 2022, 30, 096739112210987.	1.0	2
4	Superhydrophobic cotton fabrics coated by chitosan and titanium dioxide nanoparticles with enhanced antibacterial and UV-protecting properties. International Journal of Biological Macromolecules, 2021, 171, 158-165.	3.6	57
5	Vinyl ester/silica aerogel nanocomposite coatings with enhanced hydrophobicity and corrosion protection properties. Polymers for Advanced Technologies, 2021, 32, 2176-2184.	1.6	8
6	Study on the effects of polyhedral oligomeric silsesquioxane on compatibility, crystallization behavior and thermal stability of polylactic acid/polycaprolactone blends. Polymer Bulletin, 2020, 77, 585-598.	1.7	11
7	Tuning crystallization and hydrolytic degradation behaviors of poly(lactic acid) by using silver phosphate, zinc oxide and their nano-hybrids. Polymer-Plastics Technology and Materials, 2020, 59, 72-82.	0.6	7
8	Improving nanoparticle dispersion and polymer crystallinity in polyvinylidene fluoride/POSS coatings using tetrahydrofuran as co-solvent. Progress in Organic Coatings, 2020, 140, 105534.	1.9	9
9	Preparation and characterization of polyvinyl alcohol/chitosan blends plasticized and compatibilized by glycerol/polyethylene glycol. Carbohydrate Polymers, 2020, 232, 115784.	5.1	54
10	Effect of nanoparticle type and content on morphology, rheology, and crystallinity of poly(lactic) Tj ETQq0 0 Composites, 2020, 41, 1551-1560.	0 rgBT /Overl 2.3	ock 10 Tf 50 11
11	Developing antibacterial superhydrophobic coatings based on polydimethylsiloxane/silver phosphate nanocomposites: Assessment of surface morphology, roughness and chemistry. Progress in Organic Coatings, 2020, 149, 105944.	1.9	19
12	Developing multicomponent edible films based on chitosan, hybrid of essential oils, and nanofibers: Study on physicochemical and antibacterial properties. International Journal of Biological Macromolecules, 2020, 164, 4065-4072.	3.6	12
13	Nanoperlite effect on thermal, rheological, surface and cellular properties of poly lactic acid/nanoperlite nanocomposites for multipurpose applications. Polymer Testing, 2020, 91, 106779.	2.3	16
14	Enhanced chemical and mechanical durability of superhydrophobic and superoleophilic nanocomposite coatings on cotton fabric for reusable oil/water separation applications. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 603, 125204.	2.3	17
15	Preparation and characterization of polylactic-co-glycolic acid/insulin nanoparticles encapsulated in methacrylate coated gelatin with sustained release for specific medical applications. Journal of Biomaterials Science, Polymer Edition, 2020, 31, 910-937.	1.9	8
16	Spin-coated polyvinylidene fluoride/graphene nanocomposite thin films with improved β-phase content and electrical conductivity. Journal of Materials Science, 2020, 55, 6696-6707.	1.7	14
17	Evaluating the effect of hydroxyapatite nanoparticles on morphology, thermal stability and dynamic mechanical properties of multicomponent blend systems based on polylactic acid/Starch/Polycaprolactone. Journal of Vinyl and Additive Technology, 2019, 25, E83.	1.8	15
18	Hopes Beyond PET Recycling: Environmentally Clean and Engineeringly Applicable. Journal of Polymers and the Environment, 2019, 27, 2490-2508.	2.4	11

JAVAD SEYFI

#	Article	IF	CITATIONS
19	Antibacterial superhydrophobic polyvinyl chloride surfaces via the improved phase separation process using silver phosphate nanoparticles. Colloids and Surfaces B: Biointerfaces, 2019, 183, 110438.	2.5	39
20	Towards an efficient and durable superhydrophobic mesh coated by PDMS/TiO2 nanocomposites for oil/water separation. Applied Surface Science, 2019, 492, 862-870.	3.1	42
21	Enhanced properties of poly(lactic acid) by concurrent addition of organo-modified Mg-Al layered double hydroxide (LDH) and triethyl citrate. Journal of Thermoplastic Composite Materials, 2019, , 089270571986827.	2.6	5
22	Enhanced compatibility of starch with poly(lactic acid) and poly(É›-caprolactone) by incorporation of POSS nanoparticles: Study on thermal properties. International Journal of Biological Macromolecules, 2019, 141, 578-584.	3.6	29
23	Investigation on surface properties of superhydrophobic nanocomposites based on polyvinyl chloride and correlation with cell adhesion behavior. Polymers for Advanced Technologies, 2019, 30, 1027-1035.	1.6	11
24	Investigating Thermal and Surface Properties of Lowâ€Density Polyethylene/Nanoperlite Nanocomposites for Packaging Applications. Polymer Composites, 2019, 40, 2929-2937.	2.3	11
25	Study on the surface morphology and wettability of nanocomposite films based on poly(methyl) Tj ETQq1 1 C Composites, 2019, 40, E127.	).784314 rgB 2.3	T /Overlock 2
26	Investigating the effect of surface composition and morphology on oil/water separation efficiency of sponges coated with polymer nanocomposites. Polymer Composites, 2019, 40, E431.	2.3	5
27	Optimization simulated injection molding process for ultrahigh molecular weight polyethylene nanocomposite hip liner using response surface methodology and simulation of mechanical behavior. Journal of the Mechanical Behavior of Biomedical Materials, 2018, 81, 95-105.	1.5	30
28	Emphasizing the role of surface chemistry on hydrophobicity and cell adhesion behavior of polydimethylsiloxane/TiO2 nanocomposite films. Colloids and Surfaces B: Biointerfaces, 2018, 167, 492-498.	2.5	26
29	Studying the roles of nanoclay and blend composition on the improved properties of natural rubber/chloroprene composites. Polymer Composites, 2018, 39, 1562-1574.	2.3	27
30	Investigating the effects of polymer molecular weight and non-solvent content on the phase separation, surface morphology and hydrophobicity of polyvinyl chloride films. Applied Surface Science, 2018, 428, 933-940.	3.1	14
31	Preparation and Characterization of Composite Blends Based on Polylactic Acid/Polycaprolactone and Silk. Biomacromolecules, 2018, 19, 4358-4369.	2.6	42
32	Imparting superhydrophobic and antibacterial properties onto the cotton fabrics: synergistic effect of zinc oxide nanoparticles and octadecanethiol. Cellulose, 2018, 25, 4211-4222.	2.4	37
33	An investigation of TiO <sub>2</sub> nanoparticles effect on morphology, thermal, and mechanical properties of epoxy/silica composites. Journal of Vinyl and Additive Technology, 2017, 23, E216.	1.8	13
34	POSS fernlike structure as a support for TiO2 nanoparticles in fabrication of superhydrophobic polymer-based nanocomposite surfaces. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 520, 514-521.	2.3	16
35	Nanosilica-decorated sponges for efficient oil/water separation: role of nanoparticle's type and concentration. Journal of Materials Science, 2017, 52, 7017-7027.	1.7	30
36	Investigating the interrelationship of superhydrophobicity with surface morphology, topography and chemical composition in spray-coated polyurethane/silica nanocomposites. Polymer, 2017, 128, 108-118.	1.8	23

JAVAD SEYFI

#	Article	IF	CITATIONS
37	Influence of Graphene Oxide on Crystallization Behavior and Chain Folding Surface Free Energy of Poly(vinylidenefluorideâ€ <i>co</i> â€hexafluoropropylene). Macromolecular Chemistry and Physics, 2017, 218, 1700103.	1.1	21
38	Assessment of morphology, topography and chemical composition of water-repellent films based on polystyrene/titanium dioxide nanocomposites. Applied Surface Science, 2017, 396, 616-624.	3.1	13
39	Simulation of mechanical behavior and optimization of simulated injection molding process for PLA based antibacterial composite and nanocomposite bone screws using central composite design. Journal of the Mechanical Behavior of Biomedical Materials, 2017, 65, 160-176.	1.5	54
40	Interface modified polylactic acid/starch/poly Îμ-caprolactone antibacterial nanocomposite blends for medical applications. Carbohydrate Polymers, 2017, 155, 336-344.	5.1	63
41	Study on the effects of non-solvent and nanoparticle concentrations on surface properties of water-repellent biocompatible l-lactide/glycolide/trimethylene carbonate terpolymers. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2016, 502, 168-175.	2.3	17
42	Preparation and characterization of interface-modified PLA/starch/PCL ternary blends using PLLA/triclosan antibacterial nanoparticles for medical applications. RSC Advances, 2016, 6, 39870-39882.	1.7	47
43	Superhydrophobic filter paper via an improved phase separation process for oil/water separation: study on surface morphology, composition and wettability. Cellulose, 2016, 23, 3913-3924.	2.4	41
44	Enhanced hydrophobicity of polyurethane via non-solvent induced surface aggregation of silica nanoparticles. Journal of Colloid and Interface Science, 2016, 478, 117-126.	5.0	39
45	Tuning cell adhesion on polymeric and nanocomposite surfaces: Role of topography versus superhydrophobicity. Materials Science and Engineering C, 2016, 63, 609-615.	3.8	37
46	Self-cleaning behavior in polyurethane/silica coatings via formation of a hierarchical packed morphology of nanoparticles. Applied Surface Science, 2016, 368, 216-223.	3.1	31
47	Investigating thermal, mechanical and rheological properties of novel antibacterial hybrid nanocomposites based on PLLA/triclosan/nano-hydroxyapatite. Polymer, 2016, 90, 232-241.	1.8	45
48	Investigating the role of surface micro/nano structure in cell adhesion behavior of superhydrophobic polypropylene/nanosilica surfaces. Colloids and Surfaces B: Biointerfaces, 2015, 127, 233-240.	2.5	39
49	Transforming an intrinsically hydrophilic polymer to a robust self-cleaning superhydrophobic coating via carbon nanotube surface embedding. Materials and Design, 2015, 86, 338-346.	3.3	51
50	Fabrication of robust and thermally stable superhydrophobic nanocomposite coatings based on thermoplastic polyurethane and silica nanoparticles. Applied Surface Science, 2015, 347, 224-230.	3.1	47
51	A novel method to control hydrolytic degradation of nanocomposite biocompatible materials via imparting superhydrophobicity. Applied Surface Science, 2015, 357, 880-886.	3.1	31
52	On the combined use of nanoparticles and a proper solvent/non-solvent system in preparation of superhydrophobic polymer coatings. Polymer, 2015, 56, 358-367.	1.8	44
53	Role of nanoparticles in phase separation and final morphology of superhydrophobic polypropylene/zinc oxide nanocomposite surfaces. Applied Surface Science, 2014, 293, 116-123.	3.1	67
54	Thermal degradation and crystallization behavior of blendâ€based nanocomposites: Role of clay network formation. Journal of Applied Polymer Science, 2012, 123, 2492-2499.	1.3	28

JAVAD SEYFI

#	Article	IF	CITATIONS
55	On the role of processing parameters in producing Cu/SiC metal matrix composites via friction stir processing: Investigating microstructure, microhardness, wear and tensile behavior. Materials Characterization, 2011, 62, 108-117.	1.9	271
56	Morphology, rheology and dynamic mechanical properties of PP/EVA/clay nanocomposites. Journal of Polymer Research, 2011, 18, 1829-1839.	1.2	41
57	Opposing effects of nanoclay on viscoelastic response of reactive phenoxy/poly (trimethylene) Tj ETQq1 1 0.7843 Composites, 2011, 32, 114-124.	14 rgBT /( 2.3	Overlock 10 10
58	Investigating the effect of nanolayered silicates on blend segmental dynamics and minor component relaxation behavior in poly(ethylene oxide)/poly(methyl methacrylate) miscible blends. Journal of Polymer Science, Part B: Polymer Physics, 2011, 49, 318-326.	2.4	15
59	A novel approach for producing polymer nanocomposites by in-situ dispersion of clay particles via friction stir processing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 3003-3006.	2.6	60
60	Assessment of rheological and mechanical properties of nanostructured materials based on thermoplastic olefin blend and organoclay. Materials & Design, 2011, 32, 649-655.	5.1	28
61	Investigating the role of transreactions on degradation behavior of phenoxy/poly(trimethylene) Tj ETQq1 1 0.7843 59-66.	14 rgBT / 1.2	Overlock 10 16
62	Assessment of Surface, Structural, and Viscoelastic Properties of Immiscible Polylactic	1.0	1

Acid/Polyvinylidene Fluoride Blends. Macromolecular Research, 0, , . 62

5