

Yasushi Yatabe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8037365/yasushi-yatabe-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

554 papers	41,494 citations	87 h-index	193 g-index
618 ext. papers	47,917 ext. citations	4.7 avg, IF	6.88 L-index

#	Paper	IF	Citations
554	Lactic acid promotes PD-1 expression in regulatory T cells in highly glycolytic tumor microenvironments.. <i>Cancer Cell</i> , 2022 ,	24.3	12
553	Tumor size in patients with severe pulmonary emphysema might be underestimated on preoperative CT. <i>European Radiology</i> , 2022 , 32, 163-173	8	0
552	Updates in the 5th Edition of the WHO Classification of Thoracic Tumors. <i>Japanese Journal of Lung Cancer</i> , 2022 , 62, 2-9	0.1	
551	Rapidly progressing metastatic malignant melanoma mimicking primary pleural tumor: A case report.. <i>Thoracic Cancer</i> , 2022 ,	3.2	
550	Role of Image-Guided Percutaneous Needle Biopsy in the Age of Precision Medicine.. <i>Current Oncology Reports</i> , 2022 , 1	6.3	
549	The 2021 WHO Classification of Lung Tumors: Impact of advances since 2015. <i>Journal of Thoracic Oncology</i> , 2021 ,	8.9	26
548	Adenocarcinoma in situ and minimally invasive adenocarcinoma in lungs of smokers: image feature differences from those in lungs of non-smokers. <i>BMC Medical Imaging</i> , 2021 , 21, 172	2.9	
547	Cryobiopsy as a reliable technique for the preoperative identification of micropapillary/solid components in early-stage lung adenocarcinoma. <i>Lung Cancer</i> , 2021 , 162, 147-153	5.9	0
546	Prognostic Impact of the Histologic Lepidic Component in Pathologic Stage IA Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2021 ,	8.9	1
545	METex14 Skipping Testing Guidance for Lung Cancer Patients: The Guidance from the Biomarker Committee, the Japan Lung Cancer Society. <i>Japanese Journal of Lung Cancer</i> , 2021 , 61, 361-370	0.1	0
544	Comparison of Surgical Outcomes Between Invasive Mucinous and Non-Mucinous Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2021 , 112, 1118-1126	2.7	2
543	RB1 gene mutations are a distinct predictive factor in Merkel cell carcinoma. <i>Pathology International</i> , 2021 , 71, 337-347	1.8	0
542	Real-World Evidence of Diagnostic Testing for Driver Oncogene Mutations in Lung Cancer in Japan. <i>JTO Clinical and Research Reports</i> , 2021 , 2, 100136	1.4	2
541	The International Association for the Study of Lung Cancer Global Survey on Programmed Death-Ligand 1 Testing for NSCLC. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 686-696	8.9	2
540	Alectinib for Miliary Lung Metastasis in -Positive Lung Adenocarcinoma. <i>OncoTargets and Therapy</i> , 2021 , 14, 2911-2915	4.4	0
539	Phase II Study of Neoadjuvant Concurrent Chemo-immuno-radiation Therapy Followed by Surgery and Adjuvant Immunotherapy for Resectable Stage IIIA-B (Discrete N2) Non-small-cell Lung Cancer: SQUAT trial (WJOG 12119L). <i>Clinical Lung Cancer</i> , 2021 , 22, 596-600	4.9	3
538	Analysis of factors affecting the diagnostic yield of image-guided percutaneous core needle biopsy for peritoneal/omental lesions. <i>Abdominal Radiology</i> , 2021 , 46, 4499-4508	3	0

537	Characterization of the large-scale Japanese patient-derived xenograft (J-PDX) library. <i>Cancer Science</i> , 2021 , 112, 2454-2466	6.9	2
536	Neck Dissections Based on Sentinel Lymph Node Navigation Versus Elective Neck Dissections in Early Oral Cancers: A Randomized, Multicenter, and Noninferiority Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2025-2036	2.2	16
535	MYB mediates downregulation of the colorectal cancer metastasis suppressor heterogeneous nuclear ribonucleoprotein L-like during epithelial-mesenchymal transition. <i>Cancer Science</i> , 2021 , 112, 3846-3855	6.9	1
534	Maximum standardized uptake value of the primary tumor does not improve candidate selection for sublobar resection. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.5	2
533	Full-coverage TP53 deep sequencing of recurrent head and neck squamous cell carcinoma facilitates prognostic assessment after recurrence. <i>Oral Oncology</i> , 2021 , 113, 105091	4.4	1
532	Confirmation of NKX3-1 Expression in EWSR1-NFATC2 Sarcoma and Mesenchymal Chondrosarcoma Using Monoclonal Antibody Immunohistochemistry, RT-PCR, and RNA In Situ Hybridization. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 578-582	6.7	4
531	Clinicopathologic Characterization of Epithelioid Hemangioendothelioma in a Series of 62 Cases: A Proposal of Risk Stratification and Identification of a Synaptophysin-positive Aggressive Subset. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 616-626	6.7	5
530	NTRK fusion-positive colorectal cancer in Japanese population. <i>Pathology International</i> , 2021 , 71, 355-358	8.8	2
529	Appropriate use of cancer comprehensive genome profiling assay using circulating tumor DNA. <i>Cancer Science</i> , 2021 , 112, 3911-3917	6.9	5
528	Long-Term Prognosis of Patients With Resected Adenocarcinoma In Situ and Minimally Invasive Adenocarcinoma of the Lung. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 1312-1320	8.9	4
527	An Alert to Possible False Positives With a Commercial Assay for MET Exon 14 Skipping. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 2133-2138	8.9	1
526	SRGN-Triggered Aggressive and Immunosuppressive Phenotype in a Subset of TTF-1-Negative Lung Adenocarcinomas. <i>Journal of the National Cancer Institute</i> , 2021 ,	9.7	3
525	Clinical characteristics of advanced non-small cell lung cancer patients with EGFR exon 20 insertions. <i>Scientific Reports</i> , 2021 , 11, 18762	4.9	2
524	Reply to P. Kaul et al. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3518-3519	2.2	0
523	Molecular testing in stage I-III non-small cell lung cancer: Approaches and challenges. <i>Lung Cancer</i> , 2021 , 162, 42-53	5.9	3
522	APC mutations are common in adenomas but infrequent in adenocarcinomas of the non-ampullary duodenum. <i>Journal of Gastroenterology</i> , 2021 , 56, 988-998	6.9	0
521	Canadian ROS proto-oncogene 1 study (CROS) for multi-institutional implementation of ROS1 testing in non-small cell lung cancer. <i>Lung Cancer</i> , 2021 , 160, 127-135	5.9	5
520	Radiological imaging and pathological findings of small lung adenocarcinoma: a narrative review. <i>Journal of Thoracic Disease</i> , 2021 , 13, 366-371	2.6	

519	MicroSEC filters sequence errors for formalin-fixed and paraffin-embedded samples.. <i>Communications Biology</i> , 2021 , 4, 1396	6.7	1
518	O-methylguanine DNA methyltransferase and glucose transporter 2 in foregut and hindgut gastrointestinal neuroendocrine neoplasms. <i>BMC Cancer</i> , 2020 , 20, 1195	4.8	2
517	Tumor Location Is Associated With the Prevalence of Braf And Pik3ca Mutations in Patients with Wild-Type Ras Colorectal Cancer: A Prospective Multi-Center Cohort Study in Japan. <i>Translational Oncology</i> , 2020 , 13, 100786	4.9	2
516	The Promises and Challenges of Tumor Mutation Burden as an Immunotherapy Biomarker: A Perspective From the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 1409-1424	8.9	80
515	Circulating Antibodies against Epstein-Barr Virus (EBV) and p53 in EBV-Positive and -Negative Gastric Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 414-419	4	5
514	A Grading System for Invasive Pulmonary Adenocarcinoma: A Proposal From the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 1599-1610	8.9	52
513	Distal-type bronchiolar adenoma of the lung expressing p16 - morphologic, immunohistochemical, ultrastructural and genomic analysis - report of a case and review of the literature. <i>Pathology International</i> , 2020 , 70, 179-185	1.8	3
512	IASLC Multidisciplinary Recommendations for Pathologic Assessment of Lung Cancer Resection Specimens After Neoadjuvant Therapy. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 709-740	8.9	77
511	Japan society of clinical oncology/Japanese society of medical oncology-led clinical recommendations on the diagnosis and use of tropomyosin receptor kinase inhibitors in adult and pediatric patients with neurotrophic receptor tyrosine kinase fusion-positive advanced solid tumors, cooperated by the Japanese society of pediatric hematology/oncology. <i>International</i>	4.2	9
510	Frequent KRAS and HRAS mutations in squamous cell papillomas of the head and neck. <i>Journal of Pathology: Clinical Research</i> , 2020 , 6, 154-159	5.3	9
509	Negative reactions of BRAF mutation-specific immunohistochemistry to non-V600E mutations of BRAF. <i>Pathology International</i> , 2020 , 70, 253-261	1.8	5
508	Pathology and Genome Medicine of the Lung Cancer. <i>Japanese Journal of Lung Cancer</i> , 2020 , 60, 917-921	6.1	1
507	Attempting to define sentinel node micrometastasis in oral squamous cell carcinoma. <i>Fukushima Journal of Medical Sciences</i> , 2020 , 66, 143-147	0.9	2
506	PD-L1 Testing for Lung Cancer in 2019: Perspective From the IASLC Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 499-519	8.9	99
505	The IASLC Lung Cancer Staging Project: Analysis of Resection Margin Status and Proposals for Residual Tumor Descriptors for Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 344-359	8.9	27
504	Calculating the Tumor Nuclei Content for Comprehensive Cancer Panel Testing. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 130-137	8.9	8
503	Lung cancer biomarker tests: the history and perspective in Japan. <i>Translational Lung Cancer Research</i> , 2020 , 9, 879-886	4.4	1
502	The Isoform Matters in NUT Carcinoma: A Diagnostic Pitfall of p40 Immunohistochemistry. <i>Journal of Thoracic Oncology</i> , 2020 , 15, e176-e178	8.9	7

501	Multiplex gene-panel testing for lung cancer patients. <i>Pathology International</i> , 2020 , 70, 921-931	1.8	5
500	Clinicopathologic and Molecular Characteristics of Familial Adenomatous Polyposis-associated Traditional Serrated Adenoma. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 1282-1289	6.7	3
499	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020 , 112, 1223-1232	4.3	8
498	Japan Society of Clinical Oncology provisional clinical opinion for the diagnosis and use of immunotherapy in patients with deficient DNA mismatch repair tumors, cooperated by Japanese Society of Medical Oncology, First Edition. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 217-239	4.2	8
497	Image-guided core needle biopsy in the diagnosis of malignant lymphoma: comparison with surgical excision biopsy. <i>European Journal of Radiology</i> , 2020 , 127, 108990	4.7	2
496	Epithelioid hemangioendothelioma of the parotid gland: a case report. <i>International Cancer Conference Journal</i> , 2019 , 8, 39-42	0.9	2
495	Prediction of pathological margin status using preoperative contrast-enhanced MRI in patients with early breast cancer who underwent skin-sparing mastectomy. <i>Breast Journal</i> , 2019 , 25, 202-206	1.2	2
494	<i>Helicobacter pylori</i> (HP) infection alone, but not HP-induced atrophic gastritis, increases the risk of gastric lymphoma: a case-control study in Japan. <i>Annals of Hematology</i> , 2019 , 98, 1981-1987	3	9
493	Long-term outcomes of metachronous neoplasms in the ileal pouch and rectum after surgical treatment in patients with familial adenomatous polyposis. <i>Endoscopy International Open</i> , 2019 , 7, E691-E698	1.3	1
492	Important cytological findings for distinction between follicular variant and conventional papillary thyroid carcinoma, including noninvasive follicular thyroid tumors with papillary-like nuclear features. <i>Endocrine Journal</i> , 2019 , 66, 475-483	2.9	6
491	Immunocytochemistry for predictive biomarker testing in lung cancer cytology. <i>Cancer Cytopathology</i> , 2019 , 127, 325-339	3.9	45
490	Genomic landscape of allelic imbalance in premalignant atypical adenomatous hyperplasias of the lung. <i>EBioMedicine</i> , 2019 , 42, 296-303	8.8	8
489	Surgery for Pancreatic Neuroendocrine Tumor G3 and Carcinoma G3 Should be Considered Separately. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1385-1393	3.1	22
488	Usefulness of septal thickness measurement on endoscopic ultrasound as a predictor of malignancy of branched-duct and mixed-type intraductal papillary mucinous neoplasm of the pancreas. <i>Digestive Endoscopy</i> , 2019 , 31, 672-681	3.7	3
487	Anaplastic lymphoma kinase expression in small-cell lung cancer. <i>Histopathology</i> , 2019 , 75, 20-28	7.3	3
486	Best Practices Recommendations for Diagnostic Immunohistochemistry in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 377-407	8.9	114
485	Durable response to the ALK inhibitor alectinib in inflammatory myofibroblastic tumor of the head and neck with a novel SQSTM1-ALK fusion: a case report. <i>Investigational New Drugs</i> , 2019 , 37, 791-795	4.3	15
484	The impact of the Glasgow Prognostic Score on survival in second-line chemotherapy for metastatic colorectal cancer patients with V600E mutation. <i>Therapeutic Advances in Medical Oncology</i> , 2019 , 11, 1758835918820298	5.4	6

483	The overall survival of breast cancer patients without adjuvant therapy. <i>Surgery Today</i> , 2019 , 49, 610-620		1
482	Long-term complete response in a patient with postoperative recurrent -rearranged lung adenocarcinoma treated with crizotinib: A case report. <i>Molecular and Clinical Oncology</i> , 2019 , 11, 309-312	1.6	3
481	Successful salvage surgery following multimodal therapy in a patient who harboured ALK-rearranged advanced lung adenocarcinoma with multiple organ metastases. <i>Respirology Case Reports</i> , 2019 , 7, e00451	0.9	3
480	Molecular alterations and PD-L1 expression in non-ampullary duodenal adenocarcinoma: Associations among clinicopathological, immunophenotypic and molecular features. <i>Scientific Reports</i> , 2019 , 9, 10526	4.9	6
479	Dynamics of Circulating Tumor Cells Early After Targeting Therapy to Human -mutated Lung Cancers and Gene-amplified Gastric Cancers in Mice. <i>Anticancer Research</i> , 2019 , 39, 4711-4720	2.3	2
478	Neck dissections based on sentinel lymph node navigation versus elective neck dissections in early oral cancers: A randomized, multicenter, non-inferiority trial.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 6007-6007	7.2	9
477	Clinical relevance of fluorodeoxyglucose positron emission tomography/computed tomography and magnifying endoscopy with narrow band imaging in decision-making regarding the treatment strategy for esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6767-6780	5.6	0
476	Detection of circulating tumor cells in drainage venous blood from colorectal cancer patients using a new filtration and cytology-based automated platform. <i>PLoS ONE</i> , 2019 , 14, e0212221	3.7	10
475	Salvage surgery for small cell lung cancer after chemoradiotherapy. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 389-392	2.8	6
474	Circulating tumor cells detection in tumor draining vein of breast cancer patients. <i>Scientific Reports</i> , 2019 , 9, 18195	4.9	6
473	Simultaneous resections of left lung cancer and esophageal schwannoma using video-assisted thoracoscopic surgery: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2019 , 12, 348-353	1.4	1
472	Clinicopathologic Features of Thymoma With the Expression of Programmed Death Ligand 1. <i>Annals of Thoracic Surgery</i> , 2019 , 107, 418-424	2.7	13
471	Clinical and in vitro studies of the correlation between MGMT and the effect of streptozocin in pancreatic NET. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 83, 43-52	3.5	4
470	Importance of avoiding surgery delays after initial discovery of suspected non-small-cell lung cancer in clinical stage IA patients. <i>Cancer Management and Research</i> , 2019 , 11, 107-115	3.6	2
469	Anaplastic variant of diffuse large B-cell lymphoma with hallmark cell appearance: Two cases highlighting a broad diversity in the diagnostics. <i>Pathology International</i> , 2018 , 68, 251-255	1.8	5
468	Eighth Edition Staging of Thoracic Malignancies: Implications for the Reporting Pathologist. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 645-661	5	13
467	The IASLC Lung Cancer Staging Project: A Renewed Call to Participation. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 801-809	8.9	29
466	The eighth TNM classification system for lung cancer: A consideration based on the degree of pleural invasion and involved neighboring structures. <i>Lung Cancer</i> , 2018 , 118, 134-138	5.9	9

465	A Real-Time Near-Infrared Fluorescence Imaging Method for the Detection of Oral Cancers in Mice Using an Indocyanine Green-Labeled Podoplanin Antibody. <i>Technology in Cancer Research and Treatment</i> , 2018 , 17, 1533033818767936	2.7	7
464	Updated Molecular Testing Guideline for the Selection of Lung Cancer Patients for Treatment With Targeted Tyrosine Kinase Inhibitors: Guideline From the College of American Pathologists, the International Association for the Study of Lung Cancer, and the Association for Molecular Pathology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 321-346	8.9	241
463	Updated Molecular Testing Guideline for the Selection of Lung Cancer Patients for Treatment With Targeted Tyrosine Kinase Inhibitors: Guideline From the College of American Pathologists, the International Association for the Study of Lung Cancer, and the Association for Molecular Pathology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 321-346	5	371
462	Validation of the digital PCR system in tyrosine kinase inhibitor-resistant EGFR mutant non-small-cell lung cancer. <i>Pathology International</i> , 2018 , 68, 167-173	1.8	4
461	Updated Molecular Testing Guideline for the Selection of Lung Cancer Patients for Treatment With Targeted Tyrosine Kinase Inhibitors: Guideline From the College of American Pathologists, the International Association for the Study of Lung Cancer, and the Association for Molecular Pathology. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 129-159	5.1	165
460	Interobserver Variation among Pathologists and Refinement of Criteria in Distinguishing Separate Primary Tumors from Intrapulmonary Metastases in Lung. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 205-217	8.9	22
459	HNRNP1L, a newly identified colorectal cancer metastasis suppressor, modulates alternative splicing of during epithelial-mesenchymal transition. <i>Gut</i> , 2018 , 67, 1103-1111	19.2	37
458	Immunohistochemistry of Pulmonary Biomarkers: A Perspective From Members of the Pulmonary Pathology Society. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 408-419	5	52
457	Acute phase dynamics of circulating tumor cells after paclitaxel and doxorubicin chemotherapy in breast cancer mouse models. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 439-450	4.4	9
456	Heterogeneous impact of smoking on major salivary gland cancer according to histopathological subtype: A case-control study. <i>Cancer</i> , 2018 , 124, 118-124	6.4	14
455	Higher frequency of occult lymph node metastasis in clinical N0 pulmonary adenocarcinoma with rearrangement. <i>Cancer Management and Research</i> , 2018 , 10, 2117-2124	3.6	12
454	Site-specific Chemotherapy Based on Predicted Primary Site by Pathological Profile for Carcinoma of Unknown Primary Site. <i>Clinical Oncology</i> , 2018 , 30, 667-673	2.8	5
453	PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1302-1311	8.9	381
452	Occult breast cancer may originate from ectopic breast tissue present in axillary lymph nodes. <i>Breast Cancer Research and Treatment</i> , 2018 , 172, 1-7	4.4	18
451	A Rare Case of Ampullary Goblet Cell Carcinoid. <i>Internal Medicine</i> , 2018 , 57, 2489-2496	1.1	1
450	A case of second primary lung cancer diagnosed by surgical resection at salvage setting. <i>International Cancer Conference Journal</i> , 2018 , 7, 84-86	0.9	
449	Sinonasal squamous cell carcinoma and EGFR mutations: a molecular footprint of a benign lesion. <i>Histopathology</i> , 2018 , 73, 953-962	7.3	21
448	HNRNP1L stabilizes mRNA for DNA replication proteins and promotes cell cycle progression in colorectal cancer cells. <i>Cancer Science</i> , 2018 , 109, 2458-2468	6.9	8

447	Fibrolamellar Hepatocellular Carcinoma with Multiple Lung Metastases Treated with Multidisciplinary Therapy. <i>Internal Medicine</i> , 2018 , 57, 3537-3543	1.1	3
446	Increased Synthesis of MCL-1 Protein Underlies Initial Survival of -Mutant Lung Cancer to EGFR Inhibitors and Provides a Novel Drug Target. <i>Clinical Cancer Research</i> , 2018 , 24, 5658-5672	12.9	24
445	Japanese Society of Medical Oncology Clinical Guidelines: Molecular Testing for Colorectal Cancer Treatment, Third Edition. <i>Cancer Science</i> , 2018 , 109, 2074-2079	6.9	8
444	Relationship between Paronychia and Drug Concentrations of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors. <i>Oncology</i> , 2018 , 95, 251-256	3.6	9
443	Prognostic significance of combined radiologic imaging modalities for prognosis of clinical IA adenocarcinomas. <i>Oncotarget</i> , 2018 , 9, 10745-10753	3.3	11
442	Pathologic Diagnosis and Genetic Analysis of a Lung Tumor Needle Biopsy Specimen Obtained Immediately After Radiofrequency Ablation. <i>CardioVascular and Interventional Radiology</i> , 2018 , 41, 594-602	2.7	6
441	Immunophenotypic analysis of adult patients with T-cell lymphoblastic lymphoma treated with hyper-CVAD. <i>Hematology</i> , 2018 , 23, 83-88	2.2	
440	Inherited lung cancer syndromes targeting never smokers. <i>Translational Lung Cancer Research</i> , 2018 , 7, 498-504	4.4	21
439	Establishment and validation of prognostic nomograms in first-line metastatic gastric cancer patients. <i>Journal of Gastrointestinal Oncology</i> , 2018 , 9, 52-63	2.8	17
438	Current outcomes of postrecurrence survival in patients after resection of non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2018 , 10, 1788-1796	2.6	9
437	Evaluation of lobar lymph node metastasis in non-small cell lung carcinoma using modified total lesion glycolysis. <i>Journal of Thoracic Disease</i> , 2018 , 10, 6932-6941	2.6	3
436	Mutation analysis of the EGFR pathway genes, and , in salivary gland adenoid cystic carcinoma. <i>Oncotarget</i> , 2018 , 9, 17043-17055	3.3	14
435	Detection of abundant megakaryocytes in pulmonary artery blood in lung cancer patients using a microfluidic platform. <i>Lung Cancer</i> , 2018 , 125, 128-135	5.9	10
434	Pre-existing pulmonary fibrosis is a risk factor for anti-PD-1-related pneumonitis in patients with non-small cell lung cancer: A retrospective analysis. <i>Lung Cancer</i> , 2018 , 125, 212-217	5.9	63
433	Spontaneous regression of lung squamous cell carcinoma with synchronous mediastinal progression: A case report. <i>Thoracic Cancer</i> , 2018 , 9, 1778-1781	3.2	5
432	Contribution of smoking habit to the prognosis of stage I KRAS-mutated non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2018 , 23, 419-426	3.8	2
431	Efficacy and Safety Data of Osimertinib in Elderly Patients with NSCLC Who Harbor the T790M Mutation After Failure of Initial EGFR-TKI Treatment. <i>Anticancer Research</i> , 2018 , 38, 5231-5237	2.3	11
430	Inflammation Flare and Radiation Necrosis Around a Stereotactic Radiotherapy-Pretreated Brain Metastasis Site After Nivolumab Treatment. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1975-1978	8.9	3

429	Peroral cholangioscopy of nivolumab-related (induced) ulcerative cholangitis in a patient with non-small cell lung cancer. <i>Endoscopy</i> , 2018 , 50, E259-E261	3.4	20
428	Anti-CCR4 Monoclonal Antibody Mogamulizumab Followed by the GDP (Gemcitabine, Dexamethasone and Cisplatin) Regimen in Primary Refractory Angioimmunoblastic T-Cell Lymphoma. <i>Chemotherapy</i> , 2017 , 62, 19-22	3.2	1
427	Unique prevalence of oncogenic genetic alterations in young patients with lung adenocarcinoma. <i>Cancer</i> , 2017 , 123, 1731-1740	6.4	29
426	Efficacy of Second-Line Bevacizumab-Containing Chemotherapy for Patients with Metastatic Colorectal Cancer Following First-Line Treatment with an Anti-Epidermal Growth Factor Receptor Antibody. <i>Oncology</i> , 2017 , 92, 205-212	3.6	6
425	Expression of cancer/testis antigens in salivary gland carcinomas with reference to MAGE-A and NY-ESO-1 expression in adenoid cystic carcinoma. <i>Histopathology</i> , 2017 , 71, 305-315	7.3	10
424	Clinical outcomes of platinum-based chemotherapy according to T790M mutation status in EGFR-positive non-small cell lung cancer patients after initial EGFR-TKI failure. <i>Lung Cancer</i> , 2017 , 109, 89-91	5.9	11
423	Association Between EGFR T790M Status and Progression Patterns During Initial EGFR-TKI Treatment in Patients Harboring EGFR Mutation. <i>Clinical Lung Cancer</i> , 2017 , 18, 698-705.e2	4.9	20
422	Rb Loss and Mutation Are Predictors of the Response to Platinum-Based Chemotherapy in Pancreatic Neuroendocrine Neoplasm with Grade 3: A Japanese Multicenter Pancreatic NEN-G3 Study. <i>Clinical Cancer Research</i> , 2017 , 23, 4625-4632	12.9	107
421	Plasma microRNA-103, microRNA-107, and microRNA-194 levels are not biomarkers for human diffuse gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 551-554	4.9	10
420	Diagnosis of Acute Cellular Rejection and Antibody-Mediated Rejection on Lung Transplant Biopsies: A Perspective From Members of the Pulmonary Pathology Society. <i>Archives of Pathology and Laboratory Medicine</i> , 2017 , 141, 437-444	5	35
419	Uptake of I-metaiodobenzylguanidine by gastrointestinal stromal tumor. <i>Clinical Journal of Gastroenterology</i> , 2017 , 10, 364-370	1.1	1
418	MYB, MYBL1, MYBL2 and NFIB gene alterations and MYC overexpression in salivary gland adenoid cystic carcinoma. <i>Histopathology</i> , 2017 , 71, 823-834	7.3	34
417	Scientific Advances in Thoracic Oncology 2016. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1183-1209	8.9	29
416	The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 334-346	8.9	67
415	Comparative evaluation of new and conventional classifications of magnifying endoscopy with narrow band imaging for invasion depth of superficial esophageal squamous cell carcinoma. <i>Ecological Management and Restoration</i> , 2017 , 30, 1-8	3	6
414	Genomic Landscape of Atypical Adenomatous Hyperplasia Reveals Divergent Modes to Lung Adenocarcinoma. <i>Cancer Research</i> , 2017 , 77, 6119-6130	10.1	56
413	Depth of response predicts the clinical outcome of advanced HER2-positive gastric cancer to trastuzumab-based first-line chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 80, 807-813	3.5	6
412	Reply to Letter "The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases.". <i>Journal of Thoracic Oncology</i> , 2017 , 12, e70-e71	8.9	2

411	Nivolumab Enhances the Inflammation of the Irradiation Field in Advanced Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1733-1736	8.9	2
410	Correlation between human epidermal growth factor receptor 2 expression level and efficacy of trastuzumab beyond progression in metastatic gastric cancer. <i>Oncology Letters</i> , 2017 , 14, 2545-2551	2.6	7
409	Histological type predicts mediastinal metastasis and surgical outcome in resected cN1 non-small cell lung cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 2017 , 65, 519-526	1.6	4
408	Sentinel node biopsy for oral cancer: A prospective multicenter Phase II trial. <i>Auris Nasus Larynx</i> , 2017 , 44, 319-326	2.2	30
407	Slow-growing amelanotic malignant melanoma of the esophagus with long survival: a case report and review of the literature. <i>Endoscopy International Open</i> , 2017 , 5, E1076-E1080	3	3
406	The Features of Colorectal Tumors in a Patient with Li-Fraumeni Syndrome. <i>Internal Medicine</i> , 2017 , 56, 295-300	1.1	3
405	A systematic review and meta-analysis of individual patient data on the impact of the BIM deletion polymorphism on treatment outcomes in epidermal growth factor receptor mutant lung cancer. <i>Oncotarget</i> , 2017 , 8, 41474-41486	3.3	12
404	subfamily suppression in lung cancer pathogenesis: a high-potential marker for early detection. <i>Oncotarget</i> , 2017 , 8, 68230-68241	3.3	8
403	Predictive clinical parameters for the response of nivolumab in pretreated advanced non-small-cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 103117-103128	3.3	61
402	A case of -positive gastric MALT lymphoma with concomitant diffuse large B-cell lymphoma. <i>Nagoya Journal of Medical Science</i> , 2017 , 79, 251-257	0.7	1
401	A case of metachronous left ovarian metastasis 8 years after surgery for cecal cancer and right ovarian metastasis: Report of a case. <i>Nagoya Journal of Medical Science</i> , 2017 , 79, 259-266	0.7	2
400	Clinical Efficacy of Alectinib in Patients with -Rearranged Non-small Cell Lung Cancer After Ceritinib Failure. <i>Anticancer Research</i> , 2017 , 37, 6477-6480	2.3	5
399	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2017 , 26, 454-465	5.6	40
398	Standardized uptake value on (18)F-FDG-PET/CT is a predictor of EGFR T790M mutation status in patients with acquired resistance to EGFR-TKIs. <i>Lung Cancer</i> , 2016 , 100, 14-19	5.9	15
397	The IASLC Lung Cancer Staging Project: Methodology and Validation Used in the Development of Proposals for Revision of the Stage Classification of NSCLC in the Forthcoming (Eighth) Edition of the TNM Classification of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1433-46	8.9	127
396	Prognostic Value of Drinking Status and Aldehyde Dehydrogenase 2 Polymorphism in Patients With Head and Neck Squamous Cell Carcinoma. <i>Journal of Epidemiology</i> , 2016 , 26, 292-9	3.4	11
395	Transbronchial Lung Cryobiopsy for Interstitial Lung Disease Diagnosis: A Perspective From Members of the Pulmonary Pathology Society. <i>Archives of Pathology and Laboratory Medicine</i> , 2016 , 140, 1281-1284	5	18
394	Impact of the oncogenic status on the mode of recurrence in resected non-small cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 928-934	2.8	8

393	Liquid Biopsy in Lung Cancer: A Perspective From Members of the Pulmonary Pathology Society. <i>Archives of Pathology and Laboratory Medicine</i> , 2016 , 140, 825-9	5	54
392	The IASLC Lung Cancer Staging Project: Proposals for Coding T Categories for Subsolid Nodules and Assessment of Tumor Size in Part-Solid Tumors in the Forthcoming Eighth Edition of the TNM Classification of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1204-1223	8.9	333
391	"Pseudoprogression" of Pulmonary Pleomorphic Carcinoma during Nivolumab Therapy. <i>Journal of Thoracic Oncology</i> , 2016 , 11, e117-9	8.9	26
390	ITPKA Gene Body Methylation Regulates Gene Expression and Serves as an Early Diagnostic Marker in Lung and Other Cancers. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1469-81	8.9	30
389	Estimation of the pathological invasive size of pulmonary adenocarcinoma using high-resolution computed tomography of the chest: A consideration based on lung and mediastinal window settings. <i>Lung Cancer</i> , 2016 , 95, 51-6	5.9	29
388	Comparison of clinical outcomes between luminal invasive ductal carcinoma and luminal invasive lobular carcinoma. <i>BMC Cancer</i> , 2016 , 16, 248	4.8	43
387	Diagnostic Ability of Percutaneous Needle Biopsy Immediately After Radiofrequency Ablation for Malignant Lung Tumors: An Initial Experience. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 1187-92	2.7	6
386	Differential Crizotinib Response Duration Among ALK Fusion Variants in ALK-Positive Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3383-9	2.2	163
385	A risk prediction model for colorectal cancer using genome-wide association study-identified polymorphisms and established risk factors among Japanese: results from two independent case-control studies. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 500-7	2	13
384	Validation of SCT Methylation as a Hallmark Biomarker for Lung Cancers. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 346-360	8.9	8
383	Transformation to SCLC after Treatment with the ALK Inhibitor Alectinib. <i>Journal of Thoracic Oncology</i> , 2016 , 11, e67-72	8.9	74
382	Diagnostic performance and factors influencing the accuracy of EUS-FNA of pancreatic neuroendocrine neoplasms. <i>Journal of Gastroenterology</i> , 2016 , 51, 923-30	6.9	44
381	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016 , 25, 620-9	5.6	32
380	A short interval between bevacizumab and anti-epithelial growth factor receptor therapy interferes with efficacy of subsequent anti-EGFR therapy for refractory colorectal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 228-33	2.8	13
379	Establishment and validation of prognostic nomograms including HER2 status in metastatic gastric cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 24-24	2.2	1
378	Germline polymorphisms in an enhancer of PSIP1 are associated with progression-free survival in epithelial ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 6353-68	3.3	19
377	??????. <i>Japanese Journal of Lung Cancer</i> , 2016 , 56, 962-968	0.1	
376	Survival outcome of metastatic adenocarcinoma of esophagogastric junction in the trastuzumab era.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 117-117	2.2	

375	Clinicopathological features and response to platinum-based chemotherapy in pancreatic neuroendocrine carcinoma: A retrospective multicenter study of 70 patients.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 298-298	2.2	
374	Clinicopathological features and response to platinum-based chemotherapy (PBC) in pancreatic neuroendocrine carcinoma (pNEC): Updated results of Japan pNEC study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e15652-e15652	2.2	
373	Effect of duration from initial diagnosis on the frequency of T790M secondary mutation after EGFR-TKI failure in EGFR-mutant lung adenocarcinomas.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9048-9048	2.2	2
372	Pretreatment FDG-PET metrics to predict survival in locally advanced non-small cell lung cancer treated with definitive thoracic radiotherapy or concurrent chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e20038-e20038	2.2	
371	Therapeutic value of lymph node dissection for right middle lobe non-small-cell lung cancer. <i>Journal of Thoracic Disease</i> , 2016 , 8, 795-802	2.6	2
370	Imaging Characteristics of Driver Mutations in EGFR, KRAS, and ALK among Treatment-Naïve Patients with Advanced Lung Adenocarcinoma. <i>PLoS ONE</i> , 2016 , 11, e0161081	3.7	28
369	Microglandular adenosis associated with triple-negative breast cancer is a neoplastic lesion of triple-negative phenotype harbouring TP53 somatic mutations. <i>Journal of Pathology</i> , 2016 , 238, 677-88	9.4	42
368	Rapid and dramatic response to alectinib in an anaplastic lymphoma kinase rearranged non-small-cell lung cancer patient who is critically ill. <i>Anti-Cancer Drugs</i> , 2016 , 27, 573-5	2.4	13
367	Anti-Helicobacter pylori Antibody Profiles in Epstein-Barr virus (EBV)-Positive and EBV-Negative Gastric Cancer. <i>Helicobacter</i> , 2016 , 21, 153-7	4.9	22
366	The International Association for the Study of Lung Cancer Consensus Statement on Optimizing Management of EGFR Mutation-Positive Non-Small Cell Lung Cancer: Status in 2016. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 946-63	8.9	145
365	Prediction of high risk for death in patients with follicular lymphoma receiving rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisolone in first-line chemotherapy. <i>Annals of Hematology</i> , 2016 , 95, 1259-69	3	10
364	Biomarker Testing in Lung Carcinoma Cytology Specimens: A Perspective From Members of the Pulmonary Pathology Society. <i>Archives of Pathology and Laboratory Medicine</i> , 2016 , 140, 1267-1272	5	80
363	Programmed Death Ligand-1 Immunohistochemistry--A New Challenge for Pathologists: A Perspective From Members of the Pulmonary Pathology Society. <i>Archives of Pathology and Laboratory Medicine</i> , 2016 , 140, 341-4	5	98
362	Clinical impact of crizotinib on central nervous system progression in ALK-positive non-small lung cancer. <i>Lung Cancer</i> , 2016 , 97, 43-7	5.9	33
361	Impact of intraoperative specimen mammography on margins in breast-conserving surgery. <i>Molecular and Clinical Oncology</i> , 2016 , 5, 269-272	1.6	13
360	Combining onartuzumab with erlotinib inhibits growth of non-small cell lung cancer with activating EGFR mutations and HGF overexpression. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 533-41	6.1	20
359	EGFR Exon 18 Mutations in Lung Cancer: Molecular Predictors of Augmented Sensitivity to Afatinib or Neratinib as Compared with First- or Third-Generation TKIs. <i>Clinical Cancer Research</i> , 2015 , 21, 5305-13	12.9	126
358	Additional Midline Biopsies of the Peripheral Zone Associated with the First Endorectal Standard Sextant Pattern Improves the Accuracy of Prostate Cancer Detection in Japanese Patients. <i>Current Urology</i> , 2015 , 8, 74-8	1.7	2

357	Genetic features of pulmonary adenocarcinoma presenting with ground-glass nodules: the differences between nodules with and without growth. <i>Annals of Oncology</i> , 2015 , 26, 156-161	10.3	57
356	Comprehensive genomic profiles of small cell lung cancer. <i>Nature</i> , 2015 , 524, 47-53	50.4	1061
355	GNAS mutation is a frequent event in pancreatic intraductal papillary mucinous neoplasms and associated adenocarcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 665-74	5.1	51
354	Lack of association between the BIM deletion polymorphism and the risk of lung cancer with and without EGFR mutations. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 59-66	8.9	9
353	EGFR mutation testing practices within the Asia Pacific region: results of a multicenter diagnostic survey. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 438-45	8.9	115
352	miR-342-3p regulates MYC transcriptional activity via direct repression of E2F1 in human lung cancer. <i>Carcinogenesis</i> , 2015 , 36, 1464-73	4.6	40
351	Feasibility and accuracy of molecular testing in specimens obtained with small biopsy forceps: comparison with the results of surgical specimens. <i>Respiration</i> , 2015 , 89, 235-42	3.7	10
350	Increased T-cell responses to Epstein-Barr virus with high viral load in patients with Epstein-Barr virus-positive diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2015 , 56, 1072-8	1.9	9
349	Minute perivascular epithelioid cell (PEC) nests in the abdominal lymph nodes--a putative precursor of PEComa. <i>Pathology International</i> , 2015 , 65, 193-6	1.8	4
348	A Case of Gastric Cancer with Residual Tumor Only in the Para-Aortic Lymph Nodes after Systemic Chemotherapy followed by Conversion Surgery. <i>Case Reports in Oncology</i> , 2015 , 8, 312-22	1	2
347	Immunohistochemical expression of myoepithelial markers in adenomyoepithelioma of the breast: a unique paradoxical staining pattern of high-molecular weight cytokeratins. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 191-8	5.1	9
346	Salvage therapy with single agent L-asparaginase followed by local irradiation in an elderly patient with CD56-positive primary isolated extramedullary T-cell lymphoblastic lymphoma of the sinus. <i>Annals of Hematology</i> , 2015 , 94, 173-5	3	1
345	Programmed Death-Ligand 1 Immunohistochemistry in Lung Cancer: In what state is this art?. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 985-9	8.9	208
344	Comparison of intratumoral heterogeneity of HER2 expression between primary tumor and multiple organ metastases in gastric cancer: Clinicopathological study of three autopsy cases and one resected case. <i>Pathology International</i> , 2015 , 65, 309-17	1.8	6
343	Small cell lung cancer transformation and T790M mutation: complimentary roles in acquired resistance to kinase inhibitors in lung cancer. <i>Scientific Reports</i> , 2015 , 5, 14447	4.9	63
342	EGFR Mutation Impact on Definitive Concurrent Chemoradiation Therapy for Inoperable Stage III Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1720-5	8.9	42
341	Spatiotemporal T790M Heterogeneity in Individual Patients with EGFR-Mutant Non-Small-Cell Lung Cancer after Acquired Resistance to EGFR-TKI. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1553-9	8.9	109
340	Risk factors for postoperative recurrence of intraductal papillary mucinous neoplasms of the pancreas based on a long-term follow-up study: proposals for follow-up strategies. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 757-65	2.8	27

339	A Randomized Controlled Trial Evaluating a Low-Volume PEG Solution Plus Ascorbic Acid versus Standard PEG Solution in Bowel Preparation for Colonoscopy. <i>Gastroenterology Research and Practice</i> , 2015 , 2015, 326581	2	15
338	Does the WHO 2010 classification of pancreatic neuroendocrine neoplasms accurately characterize pancreatic neuroendocrine carcinomas?. <i>Journal of Gastroenterology</i> , 2015 , 50, 564-72	6.9	56
337	Japanese Society of Medical Oncology Clinical Guidelines: RAS (KRAS/NRAS) mutation testing in colorectal cancer patients. <i>Cancer Science</i> , 2015 , 106, 324-7	6.9	30
336	Review of Bioptic Gleason Scores by Central Pathologist Modifies the Risk Classification in Prostate Cancer. <i>Urologia Internationalis</i> , 2015 , 95, 452-6	1.9	8
335	ROS1 immunohistochemistry among major genotypes of non-small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2015 , 16, 106-11	4.9	45
334	Clinical course of gastrointestinal stromal tumor diagnosed by endoscopic ultrasound-guided fine-needle aspiration. <i>Digestive Endoscopy</i> , 2015 , 27, 44-52	3.7	26
333	Preferential HER2 expression in liver metastases and EGFR expression in peritoneal metastases in patients with advanced gastric cancer. <i>Gastric Cancer</i> , 2015 , 18, 711-9	7.6	19
332	Lymph Node Metastases and Prognosis in Left Upper Division Non-Small Cell Lung Cancers: The Impact of Interlobar Lymph Node Metastasis. <i>PLoS ONE</i> , 2015 , 10, e0134674	3.7	12
331	A Case of Recurrent Pulmonary Artery Intimal Sarcoma After Left Pneumonectomy. <i>Japanese Journal of Lung Cancer</i> , 2015 , 55, 251-256	0.1	
330	A Case of Recurrent Thymic Atypical Carcinoid with Pleural and Peritoneal Dissemination Six Years After Thymectomy. <i>Japanese Journal of Lung Cancer</i> , 2015 , 55, 247-250	0.1	2
329	Is serum HER2-ECD testing significant for resectable gastric cancer?. <i>Journal of Clinical Oncology</i> , 2015 , 33, 48-48	2.2	
328	A Basis of Molecular Pathology for Clinicians. <i>Japanese Journal of Lung Cancer</i> , 2015 , 55, 986-990	0.1	
327	Anaplastic lymphoma kinase gene rearrangements in patients with advanced-stage non-small-cell lung cancer: CT characteristics and response to chemotherapy. <i>Cancer Medicine</i> , 2014 , 3, 118-23	4.8	16
326	Case-case comparison of smoking and alcohol risk associations with Epstein-Barr virus-positive gastric cancer. <i>International Journal of Cancer</i> , 2014 , 134, 948-53	7.5	29
325	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87
324	CD74-NRG1 fusions in lung adenocarcinoma. <i>Cancer Discovery</i> , 2014 , 4, 415-22	24.4	173
323	The association between baseline clinical-radiological characteristics and growth of pulmonary nodules with ground-glass opacity. <i>Lung Cancer</i> , 2014 , 83, 61-6	5.9	58
322	Lung adenocarcinoma subtypes definable by lung development-related miRNA expression profiles in association with clinicopathologic features. <i>Carcinogenesis</i> , 2014 , 35, 2224-31	4.6	32

321	CRKL amplification is rare as a mechanism for acquired resistance to kinase inhibitors in lung cancers with epidermal growth factor receptor mutation. <i>Lung Cancer</i> , 2014 , 85, 147-51	5.9	10
320	Durable response of human epidermal growth factor receptor-2-positive gastric adenosquamous carcinoma to trastuzumab-based chemotherapy. <i>Case Reports in Oncology</i> , 2014 , 7, 210-6	1	4
319	Spatiotemporal T790M heterogeneity in a patient with EGFR-mutant non-small-cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2014 , 9, e64-5	8.9	5
318	Deficient HER3 expression in poorly-differentiated colorectal cancer cells enhances gefitinib sensitivity. <i>International Journal of Oncology</i> , 2014 , 45, 1583-93	4.4	8
317	Development of a new rapid isolation device for circulating tumor cells (CTCs) using 3D palladium filter and its application for genetic analysis. <i>PLoS ONE</i> , 2014 , 9, e88821	3.7	59
316	Improved survival of gastric cancer with tumour Epstein-Barr virus positivity: an international pooled analysis. <i>Gut</i> , 2014 , 63, 236-43	19.2	238
315	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
314	Combination of cyst fluid CEA and CA 125 is an accurate diagnostic tool for differentiating mucinous cystic neoplasms from intraductal papillary mucinous neoplasms. <i>Pancreatology</i> , 2014 , 14, 503-9	3.8	19
313	Gene expression profiling of Epstein-Barr virus-positive diffuse large B-cell lymphoma of the elderly reveals alterations of characteristic oncogenetic pathways. <i>Cancer Science</i> , 2014 , 105, 537-44	6.9	45
312	ABCA transporter gene expression and poor outcome in epithelial ovarian cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	79
311	An international interpretation study using the ALK IHC antibody D5F3 and a sensitive detection kit demonstrates high concordance between ALK IHC and ALK FISH and between evaluators. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 631-8	8.9	120
310	Canadian anaplastic lymphoma kinase study: a model for multicenter standardization and optimization of ALK testing in lung cancer. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 1255-63	8.9	61
309	Reproducibility of histopathological diagnosis in poorly differentiated NSCLC: an international multiobserver study. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 1354-62	8.9	31
308	Impact of intrinsic subtype on predicting axillary lymph node metastasis in breast cancer. <i>Oncology Letters</i> , 2014 , 8, 1707-1712	2.6	7
307	A novel technique for endoscopic transpapillary "mapping biopsy specimens" of superficial intraductal spread of bile duct carcinoma (with videos). <i>Gastrointestinal Endoscopy</i> , 2014 , 79, 1020-5	5.2	14
306	Risk of second malignancies in patients with gastric marginal zone lymphomas of mucosa associate lymphoid tissue (MALT). <i>Journal of Gastroenterology</i> , 2014 , 49, 843-52	6.9	9
305	Evaluation of Ki-67 index in EUS-FNA specimens for the assessment of malignancy risk in pancreatic neuroendocrine tumors. <i>Endoscopy</i> , 2014 , 46, 32-8	3.4	107
304	CRIP1 expression in EGFR-mutant NSCLC elicits intrinsic EGFR-inhibitor resistance. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3003-15	15.9	70

303	Multidisciplinary management of small cell carcinoma of the breast: a case report. <i>Nagoya Journal of Medical Science</i> , 2014 , 76, 173-80	0.7	1
302	Genetic features of pulmonary adenocarcinoma presenting with ground-glass nodules (GGN): Differences between those with growth potential and those without.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 7546-7546	2.2	
301	Combination of High Serum Lactate Dehydrogenase Levels at the Time of First Diagnosis and Progression Predicts Early Lymphoma Related Death in Patients with Follicular Lymphoma Receiving R-CHOP Regimen. <i>Blood</i> , 2014 , 124, 2972-2972	2.2	
300	Diagnostic ability and factors affecting accuracy of endoscopic ultrasound-guided fine needle aspiration for pancreatic solid lesions: Japanese large single center experience. <i>Journal of Gastroenterology</i> , 2013 , 48, 973-81	6.9	110
299	Prognostic value of K-ras mutation status and subtypes in endoscopic ultrasound-guided fine-needle aspiration specimens from patients with unresectable pancreatic cancer. <i>Journal of Gastroenterology</i> , 2013 , 48, 640-6	6.9	78
298	BCL10 as a useful marker for pancreatic acinar cell carcinoma, especially using endoscopic ultrasound cytology specimens. <i>Pathology International</i> , 2013 , 63, 176-82	1.8	44
297	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
296	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
295	Akt kinase-interacting protein1, a novel therapeutic target for lung cancer with EGFR-activating and gatekeeper mutations. <i>Oncogene</i> , 2013 , 32, 4427-35	9.2	20
294	Genome-wide association study of genetic factors related to confectionery intake: potential roles of the ADIPOQ gene. <i>Obesity</i> , 2013 , 21, 2413-9	8	7
293	Solitary pulmonary metastasis from lung cancer harboring EML4-ALK after a 15-year disease-free interval. <i>Lung Cancer</i> , 2013 , 80, 99-101	5.9	7
292	EGFR mutation analysis in sputum of lung cancer patients: a multitechnique study. <i>Lung Cancer</i> , 2013 , 82, 38-43	5.9	24
291	Behavior of bone marrow-derived cells following in vivo transplantation: differentiation into stromal cells with roles in organ maintenance. <i>American Journal of Pathology</i> , 2013 , 182, 1255-62	5.8	
290	Surgery for NSCLC in the era of personalized medicine. <i>Nature Reviews Clinical Oncology</i> , 2013 , 10, 235-44	9.4	75
289	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013 , 45, 392-8, 398e1-2	36.3	327
288	Time to first cigarette and lung cancer risk in Japan. <i>Annals of Oncology</i> , 2013 , 24, 2870-5	10.3	11
287	Prognosis of patients with advanced gastric cancer by HER2 status and trastuzumab treatment. <i>Gastric Cancer</i> , 2013 , 16, 261-7	7.6	53
286	Transformation to sarcomatoid carcinoma in ALK-rearranged adenocarcinoma, which developed acquired resistance to crizotinib and received subsequent chemotherapies. <i>Journal of Thoracic Oncology</i> , 2013 , 8, e75-8	8.9	32

285	Diagnosis of lung cancer in small biopsies and cytology: implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society classification. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 668-84	5	287
284	In compressed lung tissue microscopic sections of adenocarcinoma in situ may mimic papillary adenocarcinoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 1792-7	5	12
283	The aldehyde dehydrogenase 2 (ALDH2) Glu504Lys polymorphism interacts with alcohol drinking in the risk of stomach cancer. <i>Carcinogenesis</i> , 2013 , 34, 1510-5	4.6	64
282	Prevalence of delirium among outpatients with dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 1877-84	3.4	27
281	Diagnosis of lung adenocarcinoma in resected specimens: implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society classification. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 685-705	5	117
280	How long should small lung lesions of ground-glass opacity be followed?. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 309-14	8.9	58
279	HNF4 α is a marker for invasive mucinous adenocarcinoma of the lung. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 211-8	6.7	62
278	Interobserver agreement in the nuclear grading of primary pulmonary adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 736-43	8.9	24
277	Complete Response to Trastuzumab-Based Chemotherapy in a Patient with Human Epidermal Growth Factor Receptor-2-Positive Metastatic Salivary Duct Carcinoma ex Pleomorphic Adenoma. <i>Case Reports in Oncology</i> , 2013 , 6, 450-5	1	36
276	Met is the most frequently amplified gene in endometriosis-associated ovarian clear cell adenocarcinoma and correlates with worsened prognosis. <i>PLoS ONE</i> , 2013 , 8, e57724	3.7	60
275	Impact of PSCA variation on gastric ulcer susceptibility. <i>PLoS ONE</i> , 2013 , 8, e63698	3.7	10
274	Cytoplasmic expression of LGR5 in pancreatic adenocarcinoma. <i>Frontiers in Physiology</i> , 2013 , 4, 269	4.6	14
273	Cigarette smoking and pancreatic cancer risk: a revisit with an assessment of the nicotine dependence phenotype. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 4409-13	1.7	5
272	Distant disease-free survival (DDFS) discrimination capacity of various pathologic complete response (pCR) definitions according to breast cancer subtypes.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 162-162	2.2	
271	Histone H1 expression in human prostate cancer tissues and cell lines. <i>Pathology International</i> , 2012 , 62, 84-92	1.8	14
270	RET finger protein expression is associated with prognosis in lung cancer with epidermal growth factor receptor mutations. <i>Pathology International</i> , 2012 , 62, 324-30	1.8	21
269	Selected polymorphisms of base excision repair genes and pancreatic cancer risk in Japanese. <i>Journal of Epidemiology</i> , 2012 , 22, 477-83	3.4	34
268	Impact of age on epidermal growth factor receptor mutation in lung cancer. <i>Lung Cancer</i> , 2012 , 78, 207-19	3.1	32

267	Reproducibility of histopathological subtypes and invasion in pulmonary adenocarcinoma. An international interobserver study. <i>Modern Pathology</i> , 2012 , 25, 1574-83	9.8	155
266	Clinicoradiologic characteristics of patients with lung adenocarcinoma harboring EML4-ALK fusion oncogene. <i>Lung Cancer</i> , 2012 , 77, 319-25	5.9	89
265	Diagnostic yield of endoscopic retrograde cholangiography and of EUS-guided fine needle aspiration sampling in gallbladder carcinomas. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012 , 19, 650-5	2.8	18
264	Long-term medroxyprogesterone acetate therapy for low-grade endometrial stromal sarcoma. <i>International Journal of Clinical Oncology</i> , 2012 , 17, 348-54	4.2	23
263	Intraoperative molecular assessment for lymph node metastasis in head and neck squamous cell carcinoma using one-step nucleic acid amplification (OSNA) assay. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3865-70	3.1	22
262	A common BIM deletion polymorphism mediates intrinsic resistance and inferior responses to tyrosine kinase inhibitors in cancer. <i>Nature Medicine</i> , 2012 , 18, 521-8	50.5	433
261	A first report of tumor cell implantation after EMR in a patient with rectosigmoid cancer. <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 1117-8	5.2	6
260	Clinical impact of K-ras mutation analysis in EUS-guided FNA specimens from pancreatic masses. <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 769-74	5.2	69
259	Conversion from the "oncogene addiction" to "drug addiction" by intensive inhibition of the EGFR and MET in lung cancer with activating EGFR mutation. <i>Lung Cancer</i> , 2012 , 76, 292-9	5.9	45
258	Differential impact of body mass index and its change on the risk of breast cancer by molecular subtype: A case-control study in Japanese women. <i>SpringerPlus</i> , 2012 , 1, 39		8
257	A Screening Method for the ALK Fusion Gene in NSCLC. <i>Frontiers in Oncology</i> , 2012 , 2, 24	5.3	59
256	High recurrence risk and use of adjuvant trastuzumab in patients with small, HER2-positive, node-negative breast cancers. <i>International Journal of Clinical Oncology</i> , 2012 , 17, 131-6	4.2	16
255	Patterns of recurrence and outcome in patients with surgically resected small cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2012 , 17, 218-24	4.2	22
254	A genetic risk predictor for breast cancer using a combination of low-penetrance polymorphisms in a Japanese population. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 711-21	4.4	76
253	First report of a mucosa-associated lymphoid tissue (MALT) lymphoma of the esophagus diagnosed by endoscopic ultrasound-guided fine-needle aspiration (EUS-FNA). <i>Endoscopy</i> , 2012 , 44 Suppl 2 UCTN, E167-8	3.4	7
252	Concurrent gastric MALT and Hodgkin lymphoma: a case report. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 201-4	1.2	13
251	Association between a genome-wide association study-identified locus and the risk of lung cancer in Japanese population. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 790-8	8.9	33
250	P90 RSK arranges Chk1 in the nucleus for monitoring of genomic integrity during cell proliferation. <i>Molecular Biology of the Cell</i> , 2012 , 23, 1582-92	3.5	37

249	Folate, alcohol, and aldehyde dehydrogenase 2 polymorphism and the risk of oral and pharyngeal cancer in Japanese. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 193-8	2	27
248	G-CSF-producing malignant pleural mesothelioma: an autopsy case report with literature review. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 272-5	1.2	2
247	Association between dietary folate intake and clinical outcome in head and neck squamous cell carcinoma. <i>Annals of Oncology</i> , 2012 , 23, 186-192	10.3	18
246	TGF- β synergizes with defects in the Hippo pathway to stimulate human malignant mesothelioma growth. <i>Journal of Experimental Medicine</i> , 2012 , 209, 479-94	16.6	151
245	Is primary pulmonary meningioma a giant form of a meningothelial-like nodule? A case report and review of the literature. <i>Case Reports in Oncology</i> , 2012 , 5, 471-8	1	17
244	Highly sensitive detection of EGFR T790M mutation using colony hybridization predicts favorable prognosis of patients with lung cancer harboring activating EGFR mutation. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 1640-4	8.9	94
243	Pulmonary cysts of Birt-Hogg-Dubé syndrome: a clinicopathologic and immunohistochemical study of 9 families. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 589-600	6.7	81
242	Durable Local Disease Control and Survival in Patients with Limited-Stage Diffuse Large B-Cell Lymphoma Receiving Involved-Node Radiation Therapy Plus Short-Course R-CHOP or CHOP Chemotherapy: Involved-Node Versus Involved-Field Radiation Therapy. <i>Blood</i> , 2012 , 120, 3665-3665	2.2	1
241	Trastuzumab for a patient with heavily pretreated gastric cancer plus massive ascites and ovarian metastasis. <i>Gastrointestinal Cancer Research: GCR</i> , 2012 , 5, 97-9		
240	Genetic and Prognostic Differences of Non-small Cell Lung Cancer between Elderly Patients and Younger Counterparts 2012 , 3, 438-43		4
239	Can endoscopic ultrasound-guided fine needle aspiration offer clinical benefit for tumors of the ampulla of Vater? -an initial study. <i>Endoscopic Ultrasound</i> , 2012 , 1, 84-9	3.6	13
238	Abstract IA5: Genetic and genomic difference in lung cancer based on ethnicity. <i>Clinical Cancer Research</i> , 2012 , 18, IA5-IA5	12.9	
237	TGF- β synergizes with defects in the Hippo pathway to stimulate human malignant mesothelioma growth. <i>Journal of Cell Biology</i> , 2012 , 196, i4-i4	7.3	
236	Role of endoscopic ultrasound and endoscopic ultrasound-guided fine-needle aspiration in diagnosing metastasis to the pancreas: a tertiary center experience. <i>Pancreatology</i> , 2011 , 11, 390-8	3.8	26
235	Prognostic and predictive implications of HER2/ERBB2/neu gene mutations in lung cancers. <i>Lung Cancer</i> , 2011 , 74, 139-44	5.9	104
234	Do all lung adenocarcinomas follow a stepwise progression?. <i>Lung Cancer</i> , 2011 , 74, 7-11	5.9	77
233	Current concept of endoscopic ultrasound-guided fine needle aspiration for pancreatic cancer. <i>Pancreatology</i> , 2011 , 11 Suppl 2, 40-6	3.8	28
232	International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society: international multidisciplinary classification of lung adenocarcinoma: executive summary. <i>Proceedings of the American Thoracic Society</i> , 2011 , 8, 381-5		346

231	Thyroid transcription factor 1 expression in endometrioid tumors: a note of cautionReply. <i>Human Pathology</i> , 2011 , 42, 1055-1056	3.7	
230	miR-375 is activated by ASH1 and inhibits YAP1 in a lineage-dependent manner in lung cancer. <i>Cancer Research</i> , 2011 , 71, 6165-73	10.1	108
229	Epithelial to mesenchymal transition in an epidermal growth factor receptor-mutant lung cancer cell line with acquired resistance to erlotinib. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 1152-61	8.9	211
228	Pathological complete response of colorectal liver metastases following chemotherapy with S-1 and oxaliplatin (SOX) in combination with bevacizumab: A case report. <i>Oncology Letters</i> , 2011 , 2, 201-205	2.6	1
227	ABO blood group alleles and the risk of pancreatic cancer in a Japanese population. <i>Cancer Science</i> , 2011 , 102, 1076-80	6.9	56
226	Association between insulin-like growth factor-1 polymorphisms and stomach cancer risk in a Japanese population. <i>Cancer Science</i> , 2011 , 102, 2231-5	6.9	17
225	Thyroid transcription factor-1 expression in rare cases of mammary ductal carcinoma. <i>Histopathology</i> , 2011 , 59, 145-8	7.3	11
224	BRAF mutation is a powerful prognostic factor in advanced and recurrent colorectal cancer. <i>British Journal of Cancer</i> , 2011 , 104, 856-62	8.7	287
223	Epstein-Barr virus-associated lymphoproliferative disorder presenting with classical Hodgkin lymphoma and developing as peripheral T-cell lymphoma 9 years later: a case report of composite lymphoma. <i>Pathology International</i> , 2011 , 61, 752-5	1.8	5
222	Phase II study of combination chemotherapy with irinotecan and cetuximab for pretreated metastatic colorectal cancer harboring wild-type KRAS. <i>Investigational New Drugs</i> , 2011 , 29, 688-93	4.3	11
221	Follow-up after intraoperative sentinel node biopsy of N0 neck oral cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 429-35	3.5	30
220	Clinical benefit of endocrine therapy for benign metastasizing leiomyoma. <i>International Journal of Clinical Oncology</i> , 2011 , 16, 587-91	4.2	11
219	Lung cancers unrelated to smoking: characterized by single oncogene addiction?. <i>International Journal of Clinical Oncology</i> , 2011 , 16, 294-305	4.2	22
218	Proteasomal non-catalytic subunit PSMD2 as a potential therapeutic target in association with various clinicopathologic features in lung adenocarcinomas. <i>Molecular Carcinogenesis</i> , 2011 , 50, 301-9	5	32
217	Inverse association between toothbrushing and upper aerodigestive tract cancer risk in a Japanese population. <i>Head and Neck</i> , 2011 , 33, 1628-37	4.2	35
216	ABO genotype and the risk of gastric cancer, atrophic gastritis, and Helicobacter pylori infection. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1665-72	4	62
215	Hepatocyte growth factor expression in EGFR mutant lung cancer with intrinsic and acquired resistance to tyrosine kinase inhibitors in a Japanese cohort. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 2011-7	8.9	176
214	Dramatic tumor response to everolimus for malignant epithelioid angiomyolipoma. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 814-6	2.8	43

213	International association for the study of lung cancer/american thoracic society/european respiratory society international multidisciplinary classification of lung adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 244-85	8.9	3178
212	Role and relevance of TrkB mutations and expression in non-small cell lung cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 2638-45	12.9	40
211	Heterogeneous distribution of EGFR mutations is extremely rare in lung adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2972-7	2.2	185
210	Nodal relapse after <i>Helicobacter pylori</i> eradication in a patient with primary localized gastric mucosa-associated lymphoid tissue lymphoma. <i>American Journal of Gastroenterology</i> , 2011 , 106, 549-51	0.7	3
209	Lapatinib plus trastuzumab for a patient with heavily pre-treated gastric cancer that progressed after trastuzumab. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 663-5	2.8	6
208	Interaction between IGF-1 polymorphisms and overweight for the risk of pancreatic cancer in Japanese. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011 , 2, 354-66	0.9	18
207	Docetaxel plus 5-fluorouracil and cisplatin (DCF) induction chemotherapy for locally advanced borderline-resectable T4 esophageal cancer. <i>Anticancer Research</i> , 2011 , 31, 3535-41	2.3	38
206	Epidermal growth factor receptor in relation to tumor development: EGFR gene and cancer. <i>FEBS Journal</i> , 2010 , 277, 301-8	5.7	355
205	Comparison between self-reported facial flushing after alcohol consumption and ALDH2 Glu504Lys polymorphism for risk of upper aerodigestive tract cancer in a Japanese population. <i>Cancer Science</i> , 2010 , 101, 1875-80	6.9	58
204	Morphological Features of the Most Advanced Intra-Tumor Component in Multistep Progression. <i>Journal of Lung Cancer</i> , 2010 , 9, 53		
203	Immunohistochemical detection of EGFR mutation using mutation-specific antibodies in lung cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 3349-55	12.9	91
202	Regulation of DNA polymerase POLD4 influences genomic instability in lung cancer. <i>Cancer Research</i> , 2010 , 70, 8407-16	10.1	28
201	Phase II study of combination chemotherapy with biweekly cetuximab and irinotecan for pre-treated metastatic colorectal cancer harboring wild-type KRAS. <i>Japanese Journal of Clinical Oncology</i> , 2010 , 40, 699-701	2.8	2
200	Novel metastasis-related gene CIM functions in the regulation of multiple cellular stress-response pathways. <i>Cancer Research</i> , 2010 , 70, 9949-58	10.1	17
199	Reciprocal and complementary role of MET amplification and EGFR T790M mutation in acquired resistance to kinase inhibitors in lung cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 5489-98	12.9	175
198	Folate intake along with genetic polymorphisms in methylenetetrahydrofolate reductase and thymidylate synthase in patients with advanced gastric cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1311-9	4	27
197	Analysis of genetic variants in never-smokers with lung cancer facilitated by an Internet-based blood collection protocol: a preliminary report. <i>Clinical Cancer Research</i> , 2010 , 16, 755-63	12.9	69
196	Impact of smoking on lung cancer risk is stronger in those with the homozygous aldehyde dehydrogenase 2 null allele in a Japanese population. <i>Carcinogenesis</i> , 2010 , 31, 660-5	4.6	33

195	Endoscopic ultrasound-guided fine-needle aspiration for the diagnosis of retroperitoneal schwannoma. <i>Endoscopy</i> , 2010 , 42 Suppl 2, E296	3.4	5
194	Endoscopic features of short-term progression of esophageal intramural pseudodiverticulosis. <i>Endoscopy</i> , 2010 , 42 Suppl 2, E92-3	3.4	11
193	Development of pancreatic cancers during long-term follow-up of side-branch intraductal papillary mucinous neoplasms. <i>Endoscopy</i> , 2010 , 42, 1077-84	3.4	105
192	Diagnostic utility of EUS-guided FNA in patients with gastric submucosal tumors. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 913-9	5.2	188
191	Cycleave polymerase chain reaction method is practically applicable for V-Ki-ras2 Kirsten rat sarcoma viral oncogene homolog (KRAS)/V-raf murine sarcoma viral oncogene homolog B1 (BRAF) genotyping in colorectal cancer. <i>Translational Research</i> , 2010 , 156, 98-105	11	22
190	Corticosteroids correct aberrant CFTR localization in the duct and regenerate acinar cells in autoimmune pancreatitis. <i>Gastroenterology</i> , 2010 , 138, 1988-96	13.3	83
189	Absence of the caveolin-1 P132L mutation in cancers of the breast and other organs. <i>Journal of Molecular Diagnostics</i> , 2010 , 12, 712-7	5.1	12
188	Thyroid transcription factor 1 expression in ovarian carcinomas is an independent prognostic factor. <i>Human Pathology</i> , 2010 , 41, 560-5	3.7	26
187	Aberrant expression of interferon regulatory factor 3 in human lung cancer. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 397, 202-7	3.4	14
186	Gefitinib versus cisplatin plus docetaxel in patients with non-small-cell lung cancer harbouring mutations of the epidermal growth factor receptor (WJTOG3405): an open label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2010 , 11, 121-8	21.7	3140
185	EGFR mutations in non-small-cell lung cancer [Authors Reply]. <i>Lancet Oncology, The</i> , 2010 , 11, 413	21.7	0
184	EML4-ALK mutations in lung cancer that confer resistance to ALK inhibitors. <i>New England Journal of Medicine</i> , 2010 , 363, 1734-9	59.2	940
183	Accumulation of FDG Due to Autoimmune Pancreatitis Distinctly Decreased After Steroid Therapy. <i>Pancreas</i> , 2010 , 39, 693	2.6	
182	Analysis of ERBB4 mutations and expression in japanese patients with lung cancer. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 1859-61	8.9	7
181	Pathologic diagnosis of advanced lung cancer based on small biopsies and cytology: a paradigm shift. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 411-4	8.9	144
180	HLA-A alleles and the risk of cervical squamous cell carcinoma in Japanese women. <i>Journal of Epidemiology</i> , 2010 , 20, 295-301	3.4	12
179	Clinical outcomes of advanced non-small cell lung cancer patients screened for epidermal growth factor receptor gene mutations. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 527-35	4.9	11
178	Serum tumor antigen REG4 as a diagnostic biomarker in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology</i> , 2010 , 45, 52-9	6.9	35

177	Pre-operative diagnosis of synchronous solid-pseudopapillary neoplasms of the pancreas. <i>Clinical Journal of Gastroenterology</i> , 2010 , 3, 301-6	1.1	2
176	EGFR mutations and the terminal respiratory unit. <i>Cancer and Metastasis Reviews</i> , 2010 , 29, 23-36	9.6	89
175	Effect of gefitinib on the survival of patients with recurrence of lung adenocarcinoma after surgery: a retrospective case-matching cohort study. <i>Surgical Oncology</i> , 2010 , 19, e144-9	2.5	10
174	Diagnostic approach to pancreatic tumors with the specimens of endoscopic ultrasound-guided fine needle aspiration. <i>Pathology International</i> , 2010 , 60, 358-64	1.8	35
173	Coexistence of primary pulmonary Hodgkin lymphoma and gastric MALT lymphoma associated with Epstein-Barr virus infection: a case report. <i>Pathology International</i> , 2010 , 60, 520-3	1.8	11
172	Phase II study of preoperative systemic treatment with the combination of docetaxel and trastuzumab in patients with locally advanced HER-2-overexpressing breast cancer. <i>Breast</i> , 2010 , 19, 370-6	3.6	2
171	Characteristic methylation profile in CpG island methylator phenotype-negative distal colorectal cancers. <i>International Journal of Cancer</i> , 2010 , 127, 2095-105	7.5	31
170	Angioimmunoblastic T-cell lymphoma with autoimmune thrombocytopenia: a report of two cases. <i>Pathology Research and Practice</i> , 2010 , 206, 270-5	3.4	7
169	Clinically relevant characterization of lung adenocarcinoma subtypes based on cellular pathways: an international validation study. <i>PLoS ONE</i> , 2010 , 5, e11712	3.7	43
168	Association between CYP7A1 and the risk of proximal colon cancer in Japanese. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010 , 1, 35-46	0.9	3
167	Effects of genetic polymorphisms in the ABCB1 gene on clinical outcomes in patients with gastric cancer treated by second-line chemotherapy. <i>Asian Pacific Journal of Cancer Prevention</i> , 2010 , 11, 447-52	1.7	14
166	Aquaporin 1 water channel is overexpressed in the plasma membranes of pancreatic ducts in patients with autoimmune pancreatitis. <i>Journal of Medical Investigation</i> , 2009 , 56 Suppl, 318-21	1.2	12
165	Activation of MET by gene amplification or by splice mutations deleting the juxtamembrane domain in primary resected lung cancers. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 5-11	8.9	230
164	EGFR T790M mutation: a double role in lung cancer cell survival?. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1-4	8.9	126
163	Analysis of prognostic factors in peripheral T-cell lymphoma: prognostic value of serum albumin and mediastinal lymphadenopathy. <i>Leukemia and Lymphoma</i> , 2009 , 50, 1999-2004	1.9	19
162	Benign metastasizing leiomyoma of the lung: potential role of low-grade malignancy. <i>Thoracic and Cardiovascular Surgeon</i> , 2009 , 57, 180-3	1.6	5
161	Combined inhibition of MET and EGFR suppresses proliferation of malignant mesothelioma cells. <i>Carcinogenesis</i> , 2009 , 30, 1097-105	4.6	68
160	Relationship of deregulated signaling converging onto mTOR with prognosis and classification of lung adenocarcinoma shown by two independent in silico analyses. <i>Cancer Research</i> , 2009 , 69, 4027-35	10.1	24

159	Relapse-related molecular signature in lung adenocarcinomas identifies patients with dismal prognosis. <i>Journal of Clinical Oncology</i> , 2009 , 27, 2793-9	2.2	153
158	Impact of multiple alcohol dehydrogenase gene polymorphisms on risk of upper aerodigestive tract cancers in a Japanese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3097-102	4	52
157	Combined hepatocellular carcinoma and osteoclast-like giant cell tumor of the liver: possible clue to histogenesis. <i>Pathology International</i> , 2009 , 59, 813-6	1.8	14
156	Rare pancreatic neoplasms: the utility of endoscopic ultrasound-guided fine-needle aspiration-a large single center study. <i>Journal of Gastroenterology</i> , 2009 , 44, 146-53	6.9	23
155	Usefulness of endoscopic ultrasound-guided fine needle aspiration (EUS-FNA) for undiagnosed intra-abdominal lymphadenopathy. <i>Journal of Gastroenterology</i> , 2009 , 44, 562-7	6.9	44
154	Histological diagnosis of autoimmune pancreatitis using EUS-guided trucut biopsy: a comparison study with EUS-FNA. <i>Journal of Gastroenterology</i> , 2009 , 44, 742-50	6.9	178
153	Usefulness of cumulative smoking dose for identifying the EGFR mutation and patients with non-small-cell lung cancer for gefitinib treatment. <i>Cancer Science</i> , 2009 , 100, 1931-4	6.9	13
152	Counterbalance between RB inactivation and miR-17-92 overexpression in reactive oxygen species and DNA damage induction in lung cancers. <i>Oncogene</i> , 2009 , 28, 3371-9	9.2	85
151	hOGG1 Ser326Cys polymorphism and risk of lung cancer by histological type. <i>Journal of Human Genetics</i> , 2009 , 54, 739-45	4.3	42
150	Association between an 8q24 locus and the risk of colorectal cancer in Japanese. <i>BMC Cancer</i> , 2009 , 9, 379	4.8	32
149	Prognostic implication of EGFR, KRAS, and TP53 gene mutations in a large cohort of Japanese patients with surgically treated lung adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 22-9	8.9	185
148	Efficacy of erlotinib for brain and leptomeningeal metastases in patients with lung adenocarcinoma who showed initial good response to gefitinib. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1415-9	8.9	129
147	EGFR and HER2 genomic gain in recurrent non-small cell lung cancer after surgery: impact on outcome to treatment with gefitinib and association with EGFR and KRAS mutations in a Japanese cohort. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 318-25	8.9	45
146	EGFR Mutation, But Not Sex and Smoking, Is Independently Associated with Favorable Prognosis of Gefitinib-treated Patients with Lung Adenocarcinoma. <i>Japanese Journal of Lung Cancer</i> , 2009 , 49, 409-415 ¹	9.1	15
145	mRNA expression of RRM1, ERCC1 and ERCC2 is not associated with chemosensitivity to cisplatin, carboplatin and gemcitabine in human lung cancer cell lines. <i>Respirology</i> , 2008 , 13, 510-7	3.6	26
144	Epidermal growth factor receptor mutation, but not sex and smoking, is independently associated with favorable prognosis of gefitinib-treated patients with lung adenocarcinoma. <i>Cancer Science</i> , 2008 , 99, 303-8	6.9	34
143	Soy consumption reduces the risk of non-small-cell lung cancers with epidermal growth factor receptor mutations among Japanese. <i>Cancer Science</i> , 2008 , 99, 1202-8	6.9	26
142	Interleukin-2 potentiation of cetuximab antitumor activity for epidermal growth factor receptor-overexpressing gastric cancer xenografts through antibody-dependent cellular cytotoxicity. <i>Cancer Science</i> , 2008 , 99, 1471-8	6.9	39

141	Sarcomatoid carcinoma of the thymus arising in metaplastic thymoma. <i>Histopathology</i> , 2008 , 52, 409-11	7.3	18
140	Intraoperative diagnosis of cancer metastasis in sentinel lymph node of oral cancer patients. <i>Oral Oncology</i> , 2008 , 44, 838-43	4.4	25
139	Subcategorization of lung cancer based on tumor size and degree of visceral pleural invasion. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 1084-90	2.7	18
138	Decreased risk of colorectal cancer with the high natural killer cell activity NKG2D genotype in Japanese. <i>Carcinogenesis</i> , 2008 , 29, 316-20	4.6	41
137	Epidermal growth factor receptor mutations in small cell lung cancer. <i>Clinical Cancer Research</i> , 2008 , 14, 6092-6	12.9	129
136	Roles of achaete-scute homologue 1 in DKK1 and E-cadherin repression and neuroendocrine differentiation in lung cancer. <i>Cancer Research</i> , 2008 , 68, 1647-55	10.1	73
135	Epidermal growth factor receptor gene amplification is acquired in association with tumor progression of EGFR-mutated lung cancer. <i>Cancer Research</i> , 2008 , 68, 2106-11	10.1	120
134	Clinical features and prognosis of gastric MALT lymphoma with special reference to responsiveness to H. pylori eradication and API2-MALT1 status. <i>American Journal of Gastroenterology</i> , 2008 , 103, 62-70	0.7	49
133	Hepatocyte growth factor induces gefitinib resistance of lung adenocarcinoma with epidermal growth factor receptor-activating mutations. <i>Cancer Research</i> , 2008 , 68, 9479-87	10.1	522
132	Identifying patients with peripheral-type early non-small cell lung cancer (T1N0M0) for whom irradiation of the primary focus alone could lead to successful treatment. <i>British Journal of Radiology</i> , 2008 , 81, 815-20	3.4	1
131	YAP1 is involved in mesothelioma development and negatively regulated by Merlin through phosphorylation. <i>Carcinogenesis</i> , 2008 , 29, 2139-46	4.6	82
130	Coincidence of mammary and sentinel lymph node papilloma. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 784-92	6.7	13
129	Aberrant expression of BCL2A1-restricted minor histocompatibility antigens in melanoma cells: application for allogeneic transplantation. <i>International Journal of Hematology</i> , 2008 , 87, 467-473	2.3	13
128	Osteosarcoma with skeletal muscle metastasis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2008 , 128, 695-9	3.6	4
127	Stepwise examination for differential diagnosis of primary lung cancer and breast cancer relapse presenting as a solitary pulmonary nodule in patients after mastectomy. <i>Journal of Surgical Oncology</i> , 2008 , 98, 510-4	2.8	12
126	Simultaneous comparison of multiple molecules using tissue array analysis in the thyroid neoplasm. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2008 , 4, 233-238	1.9	
125	Distribution of intraductal lesions in small invasive ductal carcinoma of the pancreas. <i>Pancreatology</i> , 2007 , 7, 341-6	3.8	17
124	Factors involved in lymph node metastasis in clinical stage I non-small cell lung cancer—from studies of 604 surgical cases. <i>Lung Cancer</i> , 2007 , 57, 311-6	5.9	16

123	A case of colonic morule with colitis cystica profunda. <i>Gastrointestinal Endoscopy</i> , 2007 , 65, 162-3; discussion 163	5.2	2
122	M03-01: Molecular predictors of EGFR-TKIs. <i>Journal of Thoracic Oncology</i> , 2007 , 2, S156	8.9	1
121	Chromosomal imbalances are associated with outcome of Helicobacter pylori eradication in t(11;18)(q21;q21) negative gastric mucosa-associated lymphoid tissue lymphomas. <i>Genes Chromosomes and Cancer</i> , 2007 , 46, 784-90	5	27
120	Malignant adenomyoepithelioma of the breast with matrix production may be compatible with one variant form of matrix-producing carcinoma: a case report. <i>Pathology Research and Practice</i> , 2007 , 203, 599-604	3.4	14
119	Disproportionate representation of KRAS gene mutation in atypical adenomatous hyperplasia, but even distribution of EGFR gene mutation from preinvasive to invasive adenocarcinomas. <i>Journal of Pathology</i> , 2007 , 212, 287-94	9.4	104
118	Identification of a metastasis signature and the DLX4 homeobox protein as a regulator of metastasis by combined transcriptome approach. <i>Oncogene</i> , 2007 , 26, 4600-8	9.2	36
117	Predictive factors associated with prolonged survival in patients with advanced non-small-cell lung cancer (NSCLC) treated with gefitinib. <i>British Journal of Cancer</i> , 2007 , 96, 1191-6	8.7	39
116	Breast-specific expression of MGB1/mammaglobin: an examination of 480 tumors from various organs and clinicopathological analysis of MGB1-positive breast cancers. <i>Modern Pathology</i> , 2007 , 20, 208-14	9.8	116
115	API2-MALT1 chimeric transcript-positive gastroduodenal MALT lymphoma with subsequent development of adenocarcinoma as a collision tumour over a clinical course of 7 years. <i>Histopathology</i> , 2007 , 51, 119-23	7.3	8
114	Risk factors differ for non-small-cell lung cancers with and without EGFR mutation: assessment of smoking and sex by a case-control study in Japanese. <i>Cancer Science</i> , 2007 , 98, 96-101	6.9	81
113	Genomic profiling of malignant pleural mesothelioma with array-based comparative genomic hybridization shows frequent non-random chromosomal alteration regions including JUN amplification on 1p32. <i>Cancer Science</i> , 2007 , 98, 438-46	6.9	80
112	LKB1 gene mutations in Japanese lung cancer patients. <i>Cancer Science</i> , 2007 , 98, 1747-51	6.9	49
111	Mutations of the epidermal growth factor receptor gene and related genes as determinants of epidermal growth factor receptor tyrosine kinase inhibitors sensitivity in lung cancer. <i>Cancer Science</i> , 2007 , 98, 1817-24	6.9	469
110	Development-dependent expression of cyclin D3 in precursor T-cell lymphoblastic leukemia/lymphoma. <i>Pathology International</i> , 2007 , 57, 53-9	1.8	7
109	Pure acinic cell carcinoma of the breast in an 80-year-old Japanese woman. <i>Pathology International</i> , 2007 , 57, 43-6	1.8	27
108	Epidermal growth factor receptor mutations in lung cancers. <i>Pathology International</i> , 2007 , 57, 233-44	1.8	60
107	High-level expression of CD109 is frequently detected in lung squamous cell carcinomas. <i>Pathology International</i> , 2007 , 57, 719-24	1.8	49
106	Neuroendocrine tumor metastasis to the thyroid gland. <i>International Journal of Clinical Oncology</i> , 2007 , 12, 63-7	4.2	11

105	The impact of sex and smoking status on the mutational spectrum of epidermal growth factor receptor gene in non small cell lung cancer. <i>Clinical Cancer Research</i> , 2007 , 13, 5763-8	12.9	71
104	A 25-signal proteomic signature and outcome for patients with resected non-small-cell lung cancer. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 858-67	9.7	63
103	Lineage-specific dependency of lung adenocarcinomas on the lung development regulator TTF-1. <i>Cancer Research</i> , 2007 , 67, 6007-11	10.1	168
102	Impact of one-carbon metabolism-related gene polymorphisms on risk of lung cancer in Japan: a case control study. <i>Carcinogenesis</i> , 2007 , 28, 1718-25	4.6	61
101	Controversy about small peripheral lung adenocarcinomas: how should we manage them?. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 546-52	8.9	13
100	c-Maf expression in angioimmunoblastic T-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1695-702	6.7	41
99	Prospective Validation for Prediction of Gefitinib Sensitivity by Epidermal Growth Factor Receptor Gene Mutation in Patients with Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 22-28	8.9	33
98	Prospective Validation for Prediction of Gefitinib Sensitivity by Epidermal Growth Factor Receptor Gene Mutation in Patients with Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 22-28	8.9	129
97	Prospective validation for prediction of gefitinib sensitivity by epidermal growth factor receptor gene mutation in patients with non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 22-8	8.9	60
96	Molecular classification of tumors with special reference to EGFR mutation in lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2006 , 58, 17-23	3.5	6
95	Immunocytochemical detection using CDX2: An aid for discerning tumor involvement in ascites cytology. <i>Cancer</i> , 2006 , 108, 114-8	6.4	6
94	Sentinel lymph node radiolocalization in clinically negative neck oral cancer. <i>Head and Neck</i> , 2006 , 28, 114-20	4.2	41
93	Overexpression of pituitary tumor transforming gene 1 in HCC is associated with angiogenesis and poor prognosis. <i>Hepatology</i> , 2006 , 43, 1267-75	11.2	66
92	Mutations of epidermal growth factor receptor and K-ras genes in adenosquamous carcinoma of the lung. <i>International Journal of Cancer</i> , 2006 , 118, 1588-90	7.5	59
91	Expression profile-defined classification of lung adenocarcinoma shows close relationship with underlying major genetic changes and clinicopathologic behaviors. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1679-88	2.2	257
90	Analysis of epidermal growth factor receptor gene mutation in patients with non-small cell lung cancer and acquired resistance to gefitinib. <i>Clinical Cancer Research</i> , 2006 , 12, 5764-9	12.9	526
89	EGFR mutations in patients with brain metastases from lung cancer: association with the efficacy of gefitinib. <i>Neuro-Oncology</i> , 2006 , 8, 137-44	1	68
88	A rapid, sensitive assay to detect EGFR mutation in small biopsy specimens from lung cancer. <i>Journal of Molecular Diagnostics</i> , 2006 , 8, 335-41	5.1	162

87	Short-term development of esophageal pyogenic granuloma observed on endoscopy. <i>Gastrointestinal Endoscopy</i> , 2006 , 64, 269-70	5.2	4
86	Expression of two breast-specific molecules in the lung. <i>Journal of Molecular Diagnostics</i> , 2006 , 8, 390-1; author reply 391-3	5.1	
85	PTEN and PIK3CA Expression Is Associated with Prolonged Survival after Gefitinib Treatment in EGFR-Mutated Lung Cancer Patients. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 629-634	8.9	25
84	PTEN and PIK3CA Expression Is Associated with Prolonged Survival after Gefitinib Treatment in EGFR-Mutated Lung Cancer Patients. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 629-634	8.9	62
83	LONG-TERM FOLLOW UP OF PATIENTS WITH SMALL GASTROINTESTINAL STROMAL TUMORS IN THE STOMACH USING ENDOSCOPIC ULTRASONOGRAPHY-GUIDED FINE-NEEDLE ASPIRATION BIOPSY. <i>Digestive Endoscopy</i> , 2006 , 18, 40-44	3.7	4
82	The human cathepsin H gene encodes two novel minor histocompatibility antigen epitopes restricted by HLA-A*3101 and -A*3303. <i>British Journal of Haematology</i> , 2006 , 134, 406-16	4.5	27
81	Molecular basis for sensitivity and acquired resistance to gefitinib in HER2-overexpressing human gastric cancer cell lines derived from liver metastasis. <i>British Journal of Cancer</i> , 2006 , 95, 1504-13	8.7	43
80	Biological and clinical implications of EGFR mutations in lung cancer. <i>International Journal of Clinical Oncology</i> , 2006 , 11, 190-8	4.2	169
79	PTEN and PIK3CA expression is associated with prolonged survival after gefitinib treatment in EGFR-mutated lung cancer patients. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 629-34	8.9	52
78	Mutations of the epidermal growth factor receptor gene predict prolonged survival after gefitinib treatment in patients with non-small-cell lung cancer with postoperative recurrence. <i>Journal of Clinical Oncology</i> , 2005 , 23, 2513-20	2.2	839
77	A polycistronic microRNA cluster, miR-17-92, is overexpressed in human lung cancers and enhances cell proliferation. <i>Cancer Research</i> , 2005 , 65, 9628-32	10.1	1330
76	EGFR mutation is specific for terminal respiratory unit type adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 633-9	6.7	206
75	Reduced expression of Dicer associated with poor prognosis in lung cancer patients. <i>Cancer Science</i> , 2005 , 96, 111-5	6.9	529
74	Throwing new light on lung cancer pathogenesis: updates on three recent topics. <i>Cancer Science</i> , 2005 , 96, 63-8	6.9	19
73	Endoscopic ultrasound-guided fine-needle aspiration biopsy (EUS-FNAB): past, present, and future. <i>Journal of Gastroenterology</i> , 2005 , 40, 1013-23	6.9	95
72	Fulminant myocarditis demonstrating uncommon morphology--a report of two autopsy cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 259-64	5.1	18
71	ASH1 gene is a specific therapeutic target for lung cancers with neuroendocrine features. <i>Cancer Research</i> , 2005 , 65, 10680-5	10.1	97
70	Prognostic model of pulmonary adenocarcinoma by expression profiling of eight genes as determined by quantitative real-time reverse transcriptase polymerase chain reaction. <i>Journal of Clinical Oncology</i> , 2004 , 22, 811-9	2.2	136

69	Expression of CD109 in human cancer. <i>Oncogene</i> , 2004 , 23, 3716-20	9.2	71
68	Maspin expression in normal lung and non-small-cell lung cancers: cellular property-associated expression under the control of promoter DNA methylation. <i>Oncogene</i> , 2004 , 23, 4041-9	9.2	48
67	Gene expression-based, individualized outcome prediction for surgically treated lung cancer patients. <i>Oncogene</i> , 2004 , 23, 5360-70	9.2	120
66	Phenotypic composition of salivary gland tumors: an application of principal [corrected] component analysis to tissue microarray data. <i>Modern Pathology</i> , 2004 , 17, 803-10	9.8	14
65	Frequent expression of CD30 antigen in the primary gastric non-B, non-Hodgkin lymphomas. <i>Pathology International</i> , 2004 , 54, 503-9	1.8	12
64	Allelic length of a CA dinucleotide repeat in the egfr gene correlates with the frequency of amplifications of this sequence--first results of an inter-ethnic breast cancer study. <i>Journal of Pathology</i> , 2004 , 203, 545-50	9.4	90
63	CK20 expression, CDX2 expression, K-ras mutation, and goblet cell morphology in a subset of lung adenocarcinomas. <i>Journal of Pathology</i> , 2004 , 203, 645-52	9.4	82
62	Reduced expression of class II histone deacetylase genes is associated with poor prognosis in lung cancer patients. <i>International Journal of Cancer</i> , 2004 , 112, 26-32	7.5	177
61	Reduced expression of the let-7 microRNAs in human lung cancers in association with shortened postoperative survival. <i>Cancer Research</i> , 2004 , 64, 3753-6	10.1	2077
60	Identification of MGB1 as a marker in the differential diagnosis of lung tumors in patients with a history of breast cancer by analysis of publicly available SAGE data. <i>Journal of Molecular Diagnostics</i> , 2004 , 6, 90-5	5.1	15
59	Mutations of the epidermal growth factor receptor gene in lung cancer: biological and clinical implications. <i>Cancer Research</i> , 2004 , 64, 8919-23	10.1	1059
58	Colorectal pretumor progression before and after loss of DNA mismatch repair. <i>American Journal of Pathology</i> , 2004 , 164, 1447-53	5.8	25
57	Focal adhesion kinase is overexpressed in hepatocellular carcinoma and can be served as an independent prognostic factor. <i>Journal of Hepatology</i> , 2004 , 41, 104-11	13.4	86
56	Thyroid anaplastic carcinoma transformed from papillary carcinoma in extrathyroid area. <i>Auris Nasus Larynx</i> , 2004 , 31, 287-92	2.2	16
55	Senile EBV+ B-cell lymphoproliferative disorders: a clinicopathologic study of 22 patients. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 16-26	6.7	316
54	Effects of taurine administration in rat skeletal muscles on exercise. <i>Journal of Orthopaedic Science</i> , 2003 , 8, 415-9	1.6	59
53	RASSF1A gene inactivation in non-small cell lung cancer and its clinical implication. <i>International Journal of Cancer</i> , 2003 , 106, 45-51	7.5	53
52	Prognostic models in patients with non-small-cell lung cancer using artificial neural networks in comparison with logistic regression. <i>Cancer Science</i> , 2003 , 94, 473-7	6.9	23

51	Detailed characterization of a homozygously deleted region corresponding to a candidate tumor suppressor locus at distal 17p13.3 in human lung cancer. <i>Oncogene</i> , 2003 , 22, 1892-905	9.2	31
50	The sensitivity of lung cancer cell lines to the EGFR-selective tyrosine kinase inhibitor ZD1839 (Zotenza) is not related to the expression of EGFR or HER-2 or to K-ras gene status. <i>Lung Cancer</i> , 2003 , 42, 35-41	5.9	62
49	Frequent and histological type-specific inactivation of 14-3-3sigma in human lung cancers. <i>Oncogene</i> , 2002 , 21, 2418-24	9.2	138
48	Aberrant hypermethylation of the CHFR prophase checkpoint gene in human lung cancers. <i>Oncogene</i> , 2002 , 21, 2328-33	9.2	110
47	Decreased expression of 14-3-3sigma in neuroendocrine tumors is independent of origin and malignant potential. <i>Oncogene</i> , 2002 , 21, 8310-9	9.2	29
46	TTF-1 expression in pulmonary adenocarcinomas. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 767-73	7.7	307
45	Role of Thyroid Transcription Factor-1 in Pulmonary Adenocarcinoma. <i>Handbook of Immunohistochemistry and in Situ Hybridization of Human Carcinomas</i> , 2002 , 169-179		1
44	Increased Expression of COX-2 in the Development of Human Lung Cancers. <i>Journal of Environmental Pathology, Toxicology and Oncology</i> , 2002 , 21, 5	2.1	25
43	Dietary factors and lung cancer risk in Japanese: with special reference to fish consumption and adenocarcinomas. <i>British Journal of Cancer</i> , 2001 , 84, 1199-206	8.7	71
42	Peripheral T/natural killer-cell lymphoma involving the female genital tract: a clinicopathologic study of 5 cases. <i>International Journal of Hematology</i> , 2001 , 73, 108-14	2.3	27
41	Intracolon microheterogeneity of mucosa-associated lymphoid tissue lymphoma with a multiple lymphomatous polyposis appearance in the gastrointestinal tract. <i>Pathology International</i> , 2001 , 51, 744-6	1.8	1
40	Morphological spectrum of cyclin D1-positive mantle cell lymphoma: study of 168 cases. <i>Pathology International</i> , 2001 , 51, 747-61	1.8	39
39	Investigating stem cells in human colon by using methylation patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 10839-44	11.5	288
38	Protective function of p27(KIP1) against apoptosis in small cell lung cancer cells in unfavorable microenvironments. <i>American Journal of Pathology</i> , 2001 , 158, 87-96	5.8	29
37	Bladder cancer genotype stability during clinical progression. <i>Genes Chromosomes and Cancer</i> , 2000 , 29, 26-32	5	11
36	Saturation transfer ratio imaging in invasive ductal carcinomas of the breast. <i>Magnetic Resonance Imaging</i> , 2000 , 18, 379-85	3.3	12
35	Helicobacter pylori and the t(11;18)(q21;q21) translocation in gastric low-grade B-cell lymphoma of mucosa-associated lymphoid tissue type. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 301-9		59
34	Characterization of high-grade neuroendocrine tumors of the lung in relation to menin mutations. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 317-23		14

33	Topographical distributions of allelic loss in individual non-small-cell lung cancers. <i>American Journal of Pathology</i> , 2000 , 157, 985-93	5.8	24
32	Non-Hodgkin's lymphoma followed by plasmacytoma, both arising in a thyroid gland with Hashimoto's disease. <i>Leukemia and Lymphoma</i> , 1999 , 35, 613-8	1.9	3
31	Frameshift mutations in TGFbetaRII, IGFIIR, BAX, hMSH3 and hMSH6 are absent in lung cancers. <i>Carcinogenesis</i> , 1999 , 20, 499-502	4.6	13
30	An autopsy case of primary nodal plasmacytoma associated with Sjögren's syndrome. <i>Pathology International</i> , 1999 , 49, 577-9	1.8	7
29	Primary low-grade gastric mucosa-associated lymphoid tissue (MALT) lymphoma with polypoid appearance. Polypoid gastric MALT lymphoma: A clinicopathologic study of eight cases. <i>Pathology International</i> , 1999 , 49, 702-9	1.8	15
28	Hodgkin disease with subsequent transformation to CD30 positive non-Hodgkin lymphoma in six patients. <i>Cancer</i> , 1999 , 85, 970-979	6.4	6
27	A new multiple myeloma cell line, MEF-1, possesses cyclin D1 overexpression and the p53 mutation. <i>Cancer</i> , 1999 , 85, 1750-7	6.4	6
26	Hodgkin's disease expressing follicular dendritic cell marker CD21 without any other B-cell marker: a clinicopathologic study of nine cases. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 363-76	6.7	30
25	Nodal cytotoxic lymphoma spectrum: a clinicopathologic study of 66 patients. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 1184-200	6.7	71
24	Induction of apoptosis by Smad3 and down-regulation of Smad3 expression in response to TGF-beta in human normal lung epithelial cells. <i>Oncogene</i> , 1998 , 17, 1743-7	9.2	146
23	Detailed deletion mapping suggests the involvement of a tumor suppressor gene at 17p13.3, distal to p53, in the pathogenesis of lung cancers. <i>Oncogene</i> , 1998 , 17, 2095-100	9.2	49
22	Coexisting primary early gastric plasmacytoma and sarcoidosis with hypercalcaemia. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1998 , 432, 473-6	5.1	3
21	Establishment of an IL-2-dependent cell line derived from nasal-type NK/T-cell lymphoma of CD2+, sCD3-, CD3epsilon+, CD56+ phenotype and associated with the Epstein-Barr virus. <i>British Journal of Haematology</i> , 1998 , 103, 669-77	4.5	40
20	Frequency of MAGE-3 gene expression in HLA-A2 positive patients with non-small cell lung cancer. <i>Lung Cancer</i> , 1998 , 20, 117-25	5.9	28
19	Breast carcinoma with myeloid metaplasia--a case report. <i>Pathology Research and Practice</i> , 1997 , 193, 219-22; discussion 223-4	3.4	5
18	CD7+ and CD56+ Myeloid/Natural Killer Cell Precursor Acute Leukemia: A Distinct Hematolymphoid Disease Entity. <i>Blood</i> , 1997 , 90, 2417-2428	2.2	166
17	Somatic hypermutations in the VH segment of immunoglobulin genes of CD5-positive diffuse large B-cell lymphomas. <i>Japanese Journal of Cancer Research</i> , 1997 , 88, 1087-93		32
16	Complete cytogenetic response with host-derived hematopoiesis induced by cyclosporin A discontinuation in a patient with relapsed chronic myelogenous leukemia after bone marrow transplantation. <i>Bone Marrow Transplantation</i> , 1997 , 20, 615-7	4.4	3

15	Immunohistochemical study of necrotizing lymphadenitis: a possible mechanism for apoptosis involving perforin and granzyme-producing cytotoxic T cells. <i>Pathology International</i> , 1997 , 47, 31-7	1.8	9
14	Clinicopathologic study of nasal T/NK-cell lymphoma among the Japanese. <i>Pathology International</i> , 1997 , 47, 38-53	1.8	74
13	Epstein-Barr virus-related Hodgkin's disease showing B cell lineage in an immunosuppressive patient seropositive for HTLV-I. <i>Pathology International</i> , 1997 , 47, 801-5	1.8	7
12	Cyclin D1 overexpression in malignant lymphomas. <i>Pathology International</i> , 1997 , 47, 421-9	1.8	40
11	Mutations of the P53 tumor suppressor gene as clonal marker for multiple primary lung cancers. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 114, 354-60	1.5	47
10	Broncho-bronchiolitis obliterans as a complication of bone marrow transplantation: a clinicopathological study of eight autopsy cases. Nagoya BMT Group. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1997 , 431, 275-82	5.1	58
9	A nodal gamma/delta T-cell lymphoma with an association of Epstein-Barr virus. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 729-36	6.7	20
8	Anaplastic large cell lymphoma: a distinct molecular pathologic entity: a reappraisal with special reference to p80(NPM/ALK) expression. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 1420-32	6.7	130
7	Chronic active Epstein-Barr virus infection with giant coronary aneurysms. <i>American Journal of Clinical Pathology</i> , 1996 , 105, 733-6	1.9	34
6	Primary gastric lymphomas: morphologic, immunohistochemical and immunogenetic analyses. <i>Pathology International</i> , 1996 , 46, 623-9	1.8	13
5	Pyothorax-associated lymphoma. An unusual case with biphenotypic character of T and B cells. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 760-6	6.7	36
4	Clinicopathologic study of PRAD1/cyclin D1 overexpressing lymphoma with special reference to mantle cell lymphoma. A distinct molecular pathologic entity. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 1110-22	6.7	77
3	Immunohistochemical analysis of cyclin D1 protein in hematopoietic neoplasms with special reference to mantle cell lymphoma. <i>Japanese Journal of Cancer Research</i> , 1994 , 85, 1270-9		39
2	Primary gastric Ki-1 positive anaplastic large cell lymphoma: a report of two cases. <i>Pathology International</i> , 1994 , 44, 164-9	1.8	11
1	Immunohistochemical characteristics of monocytoid B cell lymphoma, mantle zone lymphoma, small lymphocytic lymphoma (or B chronic lymphocytic leukemia), and hairy cell leukemia. <i>Acta Haematologica</i> , 1993 , 90, 84-9	2.7	8