## Stefan Kabisch

## List of Publications by Citations

Source: https://exaly.com/author-pdf/8039096/stefan-kabisch-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36 1,013 14 31 h-index g-index citations papers 4.26 43 1,442 5.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
36	Risk of diabetes-associated diseases in subgroups of patients with recent-onset diabetes: a 5-year follow-up study. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2019</b> , 7, 684-694	18.1	170
35	Neural correlates of the volitional regulation of the desire for food. <i>International Journal of Obesity</i> , <b>2012</b> , 36, 648-55	5.5	166
34	Obesity-Related Differences between Women and Men in Brain Structure and Goal-Directed Behavior. <i>Frontiers in Human Neuroscience</i> , <b>2011</b> , 5, 58	3.3	110
33	The Health Benefits of Dietary Fibre. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	94
32	Empagliflozin Effectively Lowers Liver Fat Content in Well-Controlled Type 2 Diabetes: A Randomized, Double-Blind, Phase 4, Placebo-Controlled Trial. <i>Diabetes Care</i> , <b>2020</b> , 43, 298-305	14.6	86
31	Effect of Intermittent Fasting Strategies on Cardiometabolic Risk Factors: A Systematic Review and Network Meta-Analysis of Randomized Controlled Trials. <i>Current Developments in Nutrition</i> , <b>2021</b> , 5, 1091-1091	0.4	78
30	Exenatide-induced reduction in energy intake is associated with increase in hypothalamic connectivity. <i>Diabetes Care</i> , <b>2013</b> , 36, 1933-40	14.6	54
29	High-Saturated-Fat Diet Increases Circulating Angiotensin-Converting Enzyme, Which Is Enhanced by the rs4343 Polymorphism Defining Persons at Risk of Nutrient-Dependent Increases of Blood Pressure. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	30
28	Common genetic variation near MC4R has a sex-specific impact on human brain structure and eating behavior. <i>PLoS ONE</i> , <b>2013</b> , 8, e74362	3.7	30
27	Low-energy diets differing in fibre, red meat and coffee intake equally improve insulin sensitivity in type 2 diabetes: a randomised feasibility trial. <i>Diabetologia</i> , <b>2015</b> , 58, 255-64	10.3	26
26	VEGF and GLUT1 are highly heritable, inversely correlated and affected by dietary fat intake: Consequences for cognitive function in humans. <i>Molecular Metabolism</i> , <b>2018</b> , 11, 129-136	8.8	26
25	Fibre supplementation for the prevention of type 2 diabetes and improvement of glucose metabolism: the randomised controlled Optimal Fibre Trial (OptiFiT). <i>Diabetologia</i> , <b>2018</b> , 61, 1295-1305	5 10.3	22
24	High-protein diet more effectively reduces hepatic fat than low-protein diet despite lower autophagy and FGF21 levels. <i>Liver International</i> , <b>2020</b> , 40, 2982-2997	7.9	21
23	Assessment of circulating Wnt1 inducible signalling pathway protein 1 (WISP-1)/CCN4 as a novel biomarker of obesity. <i>Journal of Cell Communication and Signaling</i> , <b>2018</b> , 12, 539-548	5.2	18
22	Liver Fat Scores Moderately Reflect Interventional Changes in Liver Fat Content by a Low-Fat Diet but Not by a Low-Carb Diet. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	13
21	Fasting Glucose State Determines Metabolic Response to Supplementation with Insoluble Cereal Fibre: A Secondary Analysis of the Optimal Fibre Trial (OptiFiT). <i>Nutrients</i> , <b>2019</b> , 11,	6.7	13
<b>2</b> 0	Contact dermatitis after transcranial direct current stimulation. <i>Brain Stimulation</i> , <b>2012</b> , 5, 432-434	5.1	10

19	The Low-Carbohydrate Diet: Short-Term Metabolic Efficacy Versus Longer-Term Limitations. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	10
18	Obesity Does Not Modulate the Glycometabolic Benefit of Insoluble Cereal Fibre in Subjects with Prediabetes-A Stratified Post Hoc Analysis of the Optimal Fibre Trial (OptiFiT). <i>Nutrients</i> , <b>2019</b> , 11,	6.7	8
17	Dietary Fat Intake Modulates Effects of a Frequent ACE Gene Variant on Glucose Tolerance with association to Type 2 Diabetes. <i>Scientific Reports</i> , <b>2017</b> , 7, 9234	4.9	7
16	Different Effects of Lifestyle Intervention in High- and Low-Risk Prediabetes: Results of the Randomized Controlled Prediabetes Lifestyle Intervention Study (PLIS). <i>Diabetes</i> , <b>2021</b> , 70, 2785-2795	0.9	5
15	Acute Endothelial Benefits of Fat Restriction over Carbohydrate Restriction in Type 2 Diabetes Mellitus: Beyond Carbs and Fats. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	4
14	An 8-week diet high in cereal fiber and coffee but free of red meat does not improve beta-cell function in patients with type 2 diabetes mellitus: a randomized controlled trial. <i>Nutrition and Metabolism</i> , <b>2018</b> , 15, 90	4.6	2
13	Empfehlungen zur Ernflrung von Personen mit Typ-1-Diabetes mellitus. <i>Diabetologie Und Stoffwechsel</i> , <b>2020</b> , 15, S120-S138	0.7	1
12	Predictive effect of GIPR SNP rs10423928 on glucose metabolism liver fat and adiposity in prediabetic and diabetic subjects. <i>Peptides</i> , <b>2020</b> , 125, 170237	3.8	1
11	Effects of Insoluble Cereal Fibre on Body Fat Distribution in the Optimal Fibre Trial. <i>Molecular Nutrition and Food Research</i> , <b>2021</b> , 65, e2000991	5.9	1
10	Dose-dependent effects of insoluble fibre on glucose metabolism: a stratified post hoc analysis of the Optimal Fibre Trial (OptiFiT). <i>Acta Diabetologica</i> , <b>2021</b> , 58, 1649-1658	3.9	1
9	Risk-stratified lifestyle intervention to prevent type 2 diabetes		1
8	Affordability of Different Isocaloric Healthy Diets in Germany-An Assessment of Food Prices for Seven Distinct Food Patterns. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
7	Periodontitis, age-related diseases and diabetes in an endocrinological outpatient setting (PARADIES): a cross-sectional analysis on predictive factors for periodontitis in a German outpatient facility <i>Acta Diabetologica</i> , <b>2022</b> , 1	3.9	0
6	Empfehlungen zur Ernfirung von Personen mit Typ-2-Diabetes mellitus. <i>Diabetologie Und Stoffwechsel</i> , <b>2021</b> , 16, S255-S289	0.7	O
5	Nutritional Recommendations for People with Type 1 Diabetes Mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2021</b> , 129, S27-S43	2.3	O
4	Liver fat scores do not reflect interventional changes in liver fat content induced by high-protein diets. <i>Scientific Reports</i> , <b>2021</b> , 11, 8843	4.9	O
3	784-P: Effects of Low-Carb and Low-Fat Dietary Strategies on Lipid Profile in Subjects with Prediabetes DiNA-P. <i>Diabetes</i> , <b>2019</b> , 68, 784-P	0.9	
2	1720-P: The rs10423928 GIP Receptor Alallele Contributes to an Improved Ecell Response in Prediabetes Patients. <i>Diabetes</i> , <b>2019</b> , 68, 1720-P	0.9	

Empfehlungen zur Ernflrung von Personen mit Typ-1-Diabetes mellitus. *Diabetologe*, **2021**, 17, 311-329 0.2