Changhee Lee

List of Publications by Citations

Source: https://exaly.com/author-pdf/8042712/changhee-lee-publications-by-citations.pdf
Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

407 papers	9,811 citations	43 h-index	86 g-index
438 ext. papers	10,941 ext. citations	4.9 avg, IF	6.22 L-index

#	Paper	IF	Citations
407	Bright and efficient full-color colloidal quantum dot light-emitting diodes using an inverted device structure. *Nano Letters*, **2012**, 12, 2362-6	11.5	688
406	Multifunctional epidermal electronics printed directly onto the skin. *Advanced Materials*, **2013**, 25, 2773-84	24	590
405	Controlling the influence of Auger recombination on the performance of quantum-dot light-emitting diodes. *Nature Communications*, **2013**, 4, 2661	17.4	483
404	Microstructured elastomeric surfaces with reversible adhesion and examples of their use in deterministic assembly by transfer printing. *Proceedings of the National Academy of Sciences of the United States of America*, **2010**, 107, 17095-100	11.5	280
403	Highly efficient cadmium-free quantum dot light-emitting diodes enabled by the direct formation of excitons within InP@ZnSeS quantum dots. *ACS Nano*, **2013**, 7, 9019-26	16.7	276
402	Highly Efficient Green-Light-Emitting Diodes Based on CdSe@ZnS Quantum Dots with a Chemical-Composition Gradient. *Advanced Materials*, **2009**, 21, 1690-1694	24	236
401	Influence of shell thickness on the performance of light-emitting devices based on CdSe/Zn1-X CdX S core/shell heterostructured quantum dots. *Advanced Materials*, **2014**, 26, 8034-40	24	211
400	, Gradient Shell Quantum Dots with Enhanced Stability. *Chemistry of Materials*, **2011**, 23, 4459-4463	9.6	190
399	Multicolored light-emitting diodes based on all-quantum-dot multilayer films using layer-by-layer assembly method. *Nano Letters*, **2010**, 10, 2368-73	11.5	189
398	R/G/B/natural white light thin colloidal quantum dot-based light-emitting devices. *Advanced Materials*, **2014**, 26, 6387-93	24	164
397	Silicon-cored anthracene derivatives as host materials for highly efficient blue organic light-emitting devices. *Advanced Materials*, **2008**, 20, 2720-9	24	151
396	Spin-coated Ga-doped ZnO transparent conducting thin films for organic light-emitting diodes. *Journal Physics D: Applied Physics*, **2009**, 42, 035102	3	146
395	Using nanoscale thermocapillary flows to create arrays of purely semiconducting single-walled carbon nanotubes. *Nature Nanotechnology*, **2013**, 8, 347-55	28.7	144
394	All-Inkjet-Printed Organic Thin-Film Transistor Inverter on Flexible Plastic Substrate. *IEEE Electron Device Letters*, **2011**, 32, 1134-1136	4.4	137
393	Highly Efficient Red Phosphorescent OLEDs based on Non-Conjugated Silicon-Cored Spirobifluorene Derivative Doped with Ir-Complexes. *Advanced Functional Materials*, **2009**, 19, 420-427	15.6	133
392	Quantum dot-block copolymer hybrids with improved properties and their application to quantum dot light-emitting devices. *ACS Nano*, **2009**, 3, 1063-8	16.7	127
391	Perspective on synthesis, device structures, and printing processes for quantum dot displays. *Optical Materials Express*, **2012**, 2, 594	2.6	104

390	Water-soluble thin film transistors and circuits based on amorphous indium-gallium-zinc oxide. *ACS Applied Materials & Interfaces*, **2015**, 7, 8268-74	9.5	98
389	Sources of Hysteresis in Carbon Nanotube Field-Effect Transistors and Their Elimination Via Methylsiloxane Encapsulants and Optimized Growth Procedures. *Advanced Functional Materials*, **2012**, 22, 2276-2284	15.6	93
388	High-Power Genuine Ultraviolet Light-Emitting Diodes Based On Colloidal Nanocrystal Quantum Dots. *Nano Letters*, **2015**, 15, 3793-9	11.5	88
387	A dual-scale metal nanowire network transparent conductor for highly efficient and flexible organic light emitting diodes. *Nanoscale*, **2017**, 9, 1978-1985	7.7	85
386	Plasmonic organic solar cells employing nanobump assembly via aerosol-derived nanoparticles. *ACS Nano*, **2014**, 8, 2590-601	16.7	79
385	Characterization of quantum dot/conducting polymer hybrid films and their application to light-emitting diodes. *Advanced Materials*, **2009**, 21, 5022-5026	24	79
384	Aligned networks of cadmium sulfide nanowires for highly flexible photodetectors with improved photoconductive responses. *Journal of Materials Chemistry*, **2012**, 22, 2173-2179		77
383	Hysteresis mechanism and reduction method in the bottom-contact pentacene thin-film transistors with cross-linked poly(vinyl alcohol) gate insulator. *Applied Physics Letters*, **2006**, 88, 252102	3.4	76
382	Design Principle for Bright, Robust, and Color-Pure InP/ZnSexS1□x/ZnS Heterostructures. *Chemistry of Materials*, **2019**, 31, 3476-3484	9.6	74
381	Improvement of electron injection in inverted bottom-emission blue phosphorescent organic light emitting diodes using zinc oxide nanoparticles. *Applied Physics Letters*, **2010**, 96, 153306	3.4	73
380	Unraveling the Origin of Operational Instability of Quantum Dot Based Light-Emitting Diodes. *ACS Nano*, **2018**, 12, 10231-10239	16.7	68
379	An Ultrastretchable and Self-Healable Nanocomposite Conductor Enabled by Autonomously Percolative Electrical Pathways. *ACS Nano*, **2019**, 13, 6531-6539	16.7	66
378	Single Chain White-Light-Emitting Polyfluorene Copolymers Containing Iridium Complex Coordinated on the Main Chain. *Macromolecules*, **2010**, 43, 1379-1386	5.5	60
377	Multifunctional Dendrimer Ligands for High-Efficiency, Solution-Processed Quantum Dot Light-Emitting Diodes. *ACS Nano*, **2017**, 11, 684-692	16.7	59
376	Effects of Li doping on the performance and environmental stability of solution processed ZnO thin film transistors. *Applied Physics Letters*, **2009**, 95, 193503	3.4	59
375	Deep blue light-emitting diodes based on Cd1-xZnx S @ ZnS quantum dots. *Nanotechnology*, **2009**, 20, 075202	3.4	57
374	Efficient white organic light emission by single emitting layer. *Thin Solid Films*, **2003**, 426, 246-249	2.2	54
373	Improved efficiency of inverted organic light-emitting diodes using tin dioxide nanoparticles as an electron injection layer. *ACS Applied Materials & Interfaces*, **2013**, 5, 1977-81	9.5	52

372	One-step solvothermal synthesis of carnation flower-like SnS 2 as superior electrodes for supercapacitor applications. *Applied Surface Science*, **2017**, 425, 923-931	6.7	50
371	All-solution-processed bottom-gate organic thin-film transistor with improved subthreshold behaviour using functionalized pentacene active layer. *Journal Physics D: Applied Physics*, **2009**, 42, 115107	3	50
370	Enhanced Light Trapping and Power Conversion Efficiency in Ultrathin Plasmonic Organic Solar Cells: A Coupled Optical-Electrical Multiphysics Study on the Effect of Nanoparticle Geometry. *ACS Photonics*, **2015**, 2, 78-85	6.3	45
369	Highly loaded PbS/Mn-doped CdS quantum dots for dual application in solar-to-electrical and solar-to-chemical energy conversion. *Applied Catalysis B: Environmental*, **2018**, 227, 409-417	21.8	45
368	Direct Evidence of Ion-Migration-Induced Degradation of Ultrabright Perovskite Light-Emitting Diodes. *ACS Applied Materials & Interfaces*, **2019**, 11, 11667-11673	9.5	44
367	Comparison of trapped charges and hysteresis behavior in hBN encapsulated single MoS flake based field effect transistors on SiO and hBN substrates. *Nanotechnology*, **2018**, 29, 335202	3.4	44
366	Structure-Property Correlation in Luminescent Indolo[3,2-b]indole (IDID) Derivatives: Unraveling the Mechanism of High Efficiency Thermally Activated Delayed Fluorescence (TADF). *ACS Applied Materials & Interfaces*, **2017**, 9, 41413-41420	9.5	43
365	Towards the commercialization of colloidal quantum dot solar cells: perspectives on device structures and manufacturing. *Energy and Environmental Science*, **2020**, 13, 404-431	35.4	43
364	High-resolution patterning of colloidal quantum dots via non-destructive, light-driven ligand crosslinking. *Nature Communications*, **2020**, 11, 2874	17.4	42
363	High performance inverted organic solar cells with solution processed Ga-doped ZnO as an interfacial electron transport layer. *Journal of Materials Chemistry C*, **2013**, 1, 8161	7.1	42
362	Solution-processed single-walled carbon nanotube field effect transistors and bootstrapped inverters for disintegratable, transient electronics. *Applied Physics Letters*, **2014**, 105, 013506	3.4	42
361	Carrier conduction mechanism for phosphorescent material doped organic semiconductor. *Journal of Applied Physics*, **2009**, 105, 033709	2.5	42
360	Improvement of Long-Term Durability and Bias Stress Stability in p-Type SnO Thin-Film Transistors Using a SU-8 Passivation Layer. *IEEE Electron Device Letters*, **2014**, 35, 1260-1262	4.4	41
359	Graphene–nanowire hybrid structures for high-performance photoconductive devices. *Journal of Materials Chemistry*, **2012**, 22, 8372		40
358	High-mobility pyrene-based semiconductor for organic thin-film transistors. *ACS Applied Materials & Interfaces*, **2013**, 5, 3855-60	9.5	40
357	Effect of main ligands on organic photovoltaic performance of Ir(III) complexes. *New Journal of Chemistry*, **2011**, 35, 2557	3.6	40
356	Electrical and rheological properties of polycarbonate/multiwalled carbon nanotube nanocomposites. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **2008**, 313-314, 242-245	5.1	40
355	Transparent electrode with ZnO nanoparticles in tandem organic solar cells. *Solar Energy Materials and Solar Cells*, **2011**, 95, 365-368	6.4	39

354	1 GHz Pentacene Diode Rectifiers Enabled by Controlled Film Deposition on SAM-Treated Au Anodes. *Advanced Electronic Materials*, **2016**, 2, 1500282	6.4	39
353	Analysis of Ion-Diffusion-Induced Interface Degradation in Inverted Perovskite Solar Cells via Restoration of the Ag Electrode. *Advanced Energy Materials*, **2018**, 8, 1702197	21.8	38
352	Microwave purification of large-area horizontally aligned arrays of single-walled carbon nanotubes. *Nature Communications*, **2014**, 5, 5332	17.4	37
351	Toward high-resolution, inkjet-printed, quantum dot light-emitting diodes for next-generation displays. *Journal of the Society for Information Display*, **2016**, 24, 545-551	2.1	37
350	New carbazole-based host material for low-voltage and highly efficient red phosphorescent organic light-emitting diodes. *Journal of Materials Chemistry*, **2012**, 22, 6351		36
349	Multifunctional Organic-Semiconductor Interfacial Layers for Solution-Processed Oxide-Semiconductor Thin-Film Transistor. *Advanced Materials*, **2017**, 29, 1607055	24	35
348	Push-Pull Design of Bis(tridentate) Ruthenium(II) Polypyridine Chromophores as Deep Red Light Emitters in Light-Emitting Electrochemical Cells. *European Journal of Inorganic Chemistry*, **2014**, 2014, 288-295	2.3	35
347	Synthesis of garland like ZnO nanorods and their application in dye sensitized solar cells. *Materials Letters*, **2013**, 92, 104-107	3.3	35
346	Fluorinated CYTOP passivation effects on the electrical reliability of multilayer MoS$_2$ field-effect transistors. *Nanotechnology*, **2015**, 26, 455201	3.4	34
345	Cross-stacked single-crystal organic nanowire p-n nanojunction arrays by nanotransfer printing. *Nano Letters*, **2015**, 15, 289-93	11.5	34
344	Grain size effects on contact resistance of top-contact pentacene TFTs. *Synthetic Metals*, **2006**, 156, 196-201	3.6	34
343	Reduced efficiency roll-off in light-emitting diodes enabled by quantum dot–conducting polymer nanohybrids. *Journal of Materials Chemistry C*, **2014**, 2, 4974-4979	7.1	33
342	Enhanced photovoltaic performance of inverted organic solar cells with In-doped ZnO as an electron extraction layer. *Renewable Energy*, **2014**, 66, 433-442	8.1	32
341	Thin Film Receiver Materials for Deterministic Assembly by Transfer Printing. *Chemistry of Materials* , **2014**, 26, 3502-3507	9.6	32
340	Electrical-Stress-Induced Threshold Voltage Instability in Solution-Processed ZnO Thin-Film Transistors: An Experimental and Simulation Study. *IEEE Transactions on Electron Devices*, **2011**, 58, 1995-2002	2.9	32
339	Degradation of organic light emitting diode: Heat related issues and solutions. *Synthetic Metals*, **2016**, 216, 40-50	3.6	31
338	Overcoming tradeoff between mobility and bias stability in organic field-effect transistors according to the self-assembled monolayer chain lengths. *Applied Physics Letters*, **2014**, 104, 173301	3.4	31
337	Pyrene end-capped oligothiophene derivatives for organic thin-film transistors and organic solar cells. *New Journal of Chemistry*, **2012**, 36, 1813	3.6	31

336	Fabrication of a high-aspect-ratio stainless steel shadow mask and its application to pentacene thin-film transistors. *Journal of Micromechanics and Microengineering*, **2005**, 15, 263-269	2	31
335	Deterministic assembly of releasable single crystal silicon-metal oxide field-effect devices formed from bulk wafers. *Applied Physics Letters*, **2013**, 102, 182104	3.4	29
334	The effect of band gap alignment on the hole transport from semiconducting block copolymers to quantum dots. *Journal of Materials Chemistry C*, **2013**, 1, 1722	7.1	29
333	Acetylene-bridged DAD type small molecule comprising pyrene and diketopyrrolopyrrole for high efficiency organic solar cells. *Organic Electronics*, **2013**, 14, 2341-2347	3.5	29
332	Electroluminescence characteristics of n-type matrix materials doped with iridium-based green and red phosphorescent emitters. *Journal of Applied Physics*, **2008**, 103, 054510	2.5	29
331	High-performance polymer light emitting diodes with interface-engineered graphene anodes. *Organic Electronics*, **2013**, 14, 2324-2330	3.5	28
330	High-efficiency inverted organic solar cells with polyethylene oxide-modified Zn-doped TiO2 as an interfacial electron transport layer. *Nanoscale*, **2014**, 6, 8585-9	7.7	27
329	Contact Resistance of Inkjet-Printed Silver Source–Drain Electrodes in Bottom-Contact OTFTs. *Journal of Display Technology*, **2012**, 8, 48-53		27
328	Hydroiodic acid treated PEDOT:PSS thin film as transparent electrode: an approach towards ITO free organic photovoltaics. *RSC Advances*, **2015**, 5, 52019-52025	3.7	26
327	Synthesis and Electroluminescence of New Polyfluorene Copolymers Containing Iridium Complex Coordinated on the Main Chain. *Macromolecules*, **2009**, 42, 5551-5557	5.5	26
326	High-performance organic semiconductors for thin-film transistors based on 2,7-divinyl[1]benzothieno[3,2-b]benzothiophene. *Journal of Materials Chemistry*, **2008**, 18, 4698		26
325	Multi-layer WSe 2 field effect transistor with improved carrier-injection contact by using oxygen plasma treatment. *Solid-State Electronics*, **2018**, 140, 2-7	1.7	25
324	The Role of Emission Layer Morphology on the Enhanced Performance of Light-Emitting Diodes Based on Quantum Dot-Semiconducting Polymer Hybrids. *Advanced Materials Interfaces*, **2016**, 3, 1600279	4.6	25
323	Enhanced Lifetime and Efficiency of Red Quantum Dot Light-Emitting Diodes with Y-Doped ZnO Sol–Gel Electron-Transport Layers by Reducing Excess Electron Injection. *Advanced Quantum Technologies*, **2018**, 1, 1700006	4.3	25
322	Ligand-Asymmetric Janus Quantum Dots for Efficient Blue-Quantum Dot Light-Emitting Diodes. *ACS Applied Materials & Interfaces*, **2018**, 10, 22453-22459	9.5	25
321	Highly Efficient and Bright Inverted Top-Emitting InP Quantum Dot Light-Emitting Diodes Introducing a Hole-Suppressing Interlayer. *Small*, **2019**, 15, e1905162	11	25
320	Selectively modulated inkjet printing of highly conductive and transparent foldable polymer electrodes for flexible polymer light-emitting diode applications. *Organic Electronics*, **2015**, 19, 147-156	3.5	25
319	The effect of a buffer layer on the photovoltaic properties of solar cells with P3OT:fullerene composites. *Synthetic Metals*, **2005**, 153, 97-100	3.6	25

318	White LEDs using conjugated polymer blends. *Synthetic Metals*, **2005**, 152, 205-208	3.6	25
317	Binder-free, scalable hierarchical MoS2 as electrode materials in symmetric supercapacitors for energy harvesting applications. *Materials Letters*, **2019**, 236, 167-170	3.3	25
316	Cation-Exchange-Derived InGaP Alloy Quantum Dots toward Blue Emissivity. *Chemistry of Materials*, **2020**, 32, 3537-3544	9.6	24
315	Quantum confinement effects in Gd-doped CdS nanoparticles prepared by chemical precipitation technique. *Journal of Materials Science: Materials in Electronics*, **2013**, 24, 4535-4541	2.1	24
314	4,4?,4?-Tris(4-naphthalen-1-yl-phenyl)amine as a multifunctional material for organic light-emitting diodes, organic solar cells, and organic thin-film transistors. *Organic Electronics*, **2010**, 11, 1288-1295	3.5	24
313	All-Inkjet-Printed Organic Thin-Film Transistors with Silver Gate, Source/Drain Electrodes. *Japanese Journal of Applied Physics*, **2011**, 50, 03CB05	1.4	24
312	Low frequency noise characteristics in multilayer WSe2 field effect transistor. *Applied Physics Letters*, **2015**, 106, 023504	3.4	23
311	Enhanced light out-coupling in OLED employing thermal-assisted, self-aggregated silver nano particles. *Organic Electronics*, **2018**, 52, 230-236	3.5	23
310	Effect of Temperature and Electric Field on Degradation in Amorphous InGaZnO TFTs Under Positive Gate and Drain Bias Stress. *IEEE Electron Device Letters*, **2014**, 35, 458-460	4.4	23
309	Enhanced photovoltaic performance of ZnO nanoparticle/poly(phenylene vinylene) hybrid photovoltaic cells by semiconducting surfactant. *Organic Electronics*, **2011**, 12, 424-428	3.5	23
308	Temperature dependent transport properties in molybdenum oxide doped NPD. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, **2010**, 166, 147-151	3.1	23
307	Full-swing pentacene organic inverter with enhancement-mode driver and depletion-mode load. *Solid-State Electronics*, **2006**, 50, 1216-1218	1.7	23
306	Injection-modulated polarity conversion by charge carrier density control via a self-assembled monolayer for all-solution-processed organic field-effect transistors. *Scientific Reports*, **2017**, 7, 46365	4.9	22
305	Soft contact transplanted nanocrystal quantum dots for light-emitting diodes: effect of surface energy on device performance. *ACS Applied Materials & Interfaces*, **2015**, 7, 10828-33	9.5	22
304	Frequency analysis on poly(3-hexylthiopene) rectifier using impedance spectroscopy. *Thin Solid Films*, **2009**, 518, 889-892	2.2	22
303	Comparison of the electroluminescence of a red fluorescent dye doped into the Alq3 and Alq3:rubrene mixed host. *Materials Science and Engineering C*, **2004**, 24, 229-232	8.3	22
302	Side-chain conjugated polymers for use in the active layers of hybrid semiconducting polymer/quantum dot light emitting diodes. *Polymer Chemistry*, **2016**, 7, 101-112	4.9	21
301	Naphtho[2,3,a]pyrene as an efficient multifunctional organic semiconductor for organic solar cells, organic light-emitting diodes, and organic thin-film transistors. *Organic Electronics*, **2010**, 11, 1103-1110	3.5	21

300	Structural origin of the mobility enhancement in a pentacene thin-film transistor with a photocrosslinking insulator. *Journal of Applied Physics*, **2007**, 102, 063508	2.5	21
299	The photovoltaic effect of the p□ heterojunction organic photovoltaic device using a nano template method. *Current Applied Physics*, **2005**, 5, 55-58	2.6	21
298	Direct Optical Probing of Transverse Electric Mode in Graphene. *Scientific Reports*, **2016**, 6, 21523	4.9	21
297	Modular Fabrication of Hybrid Bulk Heterojunction Solar Cells Based on Breakwater-like CdSe Tetrapod Nanocrystal Network Infused with P3HT. *Journal of Physical Chemistry C*, **2014**, 118, 3942-3952	3.8	20
296	Nanocrystalline Ga-doped ZnO thin films for inverted polymer solar cells. *Solar Energy*, **2014**, 106, 95-101	6.8	20
295	Synthesis of ZnO nanorods and their application in quantum dot sensitized solar cells. *Journal of Sol-Gel Science and Technology*, **2012**, 64, 750-755	2.3	20
294	Hole transport materials with high glass transition temperatures for highly stable organic light-emitting diodes. *Thin Solid Films*, **2012**, 520, 7157-7163	2.2	20
293	Liquid crystalline mesophases based on symmetric tetrathiafulvalene derivatives. *Journal of Materials Chemistry*, **2011**, 21, 60-64		20
292	Solution processable donor materials based on thiophene and triphenylamine for bulk heterojunction solar cells. *New Journal of Chemistry*, **2010**, 34, 744	3.6	20
291	Surface coatings based on polysilsesquioxanes: solution-processible smooth hole-injection layers for optoelectronic applications. *Macromolecular Rapid Communications*, **2009**, 30, 1238-42	4.8	20
290	Effect of variations in diameter and density on the statistics of aligned array carbon-nanotube field effect transistors. *Journal of Applied Physics*, **2012**, 111, 054511	2.5	20
289	Inkjet-Printed Silver Gate Electrode and Organic Dielectric Materials for Bottom-Gate Pentacene Thin-Film Transistors. *Journal of the Korean Physical Society*, **2009**, 54, 518-522	0.6	20
288	Role of tunneling layer in graphene-oxide based organic nonvolatile memory transistors. *Organic Electronics*, **2012**, 13, 2887-2892	3.5	19
287	Characterization of white electroluminescent devices fabricated using conjugated polymer blends. *Journal of Materials Research*, **2004**, 19, 2081-2086	2.5	19
286	Control of resonant wavelength from organic light-emitting materials by use of a Fabry-Perot microcavity structure. *Applied Optics*, **2002**, 41, 3312-8	1.7	19
285	Effect of molar mass on electroluminescence of poly(p-phenylene). *Synthetic Metals*, **2002**, 130, 9-16	3.6	19
284	Photocurable propyl-cinnamate-functionalized polyhedral oligomeric silsesquioxane as a gate dielectric for organic thin film transistors. *Organic Electronics*, **2013**, 14, 2315-2323	3.5	18
283	Highly efficient yellow and white phosphorescent organic light-emitting diodes using a benzothiazole-liganded new iridium complex. *Synthetic Metals*, **2012**, 162, 1421-1428	3.6	18

282	Spin-coated Ga-doped ZnO transparent conducting thin films for organic light-emitting diodes. *Journal Physics D: Applied Physics*, **2009**, 42, 139801-139801	3	18
281	Vertical organic light-emitting transistor showing a high current on/off ratio through dielectric encapsulation for the effective charge pathway. *Journal of Applied Physics*, **2017**, 121, 024502	2.5	17
280	Degradation mechanism of blue thermally activated delayed fluorescent organic light-emitting diodes under electrical stress. *Organic Electronics*, **2019**, 70, 286-291	3.5	17
279	Enhanced power conversion efficiency of inverted organic solar cells by using solution processed Sn-doped TiO2 as an electron transport layer. *Journal of Materials Chemistry A*, **2014**, 2, 11426	13	17
278	Study of buffer layer thickness on bulk heterojunction solar cell. *Journal of Nanoscience and Nanotechnology*, **2010**, 10, 6815-8	1.3	17
277	AC impedance spectroscopic studies of transport properties in metal oxide doped -NPD. *Current Applied Physics*, **2009**, 9, 978-984	2.6	17
276	Device characteristics of blue phosphorescent organic light-emitting diodes depending on the electron transport materials. *Journal of Information Display*, **2011**, 12, 219-222	4.1	17
275	Organic light-emitting devices based on vacuum-deposited poly(p-phenylene) thin film. *Synthetic Metals*, **2000**, 114, 355-359	3.6	17
274	A transient, closed-loop network of wireless, body-integrated devices for autonomous electrotherapy. *Science*, **2022**, 376, 1006-1012	33.3	17
273	Synthesis and characterization of flower like ZnO nanorods for dye-sensitized solar cells. *Journal of Materials Science: Materials in Electronics*, **2013**, 24, 2367-2371	2.1	16
272	Chemical bath deposition of ZnO nanorods for dye sensitized solar cell applications. *Journal of Materials Science: Materials in Electronics*, **2013**, 24, 1921-1926	2.1	16
271	Effect of nanoscale SubPc interfacial layer on the performance of inverted polymer solar cells based on P3HT/PC71BM. *ACS Applied Materials & Interfaces*, **2011**, 3, 4279-85	9.5	16
270	All-Inkjet-Printed Organic Thin-Film Transistors with Silver Gate, Source/Drain Electrodes. *Japanese Journal of Applied Physics*, **2011**, 50, 03CB05	1.4	16
269	Low-Driving-Voltage, Long-Lifetime Organic Light-Emitting Diodes with Molybdenum-Oxide (MoO3)-Doped Hole Transport Layers. *Journal of the Korean Physical Society*, **2008**, 53, 1660-1664	0.6	16
268	Vertical-slate-like MoS2 nanostructures on 3D-Ni-foam for binder-free, low-cost, and scalable solid-state symmetric supercapacitors. *Current Applied Physics*, **2019**, 19, 1-7	2.6	16
267	Photosensitive Full-Swing Multi-Layer MoS2 Inverters With Light Shielding Layers. *IEEE Electron Device Letters*, **2017**, 38, 67-70	4.4	15
266	Petal-like MoS 2 nanostructures with metallic 1T phase for high performance supercapacitors. *Current Applied Physics*, **2018**, 18, 345-352	2.6	15
265	Electrostatic dimension of aligned-array carbon nanotube field-effect transistors. *ACS Nano*, **2013**, 7, 1299-308	16.7	15

264	Light outcoupling enhancement from top-emitting organic light-emitting diodes made on a nano-sized stochastic texture surface. *Optics Express*, **2014**, 22 Suppl 7, A1687-94	3.3	15
263	High-density quantum dots composites and its photolithographic patterning applications. *Polymers for Advanced Technologies*, **2019**, 30, 749-754	3.2	14
262	Surface coverage enhancement of a mixed halide perovskite film by using an UV-ozone treatment. *Journal of the Korean Physical Society*, **2016**, 69, 406-411	0.6	14
261	Zero-line modes at stacking faulted domain walls in multilayer graphene. *Physical Review B*, **2016**, 94,	3.3	14
260	Rosa centifolia sensitized ZnO nanorods for photoelectrochemical solar cell applications. *Solar Energy*, **2014**, 106, 143-150	6.8	14
259	Study of the Cesium Carbonate (Cs2CO3) Inter Layer Fabricated by Solution Process on P3HT:PCBM Solar Cells. *Molecular Crystals and Liquid Crystals*, **2011**, 538, 20-27	0.5	14
258	Simple white organic light emitting diodes with improved color stability and efficiency using phosphorescent and fluorescent emitters. *Journal of Applied Physics*, **2008**, 103, 124504	2.5	14
257	Organic light-emitting diode using a new DCM derivative as an efficient orange-red doping molecule. *Current Applied Physics*, **2005**, 5, 244-248	2.6	14
256	Mobility of electrons and holes in an n-type organic semiconductor perylene diimide thin film. *Current Applied Physics*, **2005**, 5, 615-618	2.6	14
255	Threshold Voltage Control of Multilayered MoS Field-Effect Transistors via Octadecyltrichlorosilane and their Applications to Active Matrixed Quantum Dot Displays Driven by Enhancement-Mode Logic Gates. *Small*, **2019**, 15, e1803852	11	14
254	Emergent Anisotropic Non-Fermi Liquid at a Topological Phase Transition in Three Dimensions. *Physical Review Letters*, **2019**, 122, 187601	7.4	13
253	Environmentally benign nanocrystals: challenges and future directions. *Journal of Information Display*, **2019**, 20, 61-72	4.1	13
252	Trap-level-engineered common red layer for fabricating red, green, and blue subpixels of full-color organic light-emitting diode displays. *Optics Express*, **2015**, 23, 11424-35	3.3	13
251	Universal Elaboration of Al-Doped TiO2 as an Electron Extraction Layer in Inorganic-Organic Hybrid Perovskite and Organic Solar Cells. *Advanced Materials Interfaces*, **2020**, 7, 1902003	4.6	13
250	Growth and characterization of thin Cu-phthalocyanine films on MgO(001) layer for organic light-emitting diodes. *Nanoscale Research Letters*, **2012**, 7, 650	5	13
249	Multi-Functional Electronics: Multifunctional Epidermal Electronics Printed Directly Onto the Skin (Adv. Mater. 20/2013). *Advanced Materials*, **2013**, 25, 2772-2772	24	13
248	Air stability of PTCDI-C13-based n-OFETs on polymer interfacial layers. *Physica Status Solidi - Rapid Research Letters*, **2013**, 7, 469-472	2.5	13
247	Solution-processable zinc oxide for the polymer solar cell based on P3HT:PCBM. *Journal of Nanoscience and Nanotechnology*, **2011**, 11, 5995-6000	1.3	13

246	. *IEEE Transactions on Electron Devices*, **2010**, 57, 1093-1101	2.9	13
245	Versatile use of ZnO interlayer in hybrid solar cells for self-powered near infra-red photo-detecting application. *Journal of Alloys and Compounds*, **2020**, 813, 152202	5.7	13
244	Influence of Electrical Traps on the Current Density Degradation of Inverted Perovskite Solar Cells. *Materials*, **2019**, 12,	3.5	12
243	"Positive Incentive" Approach To Enhance the Operational Stability of Quantum Dot-Based Light-Emitting Diodes. *ACS Applied Materials & Interfaces*, **2019**, 11, 40252-40259	9.5	12
242	Improved electron injection in all-solution-processed n-type organic field-effect transistors with an inkjet-printed ZnO electron injection layer. *Applied Surface Science*, **2017**, 420, 100-104	6.7	12
241	Effect of traps on transient bit-line current behavior in word-line stacked nand flash memory with poly-Si body **2014**,		12
240	Improved performances in organic and polymer light-emitting diodes using solution-processed vanadium pentoxide as a hole injection layer. *Journal of the Society for Information Display*, **2012**, 20, 640-645	2.1	12
239	High-performance photoconductive channels based on (carbon nanotube)-(CdS nanowire) hybrid nanostructures. *Small*, **2012**, 8, 1650-6	11	12
238	Effect of cadmium arachidate layers on the growth of pentacene and the performance of pentacene-based thin film transistors. *Langmuir*, **2009**, 25, 6565-9	4	12
237	Poly(arylenevinylene) blends for white light emitting diodes. *Current Applied Physics*, **2006**, 6, 756-759	2.6	12
236	Synthesis and light-emitting properties of polyfluorene copolymers containing a hydrazone derivative as a comonomer. *Synthetic Metals*, **2004**, 146, 145-150	3.6	12
235	Enhanced Performance of Pixelated Quantum Dot Light-Emitting Diodes by Inkjet Printing of Quantum Dot-Polymer Composites. *Advanced Optical Materials*, **2021**, 9, 2002129	8.1	12
234	Annealing temperature and stabilizer effects on morphological evolution of Cu2CoSnS4 films on thermally oxidized Si wafers via direct spin-coating. *Journal of Alloys and Compounds*, **2019**, 781, 1091-1100	5.7	12
233	Photosensitive Complementary Inverters Based on n-Channel MoS2 and p-Channel MoTe2 Transistors for Light-to-Frequency Conversion Circuits. *Physica Status Solidi - Rapid Research Letters*, **2019**, 13, 1900317	2.5	11
232	Composite film of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) and MoO3 as an efficient hole injection layer for polymer light-emitting diodes. *Organic Electronics*, **2014**, 15, 1083-1087	3.5	11
231	Efficient white organic electroluminescent devices consisting of blue- and red-emitting layers. *Materials Science and Engineering C*, **2004**, 24, 233-235	8.3	11
230	Interface polarization in heterovalent core-shell nanocrystals. *Nature Materials*, **2021**,	27	11
229	Controlled Mutual Diffusion between Fullerene and Conjugated Polymer Nanopillars in Ordered Heterojunction Solar Cells. *Advanced Materials Interfaces*, **2016**, 3, 1600264	4.6	11

228	Low-Frequency Noise Characteristics in Multilayer MoTe2 FETs With Hydrophobic Amorphous Fluoropolymers. *IEEE Electron Device Letters*, **2019**, 40, 251-254	4.4	11
227	Novel two-dimensional In2O3 nanodiscs for high-rate performance of solid-state symmetric supercapacitors. *Materials Letters*, **2018**, 218, 131-134	3.3	10
226	A new strategy for integrating semiconducting SWCNTs into pseudo-cubic In2O3 heterostructures for solid-state symmetric supercapacitors with a superior stability and specific-capacitance. *Journal of Materials Chemistry A*, **2018**, 6, 15253-15264	13	10
225	Thermally curable organic/inorganic hybrid polymers as gate dielectrics for organic thin-film transistors. *Journal of Polymer Science Part A*, **2014**, 52, 3260-3268	2.5	10
224	Ternary bulk heterojunction for wide spectral range organic photodetectors. *Journal of the Korean Physical Society*, **2017**, 71, 196-202	0.6	10
223	Comparison of the carrier mobility, unipolar conduction, and light emitting characteristics of phosphorescent hostdopant system. *Synthetic Metals*, **2012**, 162, 2355-2360	3.6	10
222	Analysis of annealing process on P3HT:PCBM-based polymer solar cells using optical and impedance spectroscopy. *Journal of Nanoscience and Nanotechnology*, **2013**, 13, 3360-4	1.3	10
221	Surface treatment of molybdenum oxide for performance improvement of organic light emitting diodes. *Displays*, **2010**, 31, 139-142	3.4	10
220	Performance improvement of scaled-down top-contact OTFTs by two-step-deposition of pentacene. *IEEE Electron Device Letters*, **2005**, 26, 903-905	4.4	10
219	Temperature and Light Intensity Dependence of Polymer Solar Cells with MoO3 and PEDOT:PSS as a Buffer Layer. *Journal of the Korean Physical Society*, **2011**, 59, 362-366	0.6	10
218	Effect of solvent additives on bulk heterojunction morphology of organic photovoltaics and their impact on device performance. *Journal of Polymer Science, Part B: Polymer Physics*, **2016**, 54, 128-134	2.6	10
217	Improved photovoltaic performance of inverted polymer solar cells through a sol-gel processed Al-doped ZnO electron extraction layer. *Optics Express*, **2015**, 23, A1334-41	3.3	9
216	Colloidal quantum dot light-emitting diodes employing solution-processable tin dioxide nanoparticles in an electron transport layer.. *RSC Advances*, **2020**, 10, 8261-8265	3.7	9
215	Impact of CsI concentration, relative humidity, and annealing temperature on lead-free Cs2SnI6 perovskites: Toward visible light photodetectors application. *Materials Letters*, **2020**, 269, 127675	3.3	9
214	Bias Temperature Stress Instability of Multilayered MoS2 Field-Effect Transistors With CYTOP Passivation. *IEEE Transactions on Electron Devices*, **2019**, 66, 2208-2213	2.9	9
213	Role of monoethanolamine concentration for physical properties of Cu2CoSnS4 nanoparticles via one-pot hydrothermal synthesis: Toward low temperature, high performance nanocrystalline CCTS photodetectors by hybrid UV-vacuum annealing. *Materials Letters*, **2019**, 254, 9-12	3.3	9
212	Analysis of Interfacial Layer-Induced Open-Circuit Voltage Burn-In Loss in Polymer Solar Cells on the Basis of Electroluminescence and Impedance Spectroscopy. *ACS Applied Materials & Interfaces*, **2017**, 9, 24052-24060	9.5	9
211	High-frequency organic rectifiers through interface engineering. *MRS Communications*, **2017**, 7, 755-769	2.7	9

210	Solvent-Dependent Thermoelectric Properties of PTB7 and Effect of 1,8-Diiodooctane Additive. *Crystals*, **2017**, 7, 292	2.3	9
209	Effect of type-II quantum well of m-MTDATA/NPD on the performance of green organic light-emitting diodes. *Microelectronics Journal*, **2009**, 40, 63-65	1.8	9
208	Performance of top-gate thin film transistors with solution processed ZnO channel layer and PVP gate dielectric. *Physica Status Solidi (A) Applications and Materials Science*, **2010**, 207, 1664-1667	1.6	9
207	Two dimensional, bi-layered SnS2@Co3S4 heterostructure formation via SILAR method: Toward high performance supercapacitors with superior electrodes. *Materials Letters*, **2020**, 262, 127173	3.3	9
206	High-Density Reconfigurable Devices With Programmable Bottom-Gate Array. *IEEE Electron Device Letters*, **2017**, 38, 564-567	4.4	8
205	Fluorous solvent-soluble imaging materials containing anthracene moieties. *Journal of Polymer Science Part A*, **2015**, 53, 1252-1259	2.5	8
204	Bias Stress Instability in Multilayered MoS2 Field-Effect Transistors Under Pulse-Mode Operation. *IEEE Transactions on Electron Devices*, **2020**, 67, 1864-1872	2.9	8
203	Negligible hysteresis of molybdenum disulfide field-effect transistors through thermal annealing. *Journal of Information Display*, **2016**, 17, 103-108	4.1	8
202	Significance of Polymeric Nanowire-Network Structures for Stable and Efficient Organic Solar Cells. *Macromolecular Research*, **2018**, 26, 623-629	1.9	8
201	Fundamental effects in nanoscale thermocapillary flow. *Journal of Applied Physics*, **2014**, 115, 054315	2.5	8
200	Modeling of thermocapillary flow to purify single-walled carbon nanotubes. *RSC Advances*, **2014**, 4, 42454-42468	3.7	8
199	Drain bias dependent bias temperature stress instability in a-Si:H TFT. *Solid-State Electronics*, **2009**, 53, 225-233	1.7	8
198	Synthesis and characterization of polystyrene brushes for organic thin film transistors. *Journal of Nanoscience and Nanotechnology*, **2012**, 12, 4137-41	1.3	8
197	Charge transport in amorphous low bandgap conjugated polymer/fullerene films. *Journal of Applied Physics*, **2012**, 111, 043710	2.5	8
196	Organic white light-emitting diodes using a new DCM derivative as an orange-red doping molecule. *Synthetic Metals*, **2008**, 158, 802-809	3.6	8
195	Polypropylene/clay nanocomposites prepared with masterbatches of polypropylene ionomer and organoclay. *Composite Interfaces*, **2006**, 13, 299-310	2.3	8
194	Investigation into the Thermal Annealing Effect on the Photovoltaic Properties of Organic Solar Cells based on CuPc/C60 Heterojunctions. *Journal of the Korean Physical Society*, **2008**, 53, 1551-1555	0.6	8
193	Environmentally friendly quantum-dot color filters for ultra-high-definition liquid crystal displays. *Scientific Reports*, **2020**, 10, 15817	4.9	8

192	Crystallinity dependent thermal degradation in organic solar cell. *Applied Physics Letters*, **2017**, 110, 053301	3.4	7
191	Sulphur precursor dependent crystallinity and optical properties of solution grown Cu2FeSnS4 particles. *Materials Research Express*, **2019**, 6, 085099	1.7	7
190	Highly crystalline, large grain Cu2CoSnS4 films with reproducible stoichiometry via direct solution spin coating for optoelectronic device application. *Ceramics International*, **2019**, 45, 12399-12405	5.1	7
189	Self-assembled nis-sns heterostructure via facile successive adsorption and reaction method for high-performance solid-state asymmetric supercapacitors. *Thin Solid Films*, **2020**, 709, 138138	2.2	7
188	Efficiency Improvement of Organic Photovoltaics Adopting Li- and Cd-Doped ZnO Electron Extraction Layers. *IEEE Journal of Photovoltaics*, **2016**, 6, 930-933	3.7	7
187	Tunable Electron and Hole Injection Enabled by Atomically Thin Tunneling Layer for Improved Contact Resistance and Dual Channel Transport in MoS/WSe van der Waals Heterostructure. *ACS Applied Materials & Interfaces*, **2018**, 10, 23961-23967	9.5	7
186	Effects of the active layers deposition temperature on the electrical performance of p-type SnO thin-film Transistors. *Journal of the Korean Physical Society*, **2014**, 65, 286-290	0.6	7
185	Direct top‐down fabrication of nanoscale electrodes for organic semiconductors using fluoropolymer resists. *Applied Physics A: Materials Science and Processing*, **2013**, 111, 1051-1056	2.6	7
184	Bi-Assisted CdTe/CdS Hierarchical Nanostructure Growth for Photoconductive Applications. *Nanoscale Research Letters*, **2015**, 10, 1037	5	7
183	Thermoreflectance microscopy analysis on self-heating effect of short-channel amorphous In-Ga-Zn-O thin film transistors. *Applied Physics Letters*, **2014**, 105, 043501	3.4	7
182	Partitioning of the organic layers for the fabrication of high efficiency organic photovoltaic devices. *Organic Electronics*, **2009**, 10, 1091-1096	3.5	7
181	Solvent effect of the fibrillar morphology on the power conversion efficiency of a polymer photovoltaic cell in a diffusive heterojunction. *Semiconductor Science and Technology*, **2012**, 27, 125018	1.8	7
180	Photosensitive Inverter and Ring Oscillator With Pseudodepletion Mode Load for LCD Applications. *IEEE Electron Device Letters*, **2009**, 30, 943-945	4.4	7
179	Electrical Impedance Studies of the Effect of a Buffer Layer on Organic Bulk Hetrojunction Solar Cells. *Journal of the Korean Physical Society*, **2008**, 53, 3278-3282	0.6	7
178	Cu/(Co+Sn) ratio effects on physical and photodetective properties for visible light absorbing Cu2CoSnS4 nanoparticles via a one-pot hydrothermal process. *Journal of Alloys and Compounds*, **2020**, 847, 156174	5.7	7
177	Simultaneous Detection of Dopamine and Uric Acid on Indium Tin Oxides Modified with Cost-effective Gas-phase Synthesized Single Walled Carbon Nanotubes. *Electroanalysis*, **2017**, 29, 1925-1933	3	6
176	Highly soluble fluorous alkyl ether-tagged imaging materials for the photo-patterning of organic light-emitting devices. *Journal of Materials Chemistry C*, **2017**, 5, 926-930	7.1	6
175	Analysis of Photovoltaic Properties of a Perovskite Solar Cell: Impact of Recombination, Space Charge, Exciton, and Disorder. *IEEE Journal of Photovoltaics*, **2017**, 7, 1681-1686	3.7	6

174	Enhancement mode p-channel SnO thin-film transistors with dual-gate structures. *Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics*, **2015**, 33, 041203	1.3	6
173	High-gain complementary metal-oxide-semiconductor inverter based on multi-layer WSe2field effect transistors without doping. *Semiconductor Science and Technology*, **2016**, 31, 105001	1.8	6
172	Parallel Pool Analysis of Transient Spectroscopy Reveals Origins of and Perspectives for ZnO Hybrid Solar Cell Performance Enhancement Using Semiconducting Surfactants. *Journal of Physical Chemistry Letters*, **2012**, 3, 2665-70	6.4	6
171	Holography and plasma oxidation for uniform nanoscale two dimensional channel formation of vertical organic field-effect transistors with suppressed gate leakage current. *Organic Electronics*, **2011**, 12, 1841-1845	3.5	6
170	Effect of Electrode Area on High Speed Characteristics over 1 MHz of Poly(3-hexylthiophene-2,5-diyl) Diode with Inkjet-Printed Ag Electrode. *Molecular Crystals and Liquid Crystals*, **2009**, 513, 256-261	0.5	6
169	Thin-Films of Poly-Triarylamines for Electro-Optic Applications. *Polymer Bulletin*, **2008**, 59, 795-803	2.4	6
168	Pentacene-based thin film transistors with improved mobility characteristics using hybrid gate insulator. *Journal of Information Display*, **2005**, 6, 16-18	4.1	6
167	Organic Tandem Solar Cell Using a Semi-transparent Top Electrode for Both-side Light Absorption. *Journal of the Korean Physical Society*, **2010**, 57, 1852-1855	0.6	6
166	Organic Rectifier with Transfer-printed Metal as a Top Electrode. *Journal of the Korean Physical Society*, **2011**, 59, 470-473	0.6	6
165	Enhanced light outcoupling of polymer light-emitting diodes with a solution-processed, -flattening photonic-crystal underlayer. *Journal of Information Display*, **2016**, 17, 143-150	4.1	6
164	Temperature-Time profile effects on evolution of physical and electronic properties in visible light Cu2CoSnS4 photodetectors. *Materials Science in Semiconductor Processing*, **2021**, 121, 105443	4.3	6
163	Highly Stable Organic Transistors on Paper Enabled by a Simple and Universal Surface Planarization Method. *Advanced Materials Interfaces*, **2019**, 6, 1801731	4.6	5
162	Surface Engineered Colloidal Quantum Dots for Complete Green Process. *ACS Applied Materials & Interfaces*, **2020**, 12, 10563-10570	9.5	5
161	Improving Performance of Inverted Blue Quantum-Dot Light-Emitting Diodes by Adopting Organic/Inorganic Double Electron Transport Layers. *Physica Status Solidi - Rapid Research Letters*, **2020**, 14, 1900737	2.5	5
160	Thermally curable polymers consisting of alcohol-functionalized cyclotetrasiloxane and melamine derivatives for use as insulators in OTFTs. *Organic Electronics*, **2014**, 15, 3666-3673	3.5	5
159	Non-interlayer hybrid white organic light-emitting diodes via a bipolar mixed host for the blue-fluorescent-emitting layer. *Journal of Information Display*, **2017**, 18, 153-157	4.1	5
158	46.1: Invited Paper: Recent Progress of Light-Emitting Diodes Based on Colloidal Quantum Dots. *Digest of Technical Papers SID International Symposium*, **2015**, 46, 685-687	0.5	5
157	The influence of sequential ligand exchange and elimination on the performance of P3HT: CdSe quantum dot hybrid solar cells. *Nanotechnology*, **2015**, 26, 465401	3.4	5

156	Fabrication of transparent Al:LiF composite/MoO3 interconnecting layers for tandem white organic light emitting devices. *Journal of Nanoscience and Nanotechnology*, **2014**, 14, 5898-902	1.3	5
155	Organic thin-film transistors using photocurable acryl-fuctionalized polyhedral oligomeric silsesquioxanes as gate dielectrics. *Synthetic Metals*, **2012**, 162, 1798-1803	3.6	5
154	Organic Thin-Film Transistors with Transfer-Printed Au Electrodes on Flexible Substrates. *Japanese Journal of Applied Physics*, **2010**, 49, 05EB08	1.4	5
153	Improvement of Power Efficiency in Phosphorescent White Organic Light-Emitting Diodes Using p-Doped Hole Transport Layer. *International Journal of Photoenergy*, **2012**, 2012, 1-8	2.1	5
152	High efficiency phosphorescent OLEDs based on the heterostructured light emission and charge injection layers **2009**,		5
151	Photo-curable epoxy functionalized cyclotetrasiloxane as a gate dielectric for organic thin film transistors. *Current Applied Physics*, **2010**, 10, 1132-1136	2.6	5
150	Thermal and electrical properties of nanocomposites based on acrylic copolymers and multiwalled carbon nanotube. *Journal of Nanoscience and Nanotechnology*, **2008**, 8, 5076-9	1.3	5
149	Improved electrical performance and transparency of bottom-gate, bottom-contact single-walled carbon nanotube transistors using graphene source/drain electrodes. *Journal of Industrial and Engineering Chemistry*, **2020**, 81, 488-495	6.3	5
148	Photosensitive Complementary Inverters Composed of n-Channel ReS2 and p-Channel Single-Walled Carbon Nanotube Field-Effect Transistors. *Physica Status Solidi - Rapid Research Letters*, **2020**, 14, 2000420	2.5	5
147	Two dimensional, sponge-like In2S3 nanoflakes aligned on nickel foam via one-pot solvothermal growth and their application toward high performance supercapacitors. *Materials Letters*, **2020**, 279, 128467	3.3	5
146	Self-discharge and voltage-holding in symmetric supercapacitors for energy storage based on branch-like MoS2 nanomaterial electrodes. *Ceramics International*, **2021**, 47, 11231-11239	5.1	5
145	Increased light extraction efficiency from top-emitting organic light-emitting diodes employing a mask-free plasma-etched stochastic polymer surface. *Journal of Applied Physics*, **2016**, 119, 095502	2.5	5
144	Simulation for forming uniform inkjet-printed quantum dot layer. *Journal of Applied Physics*, **2019**, 125, 065304	2.5	5
143	Germinant ZnO nanorods as a charge-selective layer in organic solar cells. *Journal of Materials Science and Technology*, **2020**, 55, 89-94	9.1	5
142	Nanostructured Electron-Selective Interlayer for Efficient Inverted Organic Solar Cells. *ACS Applied Materials & Interfaces*, **2015**, 7, 18460-6	9.5	4
141	Semiconductor nanocrystals in fluorous liquids for the construction of light-emitting diodes. *Journal of Materials Chemistry C*, **2015**, 3, 2759-2762	7.1	4
140	Direct Observation of Crystal Engineering in Perovskite Solar Cells in a Moisture-Free Environment Using Conductive Atomic Force Microscopy and Friction Force Microscopy. *Journal of Physical Chemistry C*, **2020**, 124, 4946-4952	3.8	4
139	Light out-coupling efficiency enhancement in organic light-emitting diodes using a multilayer stacked electrode with sol-gel processed TaO. *Optics Express*, **2017**, 25, 27886-27895	3.3	4

138	Vapor-phase-processed fluorinated self-assembled monolayer for organic thin-film transistors. *Journal of the Korean Physical Society*, **2015**, 67, 941-945	0.6	4
137	Purification of Single-Walled Carbon Nanotubes Based on Thermocapillary Flow. *Journal of Applied Mechanics, Transactions ASME*, **2015**, 82,	2.7	4
136	Efficient inverted bottom-emission blue phosphorescent organic light-emitting diodes with a ytterbium-doped electron injection layer. *Journal of the Korean Physical Society*, **2012**, 61, 1536-1540	0.6	4
135	Enhanced performance of SubPC/C60 solar cells by annealing and modifying surface morphology. *Journal of Nanoscience and Nanotechnology*, **2012**, 12, 5724-7	1.3	4
134	Optimization of white OLEDs based on charge carrier conduction properties of phosphorescent emitting layers **2008**,		4
133	Polarized Electroluminescence Emission in High-Performance Quantum Rod Light-Emitting Diodes via the Langmuir-Blodgett Technique. *Small*, **2021**, 17, e2101204	11	4
132	Highly Efficient, Surface Ligand Modified Quantum Dot Light-Emitting Diodes Driven by Type-Controllable MoTe2 Thin Film Transistors via Electron Charge Enhancer. *Advanced Electronic Materials*, **2021**, 7, 2100535	6.4	4
131	Design of highly efficient RGB top-emitting organic light-emitting diodes using finite element method simulations. *Optics Express*, **2016**, 24, 24018-24031	3.3	4
130	CdSe tetrapod interfacial layer for improving electron extraction in planar heterojunction perovskite solar cells. *Nanotechnology*, **2019**, 30, 065401	3.4	4
129	Low-temperature solution-processed zinc oxide field effect transistor by blending zinc hydroxide and zinc oxide nanoparticle in aqueous solutions. *Japanese Journal of Applied Physics*, **2018**, 57, 05GD04	1.4	4
128	13-1: Invited Paper: White Quantum Dot Light-Emitting Diodes With Improved Efficiency and Color Stability. *Digest of Technical Papers SID International Symposium*, **2017**, 48, 153-156	0.5	3
127	Optical and electrical effects of nanobump structure combined with an undulated active layer on plasmonic organic solar cells. *Organic Electronics*, **2019**, 71, 136-142	3.5	3
126	Degradation of electrical characteristics in low-bandgap polymer solar cells associated with light-induced aging. *Organic Electronics*, **2020**, 81, 105686	3.5	3
125	Phase Transitions of the Polariton Condensate in 2D Dirac Materials. *Physical Review Letters*, **2018**, 120, 157601	7.4	3
124	Highly efficient solution-processed inverted polymer light emitting diodes with uniformly coated poly(3,4-ethylenedioxythiophene):poly(styrene-sulfonate) layers on a hydrophobic emission layer using a dilution method. *Thin Solid Films*, **2018**, 660, 782-788	2.2	3
123	Influence of External Pressure on the Performance of Quantum Dot Solar Cells. *ACS Applied Materials & Interfaces*, **2016**, 8, 23947-52	9.5	3
122	Organic complementary ring oscillators using a functional polymer interfacial layer for highly improved oscillation frequency. *Polymer Bulletin*, **2016**, 73, 2531-2537	2.4	3
121	Simultaneous Enhancement of Electrical Conductivity and Seebeck Coefficient of [6,6]-Phenyl-C71 Butyric Acid Methyl Ester (PC70BM) by Adding Co-Solvents. *Crystals*, **2018**, 8, 237	2.3	3

120	Controlled host mixture and doping profile for ideal electrophosphorescent devices. *Synthetic Metals*, **2014**, 189, 1-6	3.6	3
119	Enhanced performances in inverted bottom-emission organic light-emitting diodes with KBH4-doped electron-injection layer. *Physica Status Solidi (A) Applications and Materials Science*, **2014**, 211, 1807-1811	1.6	3
118	P-111: Improved Performances in Phosphorescent Organic Light-emitting Diodes using Solution-processed Vanadium Pentoxide as a Hole Injection Layer. *Digest of Technical Papers SID International Symposium*, **2012**, 43, 1477-1480	0.5	3
117	P.119: High-Performance Polymer Light-Emitting Diodes with a Conjugated Polyelectrolyte. *Digest of Technical Papers SID International Symposium*, **2013**, 44, 1431-1433	0.5	3
116	Origin of the mixing ratio dependence of power conversion efficiency in bulk heterojunction organic solar cells with low donor concentration. *Journal of Nanoscience and Nanotechnology*, **2013**, 13, 7982-7	1.3	3
115	38.4: Full-Color Patterning of Quantum Dot (QD) Light-Emitting Diodes using QD Transplanting Techniques. *Digest of Technical Papers SID International Symposium*, **2011**, 42, 526-528	0.5	3
114	Frequency Performance Optimization of Flexible Pentacene Rectifier by Varying the Thickness of Active Layer. *Japanese Journal of Applied Physics*, **2010**, 49, 05EB07	1.4	3
113	Characteristics of Inverters Using Pentacene Organic Thin Film Transistors with Printed Ag Electrodes. *Molecular Crystals and Liquid Crystals*, **2009**, 513, 262-267	0.5	3
112	Effect of solution processed salt layers on the device performances of polymer solar cells. *Thin Solid Films*, **2009**, 518, 541-544	2.2	3
111	Stable green light-emission from poly[9,9-bis(4?-n-octyloxyphenyl)fluorenyl-2,7-vinylene] synthesized via the Gilch polymerization route. *Current Applied Physics*, **2009**, 9, 441-447	2.6	3
110	Mitigation on self-discharge behaviors via morphological control of hierarchical Ni-sulfides/Ni-oxides electrodes for long-life-supercapacitors. *Journal of Materials Science and Technology*, **2022**, 113, 217-228	9.1	3
109	Solution-processed Ga-TiO2 electron transport layer for efficient inverted organic solar cells. *Materials Letters*, **2020**, 274, 128003	3.3	3
108	Hydrophobic Polymer Encapsulation Effects on Subgap Density of States in Multilayered Molybdenum Disulfide Field-Effect Transistors. *Physica Status Solidi - Rapid Research Letters*, **2020**, 14, 1900492	2.5	3
107	Reversible and controllable threshold voltage modulation for n-channel MoS2 and p-channel MoTe2 field-effect transistors via multiple counter doping with ODTS/poly-L-lysine charge enhancers. *Nano Research*, **2021**, 14, 3214-3227	10	3
106	Flexible Light-to-Frequency Conversion Circuits Built with Si-Based Frequency-to-Digital Converters via Complementary Photosensitive Ring Oscillators with p-Type SWNT and n-Type a-IGZO Thin Film Transistors. *Small*, **2021**, 17, e2008131	11	3
105	Cu2FeSnS4 decorated Ni-TiO2 nanorods heterostructured photoanode for enhancing water splitting performance. *Applied Surface Science*, **2021**, 551, 149377	6.7	3
104	P-59: Toward High Resolution Inkjet-Printed Quantum Dot Light-Emitting Diodes for Next Generation Display. *Digest of Technical Papers SID International Symposium*, **2016**, 47, 1354-1357	0.5	3
103	Analysis of the improved thermal stability of Al-doped ZnO-adopted organic solar cells. *Applied Physics Letters*, **2021**, 118, 023302	3.4	3

102	Study on the Enhanced Shelf Lifetime of CYTOP-Encapsulated Organic Solar Cells. *Energies*, **2021**, 14, 3993	3.1	3
101	Low-Frequency Noise Characteristics in Multi-Layer WSe2 Field Effect Transistors with Different Contact Metals. *Journal of Nanoscience and Nanotechnology*, **2019**, 19, 6422-6428	1.3	2
100	Highly enhanced phosphorescent organic light-emitting diodes with cesium fluoride doped electron injection layer **2015**,		2
99	72-2: Highly Efficient Cadmium-Free Quantum Dot Light-Emitting Diodes Employing Top-Emitting Architecture. *Digest of Technical Papers SID International Symposium*, **2020**, 51, 1075-1077	0.5	2
98	Influence of air atmosphere on electrical characteristics of p-type MoTe2 FETs under DC and pulsed mode operation. *Microelectronics Reliability*, **2020**, 111, 113680	1.2	2
97	Polymer Interfacial Layer with High Glass Transition Temperature for the Improvement of Bias Stability in Organic Field-Effect Transistors. *Journal of Nanoscience and Nanotechnology*, **2016**, 16, 10325-10330	1.3	2
96	A Low Temperature, Solution-Processed Poly(4-vinylphenol), YO(x) Nanoparticle Composite/Polysilazane Bi-Layer Gate Insulator for ZnO Thin Film Transistor. *Journal of Nanoscience and Nanotechnology*, **2016**, 16, 2632-6	1.3	2
95	Effects of insertion of hole injection layers on pentacene rectifying diodes. *Journal of Nanoscience and Nanotechnology*, **2014**, 14, 5301-3	1.3	2
94	Hole Injection in N-Type Organic Semiconductors by Tuning Metal Work Function with Functional Self-Assembled Monolayers. *Journal of Nanoscience and Nanotechnology*, **2017**, 17, 3378-3381	1.3	2
93	Improvement of Current Efficiency at High Field Regime Via Description of Roll-off Characteristic in Model Device of OLEDs. *Molecular Crystals and Liquid Crystals*, **2014**, 599, 79-85	0.5	2
92	P-112: Highly Efficient Electron Injection Layer of LiF/Yb Bilayer for Top-emitting Organic Light Emitting Diodes. *Digest of Technical Papers SID International Symposium*, **2012**, 43, 1481-1483	0.5	2
91	Solution processed polymer light-emitting diodes with single layer graphene anode **2012**,		2
90	19.1: Efficiency Enhancement of Indium Phosphide (InP) Based Quantum Dot Light-Emitting Diodes by Shell Thickness Tuning. *Digest of Technical Papers SID International Symposium*, **2013**, 44, 207-209	0.5	2
89	56.2: Analysis and Interpretation of Degradation Mechanism of OLED with p-doping Layer. *Digest of Technical Papers SID International Symposium*, **2011**, 42, 822-824	0.5	2
88	Low frequency noise in amorphous silicon thin film transistors with SiNx gate dielectric. *Journal of Applied Physics*, **2009**, 105, 124504	2.5	2
87	Organic thin film transistors using a polyhedral oligomeric silsesquioxane-based photo-patternable insulating material. *Journal of Nanoscience and Nanotechnology*, **2009**, 9, 6923-7	1.3	2
86	Effect of host materials on eelectrophosphorescence properties of PtOEP-doped organic light-emitting diodes. *Journal of Information Display*, **2007**, 8, 15-19	4.1	2
85	Efficient blue electroluminescence from 9,10-diphenylanthracene **2003**, 4800, 208		2

84	A high voltage NMOSFET fabricated by using a standard CMOS logic process as a pixel-driving transistor for the OLED on the silicon substrate. *Journal of Information Display*, **2004**, 5, 28-33	4.1	2
83	A formation of cobalt silicide on silicon field emitter arrays by electrical stress. *IEEE Electron Device Letters*, **2001**, 22, 173-175	4.4	2
82	Mo and Co Silicide FEAs. *Materials Research Society Symposia Proceedings*, **2000**, 621, 411		2
81	Charge Injection-Assisted Current Efficiency Improvement in Roll-Off Characteristic of OLEDs by Device Modeling. *Journal of Nanoelectronics and Optoelectronics*, **2015**, 10, 578-581	1.3	2
80	Nanosilver-Particles Integrated Ni Sn S -CoS Composite as an Advanced Electrode for High Energy Density Hybrid Cell.. *Small Methods*, **2021**, 5, e2100907	12.8	2
79	Evolution of hierarchically formed petal-like 3 dimensional layer structures for SnS2 via ratio control of Sn/thiourea and their electrochemical charge storage behavior. *Ceramics International*, **2021**,	5.1	2
78	Effect of Alkyl Chain Lengths of Highly Crystalline Nonfullerene Acceptors on Open-Circuit Voltage of All-Small-Molecule Organic Solar Cells. *ACS Applied Energy Materials*, **2021**, 4, 259-267	6.1	2
77	. *IEEE Access*, **2021**, 9, 73090-73102	3.5	2
76	Light-Shield Layers Free Photosensitive Inverters Comprising GaN-Drivers and Multi-Layered MoS2-Loads. *IEEE Electron Device Letters*, **2018**, 1-1	4.4	2
75	Perovskite photovoltaic cells with ultra-thin buffer layers for tandem applications. *Japanese Journal of Applied Physics*, **2018**, 57, 102303	1.4	2
74	A circuit mechanism of time-to-space conversion for perception. *Hearing Research*, **2018**, 366, 32-37	3.9	2
73	P-111: Black Photoresist Bank for Inkjet-Printed Quantum Dot Light-Emitting Diodes. *Digest of Technical Papers SID International Symposium*, **2018**, 49, 1629-1631	0.5	2
72	P-115: Effect of Solvents and Pressure on the Performance of Quantum Dot light Emitting Diodes Fabricated with Soft-Contact Transfer Printing. *Digest of Technical Papers SID International Symposium*, **2018**, 49, 1643-1646	0.5	2
71	Hierarchically-formed nickel sulfide heterostructure via SILAR on hydrothermally grown cobalt oxide scaffolds: Role of number of over-coating and evolution of electrochemical performance in supercapacitor electrodes. *Applied Surface Science*, **2021**, 564, 150436	6.7	2
70	Solution-processed CuI films towards flexible visible-photodetectors: Role of annealing temperature on Cu/I ratio and photodetective properties. *Journal of Alloys and Compounds*, **2021**, 887, 161326	5.7	2
69	Physically Detachable and Operationally Stable Cs SnI Photodetector Arrays Integrated with LEDs for Broadband Flexible Optical System.. *Advanced Materials*, **2022**, e2109673	24	2
68	Haptic Soft-Keyboard for Tablet-Sized Touchscreens. *Applied Sciences (Switzerland)*, **2019**, 9, 3080	2.6	1
67	Directly grown two dimensional InS nanoflakes via one-step solvothermal method: Material properties on InS and performance data for supercapacitors. *Data in Brief*, **2020**, 32, 106272	1.2	1

66	Investigation of Improved Performance for Organic Rectifying Diodes via Electrical Annealing. *IEEE Access*, **2019**, 7, 84082-84090	3.5	1
65	Blue electroluminescence from polyhedral oligomeric silsesquioxane containing spirobifluorene trimers. *Synthetic Metals*, **2014**, 188, 46-52	3.6	1
64	P-139: Improved Power Efficiency of Organic Light-Emitting Diodes using Solution-Processed CuSCN Hole Injection Layer. *Digest of Technical Papers SID International Symposium*, **2015**, 46, 1684-1686	0.5	1
63	P-86: Improved Performance of Quantum Dot Light Emitting Diodes by Using Charge Blocking Layer. *Digest of Technical Papers SID International Symposium*, **2014**, 45, 1309-1311	0.5	1
62	Polymer-nanoparticle hybrid solar cell **2012**,		1
61	P.118: Improvement of the Quantum Efficiency in OLEDs Using Stochastic Metallic Nanostructure. *Digest of Technical Papers SID International Symposium*, **2013**, 44, 1428-1430	0.5	1
60	Organic complementary inverter and ring oscillator on a flexible substrate. *Journal of Information Display*, **2011**, 12, 1-4	4.1	1
59	Studies of Electroluminescent Characteristics of Quantum Well Green Organic Light Emitting Diodes. *Molecular Crystals and Liquid Crystals*, **2010**, 520, 273/[549]-278/[554]	0.5	1
58	The thickness of active layer dependence of polymer solar cells **2010**,		1
57	Improvement of efficiency in inverted bottom-emission white OLEDs by doping the hole transport layer **2011**,		1
56	Effect of the plasma-assisted patterning of the organic layers on the performance of organic light-emitting diodes. *Journal of Information Display*, **2009**, 10, 111-116	4.1	1
55	Improvement of device efficiency by phosphorescent materials in polymers bulk heterojunction solar cells. *Journal of Nanoscience and Nanotechnology*, **2009**, 9, 7167-70	1.3	1
54	P-153: Color-Saturated LEDs Based on Colloidal Quantum-Dot by Improving Charge Injection and Transport Layers. *Digest of Technical Papers SID International Symposium*, **2010**, 41, 1824	0.5	1
53	Three white organic light-emitting diodes with blue-green fluorescent and red phosphorescent dyes. *Journal of Information Display*, **2008**, 9, 23-27	4.1	1
52	Effect of Charge Mobility for Organic Photovoltaic Devices. *Molecular Crystals and Liquid Crystals*, **2006**, 444, 67-71	0.5	1
51	Multilayer white organic light emitting diode with optimum emitting layer sequence **2007**,		1
50	P-27: Anomalous Increased Drain Current Characteristics of a-Si:H TFTs with Long Channel Width. *Digest of Technical Papers SID International Symposium*, **2007**, 38, 268-271	0.5	1
49	Efficient white organic light-emitting device by utilizing a blue-emitter doped with a Red Fluorescent Dopant. *Journal of Information Display*, **2003**, 4, 13-18	4.1	1

48	P-18: Performance Improvement of Scaled-down Top-contact OTFTs by Two-Step-Deposition of Pentacene. *Digest of Technical Papers SID International Symposium*, **2005**, 36, 292	0.5	1
47	Electroluminescence of bilayer light-emitting diodes of poly(vinylcarbazole) and vacuum-deposited poly(p-phenylene) thin films **2001**, 4105, 362		1
46	Preparation of light-emitting devices with poly(p-phenylenevinylene): effects of thermal elimination conditions and polymer layer thickness on device performance **1998**, 3281, 173		1
45	Effect of Sol□Gel-Derived ZnO Interfacial Layer on the Photovoltaic Properties of Polymer Solar Cells. *Japanese Journal of Applied Physics*, **2012**, 51, 10NE29	1.4	1
44	Photo-cleavable perfluoroalkylated copolymers for tailoring quantum dot thin films. *Polymer Chemistry*, **2020**, 11, 6624-6631	4.9	1
43	Scalable and selective N-type conversion for carbon nanotube transistors via patternable polyvinyl alcohol stacked with hydrophobic layers and their application to complementary logic circuits. *Journal of Materials Research and Technology*, **2021**, 12, 243-256	5.5	1
42	Enhancement of Photodetective Properties on Multilayered MoS Thin Film Transistors via Self-Assembled Poly-L-Lysine Treatment and Their Potential Application in Optical Sensors. *Nanomaterials*, **2021**, 11,	5.4	1
41	Progress in light-to-frequency conversion circuits based on low dimensional semiconductors. *Nano Research*, **2021**, 14, 2938-2964	10	1
40	Plasmon-induced slow aging of exciton generation and dissociation for stable organic solar cells. *Optica*, **2016**, 3, 1115	8.6	1
39	Photosensitive Complementary Inverters Based on n-Channel MoS2 and p-Channel MoTe2 Transistors for Light-to-Frequency Conversion Circuits. *Physica Status Solidi - Rapid Research Letters*, **2019**, 13, 1970042	2.5	1
38	Effect of Solvent on the Interfacial Crystallinity in Sequentially Processed Organic Solar Cells. *Advanced Materials Interfaces*, **2021**, 8, 2100029	4.6	1
37	Thickness dependent photodetection properties of solution-processed CuI films: Towards cost-effective flexible visible photodetectors. *Materials Letters*, **2021**, 305, 130815	3.3	1
36	Bias stress instability in multilayered MoTe2 field effect transistors under DC and pulse-mode operation. *Electronics Letters*, **2021**, 57, 193-195	1.1	1
35	Study on graphene oxide as a hole extraction layer for stable organic solar cells.. *RSC Advances*, **2021**, 11, 27199-27206	3.7	1
34	Hierarchical formation of Ni sulfide single walled carbon nanotubes heterostructure on tin-sulfide scaffolds via mediated SILAR process: Application towards long cycle-life solid-state supercapacitors. *Ceramics International*, **2022**, 48, 16656-16656	5.1	1
33	All inkjet-printed 6.95? 217 ppi active matrix QD-LED display with RGB Cd-free QDs in the top-emission device structure. *Journal of the Society for Information Display*, **2022**, 30, 433-440	2.1	1
32	Physical and electrical properties of CuCoSnS nanoparticles synthesized by hydrothermal growth at different reaction time and copper concentration. *Data in Brief*, **2020**, 32, 106103	1.2	0
31	Recent advances and challenges in solar photovoltaic and energy storage materials: future directions in Indian perspective. *JPhys Energy*, **2021**, 3, 034018	4.9	0

30	Spray-coated single walled carbon nanotubes as source and drain electrodes in SnO thin-film transistors. *Semiconductor Science and Technology*, **2018**, 33, 075013	1.8	0
29	Photo-Detectivity Modulation in Complementary Light-to-Frequency Conversion Circuits via Oxygen Vacancy Controlled Amorphous Indium–Gallium–Zinc Oxide Films. *IEEE Electron Device Letters*, **2021**, 42, 1315-1318	4.4	0
28	Discrimination of Degradation Mechanisms for Organic Light-Emitting Diodes by In Situ, Layer-Specific Spectroscopic Analysis. *ACS Photonics*, **2022**, 9, 82-89	6.3	0
27	P-32: Light Shielding Layers Enabled Full Swing Multi-Layer MoS2 Inverters For the Application of Photodetectors. *Digest of Technical Papers SID International Symposium*, **2017**, 48, 1346-1349	0.5	
26	Field-Effect Transistors: Threshold Voltage Control of Multilayered MoS2 Field-Effect Transistors via Octadecyltrichlorosilane and their Applications to Active Matrixed Quantum Dot Displays Driven by Enhancement-Mode Logic Gates (Small 7/2019). *Small*, **2019**, 15, 1970037	11	
25	Perovskite Solar Cells: Universal Elaboration of Al-Doped TiO2 as an Electron Extraction Layer in Inorganic–Organic Hybrid Perovskite and Organic Solar Cells (Adv. Mater. Interfaces 10/2020). *Advanced Materials Interfaces*, **2020**, 7, 2070057	4.6	
24	P-109: Reduced Contact Resistance with MoOx Injection Layer for Thin Film Transistors Based on Organic Semiconductors with Deep HOMO Level. *Digest of Technical Papers SID International Symposium*, **2016**, 47, 1535-1538	0.5	
23	P-175L: Late-News Poster: High Efficiency Light Extraction from Top-Emitting Organic Light-Emitting Diodes Employing Mask-Free Plasma Etched Stochastic Polymer Surface. *Digest of Technical Papers SID International Symposium*, **2015**, 46, 1707-1709	0.5	
22	P-81: Non-Quasi Static Measurement in Random Network Carbon Nanotube Thin-Film Transistors for Next-Generation Displays. *Digest of Technical Papers SID International Symposium*, **2015**, 46, 1456-1458	0.5	
21	Improvement in the efficiency of organic solar cells using a low-temperature evaporable optical spacer. *Japanese Journal of Applied Physics*, **2014**, 53, 08NJ04	1.4	
20	P-21: n-type Organic Thin Film Transistors with High Operational Stability. *Digest of Technical Papers SID International Symposium*, **2014**, 45, 1021-1023	0.5	
19	P-158: Improved Electron Injection in Organic Light-Emitting Diodes Using Samarium Doped Electron Transport Layer. *Digest of Technical Papers SID International Symposium*, **2014**, 45, 1574-1576	0.5	
18	P-72: Efficient Red, Green, and Blue QD-LEDs Fabricated with the QD Transplanting Process on a Common Hole Transport Layer. *Digest of Technical Papers SID International Symposium*, **2012**, 43, 1330-1332	0.5	
17	P.120: P-doped Di-[4-(N,N-ditolyl-amino)-phenyl]cyclohexane for Improving Power Efficiency of Organic Light-Emitting Diodes. *Digest of Technical Papers SID International Symposium*, **2013**, 44, 1434-1437	0.5	
16	P.64: WITHDRAWN: P.65: The Effect of Surface Polarity of Gate Dielectric Buffer Layer on Operational Stability in Organic Thin Film Transistors. *Digest of Technical Papers SID International Symposium*, **2013**, 44, 1236-1238	0.5	
15	P-160: Highly Efficient Inverted Bottom-Emission OLEDs with ZnO Nanoparticles as an Electron-Injection Layer. *Digest of Technical Papers SID International Symposium*, **2010**, 41, 1849	0.5	
14	Fluorescent white OLEDs with a high color-rendering index using a silicon-cored anthracene derivative as a blue host. *Journal of Information Display*, **2010**, 11, 123-127	4.1	
13	Dendritic Iridium(III)-Encapsulated Complexes for Organic Light Emitting Diodes. *Materials Research Society Symposia Proceedings*, **2006**, 965, 1		

12	Top-Gate Field-Effect Transistor as a Testbed for Evaluating the Photostability of Organic Photovoltaic Polymers. *Solar Rrl*,2100962	7.1
11	Electron Clouding Effect for Improvement of Electron Injection in a Solution-Processed Organic Diode with Dipolar Self-Assembled Monolayers. *Journal of Nanoscience and Nanotechnology*, **2017**, 17, 7275-7279	1.3
10	65-2: Red Electroluminescence Quantum Dot Devices (EL-QD) with Improved Efficiency and Lifetime. *Digest of Technical Papers SID International Symposium*, **2021**, 52, 949-952	0.5
9	Flexible Photodetectors: Flexible Light-to-Frequency Conversion Circuits Built with Si-Based Frequency-to-Digital Converters via Complementary Photosensitive Ring Oscillators with p-Type SWNT and n-Type a-IGZO Thin Film Transistors (Small 26/2021). *Small*, **2021**, 17, 2170134	11
8	P-154: Improved Stability and Low Driving Voltage of Organic Light-Emitting Diodes Using Exciplex Forming Host Structure. *Digest of Technical Papers SID International Symposium*, **2016**, 47, 1706-1709	0.5
7	Origin of Off-State Current in Multilayered MoTe2 Field-Effect Transistors: Gate-Induced Drain Leakage and Poole‐Frenkel Conduction. *Physica Status Solidi - Rapid Research Letters*, **2020**, 14, 2000158	2.5
6	P-184: The Effect of Exciplex-Type Co-Host Emitting Layer Structure in the Lifetime of Organic Light-Emitting Diodes. *Digest of Technical Papers SID International Symposium*, **2018**, 49, 1850-1852	0.5
5	Polarized Electroluminescence Emission in High-Performance Quantum Rod Light-Emitting Diodes via the Langmuir-Blodgett Technique (Small 32/2021). *Small*, **2021**, 17, 2170165	11
4	Photovoltaic characterizing method of degradation of polymer light-emitting diodes based on ideality factor and density of states. *Applied Physics Letters*, **2021**, 119, 123301	3.4
3	Synthesis process dependent physico-chemical and opto-electronic properties of Cu2FeSnS4 nanoparticle films. *Ceramics International*, **2021**, 47, 27898-27907	5.1
2	Analysis of the effect of solvents on the performance of solution-processed organic light-emitting diodes based on Fourier-transform infrared spectroscopy. *Organic Electronics*, **2021**, 97, 106264	3.5
1	Thickness dependent resistive switching behaviors in Ta2O5 layer at low temperature: Towards flexible, invisible, cryo-electronic applications in aerospace. *Materials Letters*, **2022**, 319, 132272	3.3