## Linda NedbalovÃ;

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8043163/publications.pdf

Version: 2024-02-01

95 papers

2,062 citations

218677 26 h-index 315739 38 g-index

96 all docs 96
docs citations

96 times ranked 1888 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Editorial: Ice and Snow Algae. Frontiers in Plant Science, 2022, 13, 868467.   | 3.6 | О         |
| 2  | Status and short-term environmental changes of lakes in the area of Devil's Bay, Vega Island, Antarctic Peninsula. Antarctic Science, 2021, 33, 150-164.   | 0.9 | 5         |
| 3  | Ecophysiological and ultrastructural characterisation of the circumpolar orange snow alga Sanguina aurantia compared to the cosmopolitan red snow alga Sanguina nivaloides (Chlorophyta). Polar Biology, 2021, 44, 105-117.  | 1.2 | 9         |
| 4  | Sphingolipids of plant pathogenic fungi. Plant Protection Science, 2021, 57, 134-139.  | 1.4 | 5         |
| 5  | Experimental freezing of freshwater pennate diatoms from polar habitats. Protoplasma, 2021, 258, 1213-1229.  | 2.1 | 5         |
| 6  | Unicellular versus Filamentous: The Glacial Alga Ancylonema alaskana comb. et stat. nov. and Its Ecophysiological Relatedness to Ancylonema nordenskioeldii (Zygnematophyceae, Streptophyta). Microorganisms, 2021, 9, 1103. | 3.6 | 22        |
| 7  | Microalga-Mediated Tertiary Treatment of Municipal Wastewater: Removal of Nutrients and Pathogens. Sustainability, 2021, 13, 9554.   | 3.2 | 12        |
| 8  | Thorsmoerkia curvula gen. et spec. nov. (Trebouxiophyceae, Chlorophyta), a semi-terrestrial microalga from Iceland exhibits high levels of unsaturated fatty acids. Journal of Applied Phycology, 2021, 33, 3671-3682.       | 2.8 | 3         |
| 9  | The Arctic <i>Cylindrocystis</i> (Zygnematophyceae, Streptophyta) Green Algae are Genetically and Morphologically Diverse and Exhibit Effective Accumulation of Polyphosphate. Journal of Phycology, 2020, 56, 217-232.      | 2.3 | 21        |
| 10 | Two New Kremastochrysopsis species, K.Âaustriaca sp. nov. and K.Âamericana sp. nov. (Chrysophyceae) 1.<br>Journal of Phycology, 2020, 56, 135-145.   | 2.3 | 14        |
| 11 | Overlooked diversity with terrestrial lifestyle in the predominantly freshwater and snow phylogroup <i>Chloromonadinia</i> (Volvocales, Chlorophyceae). European Journal of Phycology, 2020, 55, 207-222.                    | 2.0 | 7         |
| 12 | How to survive winter?., 2020,, 101-125.   |     | 1         |
| 13 | Growth, fatty, and amino acid profiles of the soil alga Vischeria sp. E71.10 (Eustigmatophyceae) under different cultivation conditions. Folia Microbiologica, 2020, 65, 1017-1023.  | 2.3 | 12        |
| 14 | Comparison of Diatom Paleo-Assemblages with Adjacent Limno-Terrestrial Communities on Vega Island, Antarctic Peninsula. Water (Switzerland), 2020, 12, 1340.   | 2.7 | 7         |
| 15 | Annual Cycle of Freshwater Diatoms in the High Arctic Revealed by Multiparameter Fluorescent Staining. Microbial Ecology, 2020, 80, 559-572.   | 2.8 | 5         |
| 16 | Cysts of the Snow Alga Chloromonas krienitzii (Chlorophyceae) Show Increased Tolerance to Ultraviolet Radiation and Elevated Visible Light. Frontiers in Plant Science, 2020, 11, 617250.                                    | 3.6 | 12        |
| 17 | Habitat controls on limno-terrestrial diatom communities of Clearwater Mesa, James Ross Island,<br>Maritime Antarctica. Polar Biology, 2019, 42, 1595-1613.  | 1.2 | 14        |
| 18 | Rapid screening of very long-chain fatty acids from microorganisms. Journal of Chromatography A, 2019, 1605, 460365.   | 3.7 | 6         |

| #  | Article  | IF                | Citations    |
|----|--|-------------------|--------------|
| 19 | Ecophysiology of Chloromonas hindakii sp. nov. (Chlorophyceae), Causing Orange Snow Blooms at Different Light Conditions. Microorganisms, 2019, 7, 434.  | 3.6               | 23           |
| 20 | Arsenolipids in the green alga Coccomyxa (Trebouxiophyceae, Chlorophyta). Phytochemistry, 2019, 164, 243-251.  | 2.9               | 24           |
| 21 | Tolerance of pennate diatoms (Bacillariophyceae) to experimental freezing: comparison of polar and temperate strains. Phycologia, 2019, 58, 382-392.   | 1.4               | 32           |
| 22 | Sanguina nivaloides and Sanguina aurantia gen. et spp. nov. (Chlorophyta): the taxonomy, phylogeny, biogeography and ecology of two newly recognised algae causing red and orange snow. FEMS Microbiology Ecology, 2019, 95, .           | 2.7               | 80           |
| 23 | Lacustrine systems of Clearwater Mesa (James Ross Island, north-eastern Antarctic Peninsula): geomorphological setting and limnological characterization. Antarctic Science, 2019, 31, 169-188.  | 0.9               | 10           |
| 24 | A molecular approach to identification of protonemata helps assess biodiversity of extremely acidic freshwaters. Limnology, 2019, 20, 225-231.   | 1.5               | 0            |
| 25 | Late-Holocene palaeoenvironmental changes at Lake Esmeralda (Vega Island, Antarctic Peninsula)<br>based on a multi-proxy analysis of laminated lake sediment. Holocene, 2019, 29, 1155-1175.   | 1.7               | 19           |
| 26 | Analyzing carotenoids of snow algae by Raman microspectroscopy and high-performance liquid chromatography. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2019, 212, 262-271.                                    | 3.9               | 39           |
| 27 | Evaluating amplicon high-throughput sequencing data of microalgae living in melting snow: improvements and limitations. Fottea, 2019, 19, 115-131.   | 0.9               | 19           |
| 28 | Lipidomic analysis of Botryococcus (Trebouxiophyceae, Chlorophyta) - Identification of lipid classes containing very long chain fatty acids by offline two-dimensional LC-tandem MS. Phytochemistry, 2018, 148, 29-38.                   | 2.9               | 17           |
| 29 | Plastidâ€encoded <i>rbc</i> L phylogeny suggests widespread distribution of <i>Galdieria phlegrea</i> (Cyanidiophyceae, Rhodophyta). Nordic Journal of Botany, 2018, 36, e01794.   | 0.5               | 9            |
| 30 | Enantiomeric separation of triacylglycerols containing very long chain fatty acids. Journal of Chromatography A, 2018, 1557, 9-19.   | 3.7               | 15           |
| 31 | Ecology, cytology and phylogeny of the snow alga Scotiella cryophila K-1 (Chlamydomonadales,) Tj ETQq1 1 0.7   | 784314 rgE<br>1.4 | 3T /Overlock |
| 32 | Sphingolipidomics of Thermotolerant Yeasts. Lipids, 2018, 53, 627-639.   | 1.7               | 7            |
| 33 | <i>Chloromonas svalbardensis</i> n. sp. with Insights into the Phylogroup <i>Chloromonadinia</i> (Chlorophyceae). Journal of Eukaryotic Microbiology, 2018, 65, 882-892.   | 1.7               | 8            |
| 34 | Dispersal of lichens along a successional gradient after deglaciation of volcanic mesas on northern James Ross Island, Antarctic Peninsula. Polar Biology, 2018, 41, 2221-2232.  | 1.2               | 11           |
| 35 | An Experimental Insight into Extracellular Phosphatases – Differential Induction of Cell-Specific Activity in Green Algae Cultured under Various Phosphorus Conditions. Frontiers in Microbiology, 2018, 9, 271.                         | 3.5               | 13           |
| 36 | Ecophysiological and morphological comparison of two populations of <i>Chlainomonas </i> sp. (Chlorophyta) causing red snow on ice-covered lakes in the High Tatras and Austrian Alps. European Journal of Phycology, 2018, 53, 230-243. | 2.0               | 32           |

| #  | Article   | IF               | CITATIONS          |
|----|---|------------------|--------------------|
| 37 | Chloromonas arctica sp. nov., a psychrotolerant alga from snow in the High Arctic (Chlamydomonadales, Chlorophyta). International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 851-859.                                       | 1.7              | 11                 |
| 38 | Chloromonas nivalis subsp. tatrae, subsp. nov. (Chlamydomonadales, Chlorophyta): re-examination of a snow alga from the High Tatra Mountains (Slovakia). Fottea, 2018, 18, 1-18.  | 0.9              | 64                 |
| 39 | Burning coal spoil heaps as a new habitat for the extremophilic red alga Galdieria sulphuraria. Fottea, 2018, 18, 19-29.  | 0.9              | 12                 |
| 40 | Pilot cultivation of the green alga Monoraphidium sp. producing a high content of polyunsaturated fatty acids in a low-temperature environment. Algal Research, 2017, 22, 160-165.  | 4.6              | 53                 |
| 41 | Lipidomic profile in three species of dinoflagellates (Amphidinium carterae, Cystodinium sp., and) Tj ETQq1 1 0.2   | 784314 rg<br>2.9 | BT /Overlock<br>16 |
| 42 | Effects of rare earth elements on growth rate, lipids, fatty acids and pigments in microalgae. Phycological Research, 2017, 65, 226-234.  | 1.6              | 15                 |
| 43 | Current distribution of <i>Branchinecta gaini</i> on James Ross Island and Vega Island. Antarctic Science, 2017, 29, 341-342.   | 0.9              | 8                  |
| 44 | Identity, ecology and ecophysiology of planktic green algae dominating in ice-covered lakes on James Ross Island (northeastern Antarctic Peninsula). Extremophiles, 2017, 21, 187-200.  | 2.3              | 17                 |
| 45 | <i>Lunachloris lukesovae</i> gen. et sp. nov. (Trebouxiophyceae, Chlorophyta), a novel coccoid green alga isolated from soil in South Bohemia, Czech Republic. European Journal of Phycology, 2017, 52, 281-291.                                | 2.0              | 10                 |
| 46 | Polydatin and its derivatives inhibit fatty acid desaturases in microorganisms. European Journal of Lipid Science and Technology, 2017, 119, 1600369.   | 1.5              | 4                  |
| 47 | Coccomyxa: a dominant planktic alga in two acid lakes of different origin. Extremophiles, 2017, 21, 245-257.  | 2.3              | 11                 |
| 48 | Lipidomic analysis of two closely related strains of the microalga Parietochloris (Trebouxiophyceae,) Tj ETQq0 0 C  | ) rgBT /Ove      | erlgck 10 Tf 5     |
| 49 | Unusual biogenic calcite structures in two shallow lakes, James Ross Island, Antarctica.<br>Biogeosciences, 2016, 13, 535-549.  | 3.3              | 5                  |
| 50 | Constraints on the biological recovery of the Bohemian Forest lakes from acid stress. Freshwater Biology, 2016, 61, 376-395.  | 2.4              | 24                 |
| 51 | Colonization of Snow by Microorganisms as Revealed Using Miniature Raman Spectrometersâ€"Possibilities for Detecting Carotenoids of Psychrophiles on Mars?. Astrobiology, 2016, 16, 913-924.  | 3.0              | 19                 |
| 52 | <p class="HeadingRunIn"><strong>Description of five new species of the diatom genus <em>Luticola</em> (Bacillariophyta, Diadesmidaceae) found in lakes of James Ross Island (Maritime Antarctic Region)</strong></p> . Phytotaxa, 2016, 27, 44. | 0.3              | 30                 |
| 53 | Short Note: Abundance of aerobic anoxygenic bacteria in freshwater lakes on James Ross Island, Antarctic Peninsula. Antarctic Science, 2016, 28, 101-102.   | 0.9              | 1                  |
| 54 | Effect of salinity on the fatty acid and triacylglycerol composition of five haptophyte algae from the genera Coccolithophora, Isochrysis and Prymnesium determined by LC-MS/APCI. Phytochemistry, 2016, 130, 64-76.                            | 2.9              | 12                 |

| #  | Article   | IF                   | CITATIONS                |
|----|---|----------------------|--------------------------|
| 55 | Enantiomeric separation of triacylglycerols containing polyunsaturated fatty acids with 18 carbon atoms. Journal of Chromatography A, 2016, 1467, 261-269.  | 3.7                  | 11                       |
| 56 | Temperature dependence of production of structured triacylglycerols in the alga Trachydiscus minutus. Phytochemistry, 2015, 110, 37-45.   | 2.9                  | 16                       |
| 57 | Trace concentrations of iron nanoparticles cause overproduction of biomass and lipids during cultivation of cyanobacteria and microalgae. Journal of Applied Phycology, 2015, 27, 1443-1451.                                      | 2.8                  | 101                      |
| 58 | Comparative analysis of triacylglycerols from different Stichococcus strains by RP-HPLC/APCI-MS and chiral HPLC. Journal of Applied Phycology, 2015, 27, 685-696.   | 2.8                  | 8                        |
| 59 | Moss-inhabiting diatoms from two contrasting Maritime Antarctic islands. Plant Ecology and Evolution, 2014, 147, 67-84.   | 0.7                  | 27                       |
| 60 | Forest Die-Back Modified Plankton Recovery from Acidic Stress. Ambio, 2014, 43, 207-217.  | 5.5                  | 9                        |
| 61 | Lipidomic profiling of snow algae by ESI-MS and silver-LC/APCI-MS. Phytochemistry, 2014, 100, 34-42.  | 2.9                  | 32                       |
| 62 | Temperature dependence of photosynthesis and thylakoid lipid composition in the red snow alga <i>Chlamydomonas</i> cf. <i>nivalis</i> ( <i>Chlorophyceae</i> ). FEMS Microbiology Ecology, 2014, 89, 303-315.                     | 2.7                  | 31                       |
| 63 | Potential and limits of Raman spectroscopy for carotenoid detection in microorganisms: implications for astrobiology. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2014, 372, 20140199. | 3.4                  | 61                       |
| 64 | Production of structured triacylglycerols from microalgae. Phytochemistry, 2014, 104, 95-104.   | 2.9                  | 23                       |
| 65 | The response of epilithic diatom assemblages to sewage pollution in mountain streams of the Czech Republic. Plant Ecology and Evolution, 2013, 146, 153-166.  | 0.7                  | 5                        |
| 66 | A curious occurrence of Hazenia broadyi spec. nova in Antarctica and the review of the genus Hazenia (Ulotrichales, Chlorophyceae). Polar Biology, 2013, 36, 1281-1291.   | 1.2                  | 18                       |
| 67 | The unique environment of the most acidified permanently meromictic lake in the Czech Republic. Limnologica, 2013, 43, 417-426.   | 1.5                  | 26                       |
| 68 | LC–MS/APCI identification of glucoside esters and diesters of astaxanthin from the snow alga Chlamydomonas nivalis including their optical stereoisomers. Phytochemistry, 2013, 88, 34-42.  | 2.9                  | 26                       |
| 69 | Diversity, ecology and biogeography of the freshwater diatom communities from Ulu Peninsula (James) Tj ETQq1 1  | 1.2 <sup>78431</sup> | 4 <sub>-rg</sub> BT /Ove |
| 70 | Freshwater lakes of Ulu Peninsula, James Ross Island, north-east Antarctic Peninsula: origin, geomorphology and physical and chemical limnology. Antarctic Science, 2013, 25, 358-372.  | 0.9                  | 60                       |
| 71 | Benthic diatoms (Bacillariophyta) from seepages and streams on James Ross Island (NW Weddell Sea,) Tj ETQq1 1   | 0.784314<br>0.7      | f ggBT /Ove              |
| 72 | Phylogenetic position and taxonomy of three heterocytous cyanobacteria dominating the littoral of deglaciated lakes, James Ross Island, Antarctica. Polar Biology, 2012, 35, 759-774.   | 1.2                  | 30                       |

| #  | Article  | IF                 | CITATIONS     |
|----|--|--------------------|---------------|
| 73 | Effect of starvation on the distribution of positional isomers and enantiomers of triacylglycerol in the diatom Phaeodactylum tricornutum. Phytochemistry, 2012, 80, 17-27.  | 2.9                | 28            |
| 74 | Discostella tatrica sp. nov. (Bacillariophyceae) - a small centric diatom from the Tatra Mountain lakes (Slovakia/Poland) Fottea, 2012, 12, 1-12.  | 0.9                | 4             |
| 75 | Ecological implications of organic carbon dynamics in the traps of aquatic carnivorous Utricularia plants. Functional Plant Biology, 2011, 38, 583.  | 2.1                | 15            |
| 76 | Effect of nitrogen and phosphorus starvation on the polyunsaturated triacylglycerol composition, including positional isomer distribution, in the alga Trachydiscus minutus. Phytochemistry, 2011, 72, 2342-2351.                          | 2.9                | 59            |
| 77 | Comparative analysis of temperature courses in Antarctic lakes of different morphology: Study from James Ross Island, Antarctica. Czech Polar Reports, 2011, 1, 78-87.   | 0.6                | 12            |
| 78 | CELL-SPECIFIC EXTRACELLULAR PHOSPHATASE ACTIVITY OF DINOFLAGELLATE POPULATIONS IN ACIDIFIED MOUNTAIN LAKES1. Journal of Phycology, 2010, 46, 635-644.  | 2.3                | 11            |
| 79 | FOUR NEW NON-MARINE DIATOM TAXA FROM THE SUBANTARCTIC AND ANTARCTIC REGIONS. Diatom Research, 2010, 25, 431-443.   | 1.2                | 35            |
| 80 | First record of cryoseston in the Vitosha Mountains (Bulgaria). Nova Hedwigia, 2009, 88, 97-109.   | 0.4                | 8             |
| 81 | Very-long-chain iso and anteiso branched fatty acids in N-acylphosphatidylethanolamines from a natural cyanobacterial mat of Calothrix sp Phytochemistry, 2009, 70, 655-663.   | 2.9                | 14            |
| 82 | THREE NEW TERRESTRIAL DIATOM SPECIES FROM SEEPAGE AREAS ON JAMES ROSS ISLAND (ANTARCTIC) Tj ETC  | QqQ <u>,9</u> 0 rg | gBT/JOverlock |
| 83 | Identification of astaxanthin diglucoside diesters from snow alga Chlamydomonas nivalis by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry. Phytochemistry, 2008, 69, 479-490.                            | 2.9                | 61            |
| 84 | Identification of very-long-chain polyunsaturated fatty acids from Amphidinium carterae by atmospheric pressure chemical ionization liquid chromatography–mass spectroscopy. Phytochemistry, 2008, 69, 2391-2399.                          | 2.9                | 24            |
| 85 | Odd-numbered very-long-chain polyunsaturated fatty acids from the dinoflagellate Amphidinium carterae identified by atmospheric pressure chemical ionization liquid chromatography–mass spectrometry. Phytochemistry, 2008, 69, 2849-2855. | 2.9                | 36            |
| 86 | Unusual medium-chain polyunsaturated fatty acids from the snow alga Chloromonas brevispina. Microbiological Research, 2008, 163, 373-379.  | <b>5.</b> 3        | 32            |
| 87 | Green Cryosestic Algae. Cellular Origin and Life in Extreme Habitats, 2007, , 321-342.   | 0.3                | 47            |
| 88 | Phytoplankton of a mountain lake (L'adové pleso, the Tatra Mountains, Slovakia): Seasonal development and first indications of a response to decreased acid deposition. Biologia (Poland), 2006, 61, S91-S100.                             | 1.5                | 15            |
| 89 | Phytobenthos and water quality of mountain streams in the Bohemian Forest under the influence of recreational activity. Biologia (Poland), 2006, 61, S533-S542.  | 1.5                | 9             |
| 90 | Chlorophyll content of Plešné Lake phytoplankton cells studied with image analysis. Biologia (Poland), 2006, 61, S491-S498.  | 1.5                | 2             |

| #  | Article  | IF             | CITATIONS   |
|----|--|----------------|-------------|
| 91 | Biological recovery of the Bohemian Forest lakes from acidification. Biologia (Poland), 2006, 61, S453-S465.   | 1.5            | 36          |
| 92 | A key role of aluminium in phosphorus availability, food web structure, and plankton dynamics in strongly acidified lakes. Biologia (Poland), 2006, 61, S441-S451. | 1.5            | 17          |
| 93 | Long-term studies (1871–2000) on acidification and recovery of lakes in the Bohemian Forest (central) Tj ETQo  | 110.784<br>8.0 | 314 rgBT /O |
| 94 | Massive occurrence of heterotrophic filaments in acidified lakes: seasonal dynamics and composition. FEMS Microbiology Ecology, 2003, 46, 281-294.                 | 2.7            | 24          |
| 95 | Quantification of pelagic filamentous microorganisms in aquatic environments using the line-intercept method. FEMS Microbiology Ecology, 2001, 38, 81-85.          | 2.7            | 27          |