

Catherine Astarie-Dequeker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8043688/publications.pdf>

Version: 2024-02-01

37
papers

3,242
citations

331670

21
h-index

330143

37
g-index

39
all docs

39
docs citations

39
times ranked

3924
citing authors

#	ARTICLE	IF	CITATIONS
1	Parallel in vivo experimental evolution reveals that increased stress resistance was key for the emergence of persistent tuberculosis bacilli. <i>Nature Microbiology</i> , 2021, 6, 1082-1093.	13.3	15
2	Rv0180c contributes to <i>Mycobacterium tuberculosis</i> cell shape and to infectivity in mice and macrophages. <i>PLoS Pathogens</i> , 2021, 17, e1010020.	4.7	12
3	Phthiocerol Dimycocerosates From <i>Mycobacterium tuberculosis</i> Increase the Membrane Activity of Bacterial Effectors and Host Receptors. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 420.	3.9	23
4	The Lipid Virulence Factors of <i>Mycobacterium tuberculosis</i> Exert Multilayered Control over Autophagy-Related Pathways in Infected Human Macrophages. <i>Cells</i> , 2020, 9, 666.	4.1	33
5	The conical shape of DIM lipids promotes <i>Mycobacterium tuberculosis</i> infection of macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25649-25658.	7.1	49
6	CR3 Engaged by PGL-I Triggers Syk-Calcineurin-NFATc to Rewire the Innate Immune Response in Leprosy. <i>Frontiers in Immunology</i> , 2019, 10, 2913.	4.8	13
7	Mycobacterial Phenolic Glycolipids Selectively Disable TRIF-Dependent TLR4 Signaling in Macrophages. <i>Frontiers in Immunology</i> , 2018, 9, 2.	4.8	28
8	ESX-1 and phthiocerol dimycocerosates of <i>Mycobacterium tuberculosis</i> act in concert to cause phagosomal rupture and host cell apoptosis. <i>Cellular Microbiology</i> , 2017, 19, e12726.	2.1	174
9	Trisaccharides of Phenolic Glycolipids Confer Advantages to Pathogenic Mycobacteria through Manipulation of Host-Cell Pattern-Recognition Receptors. <i>ACS Chemical Biology</i> , 2016, 11, 2865-2875.	3.4	55
10	Playing hide-and-seek with host macrophages through the use of mycobacterial cell envelope phthiocerol dimycocerosates and phenolic glycolipids. <i>Frontiers in Cellular and Infection Microbiology</i> , 2014, 4, 173.	3.9	47
11	Multiple deletions in the polyketide synthase gene repertoire of <i>Mycobacterium tuberculosis</i> reveal functional overlap of cell envelope lipids in host-pathogen interactions. <i>Cellular Microbiology</i> , 2014, 16, 195-213.	2.1	71
12	Evolutionary history of tuberculosis shaped by conserved mutations in the PhoPR virulence regulator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11491-11496.	7.1	204
13	<i>Mycobacterium leprae</i> Phenoglycolipid-1 Expressed by Engineered <i>M. bovis</i> BCG Modulates Early Interaction with Human Phagocytes. <i>PLoS Pathogens</i> , 2010, 6, e1001159.	4.7	71
14	The role of mycobacterial lipids in host pathogenesis. <i>Drug Discovery Today Disease Mechanisms</i> , 2010, 7, e33-e41.	0.8	15
15	Phthiocerol Dimycocerosates of <i>M. tuberculosis</i> Participate in Macrophage Invasion by Inducing Changes in the Organization of Plasma Membrane Lipids. <i>PLoS Pathogens</i> , 2009, 5, e1000289.	4.7	200
16	Activation of the Lysosome-Associated p61Hck Isoform Triggers the Biogenesis of Podosomes. <i>Traffic</i> , 2005, 6, 682-694.	2.7	86
17	Mycobacteria use their surface-exposed glycolipids to infect human macrophages through a receptor-dependent process. <i>Journal of Lipid Research</i> , 2005, 46, 475-483.	4.2	86
18	Tyrosine phosphatase MptpA of <i>Mycobacterium tuberculosis</i> inhibits phagocytosis and increases actin polymerization in macrophages. <i>Research in Microbiology</i> , 2005, 156, 1005-1013.	2.1	45

#	ARTICLE	IF	CITATIONS
19	Surface-exposed Glycopeptidolipids of <i>Mycobacterium smegmatis</i> Specifically Inhibit the Phagocytosis of Mycobacteria by Human Macrophages. <i>Journal of Biological Chemistry</i> , 2003, 278, 51291-51300.	3.4	71
20	The impact of the absence of glycopeptidolipids on the ultrastructure, cell surface and cell wall properties, and phagocytosis of <i>Mycobacterium smegmatis</i> . <i>Microbiology (United Kingdom)</i> , 2002, 148, 3089-3100.	1.8	116
21	The protein tyrosine kinase Hck is located on lysosomal vesicles that are physically and functionally distinct from CD63-positive lysosomes in human macrophages. <i>Journal of Cell Science</i> , 2002, 115, 81-89.	2.0	44
22	The protein tyrosine kinase Hck is located on lysosomal vesicles that are physically and functionally distinct from CD63-positive lysosomes in human macrophages. <i>Journal of Cell Science</i> , 2002, 115, 81-9.	2.0	40
23	Nuclear gene OPA1, encoding a mitochondrial dynamin-related protein, is mutated in dominant optic atrophy. <i>Nature Genetics</i> , 2000, 26, 207-210.	21.4	1,275
24	Lipoarabinomannans Activate the Protein Tyrosine Kinase Hck in Human Neutrophils. <i>Infection and Immunity</i> , 2000, 68, 4827-4830.	2.2	12
25	The Mannose Receptor Mediates Uptake of Pathogenic and Nonpathogenic Mycobacteria and Bypasses Bactericidal Responses in Human Macrophages. <i>Infection and Immunity</i> , 1999, 67, 469-477.	2.2	221
26	Expression of Azurophil and specific granule proteins during differentiation of NB4 cells in neutrophils. <i>Journal of Cellular Physiology</i> , 1998, 175, 203-210.	4.1	23
27	Endothelin-3, Ca ²⁺ mobilization and cyclic GMP content in human platelets. <i>European Journal of Pharmacology</i> , 1996, 310, 67-72.	3.5	5
28	Endothelin-3 Decreases Ca ²⁺ Uptake in Platelet Membrane Vesicles. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 26, S145-147.	1.9	1
29	Different effects of endothelin-3 on the Ca ²⁺ discharge induced by agonists and Ca ²⁺ -ATPase inhibitors in human platelets. <i>British Journal of Pharmacology</i> , 1995, 114, 524-530.	5.4	5
30	Inhibitory Effect of Trimetazidine on Thrombin-Induced Aggregation and Calcium Entry into Human Platelets. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 23, 401-407.	1.9	5
31	Inhibitory Effect of Trimetazidine on Thrombin-Induced Aggregation and Calcium Entry into Human Platelets. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 23, 401-407.	1.9	18
32	Control of the erythrocyte free Ca ²⁺ concentration in essential hypertension. <i>Hypertension</i> , 1992, 19, 167-174.	2.7	81
33	Cytosolic pH in Cultured Cardiac Myocytes and Fibroblasts From Newborn Spontaneously Hypertensive Rats. <i>American Journal of Hypertension</i> , 1992, 5, 281-287.	2.0	8
34	<i>In vitro</i> inhibition by endothelins of thrombin-induced aggregation and Ca ²⁺ mobilization in human platelets. <i>British Journal of Pharmacology</i> , 1992, 106, 966-971.	5.4	21
35	Direct characterization of the Na ⁺ /H ⁺ -exchanger in human platelets. <i>FEBS Letters</i> , 1990, 277, 235-238.	2.8	8
36	Modulation by external Ca ²⁺ and nifedipine of Ca ²⁺ influx and cytosolic concentration in human erythrocytes. <i>Biochemical and Biophysical Research Communications</i> , 1990, 173, 954-960.	2.1	10

#	ARTICLE	IF	CITATIONS
37	Platelet cytosolic proton and free calcium concentrations in essential hypertension. Journal of Hypertension, 1989, 7, 485-491.	0.5	49