

# Xiao-Ye Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8043935/publications.pdf>

Version: 2024-02-01

148  
papers

8,337  
citations

41258

49  
h-index

53109

85  
g-index

150  
all docs

150  
docs citations

150  
times ranked

6333  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of new particle and secondary aerosol formation during summertime in Beijing, China. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 63, 382.	0.8	74
2	Characteristics of chemical composition and role of meteorological factors during heavy aerosol pollution episodes in northern Beijing area in autumn and winter of 2015. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 69, 1347484.	0.8	17
3	Aqueous-phase reactions occurred in the PM <sub>2.5</sub> ; cumulative explosive growth during the heavy pollution episode (HPE) in 2016 Beijing wintertime. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 71, 1620079.	0.8	20
4	Reflections on the threshold for PM <sub>2.5</sub> ; explosive growth in the cumulative stage of winter heavy aerosol pollution episodes (HPEs) in Beijing. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 71, 1528134.	0.8	22
5	On the fossil and non-fossil fuel sources of carbonaceous aerosol with radiocarbon and AMS-PMF methods during winter hazy days in a rural area of North China plain. <i>Environmental Research</i> , 2022, 208, 112672.	3.7	11
6	Aerosols Direct Radiative Effects Combined Ground-Based Lidar and Sun-Photometer Observations: Cases Comparison between Haze and Dust Events in Beijing. <i>Remote Sensing</i> , 2022, 14, 266.	1.8	8
7	Extensive characterization of aerosol optical properties and chemical component concentrations: Application of the GRASP/Component approach to long-term AERONET measurements. <i>Science of the Total Environment</i> , 2022, 812, 152553.	3.9	11
8	Effects of Different Aerosols on the Air Pollution and Their Relationship With Meteorological Parameters in North China Plain. <i>Frontiers in Environmental Science</i> , 2022, 10, .	1.5	3
9	Multi-Year Variation of Ozone and Particulate Matter in Northeast China Based on the Tracking Air Pollution in China (TAP) Data. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3830.	1.2	12
10	Differences in East Asian summer monsoon responses to Asian aerosol forcing under different emission inventories. <i>Advances in Climate Change Research</i> , 2022, 13, 309-322.	2.1	3
11	Evaluation of aerosol microphysical, optical and radiative properties measured with a multiwavelength photometer. <i>Atmospheric Measurement Techniques</i> , 2022, 15, 2139-2158.	1.2	1
12	Turbulent transport dissimilarities of particles, momentum, and heat. <i>Environmental Research</i> , 2022, 211, 113111.	3.7	3
13	The Role of Aerosol-Radiation Interaction in the Meteorology Prediction at the Weather Scale in the Numerical Weather Prediction Model. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	4
14	Reconstructing 6-hourly PM <sub>2.5</sub> datasets from 1960 to 2020 in China. <i>Earth System Science Data</i> , 2022, 14, 3197-3211.	3.7	23
15	Advances in sunphotometer-measured aerosol optical properties and related topics in China: Impetus and perspectives. <i>Atmospheric Research</i> , 2021, 249, 105286.	1.8	23
16	Climatology and trends of aerosol optical depth with different particle size and shape in northeast China from 2001 to 2018. <i>Science of the Total Environment</i> , 2021, 763, 142979.	3.9	12
17	Representations of dynamics size distributions of mineral dust over East Asia by a regional sand and dust storm model. <i>Atmospheric Research</i> , 2021, 250, 105403.	1.8	7
18	Attribution of the worse aerosol pollution in March 2018 in Beijing to meteorological variability. <i>Atmospheric Research</i> , 2021, 250, 105294.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Drivers of the rapid rise and daily-based accumulation in PM1. <i>Science of the Total Environment</i> , 2021, 760, 143394.	3.9	4
20	Aerosol optical properties and its type classification based on multiyear joint observation campaign in north China plain megalopolis. <i>Chemosphere</i> , 2021, 273, 128560.	4.2	12
21	A novel method of retrieving low visibility during heavily polluted episodes in the North China plain. <i>Atmospheric Environment: X</i> , 2021, 9, 100101.	0.8	1
22	Simultaneous measurements of PM1 and PM10 aerosol scattering properties and their relationships in urban Beijing: A two-year observation. <i>Science of the Total Environment</i> , 2021, 770, 145215.	3.9	7
23	Application of Turbulent Diffusion Term of Aerosols in Mesoscale Model. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL093199.	1.5	7
24	Biological crust in sand and dust storm source areas of Asia and its impact on dust emission. <i>Advances in Climate Change Research</i> , 2021, 12, 395-408.	2.1	5
25	Climatological variations in aerosol optical depth and aerosol type identification in Liaoning of Northeast China based on MODIS data from 2002 to 2019. <i>Science of the Total Environment</i> , 2021, 781, 146810.	3.9	23
26	The influence of stagnant and transport types weather on heavy pollution in the Yangtze-Huaihe valley, China. <i>Science of the Total Environment</i> , 2021, 792, 148393.	3.9	8
27	Validation of the aerosol optical property products derived by the GRASP/Component approach from multi-angular polarimetric observations. <i>Atmospheric Research</i> , 2021, 263, 105802.	1.8	17
28	Incorrect Asian aerosols affecting the attribution and projection of regional climate change in CMIP6 models. <i>Npj Climate and Atmospheric Science</i> , 2021, 4, .	2.6	56
29	Robust prediction of hourly PM2.5 from meteorological data using LightGBM. <i>National Science Review</i> , 2021, 8, nwa307.	4.6	59
30	Classification of the Circulation Patterns Related to Strong Dust Weather in China Using a Combination of the Lambâ€™s Jenkinson and k-Means Clustering Methods. <i>Atmosphere</i> , 2021, 12, 1545.	1.0	4
31	Nonlinear Enhancement of Radiative Absorption by Black Carbon in Response to Particle Mixing Structure. <i>Geophysical Research Letters</i> , 2021, 48, .	1.5	30
32	Significant Changes in Chemistry of Fine Particles in Wintertime Beijing from 2007 to 2017: Impact of Clean Air Actions. <i>Environmental Science &amp; Technology</i> , 2020, 54, 1344-1352.	4.6	84
33	Interdecadal variation in aerosol optical properties and their relationships to meteorological parameters over northeast China from 1980 to 2017. <i>Chemosphere</i> , 2020, 247, 125737.	4.2	15
34	Temporal and spatial variations of haze and fog and the characteristics of PM2.5 during heavy pollution episodes in China from 2013 to 2018. <i>Atmospheric Pollution Research</i> , 2020, 11, 1847-1856.	1.8	41
35	Retrievals of fine mode light-absorbing carbonaceous aerosols from POLDER/PARASOL observations over East and South Asia. <i>Remote Sensing of Environment</i> , 2020, 247, 111913.	4.6	40
36	How aerosol transport from the North China plain contributes to air quality in northeast China. <i>Science of the Total Environment</i> , 2020, 738, 139555.	3.9	27

#	ARTICLE	IF	CITATIONS
37	Construction of a virtual PM <sub>2.5</sub> observation network in China based on high-density surface meteorological observations using the Extreme Gradient Boosting model. <i>Environment International</i> , 2020, 141, 105801.	4.8	85
38	Evaluating the contributions of changed meteorological conditions and emission to substantial reductions of PM <sub>2.5</sub> concentration from winter 2016 to 2017 in Central and Eastern China. <i>Science of the Total Environment</i> , 2020, 716, 136892.	3.9	46
39	Impact of China's Air Pollution Prevention and Control Action Plan on PM <sub>2.5</sub> chemical composition over eastern China. <i>Science China Earth Sciences</i> , 2019, 62, 1872-1884.	2.3	105
40	Detection of New Dust Sources in Central/East Asia and Their Impact on Simulations of a Severe Sand and Dust Storm. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 10232-10247.	1.2	21
41	Long-term validation of MODIS C6 and C6.1 Dark Target aerosol products over China using CARSNET and AERONET. <i>Chemosphere</i> , 2019, 236, 124268.	4.2	46
42	The effects of the "two-way feedback mechanism" on the maintenance of persistent heavy aerosol pollution over areas with relatively light aerosol pollution in northwest China. <i>Science of the Total Environment</i> , 2019, 688, 642-652.	3.9	10
43	A Critical Evaluation of Deep Blue Algorithm Derived AVHRR Aerosol Product Over China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 12173-12193.	1.2	8
44	Large contribution of meteorological factors to inter-decadal changes in regional aerosol optical depth. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 10497-10523.	1.9	169
45	Spatial distribution of aerosol microphysical and optical properties and direct radiative effect from the China Aerosol Remote Sensing Network. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 11843-11864.	1.9	101
46	Satellite-derived PM <sub>2.5</sub> concentration trends over Eastern China from 1998 to 2016: Relationships to emissions and meteorological parameters. <i>Environmental Pollution</i> , 2019, 247, 1125-1133.	3.7	176
47	Vertical observations of the atmospheric boundary layer structure over Beijing urban area during air pollution episodes. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 6949-6967.	1.9	48
48	Climatology of mixing layer height in China based on multi-year meteorological data from 2000 to 2013. <i>Atmospheric Environment</i> , 2019, 213, 90-103.	1.9	22
49	The impact of meteorological changes from 2013 to 2017 on PM <sub>2.5</sub> mass reduction in key regions in China. <i>Science China Earth Sciences</i> , 2019, 62, 1885-1902.	2.3	157
50	Five-year observation of aerosol optical properties and its radiative effects to planetary boundary layer during air pollution episodes in North China: Intercomparison of a plain site and a mountainous site in Beijing. <i>Science of the Total Environment</i> , 2019, 674, 140-158.	3.9	38
51	The "two-way feedback mechanism" between unfavorable meteorological conditions and cumulative PM <sub>2.5</sub> mass existing in polluted areas south of Beijing. <i>Atmospheric Environment</i> , 2019, 208, 1-9.	1.9	33
52	Understanding of Aerosol-Climate Interactions in China: Aerosol Impacts on Solar Radiation, Temperature, Cloud, and Precipitation and Its Changes Under Future Climate and Emission Scenarios. <i>Current Pollution Reports</i> , 2019, 5, 36-51.	3.1	39
53	Impacts of the near-surface urban boundary layer structure on PM <sub>2.5</sub> concentrations in Beijing during winter. <i>Science of the Total Environment</i> , 2019, 669, 493-504.	3.9	28
54	The two-way feedback mechanism between unfavorable meteorological conditions and cumulative aerosol pollution in various haze regions of China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 3287-3306.	1.9	97

#	ARTICLE	IF	CITATIONS
55	Aerosol and gaseous pollutant characteristics during the heating season (winter–spring transition) in the Harbin-Changchun megalopolis, northeastern China. <i>Journal of Atmospheric and Solar-Terrestrial Physics</i> , 2019, 188, 26-43.	0.6	14
56	Relatively weak meteorological feedback effect on PM <sub>2.5</sub> mass change in Winter 2017/18 in the Beijing area: Observational evidence and machine-learning estimations. <i>Science of the Total Environment</i> , 2019, 664, 140-147.	3.9	14
57	Aerosol vertical distribution and optical properties of different pollution events in Beijing in autumn 2017. <i>Atmospheric Research</i> , 2019, 215, 193-207.	1.8	34
58	Variation in MERRA-2 aerosol optical depth over the Yangtze River Delta from 1980 to 2016. <i>Theoretical and Applied Climatology</i> , 2019, 136, 363-375.	1.3	33
59	Interdecadal changes of summer aerosol pollution in the Yangtze River Basin of China, the relative influence of meteorological conditions and the relation to climate change. <i>Science of the Total Environment</i> , 2018, 630, 46-52.	3.9	17
60	Comparison of Submicron Particles at a Rural and an Urban Site in the North China Plain during the December 2016 Heavy Pollution Episodes. <i>Journal of Meteorological Research</i> , 2018, 32, 26-37.	0.9	18
61	Enhancement of PM <sub>2.5</sub> Concentrations by Aerosol–Meteorology Interactions Over China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 1179-1194.	1.2	51
62	Key Role of Nitrate in Phase Transitions of Urban Particles: Implications of Important Reactive Surfaces for Secondary Aerosol Formation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 1234-1243.	1.2	81
63	Feedback effects of boundary-layer meteorological factors on cumulative explosive growth of PM <sub>2.5</sub> during winter heavy pollution episodes in Beijing from 2013 to 2016. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 247-258.	1.9	196
64	Aerosol optical characteristics and their vertical distributions under enhanced haze pollution events: effect of the regional transport of different aerosol types over eastern China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 2949-2971.	1.9	69
65	Aerosol optical properties and direct radiative forcing based on measurements from the China Aerosol Remote Sensing Network (CARSNET) in eastern China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 405-425.	1.9	113
66	Aerosol Hygroscopicity during the Haze Red-Alert Period in December 2016 at a Rural Site of the North China Plain. <i>Journal of Meteorological Research</i> , 2018, 32, 38-48.	0.9	11
67	Chemical Components, Variation, and Source Identification of PM <sub>1</sub> during the Heavy Air Pollution Episodes in Beijing in December 2016. <i>Journal of Meteorological Research</i> , 2018, 32, 1-13.	0.9	28
68	Heavy aerosol pollution episodes in winter Beijing enhanced by radiative cooling effects of aerosols. <i>Atmospheric Research</i> , 2018, 209, 59-64.	1.8	74
69	The variation in visibility and its relationship with surface wind speed in China from 1960 to 2009. <i>Theoretical and Applied Climatology</i> , 2018, 131, 335-347.	1.3	7
70	The interdecadal worsening of weather conditions affecting aerosol pollution in the Beijing area in relation to climate warming. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 5991-5999.	1.9	79
71	Direct Observations of Fine Primary Particles From Residential Coal Burning: Insights Into Their Morphology, Composition, and Hygroscopicity. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 12,964.	1.2	61
72	Contributions to the explosive growth of PM <sub>2.5</sub> mass due to aerosol–radiation feedback and decrease in turbulent diffusion during a red alert heavy haze in Beijing–Tianjin–Hebei, China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 17717-17733.	1.9	59

#	ARTICLE	IF	CITATIONS
73	Multiyear Ground-Based Measurements of Aerosol Optical Properties and Direct Radiative Effect Over Different Surface Types in Northeastern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 13,887.	1.2	27
74	Variations of Haze Pollution in China Modulated by Thermal Forcing of the Western Pacific Warm Pool. <i>Atmosphere</i> , 2018, 9, 314.	1.0	9
75	Mitigation of severe urban haze pollution by a precision air pollution control approach. <i>Scientific Reports</i> , 2018, 8, 8151.	1.6	15
76	Additional Intensification of Seasonal Heat and Flooding Extreme Over China in a 2°C Warmer World Compared to 1.5°C. <i>Earth's Future</i> , 2018, 6, 968-978.	2.4	32
77	Aerosol Vertical Distribution and Typical Air Pollution Episodes over Northeastern China during 2016 Analyzed by Ground-based Lidar. <i>Aerosol and Air Quality Research</i> , 2018, 18, 918-93.	0.9	21
78	Particulate matter pollution over China and the effects of control policies. <i>Science of the Total Environment</i> , 2017, 584-585, 426-447.	3.9	252
79	Air pollution "aerosol interactions produce more bioavailable iron for ocean ecosystems. <i>Science Advances</i> , 2017, 3, e1601749.	4.7	182
80	Scenario dependence of future changes in climate extremes under 1.5°C and 2°C global warming. <i>Scientific Reports</i> , 2017, 7, 46432.	1.6	91
81	Increasing Ammonia Concentrations Reduce the Effectiveness of Particle Pollution Control Achieved via SO <sub>2</sub> and NO <sub>x</sub> Emissions Reduction in East China. <i>Environmental Science and Technology Letters</i> , 2017, 4, 221-227.	3.9	142
82	Chemical composition, source, and process of urban aerosols during winter haze formation in Northeast China. <i>Environmental Pollution</i> , 2017, 231, 357-366.	3.7	89
83	On the influence of atmospheric super-saturation layer on China's heavy haze-fog events. <i>Atmospheric Environment</i> , 2017, 171, 261-271.	1.9	20
84	Relative contributions of boundary-layer meteorological factors to the explosive growth of PM <sub>2.5</sub> during the red-alert heavy pollution episodes in Beijing in December 2016. <i>Journal of Meteorological Research</i> , 2017, 31, 809-819.	0.9	115
85	Aerosol optical properties observation and its relationship to meteorological conditions and emission during the Chinese National Day and Spring Festival holiday in Beijing. <i>Atmospheric Research</i> , 2017, 197, 188-200.	1.8	23
86	Morphology, composition, and mixing state of primary particles from combustion sources " crop residue, wood, and solid waste. <i>Scientific Reports</i> , 2017, 7, 5047.	1.6	66
87	The Relationship of PM Variation with Visibility and Mixing-Layer Height under Hazy/Foggy Conditions in the Multi-Cities of Northeast China. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 471.	1.2	32
88	Optical and radiative properties of aerosols during a severe haze episode over the North China Plain in December 2016. <i>Journal of Meteorological Research</i> , 2017, 31, 1045-1061.	0.9	12
89	Direct observations of organic aerosols in common wintertime hazes in North China: insights into direct emissions from Chinese residential stoves. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 1259-1270.	1.9	56
90	Aerosol Optical Properties over Beijing during the World Athletics Championships and Victory Day Military Parade in August and September 2015. <i>Atmosphere</i> , 2016, 7, 47.	1.0	16

#	ARTICLE	IF	CITATIONS
91	Investigation of the Optical Properties of Aerosols over the Coastal Region at Dalian, Northeast China. <i>Atmosphere</i> , 2016, 7, 103.	1.0	6
92	The updated effective radiative forcing of major anthropogenic aerosols and their effects on global climate at present and in the future. <i>International Journal of Climatology</i> , 2016, 36, 4029-4044.	1.5	34
93	Projected response of East Asian summer monsoon system to future reductions in emissions of anthropogenic aerosols and their precursors. <i>Climate Dynamics</i> , 2016, 47, 1455-1468.	1.7	27
94	Advances in studying interactions between aerosols and monsoon in China. <i>Science China Earth Sciences</i> , 2016, 59, 1-16.	2.3	153
95	Effect of cold wave on winter visibility over eastern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 2394-2406.	1.2	37
96	Analyses of aerosol optical properties and direct radiative forcing over urban and industrial regions in Northeast China. <i>Meteorology and Atmospheric Physics</i> , 2015, 127, 345-354.	0.9	46
97	Aerosol optical properties under the condition of heavy haze over an urban site of Beijing, China. <i>Environmental Science and Pollution Research</i> , 2015, 22, 1043-1053.	2.7	95
98	Effect of aluminium dust on secondary organic aerosol formation in m-xylene/NO <sub>x</sub> photo-oxidation. <i>Science China Earth Sciences</i> , 2015, 58, 245-254.	2.3	8
99	Uncertainties in anthropogenic aerosol concentrations and direct radiative forcing induced by emission inventories in eastern China. <i>Atmospheric Research</i> , 2015, 166, 129-140.	1.8	16
100	Application of aerosol optical properties to estimate aerosol type from ground-based remote sensing observation at urban area of northeastern China. <i>Journal of Atmospheric and Solar-Terrestrial Physics</i> , 2015, 132, 37-47.	0.6	29
101	Some reflections on researches of Future Earth changes in air quality and climate. <i>Advances in Climate Change Research</i> , 2015, 6, 126-130.	2.1	2
102	Fine Mode Aerosol Optical Properties Related to Cloud and Fog Processing over a Cluster of Cities in Northeast China. <i>Aerosol and Air Quality Research</i> , 2015, 15, 2065-2081.	0.9	11
103	Aerosol Optical Properties Retrieved from a Prede Sky Radiometer over an Urban Site of Beijing, China. <i>Journal of the Meteorological Society of Japan</i> , 2014, 92A, 17-31.	0.7	7
104	Satellite observed aerosol-induced variability in warm cloud properties under different meteorological conditions over eastern China. <i>Atmospheric Environment</i> , 2014, 84, 122-132.	1.9	72
105	Pathways of sulfate enhancement by natural and anthropogenic mineral aerosols in China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 14,165.	1.2	110
106	Mixing state and hygroscopicity of dust and haze particles before leaving Asian continent. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 1044-1059.	1.2	67
107	Asian Dust, Eolian Iron and Black Carbon—Connections to Climate Changes. <i>Developments in Paleoenvironmental Research</i> , 2014, , 339-433.	7.5	2
108	Seasonal characterization of components and size distributions for submicron aerosols in Beijing. <i>Science China Earth Sciences</i> , 2013, 56, 890-900.	2.3	53

#	ARTICLE	IF	CITATIONS
109	Aerosol optical properties over urban and industrial region of Northeast China by using ground-based sun-photometer measurement. <i>Atmospheric Environment</i> , 2013, 75, 270-278.	1.9	52
110	Characteristics of visibility and particulate matter (PM) in an urban area of Northeast China. <i>Atmospheric Pollution Research</i> , 2013, 4, 427-434.	1.8	109
111	æˆˆàˆˆ1/2éˆˆ3/4-éceˆˆ3/4æˆˆàˆˆăă...ŕæˆˆ2»çŕçš,,æ€€è€f. <i>Chinese Science Bulletin</i> , 2013, 58, 1178-1187.	0.4	151
112	Haze particles over a coalâ€ burning region in the China Loess Plateau in winter: Three flight missions in December 2010. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	13
113	Simulation of direct radiative forcing of aerosols and their effects on East Asian climate using an interactive AGCM-aerosol coupled system. <i>Climate Dynamics</i> , 2012, 38, 1675-1693.	1.7	130
114	Synergy of satellite and ground based observations in estimation of particulate matter in eastern China. <i>Science of the Total Environment</i> , 2012, 433, 20-30.	3.9	89
115	Practical Paths towards Lowering Black Carbon Emissions. <i>Advances in Climate Change Research</i> , 2011, 2, 12-22.	2.1	2
116	Spatio-temporal variation trends of satellite-based aerosol optical depth in China during 1980â€2008. <i>Atmospheric Environment</i> , 2011, 45, 6802-6811.	1.9	184
117	Global sand and dust storms in 2008: Observation and HYSPLIT model verification. <i>Atmospheric Environment</i> , 2011, 45, 6368-6381.	1.9	67
118	Emission inventories of primary particles and pollutant gases for China. <i>Science Bulletin</i> , 2011, 56, 781-788.	1.7	120
119	Modeling study of aerosol indirect effects on global climate with an AGCM. <i>Advances in Atmospheric Sciences</i> , 2010, 27, 1064-1077.	1.9	12
120	Highly time- and size-resolved characterization of submicron aerosol particles in Beijing using an Aerodyne Aerosol Mass Spectrometer. <i>Atmospheric Environment</i> , 2010, 44, 131-140.	1.9	242
121	Monitoring haze episodes over the Yellow Sea by combining multisensor measurements. <i>International Journal of Remote Sensing</i> , 2010, 31, 4743-4755.	1.3	34
122	Radiative feedback of dust aerosols on the East Asian dust storms. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	50
123	Aerosol background at two remote CAWNET sites in western China. <i>Science of the Total Environment</i> , 2009, 407, 3518-3529.	3.9	35
124	Study on the aerosol optical properties and their relationship with aerosol chemical compositions over three regional background stations in China. <i>Atmospheric Environment</i> , 2009, 43, 1093-1099.	1.9	56
125	Correlation between PM concentrations and aerosol optical depth in eastern China. <i>Atmospheric Environment</i> , 2009, 43, 5876-5886.	1.9	197
126	Haze trends over the capital cities of 31 provinces in China, 1981â€2005. <i>Theoretical and Applied Climatology</i> , 2009, 97, 235-242.	1.3	162



#	ARTICLE	IF	CITATIONS
127	Aerosol optical properties and its radiative forcing over Yulin, China in 2001 and 2002. <i>Advances in Atmospheric Sciences</i> , 2009, 26, 564-576.	1.9	32
128	A synergic algorithm for retrieval of aerosol optical depth over land. <i>Advances in Atmospheric Sciences</i> , 2009, 26, 973-983.	1.9	8
129	A new method to retrieve aerosol optical thickness from satellite images on a parallel system. <i>Particology</i> , 2009, 7, 392-398.	2.0	3
130	Aerosol optical thickness retrieval over non-Lambertian land surface with synergistic use of AATSR radiance measurements and MODIS derived Albedo Model Parameters. <i>Atmospheric Research</i> , 2009, 93, 736-746.	1.8	8
131	Instrument calibration and aerosol optical depth validation of the China Aerosol Remote Sensing Network. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	228
132	Estimation of emissions from field burning of crop straw in China. <i>Science Bulletin</i> , 2008, 53, 784-790.	1.7	167
133	Investigation on emission factors of particulate matter and gaseous pollutants from crop residue burning. <i>Journal of Environmental Sciences</i> , 2008, 20, 50-55.	3.2	188
134	Horizontal visibility trends in China 1981-2005. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	206
135	Relationships between dust storms and dryness-wetness in middle-eastern china during 1470-1950. <i>Particology: Science and Technology of Particles</i> , 2006, 4, 20-24.	0.4	1
136	Mass concentration and mineralogical characteristics of aerosol particles collected at Dunhuang during ACE-Asia. <i>Advances in Atmospheric Sciences</i> , 2006, 23, 291-298.	1.9	28
137	Validating a dust production model by field experiment in Mu Us Desert, China. <i>Science Bulletin</i> , 2006, 51, 878-884.	4.3	6
138	Inventory of black carbon and organic carbon emissions from China. <i>Atmospheric Environment</i> , 2006, 40, 6516-6527.	1.9	350
139	Characteristics of clay minerals in asian dust and their environmental significance. <i>Particology: Science and Technology of Particles</i> , 2005, 3, 260-264.	0.4	28
140	A study of the scaling height of the tropospheric aerosol and its extinction coefficient profile. <i>Journal of Aerosol Science</i> , 2005, 36, 361-371.	1.8	27
141	Characterization of MASDs of surface soils in north China and its influence on estimating dust emission. <i>Science Bulletin</i> , 2004, 49, 2169-2176.	1.7	24
142	Analyses of the spring dust storm frequency of northern China in relation to antecedent and concurrent wind, precipitation, vegetation, and soil moisture conditions. <i>Journal of Geophysical Research</i> , 2004, 109, .	3.3	166
143	Characteristics of the imaginary part and single-scattering albedo of urban aerosols in northern China. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2004, 56, 276-284.	0.8	20
144	Characterization of Dust Storms to Hong Kong in April 1998. <i>Water, Air and Soil Pollution</i> , 2003, 3, 213-229.	0.8	26

#	ARTICLE	IF	CITATIONS
145	Spatial and seasonal distributions of atmospheric carbonaceous aerosols in pearl river delta region, china. Particuology: Science and Technology of Particles, 2003, 1, 33-37.	0.4	41
146	Comparison analysis of AVHRR LST data and TSP data in a dust sources region. , 2003, 5286, 356.		1
147	Late Quaternary Records of the Atmospheric Input of Eolian Dust to the Center of the Chinese Loess Plateau. Quaternary Research, 1994, 41, 35-43.	1.0	70
148	Atmospheric trace elements over source regions for Chinese dust: concentrations, sources and atmospheric deposition on the Loess plateau. Atmospheric Environment Part A General Topics, 1993, 27, 2051-2067.	1.3	139