

Anthony R White

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8044225/publications.pdf>

Version: 2024-02-01

160
papers

14,444
citations

53939

47
h-index

23173

116
g-index

177
all docs

177
docs citations

177
times ranked

24738
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-Cell RNA-Seq Analysis of Olfactory Mucosal Cells of Alzheimer's Disease Patients. <i>Cells</i> , 2022, 11, 676.	1.8	20
2	ALS monocyte-derived microglia-like cells reveal cytoplasmic TDP-43 accumulation, DNA damage, and cell-specific impairment of phagocytosis associated with disease progression. <i>Journal of Neuroinflammation</i> , 2022, 19, 58.	3.1	43
3	"Focused Ultrasound-mediated Drug Delivery in Humans" a Path Towards Translation in Neurodegenerative Diseases. <i>Pharmaceutical Research</i> , 2022, 39, 427-439.	1.7	16
4	Biometal Dyshomeostasis in Olfactory Mucosa of Alzheimer's Disease Patients. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4123.	1.8	3
5	Neuron-astrocyte transmitophagy is altered in Alzheimer's disease. <i>Neurobiology of Disease</i> , 2022, 170, 105753.	2.1	27
6	Recent Advances in Microglia Modelling to Address Translational Outcomes in Neurodegenerative Diseases. <i>Cells</i> , 2022, 11, 1662.	1.8	6
7	Potential Impacts of Extreme Heat and Bushfires on Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 969-978.	1.2	15
8	Chronic stress and Alzheimer's disease: the interplay between the hypothalamic-pituitary-adrenal axis, genetics and microglia. <i>Biological Reviews</i> , 2021, 96, 2209-2228.	4.7	37
9	Increased iron content in the heart of the Fmr1 knockout mouse. <i>BioMetals</i> , 2021, 34, 947-954.	1.8	5
10	Regular Physical Exercise Modulates Iron Homeostasis in the 5xFAD Mouse Model of Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8715.	1.8	10
11	Copper Imbalance in Alzheimer's Disease and Its Link with the Amyloid Hypothesis: Towards a Combined Clinical, Chemical, and Genetic Etiology. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 23-41.	1.2	31
12	Integrative Network-Based Analysis Reveals Gene Networks and Novel Drug Repositioning Candidates for Alzheimer Disease. <i>Neurology: Genetics</i> , 2021, 7, e622.	0.9	17
13	Editorial: Air pollution and brain health. <i>Neurochemistry International</i> , 2020, 141, 104900.	1.9	2
14	Urban air particulate matter induces mitochondrial dysfunction in human olfactory mucosal cells. <i>Particle and Fibre Toxicology</i> , 2020, 17, 18.	2.8	36
15	Olfactory cell cultures to investigate health effects of air pollution exposure: Implications for neurodegeneration. <i>Neurochemistry International</i> , 2020, 136, 104729.	1.9	15
16	The potential impact of bushfire smoke on brain health. <i>Neurochemistry International</i> , 2020, 139, 104796.	1.9	20
17	Altered Brain Endothelial Cell Phenotype from a Familial Alzheimer Mutation and Its Potential Implications for Amyloid Clearance and Drug Delivery. <i>Stem Cell Reports</i> , 2020, 14, 924-939.	2.3	63
18	If Human Brain Organoids Are the Answer to Understanding Dementia, What Are the Questions?. <i>Neuroscientist</i> , 2020, 26, 438-454.	2.6	23

#	ARTICLE	IF	CITATIONS
19	Modification of Biodistribution and Brain Uptake of Copper Bis(thiosemicarbazonato) Complexes by the Incorporation of Amine and Polyamine Functional Groups. <i>Inorganic Chemistry</i> , 2019, 58, 4540-4552.	1.9	25
20	Nexus between mitochondrial function, iron, copper and glutathione in Parkinson's disease. <i>Neurochemistry International</i> , 2018, 117, 126-138.	1.9	46
21	Effect of Structural Modifications to Glyoxal-bis(thiosemicarbazonato)copper(II) Complexes on Cellular Copper Uptake, Copper-Mediated ATP7A Trafficking, and P-Glycoprotein Mediated Efflux. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 711-723.	2.9	21
22	Cull(at5m) Attenuates Neuroinflammation. <i>Frontiers in Neuroscience</i> , 2018, 12, 668.	1.4	26
23	Failure of Autophagyâ€“Lysosomal Pathways in Rod Photoreceptors Causes the Early Retinal Degeneration Phenotype Observed in <i>Cln6^{ncf}</i> Mice. , 2018, 59, 5082.		27
24	3D human brain cell models: New frontiers in disease understanding and drug discovery for neurodegenerative diseases. <i>Neurochemistry International</i> , 2018, 120, 191-199.	1.9	27
25	HX600, a synthetic agonist for RXR-Nurr1 heterodimer complex, prevents ischemia-induced neuronal damage. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 670-681.	2.0	29
26	The accumulation of enzymatically inactive cuproenzymes is a CNS-specific phenomenon of the SOD1G37R mouse model of ALS and can be restored by overexpressing the human copper transporter hCTR1. <i>Experimental Neurology</i> , 2018, 307, 118-128.	2.0	15
27	Cull(at5m) improves the neurological phenotype and survival of SOD1G93A mice and selectively increases enzymatically active SOD1 in the spinal cord. <i>Scientific Reports</i> , 2017, 7, 42292.	1.6	70
28	Adamantyl- and other polycyclic cage-based conjugates of desferrioxamine B (DFOB) for treating iron-mediated toxicity in cell models of Parkinsonâ€™s disease. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1698-1704.	1.0	10
29	Abnormal Function of Metalloproteins Underlies Most Neurodegenerative Diseases. , 2017, , 415-438.		2
30	TDP-43 mutations causing amyotrophic lateral sclerosis are associated with altered expression of RNA-binding protein hnRNP K and affect the Nrf2 antioxidant pathway. <i>Human Molecular Genetics</i> , 2017, 26, 1732-1746.	1.4	62
31	Typeâ€“1 interferons in Parkinson's disease: innate inflammatory response drives fate of neurons in model of degenerative brain disorder. <i>Journal of Neurochemistry</i> , 2017, 141, 9-11.	2.1	3
32	The Copper bis(thiosemicarbazone) Complex Cull(at5m) Is Protective Against Cerebral Ischemia Through Modulation of the Inflammatory Milieu. <i>Neurotherapeutics</i> , 2017, 14, 519-532.	2.1	42
33	Disease-Induced Alterations in Brain Drug Transporters in Animal Models of Alzheimerâ€™s Disease. <i>Pharmaceutical Research</i> , 2017, 34, 2652-2662.	1.7	11
34	Copper and Alzheimerâ€™s Disease. <i>Advances in Neurobiology</i> , 2017, 18, 199-216.	1.3	71
35	Loss of CLN5 causes altered neurogenesis in a childhood neurodegenerative disorder. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 1089-1100.	1.2	14
36	Copper and Molecular Aspects of Cell Signaling. , 2017, , 85-99.		1

#	ARTICLE	IF	CITATIONS
37	Endogenous Cu in the central nervous system fails to satiate the elevated requirement for Cu in a mutant SOD1 mouse model of ALS. <i>Metallomics</i> , 2016, 8, 1002-1011.	1.0	28
38	Circumventing the Crabtree Effect: A method to induce lactate consumption and increase oxidative phosphorylation in cell culture. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 79, 128-138.	1.2	38
39	X-ray fluorescence microscopic measurement of elemental distribution in the mouse retina with age. <i>Metallomics</i> , 2016, 8, 1110-1121.	1.0	5
40	Enhancing survival motor neuron expression extends lifespan and attenuates neurodegeneration in mutant TDP-43 mice. <i>Human Molecular Genetics</i> , 2016, 25, 4080-4093.	1.4	22
41	Restoration of intestinal function in an MPTP model of Parkinson's Disease. <i>Scientific Reports</i> , 2016, 6, 30269.	1.6	25
42	A greater focus on metals in biomedicine and neuroscience is needed. <i>BMC Pharmacology & Toxicology</i> , 2016, 17, 53.	1.0	4
43	Pyrrolidine dithiocarbamate activates the Nrf2 pathway in astrocytes. <i>Journal of Neuroinflammation</i> , 2016, 13, 49.	3.1	38
44	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
45	Advances in the Development of Disease-Modifying Treatments for Amyotrophic Lateral Sclerosis. <i>CNS Drugs</i> , 2016, 30, 227-243.	2.7	36
46	Protein Labelling with Versatile Phosphorescent Metal Complexes for Live Cell Luminescence Imaging. <i>Chemistry - A European Journal</i> , 2015, 21, 14146-14155.	1.7	20
47	Editorial: Metals and neurodegeneration: restoring the balance. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 127.	1.7	30
48	Metal-deficient SOD1 in amyotrophic lateral sclerosis. <i>Journal of Molecular Medicine</i> , 2015, 93, 481-487.	1.7	51
49	Intracellular Distribution of Fluorescent Copper and Zinc Bis(thiosemicarbazonato) Complexes Measured with Fluorescence Lifetime Spectroscopy. <i>Inorganic Chemistry</i> , 2015, 54, 9556-9567.	1.9	24
50	ZnII(atm) is protective in amyotrophic lateral sclerosis model mice via a copper delivery mechanism. <i>Neurobiology of Disease</i> , 2015, 81, 20-24.	2.1	28
51	Toward Hypoxia-Selective Rhenium and Technetium Tricarbonyl Complexes. <i>Inorganic Chemistry</i> , 2015, 54, 9594-9610.	1.9	24
52	Phosphorylation of hnRNP K by cyclin-dependent kinase 2 controls cytosolic accumulation of TDP-43. <i>Human Molecular Genetics</i> , 2015, 24, 1655-1669.	1.4	48
53	Increased metal content in the TDP-43A315T transgenic mouse model of frontotemporal lobar degeneration and amyotrophic lateral sclerosis. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 15.	1.7	37
54	Copper as a key regulator of cell signalling pathways. <i>Expert Reviews in Molecular Medicine</i> , 2014, 16, e11.	1.6	139

#	ARTICLE	IF	CITATIONS
55	Heterogeneous nuclear ribonucleoproteins in amyotrophic lateral sclerosis: what do we know?. <i>Future Neurology</i> , 2014, 9, 173-185.	0.9	1
56	Phosphorylation of Amyloid Precursor Protein at Threonine 668 Is Essential for Its Copper-responsive Trafficking in SH-SY5Y Neuroblastoma Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 11007-11019.	1.6	41
57	Deregulation of biometal homeostasis: the missing link for neuronal ceroid lipofuscinoses?. <i>Metallomics</i> , 2014, 6, 932-943.	1.0	27
58	Mitochondrial metals as a potential therapeutic target in neurodegeneration. <i>British Journal of Pharmacology</i> , 2014, 171, 2159-2173.	2.7	27
59	X-ray fluorescence imaging reveals subcellular biometal disturbances in a childhood neurodegenerative disorder. <i>Chemical Science</i> , 2014, 5, 2503-2516.	3.7	38
60	Oral Treatment with Cull(atm) Increases Mutant SOD1 In Vivo but Protects Motor Neurons and Improves the Phenotype of a Transgenic Mouse Model of Amyotrophic Lateral Sclerosis. <i>Journal of Neuroscience</i> , 2014, 34, 8021-8031.	1.7	161
61	Deregulation of subcellular biometal homeostasis through loss of the metal transporter, Zip7, in a childhood neurodegenerative disorder. <i>Acta Neuropathologica Communications</i> , 2014, 2, 25.	2.4	37
62	Localized changes to glycogen synthase kinase-3 and collapsin response mediator protein-2 in the Huntington's disease affected brain. <i>Human Molecular Genetics</i> , 2014, 23, 4051-4063.	1.4	41
63	Neuroprotective Copper Bis(thiosemicarbazonato) Complexes Promote Neurite Elongation. <i>PLoS ONE</i> , 2014, 9, e90070.	1.1	39
64	Therapeutic effects of Cu ^{II} (atm) in the SOD1-G37R mouse model of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 586-590.	1.1	82
65	Phosphorylation of hnRNP K controls cytosolic accumulation of TDP-43. <i>Molecular Neurodegeneration</i> , 2013, 8, P46.	4.4	3
66	Profiling the iron, copper and zinc content in primary neuron and astrocyte cultures by rapid online quantitative size exclusion chromatography-inductively coupled plasma-mass spectrometry. <i>Metallomics</i> , 2013, 5, 1656.	1.0	39
67	Copper modulates the large dense core vesicle secretory pathway in PC12 cells. <i>Metallomics</i> , 2013, 5, 700.	1.0	10
68	Lipophilic adamantyl- or deferasirox-based conjugates of desferrioxamine B have enhanced neuroprotective capacity: implications for Parkinson disease. <i>Free Radical Biology and Medicine</i> , 2013, 60, 147-156.	1.3	26
69	Oxidative stress and neurodegeneration. <i>Neurochemistry International</i> , 2013, 62, 521.	1.9	5
70	Immunotherapeutic approaches in prion disease: progress, challenges and potential directions. <i>Therapeutic Delivery</i> , 2013, 4, 615-628.	1.2	4
71	Altered biometal homeostasis is associated with CLN6 mRNA loss in mouse neuronal ceroid lipofuscinosis. <i>Biology Open</i> , 2013, 2, 635-646.	0.6	27
72	Mild Oxidative Stress Induces Redistribution of BACE1 in Non-Apoptotic Conditions and Promotes the Amyloidogenic Processing of Alzheimer's Disease Amyloid Precursor Protein. <i>PLoS ONE</i> , 2013, 8, e61246.	1.1	55

#	ARTICLE	IF	CITATIONS
73	Biometals in rare neurodegenerative disorders of childhood. <i>Frontiers in Aging Neuroscience</i> , 2013, 5, 14.	1.7	10
74	Neuroinflammation and Copper in Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2013, 2013, 1-12.	1.1	47
75	Increased Zinc and Manganese in Parallel with Neurodegeneration, Synaptic Protein Changes and Activation of Akt/GSK3 Signaling in Ovine CLN6 Neuronal Ceroid Lipofuscinosis. <i>PLoS ONE</i> , 2013, 8, e58644.	1.1	28
76	Kinase Inhibitor Screening Identifies Cyclin-Dependent Kinases and Glycogen Synthase Kinase 3 as Potential Modulators of TDP-43 Cytosolic Accumulation during Cell Stress. <i>PLoS ONE</i> , 2013, 8, e67433.	1.1	50
77	An impaired mitochondrial electron transport chain increases retention of the hypoxia imaging agent diacetylbis(4-methylthiosemicarbazato)copper(II). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 47-52.	3.3	101
78	The challenges of using a copper fluorescent sensor (CS1) to track intracellular distributions of copper in neuronal and glial cells. <i>Chemical Science</i> , 2012, 3, 2748.	3.7	43
79	The hypoxia imaging agent Cull(atsm) is neuroprotective and improves motor and cognitive functions in multiple animal models of Parkinson's disease. <i>Journal of Experimental Medicine</i> , 2012, 209, 837-854.	4.2	151
80	Endogenous TDP-43 localized to stress granules can subsequently form protein aggregates. <i>Neurochemistry International</i> , 2012, 60, 415-424.	1.9	125
81	Conjugation of Transferrin to Azide-Modified CdSe/ZnS Core-Shell Quantum Dots using Cyclooctyne Click Chemistry. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 10523-10527.	7.2	87
82	Copper complexes as therapeutic agents. <i>Metallomics</i> , 2012, 4, 127-138.	1.0	247
83	Inhibition of TDP-43 Accumulation by Bis(thiosemicarbazato)-Copper Complexes. <i>PLoS ONE</i> , 2012, 7, e42277.	1.1	44
84	Therapeutic Treatment of Alzheimer's Disease Using Metal Complexing Agents. , 2012, , 106-122.		0
85	Mechanisms Controlling the Cellular Accumulation of Copper Bis(thiosemicarbazato) Complexes. <i>Inorganic Chemistry</i> , 2011, 50, 9594-9605.	1.9	76
86	Subcellular localization of a fluorescent derivative of Cull(atsm) offers insight into the neuroprotective action of Cull(atsm). <i>Metallomics</i> , 2011, 3, 1280.	1.0	17
87	Diacetylbis(N(4)-methylthiosemicarbazato) Copper(II) (Cull(atsm)) Protects against Peroxynitrite-induced Nitrosative Damage and Prolongs Survival in Amyotrophic Lateral Sclerosis Mouse Model. <i>Journal of Biological Chemistry</i> , 2011, 286, 44035-44044.	1.6	123
88	Copper(II) complexes of hybrid hydroxyquinoline-thiosemicarbazone ligands: GSK3 β inhibition due to intracellular delivery of copper. <i>Dalton Transactions</i> , 2011, 40, 1338-1347.	1.6	39
89	Metals and Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-2.	1.1	10
90	Effect of Metal Chelators on β -Secretase Indicates That Calcium and Magnesium Ions Facilitate Cleavage of Alzheimer Amyloid Precursor Substrate. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-10.	1.1	21

#	ARTICLE	IF	CITATIONS
91	Targeting Glycogen Synthase Kinase-3 for Therapeutic Benefit against Oxidative Stress in Alzheimer's Disease: Involvement of the Nrf2-ARE Pathway. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-9.	1.1	46
92	Metal Ionophore Treatment Restores Dendritic Spine Density and Synaptic Protein Levels in a Mouse Model of Alzheimer's Disease. <i>PLoS ONE</i> , 2011, 6, e17669.	1.1	115
93	The Alzheimer's therapeutic PBT2 promotes amyloid degradation and GSK3 phosphorylation via a metal chaperone activity. <i>Journal of Neurochemistry</i> , 2011, 119, 220-230.	2.1	167
94	A potential copper-regulatory role for cytosolic expression of the DNA repair protein XRCC5. <i>Free Radical Biology and Medicine</i> , 2011, 51, 2060-2072.	1.3	5
95	Cell cycle arrest in cultured neuroblastoma cells exposed to a bis(thiosemicarbazonato) metal complex. <i>BioMetals</i> , 2011, 24, 117-133.	1.8	21
96	C-Jun N-terminal kinase controls TDP-43 accumulation in stress granules induced by oxidative stress. <i>Molecular Neurodegeneration</i> , 2011, 6, 57.	4.4	103
97	Water-soluble Bis(thiosemicarbazonato)copper(II) Complexes. <i>Australian Journal of Chemistry</i> , 2011, 64, 244.	0.5	12
98	Bis (thiosemicarbazonato) Cu-64 Complexes for Positron Emission Tomography Imaging of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 49-55.	1.2	70
99	Copper and zinc bis(thiosemicarbazonato) complexes with a fluorescent tag: synthesis, radiolabelling with copper-64, cell uptake and fluorescence studies. <i>Journal of Biological Inorganic Chemistry</i> , 2010, 15, 225-235.	1.1	36
100	Zinc induces depletion and aggregation of endogenous TDP-43. <i>Free Radical Biology and Medicine</i> , 2010, 48, 1152-1161.	1.3	50
101	A domain level interaction network of amyloid precursor protein and A β of Alzheimer's disease. <i>Proteomics</i> , 2010, 10, 2377-2395.	1.3	41
102	Manganese chelation therapy extends survival in a mouse model of M1000 prion disease. <i>Journal of Neurochemistry</i> , 2010, 114, 440-451.	2.1	37
103	Serum matrix metalloproteinase-9 activity is dysregulated with disease progression in the mutant SOD1 transgenic mice. <i>Neuromuscular Disorders</i> , 2010, 20, 260-266.	0.3	27
104	Blood-Borne Amyloid- β Dimer Correlates with Clinical Markers of Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2010, 30, 6315-6322.	1.7	70
105	Increasing Cu bioavailability inhibits A β oligomers and tau phosphorylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 381-386.	3.3	259
106	Membrane-targeted strategies for modulating APP and A β -mediated toxicity. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 249-261.	1.6	4
107	Restored degradation of the Alzheimer's amyloid peptide by targeting amyloid formation. <i>Journal of Neurochemistry</i> , 2009, 108, 1198-1207.	2.1	85
108	Sustained Activation of Glial Cell Epidermal Growth Factor Receptor by Bis(thiosemicarbazonato) Metal Complexes Is Associated with Inhibition of Protein Tyrosine Phosphatase Activity. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 6606-6620.	2.9	37

#	ARTICLE	IF	CITATIONS
109	Metallo-complex activation of neuroprotective signalling pathways as a therapeutic treatment for Alzheimer's disease. <i>Molecular BioSystems</i> , 2009, 5, 134-142.	2.9	30
110	The role of metals in modulating metalloprotease activity in the AD brain. <i>European Biophysics Journal</i> , 2008, 37, 315-321.	1.2	38
111	Exacerbation of Copper Toxicity in Primary Neuronal Cultures Depleted of Cellular Glutathione. <i>Journal of Neurochemistry</i> , 2008, 72, 2092-2098.	2.1	79
112	Investigating copper-regulated protein expression in Menkes fibroblasts using antibody microarrays. <i>Proteomics</i> , 2008, 8, 1819-1831.	1.3	8
113	Neurotoxicity from glutathione depletion is mediated by Cu-dependent p53 activation. <i>Free Radical Biology and Medicine</i> , 2008, 44, 44-55.	1.3	21
114	Mechanisms of A β mediated neurodegeneration in Alzheimer's disease. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 181-198.	1.2	220
115	Clioquinol inhibits peroxide-mediated toxicity through up-regulation of phosphoinositol-3-kinase and inhibition of p53 activity. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 1030-1042.	1.2	24
116	Activation of epidermal growth factor receptor by metal-ligand complexes decreases levels of extracellular amyloid beta peptide. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 1901-1917.	1.2	26
117	Selective Intracellular Release of Copper and Zinc Ions from Bis(thiosemicarbazonato) Complexes Reduces Levels of Alzheimer Disease Amyloid- β Peptide. <i>Journal of Biological Chemistry</i> , 2008, 283, 4568-4577.	1.6	177
118	Platinum-based inhibitors of amyloid- β as therapeutic agents for Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6813-6818.	3.3	182
119	Clioquinol Promotes Cancer Cell Toxicity through Tumor Necrosis Factor α Release from Macrophages. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 360-367.	1.3	28
120	Neurotoxicity of Prion Peptides on Cultured Cerebellar Neurons. <i>Methods in Molecular Biology</i> , 2008, 459, 83-96.	0.4	6
121	Therapeutic Treatment of Alzheimers Disease Using Metal Complexing Agents. <i>Recent Patents on CNS Drug Discovery</i> , 2007, 2, 180-187.	0.9	30
122	Differential modulation of Alzheimer's disease amyloid β -peptide accumulation by diverse classes of metal ligands. <i>Biochemical Journal</i> , 2007, 407, 435-450.	1.7	58
123	The modulation of metal bioavailability as a therapeutic strategy for the treatment of Alzheimer's disease. <i>FEBS Journal</i> , 2007, 274, 3775-3783.	2.2	66
124	Metal Complexing Agents for the Treatment of Alzheimer's Disease. , 2007, , 107-136.		2
125	Correlative studies support lipid peroxidation is linked to PrPres propagation as an early primary pathogenic event in prion disease. <i>Brain Research Bulletin</i> , 2006, 68, 346-354.	1.4	66
126	Overexpression of A β is associated with acceleration of onset of motor impairment and superoxide dismutase 1 aggregation in an amyotrophic lateral sclerosis mouse model. <i>Aging Cell</i> , 2006, 5, 153-165.	3.0	37

#	ARTICLE	IF	CITATIONS
127	Degradation of the Alzheimer Disease Amyloid β -Peptide by Metal-dependent Up-regulation of Metalloprotease Activity. <i>Journal of Biological Chemistry</i> , 2006, 281, 17670-17680.	1.6	267
128	Metal homeostasis in Alzheimer's disease. <i>Expert Review of Neurotherapeutics</i> , 2006, 6, 711-722.	1.4	39
129	Therapeutic treatments for Alzheimer's disease based on metal bioavailability. <i>Drug News and Perspectives</i> , 2006, 19, 469.	1.9	37
130	In vitro gamma-secretase cleavage of the Alzheimer's amyloid precursor protein correlates to a subset of presenilin complexes and is inhibited by zinc. <i>FEBS Journal</i> , 2005, 272, 5544-5557.	2.2	45
131	Peptide-Oligonucleotide Hybrids in Antisense Therapy. <i>Mini-Reviews in Medicinal Chemistry</i> , 2005, 5, 41-55.	1.1	12
132	Gene knockout of amyloid precursor protein and amyloid precursor-like protein-2 increases cellular copper levels in primary mouse cortical neurons and embryonic fibroblasts. <i>Journal of Neurochemistry</i> , 2004, 91, 423-428.	2.1	100
133	Iron inhibits neurotoxicity induced by trace copper and biological reductants. <i>Journal of Biological Inorganic Chemistry</i> , 2004, 9, 269-280.	1.1	42
134	Immunotherapy as a therapeutic treatment for neurodegenerative disorders. <i>Journal of Neurochemistry</i> , 2004, 87, 801-808.	2.1	33
135	Acetylcholinesterase is increased in mouse neuronal and astrocyte cultures after treatment with β -amyloid peptides. <i>Brain Research</i> , 2003, 965, 283-286.	1.1	25
136	Diverse fibrillar peptides directly bind the Alzheimer's amyloid precursor protein and amyloid precursor-like protein 2 resulting in cellular accumulation. <i>Brain Research</i> , 2003, 966, 231-244.	1.1	30
137	Neurotoxicity from glutathione depletion is dependent on extracellular trace copper. <i>Journal of Neuroscience Research</i> , 2003, 71, 889-897.	1.3	63
138	Monoclonal antibodies inhibit prion replication and delay the development of prion disease. <i>Nature</i> , 2003, 422, 80-83.	13.7	457
139	Structure of the Alzheimer's Disease Amyloid Precursor Protein Copper Binding Domain. <i>Journal of Biological Chemistry</i> , 2003, 278, 17401-17407.	1.6	248
140	Overexpression of Alzheimer's Disease Amyloid- β Opposes the Age-dependent Elevations of Brain Copper and Iron. <i>Journal of Biological Chemistry</i> , 2002, 277, 44670-44676.	1.6	324
141	Metalloenzyme-like Activity of Alzheimer's Disease β -Amyloid. <i>Journal of Biological Chemistry</i> , 2002, 277, 40302-40308.	1.6	536
142	Evidence for a Copper-Binding Superfamily of the Amyloid Precursor Protein. <i>Biochemistry</i> , 2002, 41, 9310-9320.	1.2	50
143	Contrasting, Species-Dependent Modulation of Copper-Mediated Neurotoxicity by the Alzheimer's Disease Amyloid Precursor Protein. <i>Journal of Neuroscience</i> , 2002, 22, 365-376.	1.7	83
144	Alzheimer's disease amyloid beta and prion protein amyloidogenic peptides promote macrophage survival, DNA synthesis and enhanced proliferative response to CSF-1 (M-CSF). <i>Brain Research</i> , 2002, 940, 49-54.	1.1	17

#	ARTICLE	IF	CITATIONS
145	The Hydrophobic Core Sequence Modulates the Neurotoxic and Secondary Structure Properties of the Prion Peptide 106-126. <i>Journal of Neurochemistry</i> , 2002, 73, 1557-1565.	2.1	152
146	Isolation and growth of a cytopathic agent from multiple sclerosis brain tissue. <i>Journal of NeuroVirology</i> , 2002, 8, 111-121.	1.0	1
147	Copper and Zinc Binding Modulates the Aggregation and Neurotoxic Properties of the Prion Peptide PrP106~126. <i>Biochemistry</i> , 2001, 40, 8073-8084.	1.2	264
148	Sublethal Concentrations of Prion Peptide PrP106~126 or the Amyloid Beta Peptide of Alzheimer's Disease Activates Expression of Proapoptotic Markers in Primary Cortical Neurons. <i>Neurobiology of Disease</i> , 2001, 8, 299-316.	2.1	66
149	Homocysteine potentiates copper- and amyloid beta peptide-mediated toxicity in primary neuronal cultures: possible risk factors in the Alzheimer's-type neurodegenerative pathways. <i>Journal of Neurochemistry</i> , 2001, 76, 1509-1520.	2.1	228
150	Involvement of the 5-lipoxygenase pathway in the neurotoxicity of the prion peptide PrP106-126. <i>Journal of Neuroscience Research</i> , 2001, 65, 565-572.	1.3	47
151	Amyloidogenicity and neurotoxicity of peptides corresponding to the helical regions of PrPC. <i>Journal of Neuroscience Research</i> , 2000, 62, 293-301.	1.3	53
152	The Alzheimer's Disease Amyloid Precursor Protein Modulates Copper-Induced Toxicity and Oxidative Stress in Primary Neuronal Cultures. <i>Journal of Neuroscience</i> , 1999, 19, 9170-9179.	1.7	213
153	Title is missing!. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 129-134.	0.1	0
154	The synthesis and spectroscopic analysis of the neurotoxic prion peptide 106~126: Comparative use of manual Boc and Fmoc chemistry. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 129-134.	0.1	10
155	Copper levels are increased in the cerebral cortex and liver of APP and APLP2 knockout mice. <i>Brain Research</i> , 1999, 842, 439-444.	1.1	279
156	Amyloid β . <i>International Journal of Biochemistry and Cell Biology</i> , 1999, 31, 885-889.	1.2	34
157	Familial Prion Disease Mutation Alters the Secondary Structure of Recombinant Mouse Prion Protein:Â Implications for the Mechanism of Prion Formationâ€. <i>Biochemistry</i> , 1999, 38, 3280-3284.	1.2	35
158	Prion Protein-Deficient Neurons Reveal Lower Glutathione Reductase Activity and Increased Susceptibility to Hydrogen Peroxide Toxicity. <i>American Journal of Pathology</i> , 1999, 155, 1723-1730.	1.9	182
159	Survival of Cultured Neurons from Amyloid Precursor Protein Knock-Out Mice against Alzheimerâ€™s Amyloid- β Toxicity and Oxidative Stress. <i>Journal of Neuroscience</i> , 1998, 18, 6207-6217.	1.7	90
160	Modeling the Blood~Brain Barrier to Understand Drug Delivery in Alzheimerâ€™s Disease. , 0, , 117-134.		3