

Young-Ho Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8044350/publications.pdf>

Version: 2024-02-01

99
papers

2,473
citations

257101

24
h-index

233125

45
g-index

104
all docs

104
docs citations

104
times ranked

4005
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology of inflammatory bowel disease in the Songpa-Kangdong district, Seoul, Korea, 1986–2005: A KASID study. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 542-549.	0.9	427
2	Efficacy and safety of biosimilar CT-P13 compared with originator infliximab in patients with active Crohn's disease: an international, randomised, double-blind, phase 3 non-inferiority study. <i>Lancet</i> , The, 2019, 393, 1699-1707.	6.3	155
3	Epigenomic Analysis of Aberrantly Methylated Genes in Colorectal Cancer Identifies Genes Commonly Affected by Epigenetic Alterations. <i>Annals of Surgical Oncology</i> , 2011, 18, 2338-2347.	0.7	141
4	A 30-year Trend Analysis in the Epidemiology of Inflammatory Bowel Disease in the Songpa-Kangdong District of Seoul, Korea in 1986–2015. <i>Journal of Crohn's and Colitis</i> , 2019, 13, 1410-1417.	0.6	123
5	Post-marketing study of biosimilar infliximab (CT-P13) to evaluate its safety and efficacy in Korea. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 35-44.	1.4	100
6	Urine-NMR metabolomics for screening of advanced colorectal adenoma and early stage colorectal cancer. <i>Scientific Reports</i> , 2019, 9, 4786.	1.6	64
7	Deep resequencing of 131 Crohn's disease associated genes in pooled DNA confirmed three reported variants and identified eight novel variants. <i>Gut</i> , 2016, 65, 788-796.	6.1	62
8	Dysregulated Wnt signalling and recurrent mutations of the tumour suppressor <i>RNF43</i> in early gastric carcinogenesis. <i>Journal of Pathology</i> , 2016, 240, 304-314.	2.1	44
9	<i>Helicobacter pylori</i> infection is an independent risk factor of early and advanced colorectal neoplasm. <i>Helicobacter</i> , 2017, 22, e12377.	1.6	42
10	Clinical Factors and Disease Course Related to Diagnostic Delay in Korean Crohn's Disease Patients: Results from the CONNECT Study. <i>PLoS ONE</i> , 2015, 10, e0144390.	1.1	41
11	Association Between Markers of Glucose Metabolism and Risk of Colorectal Adenoma. <i>Gastroenterology</i> , 2014, 147, 78-87.e3.	0.6	40
12	<i>HOXA9</i> inhibits migration of lung cancer cells and its hypermethylation is associated with recurrence in non-small cell lung cancer. <i>Molecular Carcinogenesis</i> , 2015, 54, E72-80.	1.3	40
13	Evaluation of individual symptoms cannot predict presence of gastric hypersensitivity in functional dyspepsia. <i>Digestive Diseases and Sciences</i> , 2000, 45, 1680-1684.	1.1	38
14	Clinical Application of Genetics in Management of Colorectal Cancer. <i>Intestinal Research</i> , 2014, 12, 184.	1.0	38
15	Long-Term Outcomes of Cytomegalovirus Reactivation in Patients with Moderate to Severe Ulcerative Colitis: A Multicenter Study. <i>Gut and Liver</i> , 2014, 8, 643-647.	1.4	38
16	Comparative Evaluation of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold Plus in Diagnosis of Latent Tuberculosis Infection in Immunocompromised Patients. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	37
17	Long-term prognosis of ulcerative colitis and its temporal changes between 1986 and 2015 in a population-based cohort in the Songpa-Kangdong district of Seoul, Korea. <i>Gut</i> , 2020, 69, 1432-1440.	6.1	36
18	Comparison of the Efficacy and Safety of Single-versus Double-Balloon Enteroscopy Performed by Endoscopist Experts in Single-Balloon Enteroscopy: A Single-Center Experience and Meta-Analysis. <i>Gut and Liver</i> , 2017, 11, 520-527.	1.4	35

#	ARTICLE	IF	CITATIONS
19	Risk of Neurodegenerative Diseases in Patients with Inflammatory Bowel Disease: A Nationwide Population-based Cohort Study. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 436-443.	0.6	30
20	A prediction model for advanced colorectal neoplasia in an asymptomatic screening population. <i>PLoS ONE</i> , 2017, 12, e0181040.	1.1	29
21	Complete sequence-based screening of TPMT variants in the Korean population. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 143-146.	0.7	28
22	CD1d Modulates Colonic Inflammation in NOD2 ^{-/-} Mice by Altering the Intestinal Microbial Composition Comprising <i>Acetatifactor muris</i> . <i>Journal of Crohn's and Colitis</i> , 2019, 13, 1081-1091.	0.6	28
23	<i>EYA4</i> Acts as a New Tumor Suppressor Gene in Colorectal Cancer. <i>Molecular Carcinogenesis</i> , 2015, 54, 1748-1757.	1.3	27
24	Risk of Metachronous Advanced Neoplasia in Patients With Multiple Diminutive Adenomas. <i>American Journal of Gastroenterology</i> , 2018, 113, 1855-1861.	0.2	26
25	Characteristics of Pediatric Inflammatory Bowel Disease in Korea: Comparison with EUROKIDS Data. <i>Gut and Liver</i> , 2015, 9, 756.	1.4	26
26	Measurements of 6-thioguanine nucleotide levels with TPMT and NUDT15 genotyping in patients with Crohn's disease. <i>PLoS ONE</i> , 2017, 12, e0188925.	1.1	25
27	Survival Outcome and Risk of Metachronous Colorectal Cancer After Surgery in Lynch Syndrome. <i>Annals of Surgical Oncology</i> , 2017, 24, 1085-1092.	0.7	24
28	Screening for Early Gastric Cancer Using a Noninvasive Urine Metabolomics Approach. <i>Cancers</i> , 2020, 12, 2904.	1.7	24
29	Efficacy and Safety of Infliximab Therapy and Predictors of Response in Korean Patients with Crohn's Disease: A Nationwide, Multicenter Study. <i>Yonsei Medical Journal</i> , 2016, 57, 1376.	0.9	23
30	Effectiveness of acid suppressants and other mucoprotective agents in reducing the risk of occult gastrointestinal bleeding in nonsteroidal anti-inflammatory drug users. <i>Scientific Reports</i> , 2019, 9, 11696.	1.6	21
31	Inducible Nitric Oxide Synthase Expression in Gastroduodenal Diseases Infected with <i>Helicobacter pylori</i> . <i>Helicobacter</i> , 2001, 6, 37-43.	1.6	20
32	The clinical characteristics of patients with free perforation in Korean Crohn's disease: results from the CONNECT study. <i>BMC Gastroenterology</i> , 2015, 15, 31.	0.8	20
33	Evaluation of the risk factors associated with rectal neuroendocrine tumors: a big data analytic study from a health screening center. <i>Journal of Gastroenterology</i> , 2016, 51, 1112-1121.	2.3	19
34	Comorbid immune-mediated diseases in inflammatory bowel disease: a nationwide population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 165-172.	1.9	19
35	Association of Perianal Fistulas with Clinical Features and Prognosis of Crohn's Disease in Korea: Results from the CONNECT Study. <i>Gut and Liver</i> , 2018, 12, 544-554.	1.4	18
36	Current practices in endoscopic submucosal dissection for colorectal neoplasms: a survey of indications among Korean endoscopists. <i>Intestinal Research</i> , 2017, 15, 228.	1.0	17

#	ARTICLE	IF	CITATIONS
37	Obesity-related parameters and colorectal adenoma development. <i>Journal of Gastroenterology</i> , 2017, 52, 1221-1229.	2.3	16
38	Identification of risk factors for sessile and traditional serrated adenomas of the colon by using big data analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1039-1046.	1.4	16
39	Changes in the Intestinal Microbiota of Patients with Inflammatory Bowel Disease with Clinical Remission during an 8-Week Infliximab Infusion Cycle. <i>Microorganisms</i> , 2020, 8, 874.	1.6	16
40	Epithelial Regeneration Ability of Crohn's Disease Assessed Using Patient-Derived Intestinal Organoids. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6013.	1.8	16
41	Is Colonoscopy Necessary after Computed Tomography Diagnosis of Acute Diverticulitis?. <i>Intestinal Research</i> , 2014, 12, 221.	1.0	16
42	Difference Between Proximal and Distal Microsatellite-Unstable Sporadic Colorectal Cancers: Analysis of Clinicopathological and Molecular Features and Prognoses. <i>Annals of Surgical Oncology</i> , 2010, 17, 1435-1441.	0.7	15
43	Epigenetic silencing of <i>NDRG2</i> promotes colorectal cancer proliferation and invasion. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 164-171.	1.4	15
44	Crohn's disease prognosis and early immunomodulator therapy: Results from the CONNECT study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 126-132.	1.4	15
45	Clinical outcomes and predictors of response for adalimumab in patients with moderately to severely active ulcerative colitis: a KASID prospective multicenter cohort study. <i>Intestinal Research</i> , 2022, 20, 350-360.	1.0	15
46	The Clinical Characteristics and Prognosis of Crohn's Disease in Korean Patients Showing Proximal Small Bowel Involvement: Results from the CONNECT Study. <i>Gut and Liver</i> , 2018, 12, 67-72.	1.4	15
47	Clinical features of active tuberculosis that developed during anti-tumor necrosis factor therapy in patients with inflammatory bowel disease. <i>Intestinal Research</i> , 2016, 14, 146.	1.0	15
48	TNF α Induces LGR5+ Stem Cell Dysfunction In Patients With Crohn's Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 789-808.	2.3	15
49	Wernicke's encephalopathy after total parenteral nutrition in patients with Crohn's disease. <i>Intestinal Research</i> , 2016, 14, 191.	1.0	14
50	Impact of sarcopenia on the risk of advanced colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 162-168.	1.4	14
51	Apoptosis and its correlation with proliferative activity in rectal cancer. <i>Journal of Surgical Oncology</i> , 2002, 79, 236-242.	0.8	13
52	Proteomic Analysis of Serum Amyloid A as a Potential Marker in Intestinal Behçet's Disease. <i>Digestive Diseases and Sciences</i> , 2017, 62, 1953-1962.	1.1	12
53	Combination of bisacodyl suppository and 1L polyethylene glycol plus ascorbic acid is a non-inferior and comfortable regimen compared to 2L polyethylene glycol plus ascorbic acid. <i>Digestive Endoscopy</i> , 2020, 32, 600-607.	1.3	12
54	Guidelines for the Management of Ulcerative Colitis. <i>Intestinal Research</i> , 2012, 10, 1.	1.0	12

#	ARTICLE	IF	CITATIONS
55	Gastric lesions in patients with Crohn's disease in Korea: a multicenter study. <i>Intestinal Research</i> , 2016, 14, 60.	1.0	12
56	Sporadic colorectal carcinomas with low-level microsatellite instability in Korea: Do they form a distinct subgroup with distinguished clinicopathological features?. <i>Journal of Surgical Oncology</i> , 2009, 99, 351-355.	0.8	11
57	A copy number variation in <i>PKD1L2</i> is associated with colorectal cancer predisposition in Korean population. <i>International Journal of Cancer</i> , 2017, 140, 86-94.	2.3	11
58	Adenoma detection rate influences the risk of metachronous advanced colorectal neoplasia in low-risk patients. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 809-817.e1.	0.5	11
59	Role of IL-1ra and Granzyme B as biomarkers in active Crohn's disease patients. <i>Biomarkers</i> , 2018, 23, 161-166.	0.9	11
60	Korean Guidelines for Post-polypectomy Colonoscopic Surveillance. <i>Intestinal Research</i> , 2012, 10, 89.	1.0	11
61	Is the New Interferon-Gamma Releasing Assay Beneficial for the Diagnosis of Latent and Active Mycobacterium tuberculosis Infections in Tertiary Care Setting?. <i>Journal of Clinical Medicine</i> , 2021, 10, 1376.	1.0	10
62	Changes in the Long-term Prognosis of Crohn's Disease between 1986 and 2015: The Population-Based Songpa-Kangdong Inflammatory Bowel Disease Cohort Study. <i>Gut and Liver</i> , 2022, 16, 216-227.	1.4	10
63	Effects of various genetic polymorphisms on thiopurine treatment-associated outcomes for Korean patients with Crohn's disease. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 2302-2313.	1.1	9
64	Long-term Prognosis of Localized Lymphoid Hyperplasia of the Rectum. <i>Gut and Liver</i> , 2021, 15, 77-84.	1.4	9
65	The real-world outcomes of vedolizumab in patients with ulcerative colitis in Korea: a multicenter retrospective study. <i>Therapeutic Advances in Gastroenterology</i> , 2021, 14, 175628482110247.	1.4	9
66	Microbial changes in stool, saliva, serum, and urine before and after anti-TNF- α therapy in patients with inflammatory bowel diseases. <i>Scientific Reports</i> , 2022, 12, 6359.	1.6	9
67	Recurrence pattern and surveillance strategy for rectal neuroendocrine tumors after endoscopic resection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 968-973.	1.4	8
68	Risk of venous thromboembolism in Asian patients with inflammatory bowel disease: a nationwide cohort study. <i>Scientific Reports</i> , 2021, 11, 2025.	1.6	8
69	Clinical Characteristics and Long-term Prognosis of Elderly-Onset Ulcerative Colitis in a Population-Based Cohort in the Songpa-Kangdong District of Seoul, Korea. <i>Gut and Liver</i> , 2021, 15, 742-751.	1.4	8
70	Characterization of the fecal microbiota differs between age groups in Koreans. <i>Intestinal Research</i> , 2018, 16, 246.	1.0	8
71	Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. <i>Intestinal Research</i> , 2012, 10, 67.	1.0	7
72	Anti-MAdCAM-1 antibody (PF-00547659) for active refractory Crohn's disease in Japanese and Korean patients: the OPERA study. <i>Intestinal Research</i> , 2020, 18, 45-55.	1.0	7

#	ARTICLE	IF	CITATIONS
73	C-Reactive protein reduction rate following initiation of anti-tumor necrosis factor $\hat{\pm}$ induction therapy predicts secondary loss of response in patients with Crohn's disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 876-885.	0.6	6
74	Differences in Clinical Manifestations according to the Positivity of Interferon- $\hat{\beta}$ Assay in Patients with Intestinal Tuberculosis. <i>Gut and Liver</i> , 2016, 10, 649-652.	1.4	6
75	Metabolic unhealthiness is an important predictor for the development of advanced colorectal neoplasia. <i>Scientific Reports</i> , 2017, 7, 9011.	1.6	5
76	Clinical characteristics of patients with serrated polyposis syndrome in Korea: comparison with Western patients. <i>Intestinal Research</i> , 2017, 15, 402.	1.0	5
77	Clinical Features and Long-Term Outcomes of Paediatric-Onset Inflammatory Bowel Disease in a Population-Based Cohort in the Songpa-Kangdong District of Seoul, Korea. <i>Journal of Crohn's and Colitis</i> , 2021, , .	0.6	5
78	Is height a risk factor for colorectal adenoma?. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 653-659.	0.7	5
79	A Korean National Survey for Treatment Modality in Colon Polypectomy. <i>Intestinal Research</i> , 2011, 9, 196.	1.0	5
80	Usefulness of Personal Bowel Habits as a Predictive Factor for Inadequate Bowel Preparation for Colonoscopy: A Prospective Questionnaire-Based Observational Study. <i>Gut and Liver</i> , 2019, 13, 169-175.	1.4	5
81	Depletion of Intestinal Stem Cell Niche Factors Contributes to the Alteration of Epithelial Differentiation in SAMP1/YitFcsJ Mice With Crohn Disease-Like Ileitis. <i>Inflammatory Bowel Diseases</i> , 2021, 27, 667-676.	0.9	5
82	Histologic Activity and Steroid Use History Are Risk Factors of Clinical Relapse in Ulcerative Colitis With Mayo Endoscopic Subscore of 0 or 1. <i>Inflammatory Bowel Diseases</i> , 2023, 29, 238-244.	0.9	5
83	Comparing the clinical outcomes of young-onset and adult-onset ulcerative colitis: a multi-center Korean Association for the Study for Intestinal Diseases study. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 69-78.	0.7	4
84	A glycolipid adjuvant, 7DW8-5, provides a protective effect against colonic inflammation in mice by the recruitment of CD1d-restricted natural killer T cells. <i>Intestinal Research</i> , 2020, 18, 402-411.	1.0	4
85	Video Capsule Endoscopy Optimal Timing in Overt Obscure Gastrointestinal Bleeding. <i>Diagnostics</i> , 2022, 12, 154.	1.3	4
86	Clinical Features and Long-term Prognosis of Crohn's Disease in Korea: Results from the Prospective CONNECT Study. <i>Gut and Liver</i> , 2022, 16, 907-920.	1.4	4
87	Microsatellite instable double primary cancers of the colorectum and stomach exhibit less favorable outcome. <i>World Journal of Gastroenterology</i> , 2005, 11, 3998.	1.4	3
88	Effect of Thiopurine on Potential Surgical Intervention in Crohn's Disease in Korea: Results from the CONNECT Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 25.	1.0	3
89	Clinical Features of Intra-Abdominal Abscess and Intestinal Free-Wall Perforation in Korean Patients with Crohn's Disease: Results from the CONNECT Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 116.	1.0	3
90	Mannose-binding lectin deficiency is not associated with Anti-Saccharomyces cerevisiae antibody in Korean Crohn's disease patients. <i>Clinica Chimica Acta</i> , 2014, 429, 206-211.	0.5	2

#	ARTICLE	IF	CITATIONS
91	What is the appropriate cut-off value of CRP to predict endoscopic remission in patients with ulcerative colitis in clinical remission?. <i>International Journal of Colorectal Disease</i> , 2020, 35, 2249-2255.	1.0	2
92	Clinical Significance of Residual Nonrectal Inflammation in Ulcerative Colitis Patients in Clinical Remission. <i>Gut and Liver</i> , 2021, 15, 401-409.	1.4	2
93	Efficacy of uncovered self-expandable metallic stent for colorectal obstruction by extracolonic malignancy. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 1005-1013.	0.8	2
94	Uncovered self-expandable metal stents for the treatment of refractory benign colorectal anastomotic stricture. <i>Scientific Reports</i> , 2020, 10, 19841.	1.6	1
95	Home-based fecal calprotectin test is expected to play an important role in patients with inflammatory bowel diseases. <i>Intestinal Research</i> , 2018, 16, 507-508.	1.0	1
96	Korean Guidelines for Colonoscopic Polypectomy. <i>Intestinal Research</i> , 2012, 10, 110.	1.0	1
97	Specificity of clinical decision support tools for vedolizumab and ustekinumab in biologically naïve patients with Crohn's disease. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 446-448.	0.6	1
98	The clinical characteristics at diagnosis and course of Crohn's disease: A Korean multicenter study. <i>Inflammatory Bowel Diseases</i> , 2011, 17, S31.	0.9	0
99	Age and gender may be the key points in hyperglycemic patients with <i>Helicobacter pylori</i> infection combined colorectal adenoma—author's reply. <i>Helicobacter</i> , 2018, 23, e12484.	1.6	0