

# Liqiang Feng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/804700/publications.pdf>

Version: 2024-02-01

76  
papers

1,003  
citations

430874

18  
h-index

454955

30  
g-index

76  
all docs

76  
docs citations

76  
times ranked

142  
citing authors

#	ARTICLE	IF	CITATIONS
1	Generation of high-order single harmonics by using chirp waveform control. <i>Chemical Physics Letters</i> , 2022, 791, 139398.	2.6	1
2	Chirp form selection to produce intense and broad harmonic spectra and attosecond pulses in the presence of single and superposition initial states. <i>Modern Physics Letters B</i> , 2022, 36, .	1.9	0
3	Time and space waveform optimization to extend the harmonic cutoff and to produce the water window single attosecond pulse. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2022, 77, 409-419.	1.5	0
4	Control of the single-order harmonic generation by changing the laser parameters of two-color pulse. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2022, .	1.5	0
5	Inhomogeneous waveform optimization to generate high order harmonic spectra. <i>Chemical Physics Letters</i> , 2021, 763, 138254.	2.6	1
6	Controlling three-step harmonic emission for intense attosecond pulses using water window harmonic spectra. <i>Journal of Modern Optics</i> , 2021, 68, 267-275.	1.3	15
7	Half-cycle waveform control for producing a broad and intense harmonic spectral continuum and an isolated attosecond pulse. <i>Laser Physics</i> , 2021, 31, 055301.	1.2	14
8	Extreme ultraviolet photon effect on ionization and recombination of high-order harmonic generation. <i>European Physical Journal D</i> , 2021, 75, 1.	1.3	8
9	Initial state effect on waveform control of high-order harmonic spectrum and attosecond pulse generation. <i>Modern Physics Letters B</i> , 2021, 35, 2150366.	1.9	4
10	Optimal improvement of harmonic spectra driven by the fixed intensity chirped combined pulses. <i>Chemical Physics Letters</i> , 2021, 779, 138838.	2.6	0
11	Chirp duration effect on high-order harmonic spectra. <i>European Physical Journal D</i> , 2021, 75, 1.	1.3	1
12	The isotopic dependence and influence of driving laser intensity on the harmonic yields of diatomic molecule ions X <sub>2</sub> <sup>+</sup> . <i>Chemical Physics Letters</i> , 2020, 739, 136965.	2.6	3
13	DFT/TDDFT investigation on the Dâ€™A type molecule probes 4-(5-R-thiophen-2-yl)-2-isobutyl-2H-[1,2,3]triazolo[4,5-e][1,2,4] triazolo[1,5-a]pyrimidines: fluorescence sensing mechanism and roles of weak interactions. <i>Theoretical Chemistry Accounts</i> , 2020, 139, 1.	1.4	6
14	Generation of the high-intensity single harmonic energy peak and attosecond pulse by using resonance ionization schemes from atoms and molecules. <i>Modern Physics Letters B</i> , 2020, 34, 2150022.	1.9	4
15	Control of high-order harmonics from H <sub>2</sub> <sup>+</sup> and D <sub>2</sub> <sup>+</sup> for producing intense single attosecond pulse. <i>Modern Physics Letters B</i> , 2020, 34, 2050192.	1.9	0
16	Pulse duration dependence of harmonic yield of H <sub>2</sub> <sup>+</sup> and its isotopic molecule. <i>European Physical Journal D</i> , 2020, 74, 1.	1.3	23
17	Comparison of wavelength dependence of harmonic yield in isotopic H <sub>2</sub> <sup>+</sup> and T <sub>2</sub> <sup>+</sup> diatomic systems. <i>Chemical Physics Letters</i> , 2020, 747, 137357.	2.6	3
18	Selective enhancement of single-order and two-order harmonics from He atom via two-color and three-color laser fields. <i>Chemical Physics</i> , 2019, 527, 110497.	1.9	34

#	ARTICLE	IF	CITATIONS
19	Isolated attosecond pulse generation from different frequency-chirping combined fields. International Journal of Modern Physics B, 2019, 33, 1950241.	2.0	1
20	Intense X-ray isolated attosecond pulse generation by using low-intensity chirped pulse combined with a UV seeding pulse. Modern Physics Letters B, 2019, 33, 1950286.	1.9	1
21	Waveform control in selective enhancement of single-order harmonic. Laser Physics, 2019, 29, 065401.	1.2	2
22	Generation of wavelength tunable single-order harmonic via chirp gating modulation. Chemical Physics Letters, 2019, 725, 24-30.	2.6	3
23	Multiple-acceleration in $\omega$ -waveform structure for high-order harmonic improvement. Journal of Nonlinear Optical Physics and Materials, 2019, 28, 1950037.	1.8	20
24	Generation of intense spectral continuum and isolated attosecond pulse by selecting single harmonic emission peak. Modern Physics Letters B, 2019, 33, 1950444.	1.9	1
25	Excited state effect of He <sup>+</sup> ion on intense harmonic spectrum and attosecond pulse generation. International Journal of Modern Physics B, 2019, 33, 1950349.	2.0	1
26	Inhomogeneous Double Optical Gating of High-Intensity Isolated Attosecond Pulse Generation in Crossed Metal Nanostructures. Journal of Russian Laser Research, 2018, 39, 46-55.	0.6	0
27	Generation of single attosecond pulse within one atomic unit by using multi-cycle inhomogeneous polarization gating technology in bowtie-shaped nanostructure. European Physical Journal D, 2018, 72, 1.	1.3	4
28	XUV pulse effect on signal modulations of harmonic spectra from H <sub>2</sub> <sup>+</sup> and T <sub>2</sub> <sup>+</sup> . Pramana - Journal of Physics, 2018, 90, 1.	1.8	0
29	Generation of high-intensity sub-30 as pulses by inhomogeneous polarization gating technology in bowtie-shaped nanostructure. Optics Communications, 2018, 413, 212-219.	2.1	2
30	Single attosecond pulse generation by using plasmon-driven double optical gating technology in crossed metal nanostructures. International Journal of Modern Physics B, 2018, 32, 1850161.	2.0	4
31	Generations of even-order harmonics from vibrating H <sub>2</sub> <sup>+</sup> and T <sub>2</sub> <sup>+</sup> in the rising and falling parts of the laser field. Chemical Physics, 2018, 505, 47-54.	1.9	3
32	Carrier envelope phase measurement of multi-cycle mid-infrared field and its application on attosecond pulse generation. Canadian Journal of Physics, 2018, 96, 501-512.	1.1	1
33	Generation of high-intensity KeV single-attosecond pulse using multi-cycle spatial inhomogeneous mid-infrared field. Journal of the Optical Society of America B: Optical Physics, 2018, 35, A84.	2.1	3
34	High-intensity isolated attosecond X-ray pulse generation by using low-intensity ultraviolet-mid-infrared laser beam. European Physical Journal D, 2018, 72, 1.	1.3	4
35	Nano-plasmonic-pump-probe effect on the intensity enhancement of attosecond pulse from hydrogen molecular ion. Laser Physics Letters, 2018, 15, 115301.	1.4	31
36	Internuclear distance R-distribution of high-order harmonic generation from H <sub>2</sub> <sup>+</sup> and its isotopes. Chemical Physics, 2017, 485-486, 1-8.	1.9	11

#	ARTICLE	IF	CITATIONS
37	R-dependent molecular harmonic generation from H <sub>2</sub> <sup>+</sup> . Physics Letters, Section A: General, Atomic and Solid State Physics, 2017, 381, 859-864.	2.1	2
38	High-order harmonic and attosecond pulse generations from Rydberg state driven by the spatially inhomogeneous field. Modern Physics Letters B, 2017, 31, 1750029.	1.9	8
39	Chirp control on molecular harmonic generation and distribution in H <sub>2</sub> <sup>+</sup> . Molecular Physics, 2017, 115, 1562-1571.	1.7	7
40	Spatial position scaling on harmonic generation from He atom in bowtie-shaped nanostructure. Optics Communications, 2017, 398, 31-38.	2.1	8
41	Intensity enhancement of attosecond XUV pulse by using asymmetric inhomogeneous mid-infrared down-chirped field. International Journal of Modern Physics B, 2017, 31, 1750185.	2.0	10
42	Chirp control of multi-photon resonance ionization and charge-resonance enhanced ionization on molecular harmonic generation. Chemical Physics Letters, 2017, 676, 118-123.	2.6	19
43	Attosecond-resolution molecular high-order harmonic emission and isolated attosecond pulse generation from H <sub>2</sub> <sup>+</sup> . Optics Communications, 2017, 389, 144-149.	2.1	20
44	Nuclear signature effect on spatial distribution of molecular harmonic in the presence of spatial inhomogeneous field. Laser Physics, 2017, 27, 016002.	1.2	14
45	Intensity distributions and isolated attosecond pulse generation from molecular high-order harmonic generation in H <sub>2</sub> <sup>+</sup> driven by nonhomogeneous field. Physics of Plasmas, 2017, 24, 103121.	1.9	7
46	Controlling harmonic distributions from H <sub>2</sub> <sup>+</sup> driven by linearly and circularly polarized laser fields. Chemical Physics, 2017, 498-499, 12-18.	1.9	0
47	Controlling harmonic emission and attosecond pulse generation from H <sub>2</sub> <sup>+</sup> by using an asymmetric few-cycle inhomogeneous laser field. Chinese Journal of Physics, 2017, 55, 2025-2038.	3.9	1
48	High-intensity attosecond pulse generation by using inhomogeneous laser field in frequency and space. Journal of Nonlinear Optical Physics and Materials, 2017, 26, 1750034.	1.8	5
49	Electron-Nuclear Dynamics on Amplitude and Frequency Modulation of Molecular High-Order Harmonic Generation from H <sub>2</sub> <sup>+</sup> and its Isotopes. Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences, 2017, 72, 941-953.	1.5	2
50	XUV pulse effect on harmonic emission spectra and attosecond pulse generation. Modern Physics Letters B, 2017, 31, 1750282.	1.9	7
51	High-intensity attosecond X-ray source generation by using low-intensity spatial inhomogeneous mid-infrared pulse combined with an ultraviolet pulse. International Journal of Modern Physics B, 2017, 31, 1650239.	2.0	5
52	Spatial distribution and quantum trajectory control of the molecular harmonic spectra. Journal of Nonlinear Optical Physics and Materials, 2016, 25, 1650053.	1.8	3
53	Improved polarization gating scheme on attosecond source generation. Spectroscopy Letters, 2016, 49, 367-374.	1.0	11
54	Attosecond source generation using polarized gating two-color field combined with unipolar pulse. Canadian Journal of Physics, 2016, 94, 651-658.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Theoretical exploration of asymmetric molecular harmonic emission and attosecond pulse generation in the presence of spatially inhomogeneous plasmon-enhanced field. <i>Molecular Physics</i> , 2016, 114, 2217-2231.	1.7	10
56	Generation of the ultrabroad bandwidth with keV by three-color low intense mid-infrared inhomogeneous pulse. <i>Optics and Laser Technology</i> , 2016, 81, 7-13.	4.6	19
57	Molecular harmonic extension and enhancement from $H^2$ in the presence of spatially inhomogeneous fields. <i>Physical Review A</i> , 2015, 92, .	2.5	102
58	Attosecond extreme ultraviolet generation in cluster by using spatially inhomogeneous field. <i>Physics of Plasmas</i> , 2015, 22, .	1.9	31
59	Attosecond X-ray source generation by using spatially inhomogeneous field. <i>Optical and Quantum Electronics</i> , 2015, 47, 2577-2592.	3.3	16
60	Attosecond Pulse Enhancement by Using Orthogonal Two-Color Field Combined With a Linear Infrared Pulse. <i>IEEE Journal of Quantum Electronics</i> , 2015, 51, 1-6.	1.9	3
61	Unipolar pulse assisted generation of the coherent XUV pulses. <i>Optics Communications</i> , 2015, 348, 1-6.	2.1	22
62	Attosecond XUV sources generation from polarized gating two-color chirped pulse. <i>Modern Physics Letters B</i> , 2015, 29, 1550111.	1.9	8
63	Laser control for harmonic selective enhancement. <i>Canadian Journal of Physics</i> , 2014, 92, 1592-1598.	1.1	2
64	Computational efficiency improvement with Wigner rotation technique in studying atoms in intense few-cycle circularly polarized pulses. <i>Journal of Chemical Physics</i> , 2014, 140, 074108.	3.0	9
65	Harmonic Extension and Enhancement Using a Two-Color Chirped Pulse and an Ultrashort Ultraviolet Pulse. <i>Spectroscopy Letters</i> , 2014, 47, 781-789.	1.0	3
66	Polarized gating assisted generation of the ultrashort extreme-ultraviolet sources. <i>Journal of Mathematical Chemistry</i> , 2014, 52, 2074-2086.	1.5	7
67	Attosecond x-ray source generation from two-color polarized gating plasmonic field enhancement. <i>Physics of Plasmas</i> , 2013, 20, 122307.	1.9	38
68	Nuclear signatures on the molecular harmonic emission and the attosecond pulse generation. <i>Journal of Chemical Physics</i> , 2012, 136, 054102.	3.0	89
69	Quantum path control on the harmonic emission in the presence of a terahertz field. <i>Chemical Physics</i> , 2012, 405, 26-31.	1.9	27
70	Intensity Enhancement in Attosecond Pulse Generation. <i>IEEE Journal of Quantum Electronics</i> , 2012, 48, 1462-1466.	1.9	28
71	Single quantum path control by a fundamental chirped pulse combined with a subharmonic control pulse. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2012, 185, 458-465.	1.7	5
72	High-order harmonic generation spectra and isolated attosecond pulse generation with a two-color time delayed pulse. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2012, 185, 39-46.	1.7	18

#	ARTICLE	IF	CITATIONS
73	Intensity improvement in the attosecond pulse generation with the coherent superposition initial state. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2012, 376, 1523-1530.	2.1	33
74	High-order harmonics extension and isolated attosecond pulse generation in three-color field: Controlling factors. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2011, 375, 3641-3648.	2.1	43
75	Generation of an isolated sub-40-as pulse using two-color laser pulses: Combined chirp effects. <i>Physical Review A</i> , 2011, 84, .	2.5	142
76	Spatial inhomogeneous effect on single-order harmonic enhancement. <i>Modern Physics Letters B</i> , 0, , .	1.9	0