Toshikatsu Okumura

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8047617/toshikatsu-okumura-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

215
papers

4,373
citations

34
h-index

59
g-index

5,040
ext. papers

3.8
ext. papers

237
ext. citations

34
h-index

59
g-index

L-index

#	Paper	IF	Citations
215	Mutant GNAS limits tumor aggressiveness in established pancreatic cancer via antagonizing the KRAS-pathway <i>Journal of Gastroenterology</i> , 2022 , 57, 208	6.9	O
214	Carbazochrome sodium sulfonate is not effective for prevention of post-gastric endoscopic submucosal dissection bleeding: A retrospective study <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022 , 1	5.2	
213	Late-onset posttransplant Epstein-Barr virusrelated lymphoproliferative disease after cord blood transplantation for chronic active Epstein Barr virus infection: A case report <i>Medicine (United States)</i> , 2022 , 101, e29055	1.8	O
212	Correlation Among Body Composition Parameters and Long-Term Outcomes in Crohnß Disease After Anti-TNF Therapy <i>Frontiers in Nutrition</i> , 2022 , 9, 765209	6.2	О
211	Peripheral apelin mediates visceral hypersensitivity and impaired gut barrier in a rat irritable bowel syndrome model <i>Neuropeptides</i> , 2022 , 94, 102248	3.3	O
210	Long Non-Coding RNAs in Epithelial-Mesenchymal Transition of Pancreatic Cancer. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 717890	5.6	3
209	Prognostic factors to predict the survival in patients with advanced gastric cancer who receive later-line nivolumab monotherapy-The Asahikawa Gastric Cancer Cohort Study (AGCC). <i>Cancer Medicine</i> , 2021 , 11, 406	4.8	1
208	The endoscopic diagnosis of mucosal healing and deep remission in inflammatory bowel disease. <i>Digestive Endoscopy</i> , 2021 , 33, 1008-1023	3.7	3
207	Brain metastasis from hepatic cholangiolocellular carcinoma in a young female without chronic liver disease. <i>Digestive and Liver Disease</i> , 2021 , 53, 1206-1207	3.3	
206	The efficacy of the submucosal injection of lidocaine during endoscopic submucosal dissection for colorectal neoplasms: a multicenter randomized controlled study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 5225-5230	5.2	О
205	Probiotic-Derived Polyphosphate Accelerates Intestinal Epithelia Wound Healing through Inducing Platelet-Derived Mediators. <i>Mediators of Inflammation</i> , 2021 , 2021, 5582943	4.3	4
204	Clinicopathological characteristics of Epstein-Barr virus and microsatellite instability subtypes of early gastric neoplasms classified by the Japanese and the World Health Organization criteria. <i>Journal of Pathology: Clinical Research</i> , 2021 , 7, 397-409	5.3	1
203	The Optimal Dose of Tacrolimus in Combination Therapy with an Anti-TNFDAntibody in a Mouse Colitis Model. <i>Biological and Pharmaceutical Bulletin</i> , 2021 , 44, 564-570	2.3	О
202	Central regulatory mechanisms of visceral sensation in response to colonic distension with special reference to brain orexin. <i>Neuropeptides</i> , 2021 , 86, 102129	3.3	0
2 01	Acquired hemophilia A associated with Epstein-Barr-virus-associated T/natural killer-cell lymphoproliferative disease: A case report. <i>Medicine (United States)</i> , 2021 , 100, e25518	1.8	
200	Successful Treatment of Myeloid Sarcoma in an Elderly Patient with Myelodysplastic Syndrome with Reduced-Dose Azacitidine. <i>Case Reports in Hematology</i> , 2021 , 2021, 6640597	0.7	1
199	Safety and efficacy of cold snare polypectomy for small colorectal polyps: A prospective randomized control trial and one-year follow-up study. <i>Medicine (United States)</i> , 2021 , 100, e26296	1.8	1

(2021-2021)

198	A stealth antigen SPESP1, which is epigenetically silenced in tumors, is a suitable target for cancer immunotherapy. <i>Cancer Science</i> , 2021 , 112, 2705-2713	6.9	2
197	The Identification of RNA-Binding Proteins Functionally Associated with Tumor Progression in Gastrointestinal Cancer. <i>Cancers</i> , 2021 , 13,	6.6	3
196	Activation of central adenosine A2B receptors mediate brain ghrelin-induced improvement of intestinal barrier function through the vagus nerve in rats. <i>Experimental Neurology</i> , 2021 , 341, 113708	5.7	0
195	Endoscopic finding of a lace pattern in a case of Epstein-Barr virus-associated early gastric carcinoma. <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 768-769	5.2	1
194	Polyphosphate, Derived from Lactobacillus brevis, Modulates the Intestinal Microbiome and Attenuates Acute Pancreatitis. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 3872-3884	4	5
193	Bacteria-derived ferrichrome inhibits tumor progression in sporadic colorectal neoplasms and colitis-associated cancer. <i>Cancer Cell International</i> , 2021 , 21, 21	6.4	8
192	Successful Treatment of Advanced Gastric Cancer with Brain Metastases through an Abscopal Effect by Radiation and Immune Checkpoint Inhibitor Therapy. <i>Journal of Gastric Cancer</i> , 2021 , 21, 319-3	324	1
191	Rare case of fecal impaction caused by a fecalith originating in a large colonic diverticulum: A case report. <i>World Journal of Clinical Cases</i> , 2021 , 9, 416-421	1.6	
190	Cardiac Metastasis Caused Fatal Ventricular Arrhythmia in a Patient with a Rectal Neuroendocrine Tumor. <i>Internal Medicine</i> , 2021 , 60, 373-378	1.1	1
189	Evidence-based clinical practice guidelines for irritable bowel syndrome 2020. <i>Journal of Gastroenterology</i> , 2021 , 56, 193-217	6.9	22
188	EMA401, an angiotensin II type 2 receptor antagonist blocks visceral hypersensitivity and colonic hyperpermeability in rat model of irritable bowel syndrome. <i>Journal of Pharmacological Sciences</i> , 2021 , 146, 121-124	3.7	0
187	Phlorizin attenuates visceral hypersensitivity and colonic hyperpermeability in a rat model of irritable bowel syndrome. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 139, 111649	7.5	4
186	Fecal calprotectin is a useful biomarker for predicting the clinical outcome of granulocyte and monocyte adsorptive apheresis in ulcerative colitis patients: a prospective observation study. <i>BMC Gastroenterology</i> , 2021 , 21, 316	3	0
185	Centrally administered butyrate improves gut barrier function, visceral sensation and septic lethality in rats. <i>Journal of Pharmacological Sciences</i> , 2021 , 146, 183-191	3.7	2
184	Endoscopic findings of hepatocellular carcinoma invading the duodenum. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1689-1690	2.8	1
183	Prognostic significance of skeletal muscle decrease in unresectable pancreatic cancer: Survival analysis using the Weibull exponential distribution model. <i>Pancreatology</i> , 2021 , 21, 892-902	3.8	1
182	Case Report: A Rare Case of Esophagogastric Junctional Squamous Cell Carcinoma After the Successful Treatment of Neuroendocrine Carcinoma: Clonal Tumor Evolution Revealed by Genetic Analysis. <i>Frontiers in Genetics</i> , 2021 , 12, 608324	4.5	0
	Long-term Observation of Gastric Adenocarcinoma of Fundic Gland Mucosa Type before and after		

180	Cytomegalovirus jejunitis diagnosed by endoscopy and successfully treated without surgery in a patient with hematochezia. <i>Digestive and Liver Disease</i> , 2020 , 52, 677-678	3.3	
179	Genetic alteration of colorectal adenoma-carcinoma sequence among gastric adenocarcinoma and dysplastic lesions in a patient with attenuated familial adenomatous polyposis. <i>Molecular Genetics & Manp; Genomic Medicine</i> , 2020 , 8, e1348	2.3	2
178	Serrated adenomas with a BRAF mutation in a young patient with familial adenomatous polyposis. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 1967-1972	3	
177	Genetic Tracing of Clonal Expansion and Progression of Pancreatic Ductal Adenocarcinoma: A Case Report and Multi-Region Sequencing Analysis. <i>Frontiers in Oncology</i> , 2020 , 10, 728	5.3	О
176	Adenosine A receptor agonist induces visceral antinociception via 5-HT, 5-HT, dopamine D or cannabinoid CB receptors, and the opioid system in the central nervous system. <i>Physiology and Behavior</i> , 2020 , 220, 112881	3.5	5
175	5-HT receptors but not cannabinoid receptors in the central nervous system mediate levodopa-induced visceral antinociception in conscious rats. <i>Naunyn-Schmiedebergis Archives of Pharmacology</i> , 2020 , 393, 1419-1425	3.4	2
174	Resection for pancreatic cancer metastases contributes to survival: A case report with sequential tumor genotype profiling during the long-term postoperative course. <i>Medicine (United States)</i> , 2020 , 99, e20564	1.8	
173	Heterogenous Nuclear Ribonucleoprotein H1 Promotes Colorectal Cancer Progression through the Stabilization of mRNA of Sphingosine-1-Phosphate Lyase 1. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
172	Losartan improves visceral sensation and gut barrier in a rat model of irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13819	4	7
171	Probiotic-derived ferrichrome inhibits the growth of refractory pancreatic cancer cells. <i>International Journal of Oncology</i> , 2020 , 57, 721-732	4.4	16
170	Liquid biopsy of pancreatic tumors: Challenges for early detection and surveillance based on the molecular landscape during early carcinogenesis. <i>Suizo</i> , 2020 , 35, 302-312	0.1	1
169	Ghrelin acts in the brain to block colonic hyperpermeability in response to lipopolysaccharide through the vagus nerve. <i>Neuropharmacology</i> , 2020 , 173, 108116	5.5	5
168	Brain orexin improves intestinal barrier function via the vagal cholinergic pathway. <i>Neuroscience Letters</i> , 2020 , 714, 134592	3.3	8
167	Metachronous intraductal papillary mucinous neoplasms disseminate via the pancreatic duct following resection. <i>Modern Pathology</i> , 2020 , 33, 971-980	9.8	9
166	Identification of heterozygous p.Y150C and p.V274M mutations in the HJV gene in a Japanese patient with a mild phenotype of juvenile hemochromatosis: A case report. <i>Hepatology Research</i> , 2020 , 50, 144-150	5.1	2
165	Non-alcoholic fatty liver disease is a potential risk factor for liver injury caused by immune checkpoint inhibitor. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1042-1048	4	11
164	Repeated Perforation of the Gallbladder in a Patient with Hepatocellular Carcinoma Receiving Lenvatinib. <i>Internal Medicine</i> , 2020 , 59, 657-662	1.1	5
163	Centrally administered orexin prevents lipopolysaccharide and colchicine induced lethality via the vagal cholinergic pathway in a sepsis model in rats. <i>Biochemical Pharmacology</i> , 2020 , 182, 114262	6	3

(2019-2020)

162	Imipramine improves visceral sensation and gut barrier in rat models of irritable bowel syndrome. <i>European Journal of Pharmacology</i> , 2020 , 887, 173565	5.3	5
161	Endoscopic findings of gastric mixed adenoneuroendocrine carcinoma: A case report. <i>Medicine</i> (United States), 2020 , 99, e22306	1.8	1
160	Digital PCR-based plasma cell-free DNA mutation analysis for early-stage pancreatic tumor diagnosis and surveillance. <i>Journal of Gastroenterology</i> , 2020 , 55, 1183-1193	6.9	10
159	Time-saving method for directly amplifying and capturing a minimal amount of pancreatic tumor-derived mutations from fine-needle aspirates using digital PCR. <i>Scientific Reports</i> , 2020 , 10, 123	32 ^{4.9}	1
158	Long-Chain Polyphosphate Is a Potential Agent for Inducing Mucosal Healing of the Colon in Ulcerative Colitis. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 452-461	6.1	5
157	A tumor-specific modulation of heterogeneous ribonucleoprotein A0 promotes excessive mitosis and growth in colorectal cancer cells. <i>Cell Death and Disease</i> , 2020 , 11, 245	9.8	5
156	Autofluorescence Imaging Reflects the Nuclear Enlargement of Tumor Cells as well as the Cell Proliferation Ability and Aberrant Status of the Ki-67, and Genes in Colon Neoplasms. <i>Molecules</i> , 2019 , 24,	4.8	1
155	White coat status is a predictive marker for post-esophageal endoscopic submucosal dissection stricture: a retrospective study. <i>Esophagus</i> , 2019 , 16, 258-263	5.4	2
154	Dehydroepiandrosterone sulfate improves visceral sensation and gut barrier in a rat model of irritable bowel syndrome. <i>European Journal of Pharmacology</i> , 2019 , 852, 198-206	5.3	10
153	Metformin inhibits visceral allodynia and increased gut permeability induced by stress in rats. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 186-193	4	13
152	Hepatitis B virus (HBV) reactivation in an acute lymphoblastic leukemia patient despite being vaccinated against HBV in infancy. <i>Digestive and Liver Disease</i> , 2019 , 51, 1487-1488	3.3	1
151	Novel automated measuring system for evaluating labile plasma iron in serum. <i>Annals of Clinical Biochemistry</i> , 2019 , 56, 654-661	2.2	
150	Long-term growth of intrahepatic papillary neoplasms: A case report. <i>World Journal of Gastroenterology</i> , 2019 , 25, 5569-5577	5.6	4
149	Gastric submucosa-invasive carcinoma associated with Epstein-Barr virus and endoscopic submucosal dissection: A case report. <i>World Journal of Gastrointestinal Oncology</i> , 2019 , 11, 925-932	3.4	2
148	Successful Treatment of Nivolumab-related Cholangitis with Prednisolone: A Case Report and Review of the Literature. <i>Internal Medicine</i> , 2019 , 58, 1747-1752	1.1	16
147	A case of gastric carcinoma with lymphoid stroma diagnosed by an endoscopic ultrasound-guided fine-needle biopsy. <i>Journal of Clinical Ultrasound</i> , 2019 , 47, 419-422	1	1
146	Butyrate inhibits visceral allodynia and colonic hyperpermeability in rat models of irritable bowel	4.9	15
	syndrome. <i>Scientific Reports</i> , 2019 , 9, 19603	10	

144	Endoscopic Fine-Needle Aspiration Is Useful for the Treatment of Pneumatosis Cystoides Intestinalis With Intussusception. <i>American Journal of Gastroenterology</i> , 2019 , 114, 13	0.7	7
143	Genetic analysis of postoperative recurrence of pancreatic cancer potentially owing to needle tract seeding during EUS-FNB. <i>Endoscopy International Open</i> , 2019 , 7, E1768-E1772	3	7
142	Minute duodenal metastasis in a patient with thoracic esophageal squamous cell carcinoma successfully treated with chemoradiotherapy. <i>Digestive Endoscopy</i> , 2019 , 31, 102	3.7	
141	Pioglitazone improves visceral sensation and colonic permeability in a rat model of irritable bowel syndrome. <i>Journal of Pharmacological Sciences</i> , 2019 , 139, 46-49	3.7	9
140	The Incidence and Risk Factors of Venous Thromboembolism in Patients with Inflammatory Bowel Disease: A Prospective Multicenter Cohort Study. <i>Digestion</i> , 2019 , 100, 229-237	3.6	7
139	Pathways of Progression From Intraductal Papillary Mucinous Neoplasm to Pancreatic Ductal Adenocarcinoma Based on Molecular Features. <i>Gastroenterology</i> , 2019 , 156, 647-661.e2	13.3	73
138	Central oxytocin signaling mediates the central orexin-induced visceral antinociception through the opioid system in conscious rats. <i>Physiology and Behavior</i> , 2019 , 198, 96-101	3.5	4
137	A Case of Alpha-Fetoprotein-Producing Adenocarcinoma of the Esophagogastric Junction in which Long-Term Survival Was Achieved by Means of Individualized Multidisciplinary Therapy. <i>Journal of Gastrointestinal Cancer</i> , 2019 , 50, 617-620	1.6	2
136	Ghrelin acts centrally to induce an antinociceptive action during colonic distension through the orexinergic, dopaminergic and opioid systems in conscious rats. <i>Brain Research</i> , 2018 , 1686, 48-54	3.7	16
135	Prostaglandin I suppresses the development of diet-induced nonalcoholic steatohepatitis in mice. <i>FASEB Journal</i> , 2018 , 32, 2354-2365	0.9	5
134	Glucagon-like peptide-1 analog, liraglutide, improves visceral sensation and gut permeability in rats. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 232-239	4	17
133	Polymorphism of receptor-type tyrosine-protein phosphatase delta gene in the development of non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 283-2	2 9 b	7
132	Role of the cannabinoid signaling in the brain orexin- and ghrelin-induced visceral antinociception in conscious rats. <i>Journal of Pharmacological Sciences</i> , 2018 , 137, 230-232	3.7	8
131	Takayasu ß arteritis associated with eosinophilic gastroenteritis, possibly via the overactivation of Th17. <i>Gut Pathogens</i> , 2018 , 10, 22	5.4	
130	Vonoprazan-based triple therapy is non-inferior to susceptibility-guided proton pump inhibitor-based triple therapy for Helicobacter pylori eradication. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2018 , 17, 29	6.2	21
129	An elevated expression of serum exosomal microRNA-191, - 21, -451a of pancreatic neoplasm is considered to be efficient diagnostic marker. <i>BMC Cancer</i> , 2018 , 18, 116	4.8	113
128	The incidence and risk factors of venous thromboembolism in Japanese inpatients with inflammatory bowel disease: a retrospective cohort study. <i>Intestinal Research</i> , 2018 , 16, 416-425	4.1	16
127	Altered colonic sensory and barrier functions by CRF: roles of TLR4 and IL-1. <i>Journal of Endocrinology</i> , 2018 , 239, 241-252	4.7	22

126	Pseudogout Attack after Pegfilgrastim Administration in Anaplastic Large Cell Lymphoma. <i>Internal Medicine</i> , 2018 , 57, 1779-1782	1.1	1	
125	Echinococcosis infection diagnosed based on the histological findings of a lymph node involvement obtained by EUS-FNA. <i>Endoscopic Ultrasound</i> , 2018 , 7, 210-211	3.6	2	
124	Lovastatin inhibits visceral allodynia and increased colonic permeability induced by lipopolysaccharide or repeated water avoidance stress in rats. <i>European Journal of Pharmacology</i> , 2018 , 818, 228-234	5.3	14	
123	Successful medical treatment for a Crohn® disease patient with a perforation by a second-generation patency capsule. <i>Endoscopy International Open</i> , 2018 , 6, E1436-E1438	3	2	
122	Utility of "liquid biopsy" using pancreatic juice for early detection of pancreatic cancer. <i>Endoscopy International Open</i> , 2018 , 6, E1454-E1461	3	8	
121	Lipopolysaccharide induces visceral hypersensitivity: role of interleukin-1, interleukin-6, and peripheral corticotropin-releasing factor in rats. <i>Journal of Gastroenterology</i> , 2017 , 52, 72-80	6.9	21	
120	Reticulocyte hemoglobin equivalent as a potential marker for diagnosis of iron deficiency. <i>International Journal of Hematology</i> , 2017 , 106, 116-125	2.3	22	
119	Esophageal Anisakiasis Mimicking Gastroesophageal Reflux Disease. <i>American Journal of Gastroenterology</i> , 2017 , 112, 532	0.7	3	
118	Repeated water avoidance stress induces visceral hypersensitivity: Role of interleukin-1, interleukin-6, and peripheral corticotropin-releasing factor. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1958-1965	4	24	
117	A case of liver hemangioma with markedly reduced tumor size after metformin treatment: a case report. <i>Clinical Journal of Gastroenterology</i> , 2017 , 10, 63-67	1.1	5	
116	Second-line therapy for Helicobacter pylori eradication causing antibiotic-associated hemorrhagic colitis. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2017 , 16, 54	6.2	5	
115	Cold Exposure Related Fever with an Mediterranean Fever (MEFV) Gene Mutation. <i>Internal Medicine</i> , 2017 , 56, 2233-2236	1.1	2	
114	Angioimmunoblastic T-cell lymphoma and hypereosinophilic syndrome with FIP1L1/PDGFRA fusion gene effectively treated with imatinib: A case report. <i>Medicine (United States)</i> , 2017 , 96, e8001	1.8	2	
113	Pilot study of endoscopic retrograde 3-dimensional - computed tomography enteroclysis for the assessment of Crohnß disease. <i>European Journal of Radiology Open</i> , 2017 , 4, 58-62	2.6	1	
112	Inverted gastric adenocarcinoma of fundic gland mucosa type colliding with well differentiated adenocarcinoma: A case report. <i>Medicine (United States)</i> , 2017 , 96, e7080	1.8	10	
111	Ferrichrome identified from Lactobacillus casei ATCC334 induces apoptosis through its iron-binding site in gastric cancer cells. <i>Tumor Biology</i> , 2017 , 39, 1010428317711311	2.9	13	
110	The endoscopic findings of the upper gastrointestinal tract in patients with Crohnß disease. <i>Clinical Journal of Gastroenterology</i> , 2017 , 10, 289-296	1.1	18	
109	Efficacy of Vonoprazan-Based Triple Therapy for Helicobacter pylori Eradication: A Multicenter Study and a Review of the Literature. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 3069-3076	4	19	

108	Tegafur-uracil-induced rapid development of advanced hepatic fibrosis. <i>World Journal of Gastroenterology</i> , 2017 , 23, 5823-5828	5.6	4
107	Pancreatic metastasis of angiosarcoma (Stewart-Treves syndrome) diagnosed using endoscopic ultrasound-guided fine needle aspiration: A case report. <i>Medicine (United States)</i> , 2016 , 95, e4316	1.8	4
106	Brainstem control of locomotion and muscle tone with special reference to the role of the mesopontine tegmentum and medullary reticulospinal systems. <i>Journal of Neural Transmission</i> , 2016 , 123, 695-729	4.3	103
105	The efficacy of autofluorescence imaging in the diagnosis of colorectal diseases. <i>Clinical Journal of Gastroenterology</i> , 2016 , 9, 175-83	1.1	13
104	Adenosine A1 receptors mediate the intracisternal injection of orexin-induced antinociceptive action against colonic distension in conscious rats. <i>Journal of the Neurological Sciences</i> , 2016 , 362, 106-1	₫·²	13
103	Effect of ramosetron in female patients with irritable bowel syndrome with diarrhea: a phase III long-term study. <i>Journal of Gastroenterology</i> , 2016 , 51, 874-82	6.9	16
102	Ramosetron Reduces Symptoms of Irritable Bowel Syndrome With Diarrhea and Improves Quality of Life in Women. <i>Gastroenterology</i> , 2016 , 150, 358-66.e8	13.3	69
101	Series: Diagnosis at a Glance. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016 , 105, 911-91	3 o	
100	Bullous pemphigoid and percutaneous endoscopic gastrostomy. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 1173-1174	2.9	
99	Levodopa acts centrally to induce an antinociceptive action against colonic distension through activation of D2 dopamine receptors and the orexinergic system in the brain in conscious rats. Journal of Pharmacological Sciences, 2016, 130, 123-7	3.7	7
98	Colorectal distention induces acute and delayed visceral hypersensitivity: role of peripheral corticotropin-releasing factor and interleukin-1 in rats. <i>Journal of Gastroenterology</i> , 2015 , 50, 1153-61	6.9	7
97	Corticotropin-releasing factor receptor type 1 and type 2 interaction in irritable bowel syndrome. Journal of Gastroenterology, 2015 , 50, 819-30	6.9	33
96	Involvement of the dopaminergic system in the central orexin-induced antinociceptive action against colonic distension in conscious rats. <i>Neuroscience Letters</i> , 2015 , 605, 34-8	3.3	19
95	Evidence-based clinical practice guidelines for irritable bowel syndrome. <i>Journal of Gastroenterology</i> , 2015 , 50, 11-30	6.9	84
94	Retropharyngeal Calcific Tendinitis. <i>Internal Medicine</i> , 2015 , 54, 2277	1.1	1
93	Screening for major depressive disorder with the Patient Health Questionnaire (PHQ-9 and PHQ-2) in an outpatient clinic staffed by primary care physicians in Japan: a case control study. <i>PLoS ONE</i> , 2015 , 10, e0119147	3.7	19
92	Evaluation of Kampo medicine in the clinical practice guideline for irritable bowel syndrome. Journal of Gastroenterology, 2015 , 50, 817-8	6.9	
91	Antinociceptive action against colonic distension by brain orexin in conscious rats. <i>Brain Research</i> , 2015 , 1598, 12-7	3.7	24

(2011-2015)

90	A case report on reversible Pelger-Hullanomaly depending on serum free fraction of valproic acid. <i>Brain and Development</i> , 2015 , 37, 344-6	2.2	2
89	An adult patient with cyclic vomiting syndrome successfully treated with oral sumatriptan. <i>American Journal of Gastroenterology</i> , 2014 , 109, 292-3	0.7	3
88	A balance theory of peripheral corticotropin-releasing factor receptor type 1 and type 2 signaling to induce colonic contractions and visceral hyperalgesia in rats. <i>Endocrinology</i> , 2014 , 155, 4655-64	4.8	24
87	Urocortin 2 blocks the suppression of gastric antral contractions induced by lipopolysaccharide in freely moving conscious rats. <i>Regulatory Peptides</i> , 2014 , 190-191, 12-7		2
86	Water-avoidance stress enhances gastric contractions in freely moving conscious rats: role of peripheral CRF receptors. <i>Journal of Gastroenterology</i> , 2014 , 49, 799-805	6.9	13
85	A higher frequency of lumbar ossification of the posterior longitudinal ligament in elderly in an outpatient clinic in Japan. <i>International Journal of General Medicine</i> , 2013 , 6, 729-32	2.3	5
84	IL-1 receptor antagonist blocks the lipopolysaccharide-induced inhibition of gastric motility in freely moving conscious rats. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 2555-61	4	8
83	High rate of smoking in female patients with Mondorß disease in an outpatient clinic in Japan. <i>International Journal of General Medicine</i> , 2012 , 5, 735-8	2.3	2
82	The rate of polymyalgia rheumatica (PMR) and remitting seronegative symmetrical synovitis with pitting edema (RS3PE) syndrome in a clinic where primary care physicians are working in Japan. <i>Rheumatology International</i> , 2012 , 32, 1695-9	3.6	23
81	Endogenous orexin-A in the brain mediates 2-deoxy-D-glucose-induced stimulation of gastric motility in freely moving conscious rats. <i>Journal of Gastroenterology</i> , 2012 , 47, 404-11	6.9	19
80	Chronic right lower abdominal pain due to lumbar ossification of the posterior longitudinal ligament. <i>American Journal of Gastroenterology</i> , 2012 , 107, 142-3	0.7	1
79	Peritoneal loose body. <i>Internal Medicine</i> , 2012 , 51, 2057	1.1	5
78	Central orexin-A increases colonic motility in conscious rats. <i>Neuroscience Letters</i> , 2011 , 498, 143-6	3.3	22
77	Severe hyponatremia in association with I(131) therapy in a patient with metastatic thyroid cancer. <i>Internal Medicine</i> , 2011 , 50, 2169-74	1.1	15
76	Role of brain orexin in the pathophysiology of functional gastrointestinal disorders. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26 Suppl 3, 61-6	4	23
75	Visceral sensation and irritable bowel syndrome; with special reference to comparison with functional abdominal pain syndrome. <i>Journal of Gastroenterology and Hepatology (Australia</i>), 2011 , 26 Suppl 3, 122-7	4	14
74	Stress-induced hemorrhagic gastric ulcer after successful Helicobacter pylori eradication: two case reports. <i>Journal of Medical Case Reports</i> , 2011 , 5, 252	1.2	4
73	Role of lipid droplet proteins in liver steatosis. <i>Journal of Physiology and Biochemistry</i> , 2011 , 67, 629-36	5	71

72	Incidence of synchronous and metachronous pancreatic carcinoma in 168 patients with branch duct intraductal papillary mucinous neoplasm. <i>Pancreatology</i> , 2010 , 10, 173-8	3.8	118
71	Thiazolidinediones enhance vascular endothelial growth factor expression and induce cell growth inhibition in non-small-cell lung cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010 , 29, 22	12.8	13
70	Pancreatic ductal adenocarcinomas in long-term follow-up patients with branch duct intraductal papillary mucinous neoplasms. <i>Pancreas</i> , 2010 , 39, 36-40	2.6	116
69	Acquired factor V inhibitor in a patient with a mechanical aortic valve under warfarin therapy. <i>Internal Medicine</i> , 2010 , 49, 2229-33	1.1	5
68	1) Clinical Treatment of FGID - Epidemiology and Clinical Significance <i>The Journal of the Japanese Society of Internal Medicine</i> , 2010 , 99, 2122-2127	0	
67	Prevalence of functional dyspepsia in an outpatient clinic with primary care physicians in Japan. <i>Journal of Gastroenterology</i> , 2010 , 45, 187-94	6.9	55
66	Mechanisms by which thiazolidinediones induce anti-cancer effects in cancers in digestive organs. Journal of Gastroenterology, 2010 , 45, 1097-102	6.9	47
65	Characteristics in patients with headache in an outpatient clinic in Japan. <i>Asia Pacific Family Medicine</i> , 2010 , 9, 10	1	11
64	Hedgehog promotes neovascularization in pancreatic cancers by regulating Ang-1 and IGF-1 expression in bone-marrow derived pro-angiogenic cells. <i>PLoS ONE</i> , 2010 , 5, e8824	3.7	65
63	Troglitazone increases expression of E-cadherin and claudin 4 in human pancreatic cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 380, 614-9	3.4	11
62	A Jak2 inhibitor, AG490, reverses lipin-1 suppression by TNF-alpha in 3T3-L1 adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 382, 348-52	3.4	16
61	Frequent early discontinuation of SSRI prescribed by primary care physicians in young males in Japan. <i>Internal Medicine</i> , 2009 , 48, 1263-6	1.1	10
60	Hedgehog Promotes Neovascularization through the Regulation of Bone-Marrow Derived Progenitors <i>Blood</i> , 2009 , 114, 3048-3048	2.2	
59	Sonic hedgehog derived from human pancreatic cancer cells augments angiogenic function of endothelial progenitor cells. <i>Cancer Science</i> , 2008 , 99, 1131-8	6.9	48
58	Neurobiological Basis of Controlling Posture and Locomotion. <i>Advanced Robotics</i> , 2008 , 22, 1629-1663	1.7	22
57	Immunolocalization of a novel collectin CL-K1 in murine tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 2008 , 56, 243-52	3.4	25
56	Role of orexin in central regulation of gastrointestinal functions. <i>Journal of Gastroenterology</i> , 2008 , 43, 652-60	6.9	26
55	Intracisternal injection of orexin-A prevents ethanol-induced gastric mucosal damage in rats. <i>Journal of Gastroenterology</i> , 2007 , 42, 336-41	6.9	8

(2001-2007)

54	Lipopolysaccharide induces adipose differentiation-related protein expression and lipid accumulation in the liver through inhibition of fatty acid oxidation in mice. <i>Journal of Gastroenterology</i> , 2007 , 42, 969-78	6.9	34
53	A diacylglycerol kinase inhibitor, R59022, stimulates glucose transport through a MKK3/6-p38 signaling pathway in skeletal muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 360, 244-50	3.4	11
52	A phase I study of oral uracil-tegafur prior to weekly intravenous gemcitabine in patients with advanced pancreatic cancer. <i>Chemotherapy</i> , 2006 , 52, 98-102	3.2	5
51	Up-regulation of ADRP in fatty liver in human and liver steatosis in mice fed with high fat diet. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 340, 1111-8	3.4	130
50	Neurobiological basis of state-dependent control of motor behaviors. <i>Sleep and Biological Rhythms</i> , 2006 , 4, 87-104	1.3	7
49	A selective orexin-1 receptor antagonist, SB334867, blocks 2-DG-induced gastric acid secretion in rats. <i>Neuroscience Letters</i> , 2005 , 376, 137-42	3.3	32
48	Involvement of MEK-ERK signaling pathway in the inhibition of cell growth by troglitazone in human pancreatic cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 332, 89-94	3.4	34
47	Increased expression of PPARgamma in high fat diet-induced liver steatosis in mice. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 336, 215-22	3.4	288
46	Orexinergic projections to the cat midbrain mediate alternation of emotional behavioural states from locomotion to cataplexy. <i>Journal of Physiology</i> , 2005 , 568, 1003-20	3.9	89
45	Serine/threonine kinase AKT is frequently activated in human bile duct cancer and is associated with increased radioresistance. <i>Cancer Research</i> , 2004 , 64, 3486-90	10.1	95
44	Inhibition of cell invasion and morphological change by troglitazone in human pancreatic cancer cells. <i>Journal of Gastroenterology</i> , 2004 , 39, 461-8	6.9	31
43	Growth arrest by troglitazone is mediated by p27Kip1 accumulation, which results from dual inhibition of proteasome activity and Skp2 expression in human hepatocellular carcinoma cells. <i>International Journal of Cancer</i> , 2004 , 108, 41-6	7.5	51
42	Image of the month. Isolated dissection of the superior mesenteric artery. <i>Gastroenterology</i> , 2004 , 127, 1029, 1282	13.3	10
41	Involvement of p38 mitogen-activated protein kinase in gemcitabine-induced apoptosis in human pancreatic cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 316, 71-7	3.4	69
40	PPAR gamma ligand-induced apoptosis through a p53-dependent mechanism in human gastric cancer cells. <i>Cancer Science</i> , 2003 , 94, 338-43	6.9	57
39	Troglitazone induces G1 arrest by p27(Kip1) induction that is mediated by inhibition of proteasome in human gastric cancer cells. <i>Japanese Journal of Cancer Research</i> , 2002 , 93, 774-82		21
38	Physiology of the small intestine in the glycemic control and the treatment of diabetes mellitus <i>Folia Pharmacologica Japonica</i> , 2002 , 120, 29-31	0	1
37	Requirement of intact disulfide bonds in orexin-A-induced stimulation of gastric acid secretion that is mediated by OX1 receptor activation. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 280, 976-81	3.4	61

36	Increased serum leptin by cholecystitis in a diabetic patient. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 933-6	4	
35	Cocaine-amphetamine-regulated transcript (CART) acts in the central nervous system to inhibit gastric acid secretion via brain corticotropin-releasing factor system. <i>Endocrinology</i> , 2000 , 141, 2854-60	4.8	79
34	Inhibition of food intake by central injection of anti-orexin antibody in fasted rats. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 267, 527-31	3.4	155
33	An inverse correlation between serum leptin levels and hemoglobin A1c in patients with non-insulin dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1999 , 43, 187-91	7.4	27
32	Activation of PPARgamma inhibits cell growth and induces apoptosis in human gastric cancer cells. <i>FEBS Letters</i> , 1999 , 455, 135-9	3.8	192
31	Stimulation of gastric acid secretion by centrally administered orexin-A in conscious rats. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 254, 623-7	3.4	169
30	Delayed gastric emptying by Helicobacter pylori lipopolysaccharide in conscious rats. <i>Digestive Diseases and Sciences</i> , 1998 , 43, 90-4	4	45
29	Helicobacter pylori lipopolysaccharide inhibits acid secretion in pylorus-ligated conscious rats. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 236, 532-7	3.4	11
28	Gastric emptying in OLETF rats not expressing CCK-A receptor gene. <i>Digestive Diseases and Sciences</i> , 1997 , 42, 915-9	4	22
27	Effects of submucosal administration of endothelin-3 on rat gastric mucosa. <i>Journal of Gastroenterology</i> , 1997 , 32, 148-56	6.9	4
26	Intracisternal injection of basic fibroblast growth factor reduces the severity of gastric mucosal lesions evoked by ethanol in rats. <i>The Japanese Journal of Physiology</i> , 1997 , 47, 231-3		2
25	Susceptibility to the development of gastric mucosal damage in OLETF rat not expressing the CCK-A receptor. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 224, 728-33	3.4	4
24	Intraduodenal lipid does not inhibit acid secretion in OLETF rats not expressing CCK-A receptor gene. <i>Digestive Diseases and Sciences</i> , 1996 , 41, 2174-9	4	6
23	Apolipoprotein A-IV acts centrally in the brain to reduce the severity of gastric ulceration in the rat. <i>Brain Research</i> , 1995 , 673, 153-6	3.7	13
22	Intracisternal injection of TRH antibody blocks gastric emptying stimulated by 2-deoxy-D-glucose in rats. <i>Brain Research</i> , 1995 , 674, 137-41	3.7	10
21	Mechanism of action of intracisternal apolipoprotein A-IV in inhibiting gastric acid secretion in rats. <i>Gastroenterology</i> , 1995 , 109, 1583-8	13.3	35
20	Pancreatic polypeptide microinjection into the dorsal motor nucleus inhibits pancreatic secretion in rats. <i>Gastroenterology</i> , 1995 , 108, 1517-25	13.3	46
19	Gastric mucosal damage induced by 2-deoxy-D-glucose involves medullary TRH in the rat. <i>Regulatory Peptides</i> , 1995 , 55, 311-9		9

18	Stimulation of gastric secretion and enhanced gastric mucosal damage following central administration of pancreatic polypeptide (PP) in rats. <i>Digestive Diseases and Sciences</i> , 1994 , 39, 2398-4	06 ⁴	5
17	Intracisternal injection of pancreatic polypeptide stimulates gastric emptying in rats. <i>Neuroscience Letters</i> , 1994 , 178, 167-70	3.3	21
16	Intracisternal injection of apolipoprotein A-IV inhibits gastric secretion in pylorus-ligated conscious rats. <i>Gastroenterology</i> , 1994 , 107, 1861-4	13.3	75
15	Gastric Antisecretory and Antiulcer Actions of Interleukin-1. <i>Journal of Clinical Gastroenterology</i> , 1992 , 14, S149-S155	3	11
14	Basic fibroblast growth factor (bFGF) acts centrally in the brain to inhibit gastric emptying in rats. <i>Neuroscience Letters</i> , 1992 , 137, 53-5	3.3	6
13	The gastric antisecretory action of lipopolysaccharide is blocked by indomethacin. <i>European Journal of Pharmacology</i> , 1992 , 210, 213-5	5.3	17
12	Evidence that gastric antisecretory action of lipopolysaccharide is not due to a toxic effect on gastric parietal cells. <i>Digestive Diseases and Sciences</i> , 1992 , 37, 1039-44	4	15
11	Prevention by interleukin-1 of intracisternally injected thyrotropin-releasing hormone (TRH)-induced gastric mucosal lesions in rats. <i>Neuroscience Letters</i> , 1991 , 125, 31-3	3.3	13
10	Central nervous system action of basic fibroblast growth factor: inhibition of gastric acid and pepsin secretion. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 175, 527-31	3.4	21
9	Central basic fibroblast growth factor inhibits gastric ulcer formation in rats. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 177, 809-13	3.4	7
8	Indomethacin reverses interleukin-1-induced hyperinsulinemia in conscious and freely moving rats. <i>European Journal of Pharmacology</i> , 1991 , 192, 185-7	5.3	2
7	Effects of Cyanoacrylate on the Gastric Mucosa of Dogs E ndoscopic and Histopathological Studies for Sclerotherapy of Gastric Varices <i>Digestive Endoscopy</i> , 1991 , 3, 302-307	3.7	
6	Vagal motor neurons innervating the stomach are site-specifically organized in the dorsal motor nucleus of the vagus nerve in rats. <i>Journal of the Autonomic Nervous System</i> , 1990 , 29, 157-62		53
5	Lipopolysaccharide-induced inhibition of gastric acid and pepsin secretion in rats. <i>European Journal of Pharmacology</i> , 1990 , 181, 141-5	5.3	21
4	Inhibition of gastric pepsin secretion by peripherally or centrally injected interleukin-1 in rats. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 167, 956-61	3.4	33
3	Interleukin-1: a cytokine that has potent antisecretory and anti-ulcer actions via the central nervous system. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 173, 585-90	3.4	38
2	Interleukin-1 inhibits the secretion of gastric acid in rats: possible involvement of prostaglandin. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 162, 1578-84	3.4	81
1	Indomethacin blocks the anorexic action of interleukin-1. European Journal of Pharmacology, 1989 , 170, 257-60	5.3	72