

# Shuqiao Yao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/804777/publications.pdf>

Version: 2024-02-01

130  
papers

4,558  
citations

126708

33  
h-index

128067

60  
g-index

133  
all docs

133  
docs citations

133  
times ranked

5934  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evidence of a Dissociation Pattern in Resting-State Default Mode Network Connectivity in First-Episode, Treatment-Naive Major Depression Patients. <i>Biological Psychiatry</i> , 2012, 71, 611-617.	0.7	579
2	Dose-response association of screen time-based sedentary behaviour in children and adolescents and depression: a meta-analysis of observational studies. <i>British Journal of Sports Medicine</i> , 2016, 50, 1252-1258.	3.1	231
3	The MATRICS Consensus Cognitive Battery (MCCB): Co-norming and standardization in China. <i>Schizophrenia Research</i> , 2015, 169, 109-115.	1.1	176
4	Measuring Adolescent Psychopathology: Psychometric Properties of the Self-Report Strengths and Difficulties Questionnaire in a Sample of Chinese Adolescents. <i>Journal of Adolescent Health</i> , 2009, 45, 55-62.	1.2	162
5	Psychometric properties of the Chinese version of the Childhood Trauma Questionnaire-Short Form (CTQ-SF) among undergraduates and depressive patients. <i>Child Abuse and Neglect</i> , 2019, 91, 102-108.	1.3	155
6	Cross-cultural personality assessment in psychiatric populations: The NEO-PI-R in the People's Republic of China.. <i>Psychological Assessment</i> , 1999, 11, 359-368.	1.2	133
7	Amygdala hyperactivation and prefrontal hypoactivation in subjects with cognitive vulnerability to depression. <i>Biological Psychology</i> , 2011, 88, 233-242.	1.1	132
8	Functional alterations of fronto-limbic circuit and default mode network systems in first-episode, drug-naïve patients with major depressive disorder: A meta-analysis of resting-state fMRI data. <i>Journal of Affective Disorders</i> , 2016, 206, 280-286.	2.0	124
9	Mapping anhedonia-specific dysfunction in a transdiagnostic approach: an ALE meta-analysis. <i>Brain Imaging and Behavior</i> , 2016, 10, 920-939.	1.1	123
10	An Examination of the Psychometric Properties of the Chinese Version of the Barratt Impulsiveness Scale, 11th Version in a Sample of Chinese Adolescents. <i>Perceptual and Motor Skills</i> , 2007, 104, 1169-1182.	0.6	108
11	Factor Structure of the CES-D and Measurement Invariance Across Gender in Mainland Chinese Adolescents. <i>Journal of Clinical Psychology</i> , 2013, 69, 966-979.	1.0	108
12	Psychometric properties of the Cognitive Emotion Regulation Questionnaire: Chinese version. <i>Cognition and Emotion</i> , 2008, 22, 288-307.	1.2	101
13	Psychometric properties of the 10-item Connor-Davidson Resilience Scale (CD-RISC-10) in Chinese undergraduates and depressive patients. <i>Journal of Affective Disorders</i> , 2020, 261, 211-220.	2.0	88
14	Altered resting-state dynamic functional brain networks in major depressive disorder: Findings from the REST-meta-MDD consortium. <i>NeuroImage: Clinical</i> , 2020, 26, 102163.	1.4	76
15	First-Episode Medication-Naive Major Depressive Disorder Is Associated with Altered Resting Brain Function in the Affective Network. <i>PLoS ONE</i> , 2014, 9, e85241.	1.1	75
16	Gray matter volume abnormalities in individuals with cognitive vulnerability to depression: A voxel-based morphometry study. <i>Journal of Affective Disorders</i> , 2012, 136, 443-452.	2.0	74
17	Task-Dependent Modulation of Effective Connectivity within the Default Mode Network. <i>Frontiers in Psychology</i> , 2012, 3, 206.	1.1	69
18	Cognitive Vulnerability to Major Depression. <i>Harvard Review of Psychiatry</i> , 2016, 24, 188-201.	0.9	67

#	ARTICLE	IF	CITATIONS
19	Reliability and Validity of the Chinese Version of the Multidimensional Anxiety Scale for Children Among Chinese Secondary School Students. <i>Child Psychiatry and Human Development</i> , 2007, 38, 1-16.	1.1	60
20	State-Independent and Dependent Neural Responses to Psychosocial Stress in Current and Remitted Depression. <i>American Journal of Psychiatry</i> , 2017, 174, 971-979.	4.0	60
21	Impaired Frontal-Basal Ganglia Connectivity in Adolescents with Internet Addiction. <i>Scientific Reports</i> , 2014, 4, 5027.	1.6	58
22	Regional homogeneity and functional connectivity patterns in major depressive disorder, cognitive vulnerability to depression and healthy subjects. <i>Journal of Affective Disorders</i> , 2018, 235, 229-235.	2.0	55
23	Increased Structural Connectivity in Corpus Callosum in Adolescent Males With Conduct Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 466-475.e1.	0.3	52
24	Altered default mode, fronto-parietal and salience networks in adolescents with Internet addiction. <i>Addictive Behaviors</i> , 2017, 70, 1-6.	1.7	51
25	Whole-brain resting-state functional connectivity identified major depressive disorder: A multivariate pattern analysis in two independent samples. <i>Journal of Affective Disorders</i> , 2017, 218, 346-352.	2.0	49
26	A resting-state fMRI study in borderline personality disorder combining amplitude of low frequency fluctuation, regional homogeneity and seed based functional connectivity. <i>Journal of Affective Disorders</i> , 2017, 218, 299-305.	2.0	43
27	Altered white matter integrity in individuals with cognitive vulnerability to depression: a tract-based spatial statistics study. <i>Scientific Reports</i> , 2015, 5, 9738.	1.6	42
28	Personality Profiles and the Prediction of Categorical Personality Disorders. <i>Journal of Personality</i> , 2001, 69, 155-174.	1.8	41
29	Functional dysconnectivity of the limbic loop of frontostriatal circuits in first-episode, treatment-naïve schizophrenia. <i>Human Brain Mapping</i> , 2018, 39, 747-757.	1.9	41
30	Neurocognitive Impairments in Deficit and Non-Deficit Schizophrenia and Their Relationships with Symptom Dimensions and Other Clinical Variables. <i>PLoS ONE</i> , 2015, 10, e0138357.	1.1	39
31	Sex Differences of Uncinate Fasciculus Structural Connectivity in Individuals with Conduct Disorder. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	37
32	Convergence and Divergence of Brain Network Dysfunction in Deficit and Non-deficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, 1315-1328.	2.3	36
33	State-independent alterations of intrinsic brain network in current and remitted depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 475-480.	2.5	36
34	Alterations of Brain Functional Architecture Associated with Psychopathic Traits in Male Adolescents with Conduct Disorder. <i>Scientific Reports</i> , 2017, 7, 11349.	1.6	35
35	Factorial Invariance of the 10-Item Connor-Davidson Resilience Scale Across Gender Among Chinese Elders. <i>Frontiers in Psychology</i> , 2019, 10, 1237.	1.1	34
36	Default mode network alterations during implicit emotional faces processing in first-episode, treatment-naïve major depression patients. <i>Frontiers in Psychology</i> , 2015, 6, 1198.	1.1	32

#	ARTICLE	IF	CITATIONS
37	State-Related Alterations of Spontaneous Neural Activity in Current and Remitted Depression Revealed by Resting-State fMRI. <i>Frontiers in Psychology</i> , 2019, 10, 245.	1.1	32
38	Assessing Measurement Invariance of the Children's Depression Inventory in Chinese and Italian Primary School Student Samples. <i>Assessment</i> , 2012, 19, 506-516.	1.9	31
39	The Factorial Invariance Across Gender of Three Well-Supported Models. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 145-152.	0.5	29
40	"Weakest Link" as a Cognitive Vulnerability Within the Hopelessness Theory of Depression in Chinese University Students. <i>Stress and Health</i> , 2016, 32, 20-27.	1.4	29
41	Screen Time on School Days and Risks for Psychiatric Symptoms and Self-Harm in Mainland Chinese Adolescents. <i>Frontiers in Psychology</i> , 2016, 7, 574.	1.1	28
42	Childhood Maltreatment Experience Influences Neural Response to Psychosocial Stress in Adults: An fMRI Study. <i>Frontiers in Psychology</i> , 2019, 10, 2961.	1.1	28
43	Health-related quality of life and influencing factors among rural left-behind wives in Liuyang, China. <i>BMC Women's Health</i> , 2014, 14, 67.	0.8	27
44	Imbalanced spontaneous brain activity in orbitofrontal-insular circuits in individuals with cognitive vulnerability to depression. <i>Journal of Affective Disorders</i> , 2016, 198, 56-63.	2.0	27
45	The Depressive Experiences Questionnaire: construct validity and prediction of depressive symptoms in a sample of Chinese undergraduates. <i>Depression and Anxiety</i> , 2009, 26, 930-937.	2.0	26
46	Coping and Involuntary Responses to Stress in Chinese University Students: Psychometric Properties of the Responses to Stress Questionnaire. <i>Journal of Personality Assessment</i> , 2010, 92, 356-361.	1.3	24
47	Distinguishing Adolescents With Conduct Disorder From Typically Developing Youngsters Based on Pattern Classification of Brain Structural MRI. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 152.	1.0	24
48	Combined Patterns Of Physical Activity And Screen-Related Sedentary Behavior Among Chinese Adolescents And Their Correlations With Depression, Anxiety And Self-Injurious Behaviors. <i>Psychology Research and Behavior Management</i> , 2019, Volume 12, 1041-1050.	1.3	24
49	State-independent and -dependent structural alterations in limbic-cortical regions in patients with current and remitted depression. <i>Journal of Affective Disorders</i> , 2019, 258, 1-10.	2.0	23
50	Psychometric properties of the 10-item ruminative response scale in Chinese university students. <i>BMC Psychiatry</i> , 2017, 17, 152.	1.1	22
51	What is the optimal neuropsychological test battery for schizophrenia in China?. <i>Schizophrenia Research</i> , 2019, 208, 317-323.	1.1	22
52	Inhibition dysfunction in depression: Event-related potentials during negative affective priming. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 172-179.	0.9	21
53	Factor Structure and Measurement Invariance Across Gender Groups of the 15-Item Geriatric Depression Scale Among Chinese Elders. <i>Frontiers in Psychology</i> , 2019, 10, 1360.	1.1	21
54	Topologically state-independent and dependent functional connectivity patterns in current and remitted depression. <i>Journal of Affective Disorders</i> , 2019, 250, 178-185.	2.0	21

#	ARTICLE	IF	CITATIONS
55	Replication of factor structure of Wechsler Adult Intelligence Scale-III Chinese version in Chinese mainland non-clinical and schizophrenia samples. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 379-384.	1.0	20
56	Serotonin transporter gene polymorphism (5-HTTLPR) L allele interacts with stress to increase anxiety symptoms in Chinese adolescents: a multiwave longitudinal study. <i>BMC Psychiatry</i> , 2015, 15, 248.	1.1	19
57	Altered spontaneous brain activity in adolescent boys with pure conduct disorder revealed by regional homogeneity analysis. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 827-837.	2.8	19
58	Factor structure of the Geriatric Depression Scale and measurement invariance across gender among Chinese elders. <i>Journal of Affective Disorders</i> , 2018, 238, 136-141.	2.0	19
59	Structural and Functional Connectivity of the Anterior Cingulate Cortex in Patients With Borderline Personality Disorder. <i>Frontiers in Neuroscience</i> , 2019, 13, 971.	1.4	19
60	Understanding Risky Behavior Engagement Amongst Chinese Adolescents. <i>Cognitive Therapy and Research</i> , 2010, 34, 159-167.	1.2	18
61	Stress and Self-Esteem Mediate the Relationships between Different Categories of Perfectionism and Life Satisfaction. <i>Applied Research in Quality of Life</i> , 2017, 12, 593-605.	1.4	18
62	Psychometric Properties of the Chinese Version of the 10-Item Ruminative Response Scale Among Undergraduates and Depressive Patients. <i>Frontiers in Psychiatry</i> , 2021, 12, 626859.	1.3	18
63	A Voxel-Based Morphometric MRI Study in Young Adults with Borderline Personality Disorder. <i>PLoS ONE</i> , 2016, 11, e0147938.	1.1	17
64	Effectiveness of an Assertive Community Treatment program for people with severe schizophrenia in mainland China – a 12-month randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 969-979.	2.7	17
65	Multivoxel pattern analysis of structural MRI in children and adolescents with conduct disorder. <i>Brain Imaging and Behavior</i> , 2019, 13, 1273-1280.	1.1	17
66	The MAOA Gene Influences the Neural Response to Psychosocial Stress in the Human Brain. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 65.	1.0	17
67	From motivation, decision-making to action: An fMRI study on suicidal behavior in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2021, 139, 14-24.	1.5	17
68	Sex-specific neural responses to acute psychosocial stress in depression. <i>Translational Psychiatry</i> , 2022, 12, 2.	2.4	17
69	Disrupted Topological Patterns of Large-Scale Network in Conduct Disorder. <i>Scientific Reports</i> , 2016, 6, 37053.	1.6	16
70	Measurement equivalence of the SDQ in Chinese Adolescents: A horizontal and longitudinal perspective. <i>Journal of Affective Disorders</i> , 2019, 257, 439-444.	2.0	16
71	Three dimensional convolutional neural network-based classification of conduct disorder with structural MRI. <i>Brain Imaging and Behavior</i> , 2020, 14, 2333-2340.	1.1	16
72	HEAT SHOCK PROTEIN72 PROTECTS HIPPOCAMPAL NEURONS FROM APOPTOSIS INDUCED BY CHRONIC PSYCHOLOGICAL STRESS. <i>International Journal of Neuroscience</i> , 2007, 117, 1551-1564.	0.8	15

#	ARTICLE	IF	CITATIONS
73	Sex Differences in Spontaneous Brain Activity in Adolescents With Conduct Disorder. <i>Frontiers in Psychology</i> , 2018, 9, 1598.	1.1	15
74	Reliability and factorial validity of the Observer Alexithymia Scale—Chinese translation. <i>Psychiatry Research</i> , 2005, 134, 93-100.	1.7	13
75	Prevalence and Correlates of Direct Self-Injurious Behavior among Chinese Adolescents: Findings from a Multicenter and Multistage Survey. <i>Journal of Abnormal Child Psychology</i> , 2017, 45, 815-826.	3.5	13
76	Investigation on status and influential factors of cognitive function of the community-dwelling elderly in Changsha City. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 329-334.	1.4	12
77	MAOA genotype influences neural response during an inhibitory task in adolescents with conduct disorder. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1159-1169.	2.8	12
78	Four Distinct Subgroups of Self-Injurious Behavior among Chinese Adolescents: Findings from a Latent Class Analysis. <i>PLoS ONE</i> , 2016, 11, e0158609.	1.1	12
79	Personality Predispositions in Chinese Adolescents: The Relation Between Self-Criticism, Dependency, and Prospective Internalizing Symptoms. <i>Journal of Social and Clinical Psychology</i> , 2013, 32, 596-618.	0.2	11
80	Dysfunctional feedback processing in adolescent males with conduct disorder. <i>International Journal of Psychophysiology</i> , 2016, 99, 1-9.	0.5	11
81	MAOA genotype modulates default mode network deactivation during inhibitory control. <i>Biological Psychology</i> , 2018, 138, 27-34.	1.1	11
82	Neuroticism modulates neural activities of posterior cingulate cortex and thalamus during psychosocial stress processing. <i>Journal of Affective Disorders</i> , 2020, 262, 223-228.	2.0	11
83	PSYCHOMETRIC properties of the Chinese version of the THINC-it tool for cognitive symptoms in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 273, 586-591.	2.0	11
84	The responses to stress questionnaire: construct validity and prediction of depressive and social anxiety symptoms in a sample of Chinese adolescents. <i>Stress and Health</i> , 2010, 26, 238-249.	1.4	10
85	Functional Connectivity Density, Local Brain Spontaneous Activity, and Their Coupling Strengths in Patients With Borderline Personality Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 342.	1.3	10
86	Effect of corticotropin-releasing hormone receptor1 gene variation on psychosocial stress reaction via the dorsal anterior cingulate cortex in healthy adults. <i>Brain Research</i> , 2019, 1707, 1-7.	1.1	10
87	Personality inventory for DSM-5 brief form (PID-5-BF) in Chinese students and patients: evaluating the five-factor model and a culturally informed six-factor model. <i>BMC Psychiatry</i> , 2021, 21, 107.	1.1	10
88	Gray Matter Changes in the Orbitofrontal-Paralimbic Cortex in Male Youths With Non-comorbid Conduct Disorder. <i>Frontiers in Psychology</i> , 2020, 11, 843.	1.1	10
89	Potential structural trait markers of depression in the form of alterations in the structures of subcortical nuclei and structural covariance network properties. <i>NeuroImage: Clinical</i> , 2021, 32, 102871.	1.4	10
90	Impaired Frontal-Basal Ganglia Connectivity in Male Adolescents with Conduct Disorder. <i>PLoS ONE</i> , 2015, 10, e0145011.	1.1	9

#	ARTICLE	IF	CITATIONS
91	Neuroanatomical changes associated with conduct disorder in boys: influence of childhood maltreatment. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 601-613.	2.8	9
92	Highlighting psychological pain avoidance and decision-making bias as key predictors of suicide attempt in major depressive disorder—A novel investigative approach using machine learning. <i>Journal of Clinical Psychology</i> , 2022, 78, 671-691.	1.0	9
93	Daily hassles and depression in individuals with cognitive vulnerability to depression: The mediating role of maladaptive cognitive emotion regulation strategies. <i>Nordic Psychology</i> , 2015, 67, 87-100.	0.4	8
94	Temporoparietal Junction Hypoactivity during Pain-Related Empathy Processing in Adolescents with Conduct Disorder. <i>Frontiers in Psychology</i> , 2017, 7, 2085.	1.1	8
95	Cognitive Emotion Regulation Strategies in Chinese Adolescents with Overweight and Obesity. <i>Childhood Obesity</i> , 2018, 14, 26-32.	0.8	8
96	Influence of psychosocial stress on activation in human brain regions: moderation by the 5-HTTLPR genetic locus. <i>Physiology and Behavior</i> , 2020, 220, 112876.	1.0	8
97	Personality Inventory for DSM-5 in China: Evaluation of DSM-5 and ICD-11 Trait Structure and Continuity With Personality Disorder Types. <i>Frontiers in Psychiatry</i> , 2021, 12, 635214.	1.3	8
98	Hypersensitivity to negative feedback during dynamic risky-decision making in major depressive disorder: An event-related potential study. <i>Journal of Affective Disorders</i> , 2021, 295, 1421-1431.	2.0	7
99	Preattentive Processing Abnormalities in Chronic Pain: Neurophysiological Evidence from Mismatch Negativity. <i>Pain Medicine</i> , 2011, 12, 773-781.	0.9	6
100	Low self-esteem as a vulnerability differentially predicts symptom dimensions of depression in university students in China: A 6-month longitudinal study. <i>PsyCh Journal</i> , 2014, 3, 273-281.	0.5	6
101	A Functional Polymorphism of the MAOA Gene Modulates Spontaneous Brain Activity in Pons. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	6
102	Retinoid-related orphan receptor alpha (RORA) gene variation is associated with trait depression. <i>Psychiatry Research</i> , 2015, 229, 629-630.	1.7	6
103	Regional Homogeneity Abnormalities in Early-Onset and Adolescent-Onset Conduct Disorder in Boys: A Resting-State fMRI Study. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 26.	1.0	6
104	Factor Structure and Measurement Invariance of the Chinese version of the Snaith-Hamilton Pleasure Scale (SHAPS) in Non-clinical and Clinical populations. <i>Journal of Affective Disorders</i> , 2021, 281, 759-766.	2.0	6
105	Impaired global efficiency in boys with conduct disorder and high callous unemotional traits. <i>Journal of Psychiatric Research</i> , 2021, 138, 560-568.	1.5	6
106	Psychiatric disorders in China: strengths and challenges of contemporary research and clinical services. <i>Psychological Medicine</i> , 2021, 51, 1978-1991.	2.7	6
107	Factor structure and measurement invariance of the Chinese version of the Center for Epidemiological Studies Depression (CES-D) scale among undergraduates and clinical patients. <i>BMC Psychiatry</i> , 2021, 21, 463.	1.1	6
108	Associations of moderate-to-vigorous physical activity with psychological problems and suicidality in Chinese high school students: a cross-sectional study. <i>PeerJ</i> , 2020, 8, e8775.	0.9	6

#	ARTICLE	IF	CITATIONS
109	Psychometric Properties and Measurement Invariance of the Cognitive Emotion Regulation Questionnaire in Chinese Adolescents With and Without Major Depressive Disorder: A Horizontal and Longitudinal Perspective. <i>Frontiers in Psychiatry</i> , 2021, 12, 736887.	1.3	6
110	Distinct stress-related medial prefrontal cortex activation in women with depression with and without childhood maltreatment. <i>Depression and Anxiety</i> , 2022, 39, 296-306.	2.0	6
111	Psychometric Properties and Measurement Invariance of the Childhood Trauma Questionnaire (Short) Tj ETQq1 1 0.784314 rgBT /Ove Adolescents. <i>Frontiers in Psychology</i> , 2022, 13, 816051.	1.1	6
112	The psychometric properties of the Cognitive-Somatic Anxiety Questionnaire in Chinese undergraduate students and clinical patients. <i>Comprehensive Psychiatry</i> , 2014, 55, 1751-1756.	1.5	5
113	Neurological soft signs in Chinese adolescents with antisocial personality traits. <i>Psychiatry Research</i> , 2016, 243, 143-146.	1.7	5
114	Psychometric Properties of the Chinese Version of the Neuroticism Subscale of the NEO-PI. <i>Frontiers in Psychology</i> , 2018, 9, 1454.	1.1	5
115	Understanding Anxiety Sensitivity in the Development of Anxious and Depressive Symptoms. <i>Cognitive Therapy and Research</i> , 2011, 35, 232-240.	1.2	4
116	Altered Functional Connectivity of Striatum Based on the Integrated Connectivity Model in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 756.	1.3	4
117	Intrinsic brain network alterations in non-clinical adults with a history of childhood trauma. <i>HÅrgre Utbildning</i> , 2021, 12, 1975951.	1.4	4
118	The Relationship Between Cognitive Dysfunction Through THINC-Integrated Tool (THINC-it) and Psychosocial Function in Chinese Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 763603.	1.3	4
119	State-independent and -dependent behavioral and neuroelectrophysiological characteristics during dynamic decision-making in patients with current and remitted depression. <i>Journal of Affective Disorders</i> , 2022, 309, 85-94.	2.0	4
120	Enhanced Intensity Dependence as a Marker of Low Serotonergic Neurotransmission in High Optimistic College Students. <i>BioMed Research International</i> , 2013, 2013, 1-7.	0.9	3
121	Electrophysiological responses of feedback processing are modulated by MAOA genotype in healthy male adolescents. <i>Neuroscience Letters</i> , 2016, 610, 144-149.	1.0	3
122	Atypical Frontotemporal Connectivity of Cognitive Empathy in Male Adolescents With Conduct Disorder. <i>Frontiers in Psychology</i> , 2018, 9, 2778.	1.1	3
123	Factor structure and sex invariance of the temporal experience of pleasure scale (TEPS) in Chinese university students and clinical population. <i>BMC Psychiatry</i> , 2021, 21, 378.	1.1	3
124	Assertive Community Treatment in China – it is time for a made-in-China solution. <i>Psychological Medicine</i> , 2019, 49, 172-174.	2.7	2
125	Influence of psychosocial stress on activation in human brain regions: moderation by the 5-HTTLPR genetic locus. <i>Physiology and Behavior</i> , 2020, 220, 112876.	1.0	2
126	Structural abnormalities in adolescents with conduct disorder and high versus low callous unemotional traits. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 193-203.	2.8	2



#	ARTICLE	IF	CITATIONS
127	Difference ERPs Effects of the Difference Introduction on the Recognition of Chinese Emotional Content Words in Healthy Subjects. , 0, , .		1
128	Effects of BDNF Val66Met polymorphisms on brain structures and behaviors in adolescents with conduct disorder. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 479-488.	2.8	1
129	A novel construct of anhedonia revealed in a Chinese sample via the Revised Physical and Social Anhedonia Scales. <i>BMC Psychiatry</i> , 2020, 20, 529.	1.1	1
130	Cover Image, Volume 78, Number 4, April 2022. <i>Journal of Clinical Psychology</i> , 2022, 78, .	1.0	0