

Shuqiao Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/804777/publications.pdf>

Version: 2024-02-01

130
papers

4,558
citations

126708

33
h-index

128067

60
g-index

133
all docs

133
docs citations

133
times ranked

5934
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Structural abnormalities in adolescents with conduct disorder and high versus low callous unemotional traits. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 193-203. | 2.8 | 2 |
| 2 | Neuroanatomical changes associated with conduct disorder in boys: influence of childhood maltreatment. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 601-613. | 2.8 | 9 |
| 3 | Highlighting psychological pain avoidance and decision-making bias as key predictors of suicide attempt in major depressive disorder—A novel investigative approach using machine learning. <i>Journal of Clinical Psychology</i> , 2022, 78, 671-691. | 1.0 | 9 |
| 4 | Sex-specific neural responses to acute psychosocial stress in depression. <i>Translational Psychiatry</i> , 2022, 12, 2. | 2.4 | 17 |
| 5 | Distinct stress-related medial prefrontal cortex activation in women with depression with and without childhood maltreatment. <i>Depression and Anxiety</i> , 2022, 39, 296-306. | 2.0 | 6 |
| 6 | Cover Image, Volume 78, Number 4, April 2022. <i>Journal of Clinical Psychology</i> , 2022, 78, . | 1.0 | 0 |
| 7 | Psychometric Properties and Measurement Invariance of the Childhood Trauma Questionnaire (Short) Tj ETQq1 1 0.784314 rgBT /Overl Adolescents. <i>Frontiers in Psychology</i> , 2022, 13, 816051. | 1.1 | 6 |
| 8 | State-independent and -dependent behavioral and neuroelectrophysiological characteristics during dynamic decision-making in patients with current and remitted depression. <i>Journal of Affective Disorders</i> , 2022, 309, 85-94. | 2.0 | 4 |
| 9 | Factor Structure and Measurement Invariance of the Chinese version of the Snaith-Hamilton Pleasure Scale (SHAPS) in Non-clinical and Clinical populations. <i>Journal of Affective Disorders</i> , 2021, 281, 759-766. | 2.0 | 6 |
| 10 | Personality inventory for DSM-5 brief form (PID-5-BF) in Chinese students and patients: evaluating the five-factor model and a culturally informed six-factor model. <i>BMC Psychiatry</i> , 2021, 21, 107. | 1.1 | 10 |
| 11 | Personality Inventory for DSM-5 in China: Evaluation of DSM-5 and ICD-11 Trait Structure and Continuity With Personality Disorder Types. <i>Frontiers in Psychiatry</i> , 2021, 12, 635214. | 1.3 | 8 |
| 12 | Psychometric Properties of the Chinese Version of the 10-Item Ruminative Response Scale Among Undergraduates and Depressive Patients. <i>Frontiers in Psychiatry</i> , 2021, 12, 626859. | 1.3 | 18 |
| 13 | Impaired global efficiency in boys with conduct disorder and high callous unemotional traits. <i>Journal of Psychiatric Research</i> , 2021, 138, 560-568. | 1.5 | 6 |
| 14 | From motivation, decision-making to action: An fMRI study on suicidal behavior in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2021, 139, 14-24. | 1.5 | 17 |
| 15 | Psychiatric disorders in China: strengths and challenges of contemporary research and clinical services. <i>Psychological Medicine</i> , 2021, 51, 1978-1991. | 2.7 | 6 |
| 16 | Factor structure and sex invariance of the temporal experience of pleasure scale (TEPS) in Chinese university students and clinical population. <i>BMC Psychiatry</i> , 2021, 21, 378. | 1.1 | 3 |
| 17 | Factor structure and measurement invariance of the Chinese version of the Center for Epidemiological Studies Depression (CES-D) scale among undergraduates and clinical patients. <i>BMC Psychiatry</i> , 2021, 21, 463. | 1.1 | 6 |
| 18 | Hypersensitivity to negative feedback during dynamic risky-decision making in major depressive disorder: An event-related potential study. <i>Journal of Affective Disorders</i> , 2021, 295, 1421-1431. | 2.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Intrinsic brain network alterations in non-clinical adults with a history of childhood trauma. <i>HÅrre Utbildning</i> , 2021, 12, 1975951. | 1.4 | 4 |
| 20 | Psychometric Properties and Measurement Invariance of the Cognitive Emotion Regulation Questionnaire in Chinese Adolescents With and Without Major Depressive Disorder: A Horizontal and Longitudinal Perspective. <i>Frontiers in Psychiatry</i> , 2021, 12, 736887. | 1.3 | 6 |
| 21 | The Relationship Between Cognitive Dysfunction Through THINC-Integrated Tool (THINC-it) and Psychosocial Function in Chinese Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 763603. | 1.3 | 4 |
| 22 | Potential structural trait markers of depression in the form of alterations in the structures of subcortical nuclei and structural covariance network properties. <i>NeuroImage: Clinical</i> , 2021, 32, 102871. | 1.4 | 10 |
| 23 | Three dimensional convolutional neural network-based classification of conduct disorder with structural MRI. <i>Brain Imaging and Behavior</i> , 2020, 14, 2333-2340. | 1.1 | 16 |
| 24 | Effects of BDNF Val66Met polymorphisms on brain structures and behaviors in adolescents with conduct disorder. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 479-488. | 2.8 | 1 |
| 25 | Neuroticism modulates neural activities of posterior cingulate cortex and thalamus during psychosocial stress processing. <i>Journal of Affective Disorders</i> , 2020, 262, 223-228. | 2.0 | 11 |
| 26 | Psychometric properties of the 10-item Connorâ€œDavidson Resilience Scale (CD-RISC-10) in Chinese undergraduates and depressive patients. <i>Journal of Affective Disorders</i> , 2020, 261, 211-220. | 2.0 | 88 |
| 27 | Altered resting-state dynamic functional brain networks in major depressive disorder: Findings from the REST-meta-MDD consortium. <i>NeuroImage: Clinical</i> , 2020, 26, 102163. | 1.4 | 76 |
| 28 | A novel construct of anhedonia revealed in a Chinese sample via the Revised Physical and Social Anhedonia Scales. <i>BMC Psychiatry</i> , 2020, 20, 529. | 1.1 | 1 |
| 29 | The MAOA Gene Influences the Neural Response to Psychosocial Stress in the Human Brain. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 65. | 1.0 | 17 |
| 30 | PSYCHOMETRIC properties of the Chinese version of the THINC-it tool for cognitive symptoms in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 273, 586-591. | 2.0 | 11 |
| 31 | Influence of psychosocial stress on activation in human brain regions: moderation by the 5-HTTLPR genetic locus. <i>Physiology and Behavior</i> , 2020, 220, 112876. | 1.0 | 8 |
| 32 | Influence of psychosocial stress on activation in human brain regions: moderation by the 5-HTTLPR genetic locus. <i>Physiology and Behavior</i> , 2020, 220, 112876. | 1.0 | 2 |
| 33 | Gray Matter Changes in the Orbitofrontal-Paralimbic Cortex in Male Youths With Non-comorbid Conduct Disorder. <i>Frontiers in Psychology</i> , 2020, 11, 843. | 1.1 | 10 |
| 34 | Associations of moderate-to-vigorous physical activity with psychological problems and suicidality in Chinese high school students: a cross-sectional study. <i>PeerJ</i> , 2020, 8, e8775. | 0.9 | 6 |
| 35 | Effectiveness of an Assertive Community Treatment program for people with severe schizophrenia in mainland China â€œ a 12-month randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 969-979. | 2.7 | 17 |
| 36 | Multivoxel pattern analysis of structural MRI in children and adolescents with conduct disorder. <i>Brain Imaging and Behavior</i> , 2019, 13, 1273-1280. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | State-independent and -dependent structural alterations in limbic-cortical regions in patients with current and remitted depression. <i>Journal of Affective Disorders</i> , 2019, 258, 1-10. | 2.0 | 23 |
| 38 | Factor Structure and Measurement Invariance Across Gender Groups of the 15-Item Geriatric Depression Scale Among Chinese Elders. <i>Frontiers in Psychology</i> , 2019, 10, 1360. | 1.1 | 21 |
| 39 | Measurement equivalence of the SDQ in Chinese Adolescents: A horizontal and longitudinal perspective. <i>Journal of Affective Disorders</i> , 2019, 257, 439-444. | 2.0 | 16 |
| 40 | Altered Functional Connectivity of Striatum Based on the Integrated Connectivity Model in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 756. | 1.3 | 4 |
| 41 | Structural and Functional Connectivity of the Anterior Cingulate Cortex in Patients With Borderline Personality Disorder. <i>Frontiers in Neuroscience</i> , 2019, 13, 971. | 1.4 | 19 |
| 42 | Factorial Invariance of the 10-Item Connor-Davidson Resilience Scale Across Gender Among Chinese Elders. <i>Frontiers in Psychology</i> , 2019, 10, 1237. | 1.1 | 34 |
| 43 | State-Related Alterations of Spontaneous Neural Activity in Current and Remitted Depression Revealed by Resting-State fMRI. <i>Frontiers in Psychology</i> , 2019, 10, 245. | 1.1 | 32 |
| 44 | Psychometric properties of the Chinese version of the Childhood Trauma Questionnaire-Short Form (CTQ-SF) among undergraduates and depressive patients. <i>Child Abuse and Neglect</i> , 2019, 91, 102-108. | 1.3 | 155 |
| 45 | Topologically state-independent and dependent functional connectivity patterns in current and remitted depression. <i>Journal of Affective Disorders</i> , 2019, 250, 178-185. | 2.0 | 21 |
| 46 | Regional Homogeneity Abnormalities in Early-Onset and Adolescent-Onset Conduct Disorder in Boys: A Resting-State fMRI Study. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 26. | 1.0 | 6 |
| 47 | What is the optimal neuropsychological test battery for schizophrenia in China?. <i>Schizophrenia Research</i> , 2019, 208, 317-323. | 1.1 | 22 |
| 48 | Combined Patterns Of Physical Activity And Screen-Related Sedentary Behavior Among Chinese Adolescents And Their Correlations With Depression, Anxiety And Self-Injurious Behaviors. <i>Psychology Research and Behavior Management</i> , 2019, Volume 12, 1041-1050. | 1.3 | 24 |
| 49 | State-independent alterations of intrinsic brain network in current and remitted depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 475-480. | 2.5 | 36 |
| 50 | Effect of corticotropin-releasing hormone receptor1 gene variation on psychosocial stress reaction via the dorsal anterior cingulate cortex in healthy adults. <i>Brain Research</i> , 2019, 1707, 1-7. | 1.1 | 10 |
| 51 | Assertive Community Treatment in China – it is time for a made-in-China solution. <i>Psychological Medicine</i> , 2019, 49, 172-174. | 2.7 | 2 |
| 52 | Childhood Maltreatment Experience Influences Neural Response to Psychosocial Stress in Adults: An fMRI Study. <i>Frontiers in Psychology</i> , 2019, 10, 2961. | 1.1 | 28 |
| 53 | Regional homogeneity and functional connectivity patterns in major depressive disorder, cognitive vulnerability to depression and healthy subjects. <i>Journal of Affective Disorders</i> , 2018, 235, 229-235. | 2.0 | 55 |
| 54 | Functional dysconnectivity of the limbic loop of frontostriatal circuits in first-episode, treatment-naïve schizophrenia. <i>Human Brain Mapping</i> , 2018, 39, 747-757. | 1.9 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cognitive Emotion Regulation Strategies in Chinese Adolescents with Overweight and Obesity. <i>Childhood Obesity</i> , 2018, 14, 26-32. | 0.8 | 8 |
| 56 | Psychometric Properties of the Chinese Version of the Neuroticism Subscale of the NEO-PI. <i>Frontiers in Psychology</i> , 2018, 9, 1454. | 1.1 | 5 |
| 57 | Sex Differences in Spontaneous Brain Activity in Adolescents With Conduct Disorder. <i>Frontiers in Psychology</i> , 2018, 9, 1598. | 1.1 | 15 |
| 58 | Functional Connectivity Density, Local Brain Spontaneous Activity, and Their Coupling Strengths in Patients With Borderline Personality Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 342. | 1.3 | 10 |
| 59 | Distinguishing Adolescents With Conduct Disorder From Typically Developing Youngsters Based on Pattern Classification of Brain Structural MRI. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 152. | 1.0 | 24 |
| 60 | MAOA genotype modulates default mode network deactivation during inhibitory control. <i>Biological Psychology</i> , 2018, 138, 27-34. | 1.1 | 11 |
| 61 | MAOA genotype influences neural response during an inhibitory task in adolescents with conduct disorder. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1159-1169. | 2.8 | 12 |
| 62 | Factor structure of the Geriatric Depression Scale and measurement invariance across gender among Chinese elders. <i>Journal of Affective Disorders</i> , 2018, 238, 136-141. | 2.0 | 19 |
| 63 | Atypical Frontotemporal Connectivity of Cognitive Empathy in Male Adolescents With Conduct Disorder. <i>Frontiers in Psychology</i> , 2018, 9, 2778. | 1.1 | 3 |
| 64 | Altered default mode, fronto-parietal and salience networks in adolescents with Internet addiction. <i>Addictive Behaviors</i> , 2017, 70, 1-6. | 1.7 | 51 |
| 65 | Altered spontaneous brain activity in adolescent boys with pure conduct disorder revealed by regional homogeneity analysis. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 827-837. | 2.8 | 19 |
| 66 | Whole-brain resting-state functional connectivity identified major depressive disorder: A multivariate pattern analysis in two independent samples. <i>Journal of Affective Disorders</i> , 2017, 218, 346-352. | 2.0 | 49 |
| 67 | A resting-state fMRI study in borderline personality disorder combining amplitude of low frequency fluctuation, regional homogeneity and seed based functional connectivity. <i>Journal of Affective Disorders</i> , 2017, 218, 299-305. | 2.0 | 43 |
| 68 | Psychometric properties of the 10-item ruminative response scale in Chinese university students. <i>BMC Psychiatry</i> , 2017, 17, 152. | 1.1 | 22 |
| 69 | State-Independent and Dependent Neural Responses to Psychosocial Stress in Current and Remitted Depression. <i>American Journal of Psychiatry</i> , 2017, 174, 971-979. | 4.0 | 60 |
| 70 | Alterations of Brain Functional Architecture Associated with Psychopathic Traits in Male Adolescents with Conduct Disorder. <i>Scientific Reports</i> , 2017, 7, 11349. | 1.6 | 35 |
| 71 | Convergence and Divergence of Brain Network Dysfunction in Deficit and Non-deficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, 1315-1328. | 2.3 | 36 |
| 72 | Stress and Self-Esteem Mediate the Relationships between Different Categories of Perfectionism and Life Satisfaction. <i>Applied Research in Quality of Life</i> , 2017, 12, 593-605. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Prevalence and Correlates of Direct Self-Injurious Behavior among Chinese Adolescents: Findings from a Multicenter and Multistage Survey. <i>Journal of Abnormal Child Psychology</i> , 2017, 45, 815-826. | 3.5 | 13 |
| 74 | Temporoparietal Junction Hypoactivity during Pain-Related Empathy Processing in Adolescents with Conduct Disorder. <i>Frontiers in Psychology</i> , 2017, 7, 2085. | 1.1 | 8 |
| 75 | A Voxel-Based Morphometric MRI Study in Young Adults with Borderline Personality Disorder. <i>PLoS ONE</i> , 2016, 11, e0147938. | 1.1 | 17 |
| 76 | Screen Time on School Days and Risks for Psychiatric Symptoms and Self-Harm in Mainland Chinese Adolescents. <i>Frontiers in Psychology</i> , 2016, 7, 574. | 1.1 | 28 |
| 77 | Cognitive Vulnerability to Major Depression. <i>Harvard Review of Psychiatry</i> , 2016, 24, 188-201. | 0.9 | 67 |
| 78 | Disrupted Topological Patterns of Large-Scale Network in Conduct Disorder. <i>Scientific Reports</i> , 2016, 6, 37053. | 1.6 | 16 |
| 79 | Electrophysiological responses of feedback processing are modulated by MAOA genotype in healthy male adolescents. <i>Neuroscience Letters</i> , 2016, 610, 144-149. | 1.0 | 3 |
| 80 | “Weakest Link” as a Cognitive Vulnerability Within the Hopelessness Theory of Depression in Chinese University Students. <i>Stress and Health</i> , 2016, 32, 20-27. | 1.4 | 29 |
| 81 | Functional alterations of fronto-limbic circuit and default mode network systems in first-episode, drug-naïve patients with major depressive disorder: A meta-analysis of resting-state fMRI data. <i>Journal of Affective Disorders</i> , 2016, 206, 280-286. | 2.0 | 124 |
| 82 | Neurological soft signs in Chinese adolescents with antisocial personality traits. <i>Psychiatry Research</i> , 2016, 243, 143-146. | 1.7 | 5 |
| 83 | Imbalanced spontaneous brain activity in orbitofrontal-insular circuits in individuals with cognitive vulnerability to depression. <i>Journal of Affective Disorders</i> , 2016, 198, 56-63. | 2.0 | 27 |
| 84 | Dose-response association of screen time-based sedentary behaviour in children and adolescents and depression: a meta-analysis of observational studies. <i>British Journal of Sports Medicine</i> , 2016, 50, 1252-1258. | 3.1 | 231 |
| 85 | Dysfunctional feedback processing in adolescent males with conduct disorder. <i>International Journal of Psychophysiology</i> , 2016, 99, 1-9. | 0.5 | 11 |
| 86 | Mapping anhedonia-specific dysfunction in a transdiagnostic approach: an ALE meta-analysis. <i>Brain Imaging and Behavior</i> , 2016, 10, 920-939. | 1.1 | 123 |
| 87 | Four Distinct Subgroups of Self-Injurious Behavior among Chinese Adolescents: Findings from a Latent Class Analysis. <i>PLoS ONE</i> , 2016, 11, e0158609. | 1.1 | 12 |
| 88 | Serotonin transporter gene polymorphism (5-HTTLPR) L allele interacts with stress to increase anxiety symptoms in Chinese adolescents: a multiwave longitudinal study. <i>BMC Psychiatry</i> , 2015, 15, 248. | 1.1 | 19 |
| 89 | Impaired Frontal-Basal Ganglia Connectivity in Male Adolescents with Conduct Disorder. <i>PLoS ONE</i> , 2015, 10, e0145011. | 1.1 | 9 |
| 90 | Default mode network alterations during implicit emotional faces processing in first-episode, treatment-naïve major depression patients. <i>Frontiers in Psychology</i> , 2015, 6, 1198. | 1.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Altered white matter integrity in individuals with cognitive vulnerability to depression: a tract-based spatial statistics study. <i>Scientific Reports</i> , 2015, 5, 9738. | 1.6 | 42 |
| 92 | The MATRICS Consensus Cognitive Battery (MCCB): Co-norming and standardization in China. <i>Schizophrenia Research</i> , 2015, 169, 109-115. | 1.1 | 176 |
| 93 | Retinoid-related orphan receptor alpha (RORA) gene variation is associated with trait depression. <i>Psychiatry Research</i> , 2015, 229, 629-630. | 1.7 | 6 |
| 94 | Daily hassles and depression in individuals with cognitive vulnerability to depression: The mediating role of maladaptive cognitive emotion regulation strategies. <i>Nordic Psychology</i> , 2015, 67, 87-100. | 0.4 | 8 |
| 95 | Neurocognitive Impairments in Deficit and Non-Deficit Schizophrenia and Their Relationships with Symptom Dimensions and Other Clinical Variables. <i>PLoS ONE</i> , 2015, 10, e0138357. | 1.1 | 39 |
| 96 | First-Episode Medication-Naive Major Depressive Disorder Is Associated with Altered Resting Brain Function in the Affective Network. <i>PLoS ONE</i> , 2014, 9, e85241. | 1.1 | 75 |
| 97 | Low self-esteem as a vulnerability differentially predicts symptom dimensions of depression in university students in China: A 6-month longitudinal study. <i>PsyCh Journal</i> , 2014, 3, 273-281. | 0.5 | 6 |
| 98 | A Functional Polymorphism of the MAOA Gene Modulates Spontaneous Brain Activity in Pons. <i>BioMed Research International</i> , 2014, 2014, 1-6. | 0.9 | 6 |
| 99 | Sex Differences of Uncinate Fasciculus Structural Connectivity in Individuals with Conduct Disorder. <i>BioMed Research International</i> , 2014, 2014, 1-9. | 0.9 | 37 |
| 100 | The psychometric properties of the Cognitive-Somatic Anxiety Questionnaire in Chinese undergraduate students and clinical patients. <i>Comprehensive Psychiatry</i> , 2014, 55, 1751-1756. | 1.5 | 5 |
| 101 | Increased Structural Connectivity in Corpus Callosum in Adolescent Males With Conduct Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 466-475.e1. | 0.3 | 52 |
| 102 | Health-related quality of life and influencing factors among rural left-behind wives in Liuyang, China. <i>BMC Women's Health</i> , 2014, 14, 67. | 0.8 | 27 |
| 103 | Impaired Frontal-Basal Ganglia Connectivity in Adolescents with Internet Addiction. <i>Scientific Reports</i> , 2014, 4, 5027. | 1.6 | 58 |
| 104 | Enhanced Intensity Dependence as a Marker of Low Serotonergic Neurotransmission in High Optimistic College Students. <i>BioMed Research International</i> , 2013, 2013, 1-7. | 0.9 | 3 |
| 105 | Personality Predispositions in Chinese Adolescents: The Relation Between Self-Criticism, Dependency, and Prospective Internalizing Symptoms. <i>Journal of Social and Clinical Psychology</i> , 2013, 32, 596-618. | 0.2 | 11 |
| 106 | Factor Structure of the CES-D and Measurement Invariance Across Gender in Mainland Chinese Adolescents. <i>Journal of Clinical Psychology</i> , 2013, 69, 966-979. | 1.0 | 108 |
| 107 | The Factorial Invariance Across Gender of Three Well-Supported Models. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 145-152. | 0.5 | 29 |
| 108 | Assessing Measurement Invariance of the Children's Depression Inventory in Chinese and Italian Primary School Student Samples. <i>Assessment</i> , 2012, 19, 506-516. | 1.9 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Evidence of a Dissociation Pattern in Resting-State Default Mode Network Connectivity in First-Episode, Treatment-Naive Major Depression Patients. <i>Biological Psychiatry</i> , 2012, 71, 611-617. | 0.7 | 579 |
| 110 | Task-Dependent Modulation of Effective Connectivity within the Default Mode Network. <i>Frontiers in Psychology</i> , 2012, 3, 206. | 1.1 | 69 |
| 111 | Gray matter volume abnormalities in individuals with cognitive vulnerability to depression: A voxel-based morphometry study. <i>Journal of Affective Disorders</i> , 2012, 136, 443-452. | 2.0 | 74 |
| 112 | Amygdala hyperactivation and prefrontal hypoactivation in subjects with cognitive vulnerability to depression. <i>Biological Psychology</i> , 2011, 88, 233-242. | 1.1 | 132 |
| 113 | Preattentive Processing Abnormalities in Chronic Pain: Neurophysiological Evidence from Mismatch Negativity. <i>Pain Medicine</i> , 2011, 12, 773-781. | 0.9 | 6 |
| 114 | Understanding Anxiety Sensitivity in the Development of Anxious and Depressive Symptoms. <i>Cognitive Therapy and Research</i> , 2011, 35, 232-240. | 1.2 | 4 |
| 115 | The responses to stress questionnaire: construct validity and prediction of depressive and social anxiety symptoms in a sample of Chinese adolescents. <i>Stress and Health</i> , 2010, 26, 238-249. | 1.4 | 10 |
| 116 | Understanding Risky Behavior Engagement Amongst Chinese Adolescents. <i>Cognitive Therapy and Research</i> , 2010, 34, 159-167. | 1.2 | 18 |
| 117 | Inhibition dysfunction in depression: Event-related potentials during negative affective priming. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 172-179. | 0.9 | 21 |
| 118 | Coping and Involuntary Responses to Stress in Chinese University Students: Psychometric Properties of the Responses to Stress Questionnaire. <i>Journal of Personality Assessment</i> , 2010, 92, 356-361. | 1.3 | 24 |
| 119 | The Depressive Experiences Questionnaire: construct validity and prediction of depressive symptoms in a sample of Chinese undergraduates. <i>Depression and Anxiety</i> , 2009, 26, 930-937. | 2.0 | 26 |
| 120 | Investigation on status and influential factors of cognitive function of the community-dwelling elderly in Changsha City. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 329-334. | 1.4 | 12 |
| 121 | Measuring Adolescent Psychopathology: Psychometric Properties of the Self-Report Strengths and Difficulties Questionnaire in a Sample of Chinese Adolescents. <i>Journal of Adolescent Health</i> , 2009, 45, 55-62. | 1.2 | 162 |
| 122 | Psychometric properties of the Cognitive Emotion Regulation Questionnaire: Chinese version. <i>Cognition and Emotion</i> , 2008, 22, 288-307. | 1.2 | 101 |
| 123 | HEAT SHOCK PROTEIN72 PROTECTS HIPPOCAMPAL NEURONS FROM APOPTOSIS INDUCED BY CHRONIC PSYCHOLOGICAL STRESS. <i>International Journal of Neuroscience</i> , 2007, 117, 1551-1564. | 0.8 | 15 |
| 124 | An Examination of the Psychometric Properties of the Chinese Version of the Barratt Impulsiveness Scale, 11th Version in a Sample of Chinese Adolescents. <i>Perceptual and Motor Skills</i> , 2007, 104, 1169-1182. | 0.6 | 108 |
| 125 | Replication of factor structure of Wechsler Adult Intelligence Scale-III Chinese version in Chinese mainland non-clinical and schizophrenia samples. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 379-384. | 1.0 | 20 |
| 126 | Reliability and Validity of the Chinese Version of the Multidimensional Anxiety Scale for Children Among Chinese Secondary School Students. <i>Child Psychiatry and Human Development</i> , 2007, 38, 1-16. | 1.1 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Reliability and factorial validity of the Observer Alexithymia Scale—Chinese translation. <i>Psychiatry Research</i> , 2005, 134, 93-100. | 1.7 | 13 |
| 128 | Personality Profiles and the Prediction of Categorical Personality Disorders. <i>Journal of Personality</i> , 2001, 69, 155-174. | 1.8 | 41 |
| 129 | Cross-cultural personality assessment in psychiatric populations: The NEO-PI—R in the People's Republic of China.. <i>Psychological Assessment</i> , 1999, 11, 359-368. | 1.2 | 133 |
| 130 | Difference ERPs Effects of the Difference Introduction on the Recognition of Chinese Emotional Content Words in Healthy Subjects. , 0, , . | | 1 |