Ernestina Saulle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/804781/publications.pdf Version: 2024-02-01



EDNESTINA SALILLE

#	Article	IF	CITATIONS
1	Proteasome inhibitors sensitize ovarian cancer cells to TRAIL induced apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2007, 12, 635-655.	2.2	47
2	Mechanism of human Hb switching: a possible role of the kit receptor/miR 221-222 complex. Haematologica, 2010, 95, 1253-1260.	1.7	45
3	A Small Molecule SMAC Mimic LBW242 Potentiates TRAIL- and Anticancer Drug-Mediated Cell Death of Ovarian Cancer Cells. PLoS ONE, 2012, 7, e35073.	1.1	41
4	Mechanisms of differential transferrin receptor expression in normal hematopoiesis. FEBS Journal, 2000, 267, 6762-6774.	0.2	39
5	A small molecule Smac mimic potentiates TRAIL-mediated cell death of ovarian cancer cells. Gynecologic Oncology, 2007, 105, 481-492.	0.6	35
6	Salinomycin Potentiates the Cytotoxic Effects of TRAIL on Glioblastoma Cell Lines. PLoS ONE, 2014, 9, e94438.	1.1	33
7	The small-molecule compound AC-73 targeting CD147 inhibits leukemic cell proliferation, induces autophagy and increases the chemotherapeutic sensitivity of acute myeloid leukemia cells. Haematologica, 2019, 104, 973-985.	1.7	31
8	Targeting Lactate Metabolism by Inhibiting MCT1 or MCT4 Impairs Leukemic Cell Proliferation, Induces Two Different Related Death-Pathways and Increases Chemotherapeutic Sensitivity of Acute Myeloid Leukemia Cells. Frontiers in Oncology, 2020, 10, 621458.	1.3	29
9	High sensitivity of ovarian cancer cells to the synthetic triterpenoid CDDO-Imidazolide. Cancer Letters, 2009, 282, 214-228.	3.2	24
10	Differential hypoxic regulation of the microRNA-146a/CXCR4 pathway in normal and leukemic monocytic cells: impact on response to chemotherapy. Haematologica, 2015, 100, 1160-1171.	1.7	20
11	Colocalization of the VEGFâ€R2 and the common ILâ€3/GMâ€CSF receptor beta chain to lipid rafts leads to enhanced p38 activation. British Journal of Haematology, 2009, 145, 399-411.	1.2	19
12	Autocrine Role of Angiopoietins during Megakaryocytic Differentiation. PLoS ONE, 2012, 7, e39796.	1.1	19
13	Expression of Tie-2 and Other Receptors for Endothelial Growth Factors in Acute Myeloid Leukemias Is Associated with Monocytic Features of Leukemic Blasts. Stem Cells, 2007, 25, 1862-1871.	1.4	16
14	Endothelial progenitor cells in hematologic malignancies. Stem Cell Investigation, 2016, 3, 26-26.	1.3	16
15	HbF reactivation in sibling BFU-E colonies: synergistic interaction of kit ligand with low-dose dexamethasone. Blood, 2003, 101, 2826-2832.	0.6	15
16	CD147 Targeting by AC-73 Induces Autophagy and Reduces Intestinal Fibrosis Associated with TNBS Chronic Colitis. Journal of Crohn's and Colitis, 2022, 16, 1751-1761.	0.6	15
17	In vitro dual effect of arsenic trioxide on hemopoiesis: Inhibition of erythropoiesis and stimulation of megakaryocytic maturation. Blood Cells, Molecules, and Diseases, 2006, 36, 59-76.	0.6	9
18	CDDO-Im is a stimulator of megakaryocytic differentiation. Leukemia Research, 2011, 35, 534-544.	0.4	6

ERNESTINA SAULLE

#	Article	IF	CITATIONS
19	PML-RAR alpha induces the downmodulation of HHEX: a key event responsible for the induction of an angiogenetic response. Journal of Hematology and Oncology, 2016, 9, 33.	6.9	5
20	Primary ovarian cancer cells are sensitive to the proaptotic effects of proteasome inhibitors. International Journal of Oncology, 2010, 36, 707-13.	1.4	4
21	The forkhead box C1 (FOXC1) transcription factor is downregulated in acute promyelocytic leukemia. Oncotarget, 2017, 8, 84074-84085.	0.8	4
22	Mechanisms of differential transferrin receptor expression in normal hematopoiesis. , 2000, 267, 6762.		1