Ernestina Saulle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/804781/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CD147 Targeting by AC-73 Induces Autophagy and Reduces Intestinal Fibrosis Associated with TNBS Chronic Colitis. Journal of Crohn's and Colitis, 2022, 16, 1751-1761.	0.6	15
2	Targeting Lactate Metabolism by Inhibiting MCT1 or MCT4 Impairs Leukemic Cell Proliferation, Induces Two Different Related Death-Pathways and Increases Chemotherapeutic Sensitivity of Acute Myeloid Leukemia Cells. Frontiers in Oncology, 2020, 10, 621458.	1.3	29
3	The small-molecule compound AC-73 targeting CD147 inhibits leukemic cell proliferation, induces autophagy and increases the chemotherapeutic sensitivity of acute myeloid leukemia cells. Haematologica, 2019, 104, 973-985.	1.7	31
4	The forkhead box C1 (FOXC1) transcription factor is downregulated in acute promyelocytic leukemia. Oncotarget, 2017, 8, 84074-84085.	0.8	4
5	Endothelial progenitor cells in hematologic malignancies. Stem Cell Investigation, 2016, 3, 26-26.	1.3	16
6	PML-RAR alpha induces the downmodulation of HHEX: a key event responsible for the induction of an angiogenetic response. Journal of Hematology and Oncology, 2016, 9, 33.	6.9	5
7	Differential hypoxic regulation of the microRNA-146a/CXCR4 pathway in normal and leukemic monocytic cells: impact on response to chemotherapy. Haematologica, 2015, 100, 1160-1171.	1.7	20
8	Salinomycin Potentiates the Cytotoxic Effects of TRAIL on Glioblastoma Cell Lines. PLoS ONE, 2014, 9, e94438.	1.1	33
9	A Small Molecule SMAC Mimic LBW242 Potentiates TRAIL- and Anticancer Drug-Mediated Cell Death of Ovarian Cancer Cells. PLoS ONE, 2012, 7, e35073.	1.1	41
10	Autocrine Role of Angiopoietins during Megakaryocytic Differentiation. PLoS ONE, 2012, 7, e39796.	1.1	19
11	CDDO-Im is a stimulator of megakaryocytic differentiation. Leukemia Research, 2011, 35, 534-544.	0.4	6
12	Mechanism of human Hb switching: a possible role of the kit receptor/miR 221-222 complex. Haematologica, 2010, 95, 1253-1260.	1.7	45
13	Primary ovarian cancer cells are sensitive to the proaptotic effects of proteasome inhibitors. International Journal of Oncology, 2010, 36, 707-13.	1.4	4
14	Colocalization of the VEGFâ€R2 and the common ILâ€3/GMâ€CSF receptor beta chain to lipid rafts leads to enhanced p38 activation. British Journal of Haematology, 2009, 145, 399-411.	1.2	19
15	High sensitivity of ovarian cancer cells to the synthetic triterpenoid CDDO-Imidazolide. Cancer Letters, 2009, 282, 214-228.	3.2	24
16	A small molecule Smac mimic potentiates TRAIL-mediated cell death of ovarian cancer cells. Gynecologic Oncology, 2007, 105, 481-492.	0.6	35
17	Expression of Tie-2 and Other Receptors for Endothelial Growth Factors in Acute Myeloid Leukemias Is Associated with Monocytic Features of Leukemic Blasts. Stem Cells, 2007, 25, 1862-1871.	1.4	16
18	Proteasome inhibitors sensitize ovarian cancer cells to TRAIL induced apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2007, 12, 635-655.	2.2	47

ERNESTINA SAULLE

#	Article	IF	CITATIONS
19	In vitro dual effect of arsenic trioxide on hemopoiesis: Inhibition of erythropoiesis and stimulation of megakaryocytic maturation. Blood Cells, Molecules, and Diseases, 2006, 36, 59-76.	0.6	9
20	HbF reactivation in sibling BFU-E colonies: synergistic interaction of kit ligand with low-dose dexamethasone. Blood, 2003, 101, 2826-2832.	0.6	15
21	Mechanisms of differential transferrin receptor expression in normal hematopoiesis. FEBS Journal, 2000, 267, 6762-6774.	0.2	39
22	Mechanisms of differential transferrin receptor expression in normal hematopoiesis. , 2000, 267, 6762.		1