

Sandra J Van Vliet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8048209/sandra-j-van-vliet-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

10,737
citations

38
h-index

103
g-index

108
ext. papers

11,821
ext. citations

7.9
avg, IF

5.62
L-index

#	Paper	IF	Citations
99	Analysis of the glyco-code in pancreatic ductal adenocarcinoma identifies glycan-mediated immune regulatory circuits.. <i>Communications Biology</i> , 2022 , 5, 41	6.7	2
98	Quantitative Phosphoproteomic Analysis Reveals Dendritic Cell- Specific STAT Signaling After α -3-Linked Sialic Acid Ligand Binding. <i>Frontiers in Immunology</i> , 2021 , 12, 673454	8.4	1
97	Emerging glyco-based strategies to steer immune responses. <i>FEBS Journal</i> , 2021 , 288, 4746-4772	5.7	6
96	Palmitoylated antigens for the induction of anti-tumor CD8 T cells and enhanced tumor recognition. <i>Molecular Therapy - Oncolytics</i> , 2021 , 21, 315-328	6.4	0
95	Recent advances on smart glycoconjugate vaccines in infections and cancer. <i>FEBS Journal</i> , 2021 ,	5.7	8
94	Carbohydrates in allergy: from disease to novel immunotherapies. <i>Trends in Immunology</i> , 2021 , 42, 635-644	6.4	3
93	Human C-Type Lectins, MGL, DC-SIGN and Langerin, Their Interactions With Endogenous and Exogenous Ligand Patterns 2021 , 425-441		
92	Sialic acids in pancreatic cancer cells drive tumour-associated macrophage differentiation via the Siglec receptors Siglec-7 and Siglec-9. <i>Nature Communications</i> , 2021 , 12, 1270	17.4	25
91	The Tn antigen promotes lung tumor growth by fostering immunosuppression and angiogenesis via interaction with Macrophage Galactose-type lectin 2 (MGL2). <i>Cancer Letters</i> , 2021 , 518, 72-81	9.9	4
90	Differential - and Glycosphingolipid Glycosylation in Human Pancreatic Adenocarcinoma Cells With Opposite Morphology and Metastatic Behavior. <i>Frontiers in Oncology</i> , 2020 , 10, 732	5.3	9
89	Activation of the C-Type Lectin MGL by Terminal GalNAc Ligands Reduces the Glycolytic Activity of Human Dendritic Cells. <i>Frontiers in Immunology</i> , 2020 , 11, 305	8.4	12
88	Glioblastomas exploit truncated O-linked glycans for local and distant immune modulation via the macrophage galactose-type lectin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 3693-3703	11.5	29
87	MHC Class I Stability is Modulated by Cell Surface Sialylation in Human Dendritic Cells. <i>Pharmaceutics</i> , 2020 , 12,	6.4	6
86	-Mannosyl Lysine for Solid Phase Assembly of Mannosylated Peptide Conjugate Cancer Vaccines. <i>ACS Chemical Biology</i> , 2020 , 15, 728-739	4.9	9
85	Characterization of Macrophage Galactose-type Lectin (MGL) ligands in colorectal cancer cell lines. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020 , 1864, 129513	4	12
84	Tn Antigen Expression Contributes to an Immune Suppressive Microenvironment and Drives Tumor Growth in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 1622	5.3	16
83	-Glycoproteins Have a Major Role in MGL Binding to Colorectal Cancer Cell Lines: Associations with Overall Proteome Diversity. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5

82	Targeting of the C-Type Lectin Receptor Langerin Using Bifunctional Mannosylated Antigens. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 556	5.7	4
81	FUT9-Driven Programming of Colon Cancer Cells towards a Stem Cell-Like State. <i>Cancers</i> , 2020 , 12,	6.6	6
80	Glycan-Modified Apoptotic Melanoma-Derived Extracellular Vesicles as Antigen Source for Anti-Tumor Vaccination. <i>Cancers</i> , 2019 , 11,	6.6	17
79	Systematic Dual Targeting of Dendritic Cell C-Type Lectin Receptor DC-SIGN and TLR7 Using a Trifunctional Mannosylated Antigen. <i>Frontiers in Chemistry</i> , 2019 , 7, 650	5	18
78	MGL Ligand Expression Is Correlated to Lower Survival and Distant Metastasis in Cervical Squamous Cell and Adenosquamous Carcinoma. <i>Frontiers in Oncology</i> , 2019 , 9, 29	5.3	9
77	The Plasticity of the Carbohydrate Recognition Domain Dictates the Exquisite Mechanism of Binding of Human Macrophage Galactose-Type Lectin. <i>Chemistry - A European Journal</i> , 2019 , 25, 13945-13955	4.8	16
76	Macrophage galactose-type lectin (MGL) is induced on M2 microglia and participates in the resolution phase of autoimmune neuroinflammation. <i>Journal of Neuroinflammation</i> , 2019 , 16, 130	10.1	11
75	Method comparison for N-glycan profiling: Towards the standardization of glycoanalytical technologies for cell line analysis. <i>PLoS ONE</i> , 2019 , 14, e0223270	3.7	7
74	Disruption of sialic acid metabolism drives tumor growth by augmenting CD8 T cell apoptosis. <i>International Journal of Cancer</i> , 2019 , 144, 2290-2302	7.5	22
73	Glycoproteomic Analysis of MGL-Binding Proteins on Acute T-Cell Leukemia Cells. <i>Journal of Proteome Research</i> , 2019 , 18, 1125-1132	5.6	11
72	Identification of a secondary binding site in human macrophage galactose-type lectin by microarray studies: Implications for the molecular recognition of its ligands. <i>Journal of Biological Chemistry</i> , 2019 , 294, 1300-1311	5.4	15
71	Transcriptional activation of fucosyltransferase (FUT) genes using the CRISPR-dCas9-VPR technology reveals potent N-glycome alterations in colorectal cancer cells. <i>Glycobiology</i> , 2019 , 29, 137-150	5.8	19
70	Toll-Like Receptor 4 Triggering Promotes Cytosolic Routing of DC-SIGN-Targeted Antigens for Presentation on MHC Class I. <i>Frontiers in Immunology</i> , 2018 , 9, 1231	8.4	16
69	Fucosylated Antigens in Cancer: An Alliance toward Tumor Progression, Metastasis, and Resistance to Chemotherapy. <i>Frontiers in Oncology</i> , 2018 , 8, 39	5.3	60
68	Oncogenic BRAFV600E drives expression of MGL ligands in the colorectal cancer cell line HT29 through N-acetylgalactosamine-transferase 3. <i>Biological Chemistry</i> , 2018 , 399, 649-659	4.5	11
67	Using the glycan toolbox for pathogenic interventions and glycan immunotherapy. <i>Current Opinion in Biotechnology</i> , 2018 , 51, 24-31	11.4	22
66	Langerin-mediated internalization of a modified peptide routes antigens to early endosomes and enhances cross-presentation by human Langerhans cells. <i>Cellular and Molecular Immunology</i> , 2017 , 14, 360-370	15.4	28
65	Improved cancer specificity in PSA assay using Aleuria aurantia lectin coated Eu-nanoparticles for detection. <i>Clinical Biochemistry</i> , 2017 , 50, 54-61	3.5	22

64	Immune Regulates CD11c Cells by Interacting with the Macrophage Gal/GalNAc Lectin. <i>Frontiers in Immunology</i> , 2017 , 8, 264	8.4	21
63	A Nanoparticle-Lectin Immunoassay Improves Discrimination of Serum CA125 from Malignant and Benign Sources. <i>Clinical Chemistry</i> , 2016 , 62, 1390-400	5.5	13
62	Blocking α -integrin reverts the adhesive phenotype of adult fibroblasts towards a foetal-like migratory phenotype. <i>Experimental Dermatology</i> , 2016 , 25, 480-2	4	3
61	Sialic acid removal from dendritic cells improves antigen cross-presentation and boosts anti-tumor immune responses. <i>Oncotarget</i> , 2016 , 7, 41053-41066	3.3	27
60	A Bitter Sweet Symphony: Immune Responses to Altered O-glycan Epitopes in Cancer. <i>Biomolecules</i> , 2016 , 6,	5.9	26
59	N-glycosylation Profiling of Colorectal Cancer Cell Lines Reveals Association of Fucosylation with Differentiation and Caudal Type Homebox 1 (CDX1)/Villin mRNA Expression. <i>Molecular and Cellular Proteomics</i> , 2016 , 15, 124-40	7.6	53
58	The Human Glycoprotein Salivary Agglutinin Inhibits the Interaction of DC-SIGN and Langerin with Oral Micro-Organisms. <i>Journal of Innate Immunity</i> , 2016 , 8, 350-61	6.9	6
57	Antibody-opsionized bacteria evoke an inflammatory dendritic cell phenotype and polyfunctional Th cells by cross-talk between TLRs and FcRs. <i>Journal of Immunology</i> , 2015 , 194, 1856-66	5.3	22
56	The Cholangiocyte Glycocalyx Stabilizes the Biliary HCO ₃ Umbrella: An Integrated Line of Defense against Toxic Bile Acids. <i>Digestive Diseases</i> , 2015 , 33, 397-407	3.2	26
55	Hypoxia inducible factor 1 α down regulates cell surface expression of α ,2-fucosylated glycans in human pancreatic adenocarcinoma cells. <i>FEBS Letters</i> , 2015 , 589, 2359-66	3.8	15
54	The Consequences of Multiple Simultaneous C-Type Lectin-Ligand Interactions: DCIR Alters the Endo-Lysosomal Routing of DC-SIGN. <i>Frontiers in Immunology</i> , 2015 , 6, 87	8.4	18
53	<i>Trichuris suis</i> induces human non-classical patrolling monocytes via the mannose receptor and PKC: implications for multiple sclerosis. <i>Acta Neuropathologica Communications</i> , 2015 , 3, 45	7.3	18
52	Novel insights into the immunomodulatory role of the dendritic cell and macrophage-expressed C-type lectin MGL. <i>Immunobiology</i> , 2015 , 220, 185-92	3.4	38
51	IFN- β affects the angiogenic potential of circulating angiogenic cells by activating calpain 1. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H1667-78	5.2	2
50	Cross-presentation through langerin and DC-SIGN targeting requires different formulations of glycan-modified antigens. <i>Journal of Controlled Release</i> , 2015 , 203, 67-76	11.7	53
49	MGL ligand expression is correlated to BRAF mutation and associated with poor survival of stage III colon cancer patients. <i>Oncotarget</i> , 2015 , 6, 26278-90	3.3	28
48	DCIR interacts with ligands from both endogenous and pathogenic origin. <i>Immunology Letters</i> , 2014 , 158, 33-41	4.1	33
47	P-glycoprotein regulates trafficking of CD8(+) T cells to the brain parenchyma. <i>Acta Neuropathologica</i> , 2014 , 127, 699-711	14.3	33

46	Trichuris suis-induced modulation of human dendritic cell function is glycan-mediated. <i>International Journal for Parasitology</i> , 2013 , 43, 191-200	4.3	86
45	How mucins shape antigen-presenting cells to modify immune responses 2013 , 108-122		
44	MGL signaling augments TLR2-mediated responses for enhanced IL-10 and TNF- β secretion. <i>Journal of Leukocyte Biology</i> , 2013 , 94, 315-23	6.5	68
43	Human T cell activation results in extracellular signal-regulated kinase (ERK)-calcineurin-dependent exposure of Tn antigen on the cell surface and binding of the macrophage galactose-type lectin (MGL). <i>Journal of Biological Chemistry</i> , 2013 , 288, 27519-27532	5.4	22
42	Interaction of the Capsular Polysaccharide A from <i>Bacteroides fragilis</i> with DC-SIGN on Human Dendritic Cells is Necessary for Its Processing and Presentation to T Cells. <i>Frontiers in Immunology</i> , 2013 , 4, 103	8.4	25
41	Ligand binding and signaling of dendritic cell immunoreceptor (DCIR) is modulated by the glycosylation of the carbohydrate recognition domain. <i>PLoS ONE</i> , 2013 , 8, e66266	3.7	29
40	Specific glycan elements determine differential binding of individual egg glycoproteins of the human parasite <i>Schistosoma mansoni</i> by host C-type lectin receptors. <i>International Journal for Parasitology</i> , 2012 , 42, 269-77	4.3	34
39	T cell-mediated increased osteoclast formation from peripheral blood as a mechanism for Crohn's disease-associated bone loss. <i>Journal of Cellular Biochemistry</i> , 2012 , 113, 260-8	4.7	33
38	A biliary HCO ₃ ⁻ umbrella constitutes a protective mechanism against bile acid-induced injury in human cholangiocytes. <i>Hepatology</i> , 2012 , 55, 173-83	11.2	200
37	<i>Campylobacter jejuni</i> lipooligosaccharides modulate dendritic cell-mediated T cell polarization in a sialic acid linkage-dependent manner. <i>Infection and Immunity</i> , 2011 , 79, 2681-9	3.7	66
36	Galactosaminogalactan, a new immunosuppressive polysaccharide of <i>Aspergillus fumigatus</i> . <i>PLoS Pathogens</i> , 2011 , 7, e1002372	7.6	149
35	Variation of <i>Neisseria gonorrhoeae</i> lipooligosaccharide directs dendritic cell-induced T helper responses. <i>PLoS Pathogens</i> , 2009 , 5, e1000625	7.6	57
34	N-glycosylated proteins and distinct lipooligosaccharide glycoforms of <i>Campylobacter jejuni</i> target the human C-type lectin receptor MGL. <i>Cellular Microbiology</i> , 2009 , 11, 1768-81	3.9	77
33	Characterization of murine MGL1 and MGL2 C-type lectins: distinct glycan specificities and tumor binding properties. <i>Molecular Immunology</i> , 2009 , 46, 1240-9	4.3	73
32	Interaction of polysialic acid with CCL21 regulates the migratory capacity of human dendritic cells. <i>PLoS ONE</i> , 2009 , 4, e6987	3.7	33
31	Dendritic cells and C-type lectin receptors: coupling innate to adaptive immune responses. <i>Immunology and Cell Biology</i> , 2008 , 86, 580-7	5	122
30	Sweet preferences of MGL: carbohydrate specificity and function. <i>Trends in Immunology</i> , 2008 , 29, 83-90	14.4	121
29	The C-type lectin macrophage galactose-type lectin impedes migration of immature APCs. <i>Journal of Immunology</i> , 2008 , 181, 3148-55	5.3	37

28	MGL-mediated internalization and antigen presentation by dendritic cells: a role for tyrosine-5. <i>European Journal of Immunology</i> , 2007 , 37, 2075-81	6.1	46
27	Innate signaling and regulation of Dendritic cell immunity. <i>Current Opinion in Immunology</i> , 2007 , 19, 435-48	4.8	131
26	The C-type lectin MGL expressed by dendritic cells detects glycan changes on MUC1 in colon carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2007 , 56, 1225-36	7.4	100
25	Schistosoma mansoni soluble egg antigens are internalized by human dendritic cells through multiple C-type lectins and suppress TLR-induced dendritic cell activation. <i>Molecular Immunology</i> , 2007 , 44, 2605-15	4.3	208
24	Differential regulation of C-type lectin expression on tolerogenic dendritic cell subsets. <i>Immunobiology</i> , 2006 , 211, 577-85	3.4	67
23	Neisseria meningitidis expressing lgtB lipopolysaccharide targets DC-SIGN and modulates dendritic cell function. <i>Cellular Microbiology</i> , 2006 , 8, 316-25	3.9	73
22	Regulation of effector T cells by antigen-presenting cells via interaction of the C-type lectin MGL with CD45. <i>Nature Immunology</i> , 2006 , 7, 1200-8	19.1	147
21	One-step biotinylation procedure for carbohydrates to study carbohydrate-protein interactions. <i>Analytical Biochemistry</i> , 2006 , 354, 54-63	3.1	33
20	Carbohydrate profiling reveals a distinctive role for the C-type lectin MGL in the recognition of helminth parasites and tumor antigens by dendritic cells. <i>International Immunology</i> , 2005 , 17, 661-9	4.9	175
19	Helicobacter pylori modulates the T helper cell 1/T helper cell 2 balance through phase-variable interaction between lipopolysaccharide and DC-SIGN. <i>Journal of Experimental Medicine</i> , 2004 , 200, 979-90	16.6	259
18	Molecular basis of the differences in binding properties of the highly related C-type lectins DC-SIGN and L-SIGN to Lewis X trisaccharide and Schistosoma mansoni egg antigens. <i>Journal of Biological Chemistry</i> , 2004 , 279, 33161-7	5.4	82
17	Potency of HIV-1 envelope glycoprotein gp120 antibodies to inhibit the interaction of DC-SIGN with HIV-1 gp120. <i>Virology</i> , 2004 , 329, 465-76	3.6	22
16	Self- and nonself-recognition by C-type lectins on dendritic cells. <i>Annual Review of Immunology</i> , 2004 , 22, 33-54	34.7	413
15	Dynamic populations of dendritic cell-specific ICAM-3 grabbing nonintegrin-positive immature dendritic cells and liver/lymph node-specific ICAM-3 grabbing nonintegrin-positive endothelial cells in the outer zones of the paracortex of human lymph nodes. <i>American Journal of Pathology</i> , 2004 , 164, 1587-95	5.8	77
14	Cutting edge: carbohydrate profiling identifies new pathogens that interact with dendritic cell-specific ICAM-3-grabbing nonintegrin on dendritic cells. <i>Journal of Immunology</i> , 2003 , 170, 1635-9	5.3	373
13	Mycobacteria target DC-SIGN to suppress dendritic cell function. <i>Journal of Experimental Medicine</i> , 2003 , 197, 7-17	16.6	885
12	The dendritic cell-specific C-type lectin DC-SIGN is a receptor for Schistosoma mansoni egg antigens and recognizes the glycan antigen Lewis x. <i>Glycobiology</i> , 2003 , 13, 471-8	5.8	246
11	The dendritic cell-specific adhesion receptor DC-SIGN internalizes antigen for presentation to T cells. <i>Journal of Immunology</i> , 2002 , 168, 2118-26	5.3	512

10	Identification of different binding sites in the dendritic cell-specific receptor DC-SIGN for intercellular adhesion molecule 3 and HIV-1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 11314-20	5.4	145
9	Subset of DC-SIGN(+) dendritic cells in human blood transmits HIV-1 to T lymphocytes. <i>Blood</i> , 2002 , 100, 1780-6	2.2	136
8	Marginal zone macrophages express a murine homologue of DC-SIGN that captures blood-borne antigens in vivo. <i>Blood</i> , 2002 , 100, 2908-16	2.2	150
7	A dendritic cell-specific intercellular adhesion molecule 3-grabbing nonintegrin (DC-SIGN)-related protein is highly expressed on human liver sinusoidal endothelial cells and promotes HIV-1 infection. <i>Journal of Experimental Medicine</i> , 2001 , 193, 671-8	16.6	300
6	DC-SIGN-ICAM-2 interaction mediates dendritic cell trafficking. <i>Nature Immunology</i> , 2000 , 1, 353-7	19.1	419
5	Identification of DC-SIGN, a novel dendritic cell-specific ICAM-3 receptor that supports primary immune responses. <i>Cell</i> , 2000 , 100, 575-85	56.2	1408
4	DC-SIGN, a dendritic cell-specific HIV-1-binding protein that enhances trans-infection of T cells. <i>Cell</i> , 2000 , 100, 587-97	56.2	1976
3	High Frequency of Adhesion Defects in B-Lineage Acute Lymphoblastic Leukemia. <i>Blood</i> , 1999 , 94, 754-764	6.4	93
2	The actin cytoskeleton regulates LFA-1 ligand binding through avidity rather than affinity changes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 26869-77	5.4	126
1	Pathogen-recognition receptors as targets for pathogens to modulate immune function of antigen-presenting cells173-192		