

Yasuhiro Shiraishi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8048546/yasuhiro-shiraishi-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170 papers	10,618 citations	55 h-index	98 g-index
184 ext. papers	12,000 ext. citations	6.4 avg, IF	6.56 L-index

#	Paper	IF	Citations
170	Hydrogen peroxide splitting on Nafion-coated graphene quantum dots/carbon nitride photocatalysts. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022 , 113949	4.7	0
169	Spontaneous Isomerization of a Hydroxynaphthalene-Containing Spiropyran in Polar Solvents Enhanced by Hydrogen Bonding Interactions.. <i>ACS Omega</i> , 2021 , 6, 35619-35628	3.9	1
168	Polythiophene-Doped Resorcinol-Formaldehyde Resin Photocatalysts for Solar-to-Hydrogen Peroxide Energy Conversion. <i>Journal of the American Chemical Society</i> , 2021 , 143, 12590-12599	16.4	16
167	Fluorometric and colorimetric detection of hypochlorous acid and hypochlorite by a naphthalimide-dicyanoisophorone conjugate. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021 , 406, 112997	4.7	3
166	Photocatalytic hydrogen peroxide splitting on metal-free powders assisted by phosphoric acid as a stabilizer. <i>Nature Communications</i> , 2020 , 11, 3386	17.4	28
165	Photocatalytic NH ₃ Splitting on TiO ₂ Particles Decorated with Pt-Au Bimetallic Alloy Nanoparticles. <i>ACS Applied Nano Materials</i> , 2020 , 3, 1612-1620	5.6	21
164	Photocatalytic Dinitrogen Fixation with Water on Bismuth Oxychloride in Chloride Solutions for Solar-to-Chemical Energy Conversion. <i>Journal of the American Chemical Society</i> , 2020 , 142, 7574-7583	16.4	80
163	Photocatalytic Dinitrogen Reduction with Water on Boron-Doped Carbon Nitride Loaded with Nickel Phosphide Particles. <i>Langmuir</i> , 2020 , 36, 734-741	4	18
162	Solar-to-hydrogen peroxide energy conversion on resorcinol-formaldehyde resin photocatalysts prepared by acid-catalysed polycondensation. <i>Communications Chemistry</i> , 2020 , 3,	6.3	17
161	A Naphthalimide-Sulfonylhydrazine Conjugate as a Fluorescent Chemodosimeter for Hypochlorite. <i>Chemosensors</i> , 2020 , 8, 123	4	3
160	A coumarin-dihydroperimidine dye as a fluorescent chemosensor for hypochlorite in 99% water.. <i>RSC Advances</i> , 2019 , 9, 28636-28641	3.7	14
159	Doping of Nb Species at the Au-TiO Interface for Plasmonic Photocatalysis Enhancement. <i>Langmuir</i> , 2019 , 35, 5455-5462	4	12
158	Resorcinol-formaldehyde resins as metal-free semiconductor photocatalysts for solar-to-hydrogen peroxide energy conversion. <i>Nature Materials</i> , 2019 , 18, 985-993	27	158
157	Hydrogen Peroxide Production on a Carbon Nitride-Boron Nitride-Reduced Graphene Oxide Hybrid Photocatalyst under Visible Light. <i>ChemCatChem</i> , 2018 , 10, 2070-2077	5.2	53
156	Nitrogen Fixation with Water on Carbon-Nitride-Based Metal-Free Photocatalysts with 0.1% Solar-to-Ammonia Energy Conversion Efficiency. <i>ACS Applied Energy Materials</i> , 2018 , 1, 4169-4177	6.1	65
155	Photocatalytic hydrogenation of azobenzene to hydrazobenzene on cadmium sulfide under visible light irradiation. <i>Chemical Communications</i> , 2018 , 54, 452-455	5.8	20
154	Photoreductive synthesis of monodispersed Au nanoparticles with citric acid as reductant and surface stabilizing reagent. <i>RSC Advances</i> , 2017 , 7, 6187-6192	3.7	21

153	Selective Nitrate-to-Ammonia Transformation on Surface Defects of Titanium Dioxide Photocatalysts. <i>ACS Catalysis</i> , 2017 , 7, 3713-3720	13.1	80
152	Titanium Dioxide/Reduced Graphene Oxide Hybrid Photocatalysts for Efficient and Selective Partial Oxidation of Cyclohexane. <i>ACS Catalysis</i> , 2017 , 7, 293-300	13.1	64
151	Quantum tunneling injection of hot electrons in Au/TiO plasmonic photocatalysts. <i>Nanoscale</i> , 2017 , 9, 8349-8361	7.7	60
150	An antimalarial drug, tafenoquine, as a fluorescent receptor for ratiometric detection of hypochlorite. <i>RSC Advances</i> , 2017 , 7, 30453-30458	3.7	2
149	Photocatalytic Conversion of Nitrogen to Ammonia with Water on Surface Oxygen Vacancies of Titanium Dioxide. <i>Journal of the American Chemical Society</i> , 2017 , 139, 10929-10936	16.4	530
148	Synthesis of Au Nanoparticles with Benzoic Acid as Reductant and Surface Stabilizer Promoted Solely by UV Light. <i>Langmuir</i> , 2017 , 33, 13797-13804	4	18
147	Naphthalimide-Coumarin conjugate: ratiometric fluorescent receptor for self-calibrating quantification of cyanide anions in cells. <i>RSC Advances</i> , 2017 , 7, 32304-32309	3.7	15
146	Photocatalytic Dehalogenation of Aromatic Halides on Ta ₂ O ₅ -Supported PtPd Bimetallic Alloy Nanoparticles Activated by Visible Light. <i>ACS Catalysis</i> , 2017 , 7, 5194-5201	13.1	38
145	Mellitic Triimide-Doped Carbon Nitride as Sunlight-Driven Photocatalysts for Hydrogen Peroxide Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 6478-6485	8.3	58
144	Coumarin-Triazine-Quinoxaline Linkage Designed Based on the Strecker Reaction as a Receptor for Fluorometric Cyanide Anion Detection in Neutral Media. <i>Chemistry Letters</i> , 2016 , 45, 1294-1296	1.7	6
143	Carbon Nitride-Aromatic Diimide-Graphene Nanohybrids: Metal-Free Photocatalysts for Solar-to-Hydrogen Peroxide Energy Conversion with 0.2% Efficiency. <i>Journal of the American Chemical Society</i> , 2016 , 138, 10019-25	16.4	273
142	Coumarin-Spiropyran Dyad with a Hydrogenated Pyran Moiety for Rapid, Selective, and Sensitive Fluorometric Detection of Cyanide Anion. <i>Analytical Chemistry</i> , 2016 , 88, 6805-11	7.8	61
141	Au Nanoparticles Supported on BiVO ₄ : Effective Inorganic Photocatalysts for H ₂ O ₂ Production from Water and O ₂ under Visible Light. <i>ACS Catalysis</i> , 2016 , 6, 4976-4982	13.1	156
140	Off-on fluorometric detection of cyanide anions in an aqueous mixture by an indane-based receptor. <i>New Journal of Chemistry</i> , 2016 , 40, 1237-1243	3.6	18
139	A pyrylium-Coumarin dyad as a colorimetric receptor for ratiometric detection of cyanide anions by two absorption bands in the visible region. <i>New Journal of Chemistry</i> , 2016 , 40, 195-201	3.6	15
138	Graphitic Carbon Nitride Doped with Biphenyl Diimide: Efficient Photocatalyst for Hydrogen Peroxide Production from Water and Molecular Oxygen by Sunlight. <i>ACS Catalysis</i> , 2016 , 6, 7021-7029	13.1	183
137	Hot-Electron-Induced Highly Efficient O ₂ Activation by Pt Nanoparticles Supported on Ta ₂ O ₅ Driven by Visible Light. <i>Journal of the American Chemical Society</i> , 2015 , 137, 9324-32	16.4	117
136	Effects of Surface Defects on Photocatalytic H ₂ O ₂ Production by Mesoporous Graphitic Carbon Nitride under Visible Light Irradiation. <i>ACS Catalysis</i> , 2015 , 5, 3058-3066	13.1	185

135	Effects of substituents on fluorometric detection of cyanide anions by indolium-coumarin dyads. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 25027-36	3.6	12
134	Amino-substituted spirothiopyran as an initiator for self-assembly of gold nanoparticles. <i>RSC Advances</i> , 2015 , 5, 77572-77580	3.7	2
133	One-pot synthesis of secondary amines from alcohols and nitroarenes on TiO ₂ loaded with Pd nanoparticles under UV irradiation. <i>New Journal of Chemistry</i> , 2015 , 39, 2467-2473	3.6	13
132	Photocatalytic Hydrogenation of Nitroaromatics to Anilines on Silica-Supported Iron Oxides with Hydrazine Monohydrate as a Reductant. <i>Journal of Chemical Engineering of Japan</i> , 2015 , 48, 141-146	0.8	3
131	Photocatalytic hydrogenolysis of epoxides using alcohols as reducing agents on TiO ₂ loaded with Pt nanoparticles. <i>Chemical Communications</i> , 2015 , 51, 2294-7	5.8	13
130	One-pot synthesis of imines from nitroaromatics and alcohols by tandem photocatalytic and catalytic reactions on Degussa (Evonik) P25 titanium dioxide. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 3797-806	9.5	34
129	Photocatalytic secondary amine synthesis from azobenzenes and alcohols on TiO ₂ loaded with Pd nanoparticles. <i>New Journal of Chemistry</i> , 2015 , 39, 2856-2860	3.6	12
128	Sunlight-driven hydrogen peroxide production from water and molecular oxygen by metal-free photocatalysts. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 13454-9	16.4	320
127	Highly Selective Production of Hydrogen Peroxide on Graphitic Carbon Nitride (g-C ₃ N ₄) Photocatalyst Activated by Visible Light. <i>ACS Catalysis</i> , 2014 , 4, 774-780	13.1	398
126	Rapid, selective, and sensitive fluorometric detection of cyanide anions in aqueous media by cyanine dyes with indolium-coumarin linkages. <i>Chemical Communications</i> , 2014 , 50, 11583-6	5.8	42
125	Spiropyran as a reusable chemosensor for selective colorimetric detection of aromatic thiols. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 12137-42	3.6	31
124	Platinum nanoparticles strongly associated with graphitic carbon nitride as efficient co-catalysts for photocatalytic hydrogen evolution under visible light. <i>Chemical Communications</i> , 2014 , 50, 15255-8	5.8	133
123	Selective Photocatalytic Oxidation of Aniline to Nitrosobenzene by Pt Nanoparticles Supported on TiO ₂ under Visible Light Irradiation. <i>ACS Catalysis</i> , 2014 , 4, 2418-2425	13.1	55
122	Spiropyran-modified gold nanoparticles: reversible size control of aggregates by UV and visible light irradiations. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 7554-62	9.5	64
121	Noble-Metal-Free Deoxygenation of Epoxides: Titanium Dioxide as a Photocatalytically Regenerable Electron-Transfer Catalyst. <i>ACS Catalysis</i> , 2014 , 4, 1642-1649	13.1	29
120	Sunlight-Driven Hydrogen Peroxide Production from Water and Molecular Oxygen by Metal-Free Photocatalysts. <i>Angewandte Chemie</i> , 2014 , 126, 13672-13677	3.6	39
119	Light-Triggered Self-Assembly of Gold Nanoparticles Based on Photoisomerization of Spirothiopyran. <i>Angewandte Chemie</i> , 2013 , 125, 8462-8466	3.6	14
118	Selective Hydrogen Peroxide Formation by Titanium Dioxide Photocatalysis with Benzylic Alcohols and Molecular Oxygen in Water. <i>ACS Catalysis</i> , 2013 , 3, 2222-2227	13.1	96

117	Mechanism for different fluorescence response of a coumarin-amide-dipicolylamine linkage to Zn(II) and Cd(II) in water. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 1474-82	2.8	52
116	Rutile Crystallites Isolated from Degussa (Evonik) P25 TiO ₂ : Highly Efficient Photocatalyst for Chemoselective Hydrogenation of Nitroaromatics. <i>ACS Catalysis</i> , 2013 , 3, 2318-2326	13.1	50
115	Pt-Cu bimetallic alloy nanoparticles supported on anatase TiO ₂ : highly active catalysts for aerobic oxidation driven by visible light. <i>ACS Nano</i> , 2013 , 7, 9287-97	16.7	163
114	A phenylbenzoxazole-amide-azacrown linkage as a selective fluorescent receptor for ratiometric sensing of Pb(II) in aqueous media. <i>Chemical Communications</i> , 2013 , 49, 3434-6	5.8	29
113	Selective fluorometric detection of aromatic thiols by a chemosensor containing two electrophilic sites with different local softness. <i>Chemical Communications</i> , 2013 , 49, 11680-2	5.8	43
112	N-Monoalkylation of Amines with Alcohols by Tandem Photocatalytic and Catalytic Reactions on TiO ₂ Loaded with Pd Nanoparticles. <i>ACS Catalysis</i> , 2013 , 3, 312-320	13.1	106
111	Supported Au-Cu bimetallic alloy nanoparticles: an aerobic oxidation catalyst with regenerable activity by visible-light irradiation. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 5295-9	16.4	160
110	Photocatalytic hydrodenitrogenation of aromatic cyanides on TiO ₂ loaded with Pd nanoparticles. <i>Catalysis Science and Technology</i> , 2013 , 3, 1718	5.5	11
109	Spiropyran-cholesterol conjugate as a photoresponsive organogelator. <i>New Journal of Chemistry</i> , 2013 , 37, 2642	3.6	9
108	Light-triggered self-assembly of gold nanoparticles based on photoisomerization of spirothiopyran. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 8304-8	16.4	74
107	Supported Au-Cu Bimetallic Alloy Nanoparticles: An Aerobic Oxidation Catalyst with Regenerable Activity by Visible-Light Irradiation. <i>Angewandte Chemie</i> , 2013 , 125, 5403-5407	3.6	42
106	Colorimetric sensing of Cu(II) in aqueous media with a spiropyran derivative via a oxidative dehydrogenation mechanism. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 3456-63	9.5	39
105	Selective side-chain oxidation of alkyl-substituted aromatics on TiO ₂ partially coated with WO ₃ as a photocatalyst. <i>Catalysis Science and Technology</i> , 2013 , 3, 2270	5.5	25
104	Phenylbenzoxazole-amide-cyclen linkage as a ratiometric fluorescent receptor for Zn(II) in water. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 3387-95	2.8	8
103	Colorimetric sensing of cyanide anion in aqueous media with a fluorescein-spiropyran conjugate. <i>Tetrahedron</i> , 2012 , 68, 690-696	2.4	43
102	Selective colorimetric sensing of Co(II) in aqueous media with a spiropyran-amide-dipicolylamine linkage under UV irradiation. <i>Chemical Communications</i> , 2012 , 48, 5485-7	5.8	30
101	Highly Efficient and Selective Hydrogenation of Nitroaromatics on Photoactivated Rutile Titanium Dioxide. <i>ACS Catalysis</i> , 2012 , 2, 2475-2481	13.1	109
100	Visible light-induced partial oxidation of cyclohexane on WO ₃ loaded with Pt nanoparticles. <i>Catalysis Science and Technology</i> , 2012 , 2, 400-405	5.5	68

99	Gold nanoparticles located at the interface of anatase/rutile TiO ₂ particles as active plasmonic photocatalysts for aerobic oxidation. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6309-15	16.4	559
98	Photocatalytic H ₂ O ₂ Production from Ethanol/O ₂ System Using TiO ₂ Loaded with AuAg Bimetallic Alloy Nanoparticles. <i>ACS Catalysis</i> , 2012 , 2, 599-603	13.1	271
97	Platinum Nanoparticles Supported on Anatase Titanium Dioxide as Highly Active Catalysts for Aerobic Oxidation under Visible Light Irradiation. <i>ACS Catalysis</i> , 2012 , 2, 1984-1992	13.1	85
96	Titanium Oxide-based Photocatalysts for Selective Organic Transformations. <i>Journal of the Japan Petroleum Institute</i> , 2012 , 55, 287-298	1	15
95	Visible-Light-Induced Partial Oxidation of Cyclohexane by Cr/Ti/Si Ternary Mixed Oxides with Molecular Oxygen. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 19782-19788	3.8	28
94	Thermoresponsive copolymer containing a coumarin-spiropyran conjugate: reusable fluorescent sensor for cyanide anion detection in water. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 4649-56	9.5	76
93	Highly sensitive cyanide anion detection with a coumarin-spiropyran conjugate as a fluorescent receptor. <i>Chemical Communications</i> , 2011 , 47, 4953-5	5.8	176
92	Entropy-driven thermal isomerization of spiropyran in viscous media. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 9083-90	2.8	18
91	One-pot synthesis of imines from alcohols and amines with TiO ₂ loading Pt nanoparticles under UV irradiation. <i>Chemical Communications</i> , 2011 , 47, 4811-3	5.8	100
90	Selective photocatalytic oxidation of alcohols to aldehydes in water by TiO ₂ partially coated with WO ₃ . <i>Chemistry - A European Journal</i> , 2011 , 17, 9816-24	4.8	92
89	Multicolor fluorescence of a styrylquinoline dye tuned by metal cations. <i>Chemistry - A European Journal</i> , 2011 , 17, 8324-32	4.8	34
88	Highly efficient photocatalytic dehalogenation of organic halides on TiO ₂ loaded with bimetallic Pd-Pt alloy nanoparticles. <i>Chemical Communications</i> , 2011 , 47, 7863-5	5.8	60
87	A BODIPY-based fluorescent chemodosimeter for Cu(II) driven by an oxidative dehydrogenation mechanism. <i>Chemical Communications</i> , 2011 , 47, 2673-5	5.8	92
86	Cu(II)-selective fluorescence of a bis-quinolylimine derivative. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011 , 217, 253-258	4.7	6
85	A benzoxadiazolethiourea conjugate as a fluorescent chemodosimeter for Hg(II) in aqueous media. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011 , 219, 154-158	4.7	23
84	Colorimetric response of spiropyran derivative for anions in aqueous or organic media. <i>Tetrahedron</i> , 2011 , 67, 891-897	2.4	32
83	Rapid colorimetric sensing of cyanide anion in aqueous media with a spiropyran derivative containing a dinitrophenolate moiety. <i>Tetrahedron Letters</i> , 2011 , 52, 1515-1519	2	37
82	Highly efficient methyl ketone synthesis with photoactivated acetone and olefins assisted by Mg(II)-exchanged zeolite Y. <i>Journal of Organic Chemistry</i> , 2010 , 75, 1450-7	4.2	14

81	Thermal isomerization of spiropyran to merocyanine in aqueous media and its application to colorimetric temperature indication. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 13737-45	3.6	108
80	Local viscosity analysis of triblock copolymer micelle with cyanine dyes as a fluorescent probe. <i>Langmuir</i> , 2010 , 26, 17505-12	4	41
79	A coumarin-thiourea conjugate as a fluorescent probe for Hg(II) in aqueous media with a broad pH range 2-12. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 1310-4	3.9	51
78	Selective photooxidation of chlorophenols with molecularly imprinted polymers containing a photosensitizer. <i>New Journal of Chemistry</i> , 2010 , 34, 714	3.6	23
77	Hydrophobic CrBi mixed oxides as a catalyst for visible light-induced partial oxidation of cyclohexane. <i>New Journal of Chemistry</i> , 2010 , 34, 2841	3.6	18
76	One-Pot Synthesis of Benzimidazoles by Simultaneous Photocatalytic and Catalytic Reactions on Pt@TiO ₂ Nanoparticles. <i>Angewandte Chemie</i> , 2010 , 122, 1700-1704	3.6	55
75	One-pot synthesis of benzimidazoles by simultaneous photocatalytic and catalytic reactions on Pt@TiO ₂ nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 1656-60	16.4	175
74	Photosensitized isomerization of olefin with benzophenone-conjugated amphiphilic graft copolymers. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010 , 213, 80-86	4.7	
73	Fluorescence properties of polyamines bearing two terminal quinoline fragments in water. <i>Tetrahedron</i> , 2010 , 66, 5594-5601	2.4	16
72	Visible light-induced photosensitized decomposition of organic pollutants with polymer nanocapsules encapsulating Fe(bpy) ₃ ²⁺ complex. <i>Applied Catalysis B: Environmental</i> , 2010 , 93, 292-298	21.8	10
71	Effect of substrate polarity on photocatalytic activity of titanium dioxide particles embedded in mesoporous silica. <i>Journal of Catalysis</i> , 2009 , 264, 175-182	7.3	26
70	A BODIPYrhodole conjugate as a colorimetric and fluorometric probe for selective fluoride anion detection. <i>Tetrahedron Letters</i> , 2009 , 50, 4293-4296	2	63
69	Temperature- and pH-responsive photosensitization activity of polymeric sensitizers based on poly-N-isopropylacrylamide. <i>Polymer</i> , 2009 , 50, 5758-5764	3.9	2
68	Effects of poly-N-isopropylacrylamide on fluorescence properties of CdS/Cd(OH) ₂ nanoparticles in water. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 205, 51-56	4.7	4
67	Effects of alkyl chain length on Cu(II)-selective green fluorescence of rhodamineBiacetic acid conjugates. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 205, 215-220	4.7	14
66	BODIPY-conjugated thermoresponsive copolymer as a fluorescent thermometer based on polymer microviscosity. <i>Langmuir</i> , 2009 , 25, 13176-82	4	84
65	Spiropyran as a selective, sensitive, and reproducible cyanide anion receptor. <i>Organic Letters</i> , 2009 , 11, 3482-5	6.2	133
64	Spiropyran-conjugated thermoresponsive copolymer as a colorimetric thermometer with linear and reversible color change. <i>Organic Letters</i> , 2009 , 11, 1571-4	6.2	91

63	Indole-azadiene conjugate as a colorimetric and fluorometric probe for selective fluoride ion sensing. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 2072-6	3.9	47
62	Selective photocatalytic transformations on microporous titanosilicate ETS-10 driven by size and polarity of molecules. <i>Langmuir</i> , 2008 , 24, 12658-63	4	36
61	A rhodamine-cyclen conjugate as a highly sensitive and selective fluorescent chemosensor for Hg(II). <i>Journal of Organic Chemistry</i> , 2008 , 73, 8571-4	4.2	240
60	Temperature-controlled photosensitization properties of benzophenone-conjugated thermoresponsive copolymers. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 13238-44	3.4	9
59	A hemicyanine-conjugated copolymer as a highly sensitive fluorescent thermometer. <i>Langmuir</i> , 2008 , 24, 4273-9	4	104
58	Highly efficient methyl ketone synthesis by water-assisted C-C coupling between olefins and photoactivated acetone. <i>Organic Letters</i> , 2008 , 10, 3117-20	6.2	20
57	Temperature-controlled photooxygenation with polymer nanocapsules encapsulating an organic photosensitizer. <i>Langmuir</i> , 2008 , 24, 9832-6	4	11
56	A fluorescent molecular switch driven by the input sequence of metal cations: an azamacrocyclic ligand containing bipolar anthracene fragments. <i>Chemistry - A European Journal</i> , 2008 , 14, 259-71	4.8	27
55	Effects of proton and metal cations on the fluorescence properties of anthracene bearing macrocyclic polyether and polyamine receptors. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008 , 195, 267-276	4.7	11
54	Rhodamine-conjugated acrylamide polymers exhibiting selective fluorescence enhancement at specific temperature ranges. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008 , 200, 432-437	4.7	27
53	Selective organic transformations on titanium oxide-based photocatalysts. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2008 , 9, 157-170	16.4	290
52	Fe(III)- and Hg(II)-selective dual channel fluorescence of a rhodamine- β -zirconium ether conjugate. <i>Tetrahedron Letters</i> , 2008 , 49, 4178-4181	2	62
51	Temperature-controlled changeable oxygenation selectivity by singlet oxygen with a polymeric photosensitizer. <i>Chemical Communications</i> , 2007 , 1846-8	5.8	19
50	Hg(II)-selective excimer emission of a bisnaphthyl azadiene derivative. <i>Organic Letters</i> , 2007 , 9, 3125-8	6.2	51
49	Solvent-driven multiply configurable on/off fluorescent indicator of the pH window: a diethylenetriamine bearing two end pyrene fragments. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 5090-100	3.4	32
48	Rhodamine-based fluorescent thermometer exhibiting selective emission enhancement at a specific temperature range. <i>Organic Letters</i> , 2007 , 9, 3921-4	6.2	135
47	A new rhodamine-based fluorescent chemosensor for transition metal cations synthesized by one-step facile condensation. <i>Tetrahedron Letters</i> , 2007 , 48, 5455-5459	2	127
46	Temperature-driven on/off fluorescent indicator of pH window: an anthracene-conjugated thermoresponsive polymer. <i>Tetrahedron Letters</i> , 2007 , 48, 6660-6664	2	24

45	A quinoline-polyamine conjugate as a fluorescent chemosensor for quantitative detection of Zn(II) in water. <i>Tetrahedron Letters</i> , 2007 , 48, 7769-7773	2	44
44	Unmodified fluorescein as a fluorescent chemosensor for fluoride ion detection. <i>Tetrahedron Letters</i> , 2007 , 48, 8803-8806	2	22
43	Sensitized luminescence of Eu and Tb macrocyclic complexes bearing benzophenone antennae. <i>Journal of Luminescence</i> , 2007 , 126, 68-76	3.8	21
42	Sensitized luminescence properties of dinuclear lanthanide macrocyclic complexes bearing a benzophenone antenna. <i>Journal of Luminescence</i> , 2007 , 127, 623-632	3.8	12
41	Cu(II)-selective green fluorescence of a rhodamine-diacetic acid conjugate. <i>Organic Letters</i> , 2007 , 9, 5039-42	3.4	313
40	Effects of metal cation coordination on fluorescence properties of a diethylenetriamine bearing two end pyrene fragments. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 8812-22	3.4	30
39	A triethylenetetramine bearing anthracene and benzophenone as a fluorescent molecular logic gate with either-or switchable dual logic functions. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 21596-602	3.4	30
38	Visible light-induced highly selective transformation of olefin to ketone by 2,4,6-triphenylpyrylium cation encapsulated within zeolite Y. <i>Chemical Communications</i> , 2006 , 773-5	5.8	15
37	Temperature-driven oxygenation rate control by polymeric photosensitizer. <i>Journal of the American Chemical Society</i> , 2006 , 128, 8751-3	16.4	36
36	pH- and H ₂ O-driven triple-mode pyrene fluorescence. <i>Organic Letters</i> , 2006 , 8, 3841-4	6.2	74
35	Visible light-induced partial oxidation of olefins on Cr-containing silica with molecular oxygen. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 6257-63	3.4	29
34	Ti-containing mesoporous organosilica as a photocatalyst for selective olefin epoxidation. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 17898-905	3.4	44
33	Vanadium-containing mesoporous silica of high photocatalytic activity and stability even in water. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 6587-94	3.4	26
32	Sulfonium Salts Obtained by Desulfurization of Light Oils as an Initiator for Cationic Photopolymerization. <i>Energy & Fuels</i> , 2006 , 20, 1767-1770	4.1	
31	A fluorescent chemosensor for wide-range pH detection. <i>Chemical Communications</i> , 2005 , 5313-5	5.8	44
30	A molecular switch with pH-controlled absolutely switchable dual-mode fluorescence. <i>Organic Letters</i> , 2005 , 7, 2611-4	6.2	90
29	Acetonitrile-assisted highly selective photocatalytic epoxidation of olefins on Ti-containing silica with molecular oxygen. <i>Chemical Communications</i> , 2005 , 5977-9	5.8	43
28	A fluorescent molecular logic gate with multiply-configurable dual outputs. <i>Chemical Communications</i> , 2005 , 5316-8	5.8	76

27	Visible light-induced selective oxidation of cyclohexane to cyclohexanone on Cr-Si binary oxide with molecular oxygen. <i>Chemical Communications</i> , 2005 , 4569-71	5.8	45
26	Photosensitized oxygenation of sulfides within an amphiphilic dendrimer containing a benzophenone core. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 8580-6	3.4	26
25	Fluorometric Detection of pH and Metal Cations by 1,4,7,10-Tetraazacyclododecane (Cyclen) Bearing Two Anthrylmethyl Groups. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 847-851	3.9	13
24	Bis-azamacrocyclic anthracene as a fluorescent chemosensor for cations in aqueous solution. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 19139-47	3.4	37
23	Titanosilicate molecular sieve for size-screening photocatalytic conversion. <i>Journal of the American Chemical Society</i> , 2005 , 127, 8304-6	16.4	69
22	Adsorption-driven photocatalytic activity of mesoporous titanium dioxide. <i>Journal of the American Chemical Society</i> , 2005 , 127, 12820-2	16.4	237
21	Transmethylation of olefin via S-methylsulfonium salts obtained by desulfurization of light oil. <i>Journal of Molecular Catalysis A</i> , 2004 , 212, 115-119		2
20	Desulfurization of Vacuum Gas Oil Based on Chemical Oxidation Followed by Liquid-Liquid Extraction. <i>Energy & Fuels</i> , 2004 , 18, 37-40	4.1	53
19	Heterogeneous Fluorometric Detection of pH and Metal Cations by Amphiphilic Zeolite Modified with Anthracene-Substituted Azamacrocycle. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 6064-6069	3.9	4
18	Vanadosilicate Molecular Sieve as a Catalyst for Oxidative Desulfurization of Light Oil. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 6034-6039	3.9	77
17	Photochemical Production of Biphenyls from Oxidized Sulfur Compounds Obtained by Oxidative Desulfurization of Light Oils. <i>Energy & Fuels</i> , 2003 , 17, 95-100	4.1	14
16	Desulfurization Process for Light Oil Based on Chemical Adsorption of Sulfur Compounds on Polymer-Supported Imidation Agent.. <i>Journal of Chemical Engineering of Japan</i> , 2003 , 36, 1528-1531	0.8	3
15	S-Methylsulfonium Salts Obtained by Desulfurization of Vacuum Gas Oil and Catalytic-Cracked Gasoline as Thermal Latent Polymerization Initiator.. <i>Journal of Chemical Engineering of Japan</i> , 2003 , 36, 343-347	0.8	2
14	Polymer-Supported Sulfonium Salts Obtained by Desulfurization of Light Oil as Novel Phase Transfer Catalyst.. <i>Journal of Chemical Engineering of Japan</i> , 2003 , 36, 220-224	0.8	
13	Separation of Transition Metals Using Inorganic Adsorbents Modified with Chelating Ligands. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 5065-5070	3.9	54
12	A Novel Desulfurization Process for Fuel Oils Based on the Formation and Subsequent Precipitation of S-Alkylsulfonium Salts. 1. Light Oil Feedstocks. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 1213-1224	3.9	58
11	A Novel Desulfurization Process for Fuel Oils Based on the Formation and Subsequent Precipitation of S-Alkylsulfonium Salts. 2. Catalytic-Cracked Gasoline. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 1225-1233	3.9	23
10	A Novel Desulfurization Process for Fuel Oils Based on the Formation and Subsequent Precipitation of S-Alkylsulfonium Salts. 5. Denitrogenation Reactivity of Basic and Neutral Nitrogen Compounds. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 4919-4924	3.9	12

9	A Novel Desulfurization Process for Fuel Oils Based on the Formation and Subsequent Precipitation of S-Alkylsulfonium Salts. 4. Desulfurization and Simultaneous Denitrogenation of Vacuum Gas Oil. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 3398-3405	3.9	10
8	A novel methodology towards deep desulfurization of light oil effected by sulfimides formation. <i>Chemical Communications</i> , 2001 , 1256-1257	5.8	17
7	Photochemical Desulfurization of Light Oils Using Oil/Hydrogen Peroxide Aqueous Solution Extraction System: Application for High Sulfur Content Straight-Run Light Gas Oil and Aromatic Rich Light Cycle Oil.. <i>Journal of Chemical Engineering of Japan</i> , 1999 , 32, 158-161	0.8	16
6	Visible Light-Induced Deep Desulfurization Process for Light Oils by Photochemical Electron-Transfer Oxidation in an Organic Two-Phase Extraction System. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 3310-3318	3.9	33
5	Identification of Desulfurization Products in the Photochemical Desulfurization Process for Benzothiophenes and Dibenzothiophenes from Light Oil Using an Organic Two-Phase Extraction System. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 3300-3309	3.9	38
4	A Deep Desulfurization Process for Light Oil by Photosensitized Oxidation Using a Triplet Photosensitizer and Hydrogen Peroxide in an Oil/Water Two-Phase Liquid-Liquid Extraction System. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 1589-1595	3.9	41
3	Visible light-induced desulfurization technique for light oil. <i>Chemical Communications</i> , 1998 , 2601-2602	5.8	43
2	Effect of Photosensitizer and Hydrogen Peroxide on Desulfurization of Light Oil by Photochemical Reaction and Liquid-Liquid Extraction. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 530-533	3.9	46
1	Desulfurization Process for Light Oil by Photochemical Reaction and Liquid-Liquid Extraction: Removal of Benzothiophenes and Alkyl Sulfides.. <i>Journal of Chemical Engineering of Japan</i> , 1997 , 30, 173-175	0.8	11