

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8048959/publications.pdf

Version: 2024-02-01



ΜΔιι

#	Article	IF	CITATIONS
1	Catalytic asymmetric synthesis of indole derivatives as novel α-glucosidase inhibitors in vitro. Bioorganic Chemistry, 2018, 79, 350-354.	4.1	44
2	New spiro-oxindole constructed with pyrrolidine/thioxothiazolidin-4-one derivatives: Regioselective synthesis, X-ray crystal structures, Hirshfeld surface analysis, DFT, docking and antimicrobial studies. Journal of Molecular Structure, 2018, 1152, 101-114.	3.6	37
3	Synthesis, antimicrobial activity, pharmacophore modeling and molecular docking studies of new pyrazole-dimedone hybrid architectures. Chemistry Central Journal, 2018, 12, 29.	2.6	28
4	Synthesis of thiobarbituric acid derivatives: In vitro α -glucosidase inhibition and molecular docking studies. Bioorganic Chemistry, 2017, 75, 99-105.	4.1	25
5	Regio- and Stereoselective Synthesis of a New Series of Spirooxindole Pyrrolidine Grafted Thiochromene Scaffolds as Potential Anticancer Agents. Symmetry, 2021, 13, 1426.	2.2	23
6	Synthesis and characterisation of thiobarbituric acid enamine derivatives, and evaluation of their α-glucosidase inhibitory and anti-glycation activity. Journal of Enzyme Inhibition and Medicinal Chemistry, 2020, 35, 692-701.	5.2	17
7	Synthesis of a New Class of Spirooxindole–Benzo[b]Thiophene-Based Molecules as Acetylcholinesterase Inhibitors. Molecules, 2020, 25, 4671.	3.8	16
8	Structural and spectral investigations of the recently synthesized chalcone (E)-3-mesityl-1-(naphthalen-2-yl) prop-2-en-1-one, a potential chemotherapeutic agent. Chemistry Central Journal, 2015, 9, 35.	2.6	13
9	Synthesis and Inhibitory Effect of Some Indoleâ€Pyrimidine Based Hybrid Heterocycles on αâ€Glucosidase and αâ€Amylase as Potential Hypoglycemic Agents. ChemistryOpen, 2019, 8, 1288-1297.	1.9	13
10	Stereoselective Synthesis of the Di-Spirooxindole Analogs Based Oxindole and Cyclohexanone Moieties as Potential Anticancer Agents. Molecules, 2021, 26, 6305.	3.8	13
11	Anticancer Indole-Based Chalcones: A Structural and Theoretical Analysis. Molecules, 2019, 24, 3728.	3.8	12
12	Synthesis of Pyridine-Dicarboxamide-Cyclohexanone Derivatives: Anticancer and α-Glucosidase Inhibitory Activities and In Silico Study. Molecules, 2019, 24, 1332.	3.8	12
13	Synthesis and characterization of a spiroindolone pyrothiazole analog via X-ray, biological, and computational studies. Journal of Molecular Structure, 2019, 1186, 384-392.	3.6	12
14	Design, Construction, and Characterization of a New Regioisomer and Diastereomer Material Based on the Spirooxindole Scaffold Incorporating a Sulphone Function. Symmetry, 2020, 12, 1337.	2.2	12
15	Straightforward Regio- and Diastereoselective Synthesis, Molecular Structure, Intermolecular Interactions and Mechanistic Study of Spirooxindole-Engrafted Rhodanine Analogs. Molecules, 2021, 26, 7276.	3.8	12
16	Synthesis of spiroindolone analogue via three components reaction of olefin with isatin and sarcosine: Anti-proliferative activity and computational studies. Journal of Molecular Structure, 2020, 1204, 127500.	3.6	11
17	Synthesis, X-ray Single Crystal, Conformational Analysis and Cholinesterase Inhibitory Activity of a New Spiropyrrolidine Scaffold Tethered Benzo[b]Thiophene Analogue. Crystals, 2020, 10, 120.	2.2	11
18	Three Multi-Components Reaction: Synthesis and X-Ray Single-Crystal of Hydroacridinone-Based Hydrazino-S-Triazine Derivative as a New Class of Urease Inhibitor, Crystals, 2020, 10–14	2.2	7

M Ali

#	Article	IF	CITATIONS
19	Enamine Barbiturates and Thiobarbiturates as a New Class of Bacterial Urease Inhibitors. Applied Sciences (Switzerland), 2020, 10, 3523.	2.5	5
20	Bimetallic Iron–Palladium Catalyst System as a Lewis-Acid for the Synthesis of Novel Pharmacophores Based Indole Scaffold as Anticancer Agents. Molecules, 2021, 26, 2212.	3.8	5
21	Synthesis, Spectroscopic Investigations (X-ray, NMR and TD-DFT), Antimicrobial Activity and Molecular Docking of 2,6-Bis(hydroxy(phenyl)methyl)cyclohexanone. Molecules, 2015, 20, 13240-13263.	3.8	4
22	Molecular structure investigation and tautomerism aspects of (E)-3-benzylideneindolin-2-one. Journal of Chemical Sciences, 2015, 127, 1547-1556.	1.5	4
23	5-[(3-Fluorophenyl)(2-hydroxy-6-oxocyclohex-1-en-1-yl)methyl]-6-hydroxy-1,3-dimethylpyrimidine-2,4(1H,3H)-dione MolBank, 2016, 2016, M910.	<sup>2</sup> ·0.5	3
24	New hybrid of the barbituric acid motif: synthesis, X-ray single crystal, DFT, and Hirshfeld surface analyses. Research on Chemical Intermediates, 2018, 44, 4213-4225.	2.7	3
25	X-ray Crystal Structure and Hirshfeld Analysis of Gem-Aminals-Based Morpholine, Pyrrolidine, and Piperidine Moieties. Symmetry, 2021, 13, 20.	2.2	3
26	Synthesis and anti-Cancer Activity of a New Hybrid Based Spirooxindole-Pyrrolidine -Thiochromene Scaffolds <i>via</i> [3 + 2] Cycloaddition Reaction: Computational Investigation. Polycyclic Aromatic Compounds, 2023, 43, 2302-2320.	2.6	3
27	Molecular Structure, Spectroscopic and DFT Computational Studies of Arylidene-1,3-dimethylpyrimidine-2,4,6(1H,3H,5H)-trione. Crystals, 2016, 6, 110.	2.2	2
28	Crystal structure of 2-(4-oxo-2-thioxothiazolidin-3-yl)acetic acid monohydrate, C <sub>5</sub> H <sub>7</sub> NO <sub>4</sub> S <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 141-142.	0.3	2
29	Crystal structure of 5-(3-fluorobenzylidene)-1,3-dimethylpyrimidine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-trione; C <sub>13</sub> H <sub>11</sub> FN <sub>2</sub> O <sub>3</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2016, 231, 1059-1061.	0.3	1
30	One-Pot Synthesis, X-ray Single Crystal and Molecular Insight of Enaminone-Based β-Morpholino-/N-Methylpiperazinyl-/Pyrrolidinylpropiophenone. Crystals, 2020, 10, 282.	2.2	1
31	Crystal structure of 5-((4-bromophenyl)(2-hydroxy-6-oxocyclohex-1-en-1-yl)methyl)-6-hydroxy-1,3-dimethylpyrimidine-2,4(1 <i>H</i> ,3< C <sub>19</sub> H <sub>19</sub> BrN <sub>2</sub> O <sub>5</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2016, 231, 843-845.	:i>H)-( 0.3	digne,
32	Crystal structure of 6-hydroxy-5-((2-hydroxy-6-oxocyclohex-1-en-1-yl)(phenyl)methyl)-1,3-dimethylpyrimidine-2,4(1 <i>H</i> ,3 <i>H</i> ) C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>5</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2016, 231, 849-851	-dione, 0.3	0
33	Analytical Studies of 6-Hydroxy-5-[(2-hydroxy-) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 Td (6-oxocycloh of General Chemistry, 2018, 88, 2381-2387.	ex-1-en-1- 0.8	yl)(2-nitrop 0
34	Crystal structure of 6-hydroxy-5-((2-hydroxy-6-oxocyclohex-1-en-1-yl)(4-methoxyphenyl)methyl)-1,3-dimethylpyrimidine-2,4(1H,3H)-dic C20H22N2O6. Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 747-749.	) <b>102</b> ,3	0
35	Crystal structure of 5,5′-((3-hydroxy-4-methoxyphenyl)methylene)bis(1,3-diethyl-6-hydroxy-2-thioxo-2,3-dihydropyrimidin-4(1 <i>H&lt; C<sub>24</sub>H<sub>30</sub>N<sub>4</sub>O<sub>6</sub>S<sub>2</sub>. Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 919-921.</i>	/i>)-one), 0.3	0
36	Selfâ€assembly of unexpected [Mn(2â€(1â€hydrazonoethyl)pyridine)Cl <sub>2</sub> ] <sub>n</sub> 1D coordination polymer: Synthesis, structural elucidation, and biological studies. Applied Organometallic Chemistry, 0, , .	3.5	0