

Koichiro Ueki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8050385/publications.pdf>

Version: 2024-02-01

107
papers

2,033
citations

236612

25
h-index

288905

40
g-index

109
all docs

109
docs citations

109
times ranked

1265
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Nasal Function and Upper Airway Morphology After Bi-Maxillary Surgery Using Rhinomanometry and Computed Tomography. <i>Journal of Craniofacial Surgery</i> , 2022, 33, 214-218.	0.3	2
2	Assessment of lateral pterygoid muscle and temporomandibular joint disc after Le Fort I osteotomy with and without intentional pterygoid plate fracture and sagittal split ramus osteotomy in class II and class III patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2022, 50, 46-53.	0.7	3
3	Automatic discrimination of Yamamoto-Kohama classification by machine learning approach for invasive pattern of oral squamous cell carcinoma using digital microscopic images: a retrospective study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2022, 133, 441-452.	0.2	7
4	High expression of protein tyrosine kinase 7 in oral squamous cell carcinoma: Clinicopathological correlation and prognosis relevance. <i>Clinical and Experimental Dental Research</i> , 2022, 8, 506-512.	0.8	3
5	Effects of ultraviolet irradiation on beta-tricalcium phosphate as a bone graft substitute. <i>Odontology / the Society of the Nippon Dental University</i> , 2022, , 1.	0.9	0
6	Ets family proteins regulate the EMT transcription factors Snail and ZEB in cancer cells. <i>FEBS Open Bio</i> , 2022, 12, 1353-1364.	1.0	5
7	Computed Tomography Assessment of Maxillary Sinus and Inferior Nasal Airway After Le Fort I Osteotomy. <i>Journal of Craniofacial Surgery</i> , 2022, 33, 1835-1839.	0.3	1
8	Change of lateral pterygoid muscle and temporomandibular disc position after bi-maxillary surgery in class II and III patients. <i>Oral and Maxillofacial Surgery</i> , 2021, 25, 19-25.	0.6	3
9	A Case of Mandibular Metastasis of Breast Cancer Presenting with Numb Chin Syndrome. <i>Japanese Journal of Oral Diagnosis / Oral Medicine</i> , 2021, 34, 7-13.	0.0	0
10	Computed tomography assessment of mandibular morphologic changes and the inferior mandibular border defect after sagittal split ramus osteotomy. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021, 132, 496-505.	0.2	2
11	Association between the point-rating system used for oral health and the prevalence of Gram-negative bacilli in hematological inpatients. <i>Medicine (United States)</i> , 2021, 100, e26111.	0.4	2
12	Spacers with boluses applied to various sites of oral squamous cell carcinoma: Technical note and retrospective case series. <i>Molecular and Clinical Oncology</i> , 2021, 15, 187.	0.4	2
13	Evaluation of condylar surface CT values related to condylar height reduction after orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021, 49, 639-648.	0.7	12
14	Evaluation of recovery period in lower lip hypoesthesia after bilateral sagittal split osteotomy using trigeminal somatosensory evoked potential. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021, 132, 378-385.	0.2	1
15	Development of manipulation assistance for OMS drilling training simulator using haptic device in sagittal split ramus osteotomy. <i>Transactions of the JSME (in Japanese)</i> , 2021, 87, 21-00219-21-00219.	0.1	2
16	An unusual case of bone regeneration of a necrotic mandible with pathologic fracture in an elderly hemodialysis patient with medication-related osteonecrosis of the jaw: a case report and review of the literature. <i>Journal of Medical Case Reports</i> , 2021, 15, 608.	0.4	4
17	Comparison of nonself-tapping tapered implant and self-tapping hybrid implant in terms of implant stability at initial and second fixation: A prospective randomized clinical trial. <i>Clinical Implant Dentistry and Related Research</i> , 2020, 22, 679-688.	1.6	2
18	Evaluation of intravenous prophylaxis antibiotics for third molar extraction under general anesthesia. <i>Odontology / the Society of the Nippon Dental University</i> , 2020, 108, 681-687.	0.9	8

#	ARTICLE	IF	CITATIONS
19	Evaluation of border movement of the mandible before and after orthognathic surgery using a kinesiograph. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2020, 48, 477-482.	0.7	2
20	Fixed Drug Eruption Patient Considered to Be Caused by Dental Materials: A Case Report. <i>Japanese Journal of Oral Diagnosis / Oral Medicine</i> , 2020, 33, 27-33.	0.0	0
21	A Case of Lateral Dermoid Cyst in the Floor of the Mouth of a 14-year-old Boy. <i>Japanese Journal of Oral Diagnosis / Oral Medicine</i> , 2020, 33, 170-174.	0.0	0
22	Representation of Chiseling Operation Using Force Display with Two Degree-of-freedom Admittance Control. <i>Transactions of the Society of Instrument and Control Engineers</i> , 2020, 56, 333-344.	0.1	1
23	Stability of the chin after advancement genioplasty using absorbable plate and screws with template devices. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1498-1503.	0.7	3
24	Bone healing after Le Fort I osteotomy with SSRO, using uHA/PLLA plates and screws, in class II and III patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1338-1342.	0.7	5
25	Addiction of mesenchymal phenotypes on the FGF/FGFR axis in oral squamous cell carcinoma cells. <i>PLoS ONE</i> , 2019, 14, e0217451.	1.1	12
26	Changes in cross-sectional measurements of masseter, medial pterygoid muscles, ramus, condyle and occlusal force after bi-maxillary surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 400-405.	0.7	6
27	Adaptive change in temporomandibular joint tissue and mandibular morphology following surgically induced anterior disc displacement by bFGF injection in a rabbit model. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 320-327.	0.7	6
28	Evaluation of Space-Maintaining Sinus Membrane Using the Absorbable Screws in Sinus Lifting Bone Augmentation. <i>Implant Dentistry</i> , 2019, 28, 28-38.	1.7	3
29	Force Display Control System using 2 DOF Admittance Control in Surgical Training Simulator with Chiseling Operation. , 2019, , .		3
30	Time-course change in temporomandibular joint space after advancement and setback mandibular osteotomy with Le Fort I osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 679-687.	0.7	12
31	Effect on surface character and mechanical property of unsintered hydroxyapatite/poly-L-lactic acid (uHA/PLLA) material by UV treatment. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 191-200.	1.6	15
32	Force Display Device and Control System for Surgical Training Simulator Using Bone Chisel. , 2018, , .		3
33	Relationship between occlusal force and condylar morphology in class II and III after bi-maxillary osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 2103-2107.	0.7	14
34	Mandibular bone healing after advancement or setback surgery using sagittal split ramus osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 1500-1503.	0.7	6
35	Experience of Cystectomy and Apicotomy under General Anesthesia in a Patient with Hereditary Angioedema. <i>Japanese Journal of Oral Diagnosis / Oral Medicine</i> , 2018, 31, 1-4.	0.0	0
36	Evaluation of maxillary sinus after Le Fort I osteotomy using various fixation materials. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 552-557.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Bone regeneration enhancement by ultra-violet (UV) treatment for uHA/PLLA absorbable mesh. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 634-641.	0.7	8
38	Condylar surface CT value in sagittal plane before and after sagittal split ramus osteotomy. Oral and Maxillofacial Surgery, 2017, 21, 159-169.	0.6	7
39	Comparison of skeletal stability after sagittal split ramus osteotomy among mono-cortical plate fixation, bi-cortical plate fixation, and hybrid fixation using absorbable plates and screws. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 178-182.	0.7	15
40	Comparison of temporomandibular joint and ramus morphology between class II and class III cases before and after bi-maxillary osteotomy. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 2002-2009.	0.7	23
41	Modified hybrid fixation using absorbable plate and screw for mandibular advancement surgery. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 1788-1793.	0.7	15
42	Change in lip closing force in Classes II and III malocclusion before and after sagittal split ramus osteotomy with Le Fort I osteotomy. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 1415-1418.	0.7	4
43	A Case of Sublingual Ranula That Responded Successfully to Localized Injection Treatment with OK-432 after Healing from Drug Induced Hypersensitivity Syndrome. Case Reports in Dentistry, 2016, 2016, 1-5.	0.2	2
44	Comparison between various densities of pore titanium meshes and e-polytetrafluoroethylene (ePTFE) membrane regarding bone regeneration induced by low intensity pulsed ultrasound (LIPUS) in rabbit nasal bone. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 1152-1161.	0.7	6
45	Assessment of nasal septum after Le Fort I osteotomy with computer tomography. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 1187-1193.	0.7	11
46	Change in mandibular body height at the site of a fixation plate in the advance (lengthening) and setback (shortening) sides after sagittal split ramus osteotomy. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 279-284.	0.7	8
47	Comparison of skeletal stability after sagittal split ramus osteotomy with and without extraction of the third molar in patients with mandibular prognathism. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 1104-1108.	0.7	3
48	Evaluation of bone formation after sagittal split ramus osteotomy using different fixation materials. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 710-716.	0.7	7
49	Changes in computed tomography values of mandibular condyle and temporomandibular joint disc position after sagittal split ramus osteotomy. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 1208-1217.	0.7	25
50	The amount of mandibular setback influence on occlusal force following sagittal split ramus osteotomy. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 1743-1748.	0.7	4
51	A case of implant placement in a bone fragment gap after sagittal split ramus osteotomy. Nihon Koku Geka Gakkai Zasshi, 2015, 61, 570-574.	0.0	2
52	Bone regeneration by periosteal elevation using conventional orthodontic wire and uHA/PLLA mesh. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 1742-1747.	0.7	4
53	Comparison of lower lip hypoesthesia between hybrid fixation and conventional fixation following sagittal split ramus osteotomy. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 1808-1812.	0.7	4
54	Evaluation of factors affecting recovery period in lower lip hypoesthesia after sagittal split ramus osteotomy in mandibular prognathism patients. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 1748-1752.	0.7	9

#	ARTICLE	IF	CITATIONS
55	Evaluation of recovery in lip closing pressure and occlusal force and contact area after orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 1148-1153.	0.7	14
56	Bone regeneration by statin and low-intensity pulsed ultrasound (LIPUS) in rabbit nasal bone. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 185-193.	0.7	21
57	The time-course change in the lip closing force in Class III malocclusion after orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 896-900.	0.7	11
58	Evaluation of soft tissue morphologic changes after using the alar base cinch suture in Le Fort I osteotomy in mandibular prognathism with and without asymmetry. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 718-724.	0.7	7
59	Skeletal stability after mandibular setback surgery: Comparison between the hybrid technique for fixation and the conventional plate fixation using an absorbable plate and screws. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 351-355.	0.7	21
60	Evaluation of overlapped cortical bone area after modified plate fixation with bent plate in sagittal split ramus osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, e210-e216.	0.7	17
61	A Case Report of Dental Treatment in a Patient with Reversible Cerebral Vasoconstriction Syndrome. <i>Japanese Journal of Oral Diagnosis / Oral Medicine</i> , 2014, 27, 154-157.	0.0	0
62	Assessment of bone healing and hypoesthesia in the upper lip after Le Fort I osteotomy with self-setting $\hat{\Gamma}$ -tricalcium phosphate and absorbable plates. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013, 41, 129-134.	0.7	18
63	Comparison Between Unsintered Hydroxyapatite/Poly-L-Lactic Acid Mesh and Titanium Mesh in Bone Regeneration of Rabbit Mandible. <i>Implant Dentistry</i> , 2013, 22, 255-262.	1.7	16
64	Loss of claudin-7 is a negative prognostic factor for invasion and metastasis in oral squamous cell carcinoma. <i>Oncology Reports</i> , 2013, 29, 445-450.	1.2	20
65	An Odontoma Found in the Wake of Maxillary Sinusitis Onset. <i>Case Reports in Dentistry</i> , 2013, 2013, 1-6.	0.2	3
66	Effect of self-setting $\hat{\Gamma}$ -tricalcium phosphate between segments for bone healing and hypoaesthesia in lower lip after sagittal split ramus osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012, 40, e119-e124.	0.7	20
67	Changes in temporomandibular joint and ramus after sagittal split ramus osteotomy in mandibular prognathism patients with and without asymmetry. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012, 40, 821-827.	0.7	78
68	A hypothesis on the desired postoperative position of the condyle in orthognathic surgery: a review. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 114, 567-576.	0.2	48
69	Assessment of bone healing after Le Fort I osteotomy with 3-dimensional computed tomography. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2011, 39, 237-243.	0.7	41
70	Bone healing of critical-sized nasal defects in rabbits by statins in two different carriers. <i>Clinical Oral Implants Research</i> , 2011, 22, 1327-1335.	1.9	33
71	Use of self-setting $\hat{\Gamma}$ -tricalcium phosphate for maxillary sinus augmentation in rabbit. <i>Clinical Oral Implants Research</i> , 2011, 22, 606-612.	1.9	19
72	Skeletal Stability After Mandibular Setback Surgery: Comparisons Among Unsintered Hydroxyapatite/Poly-L-Lactic Acid Plate, Poly-L-Lactic Acid Plate, and Titanium Plate. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011, 69, 1464-1468.	0.5	47

#	ARTICLE	IF	CITATIONS
73	Position of Mandibular Canal and Ramus Morphology Before and After Sagittal Split Ramus Osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> , 2010, 68, 1795-1801.	0.5	17
74	Stress change on the temporomandibular joint in mandibular prognathism subjects with asymmetry after orthognathic surgery. <i>European Journal of Orthodontics</i> , 2010, 32, 522-529.	1.1	14
75	An experimental study of use of absorbable plate in combination with self-setting β -tricalcium phosphate for orthognathic surgery. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 110, 560-569.	1.6	12
76	Changes in the Duration of the Chewing Cycle in Patients With Skeletal Class III With and Without Asymmetry Before and After Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2009, 67, 67-72.	0.5	15
77	Evaluation of Bone Formation After Sagittal Split Ramus Osteotomy With Bent Plate Fixation Using Computed Tomography. <i>Journal of Oral and Maxillofacial Surgery</i> , 2009, 67, 1062-1068.	0.5	32
78	Assessment of Pterygomaxillary Separation in Le Fort I Osteotomy in Class III Patients. <i>Journal of Oral and Maxillofacial Surgery</i> , 2009, 67, 833-839.	0.5	35
79	Statin-induced bone morphogenetic protein (BMP) 2 expression during bone regeneration: an immunohistochemical study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009, 107, 22-29.	1.6	58
80	Assessment of ramus, condyle, masseter muscle, and occlusal force before and after sagittal split ramus osteotomy in patients with mandibular prognathism. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009, 108, 679-686.	1.6	26
81	Determining the anatomy of the descending palatine artery and pterygoid plates with computed tomography in Class III patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2009, 37, 469-473.	0.7	34
82	Skeletal Stability After Mandibular Setback Surgery: Bicortical Fixation Using a 2.0-mm Locking Plate System Versus Monocortical Fixation Using a Nonlocking Plate System. <i>Journal of Oral and Maxillofacial Surgery</i> , 2008, 66, 900-904.	0.5	15
83	Assessment of the Relationship Between the Recovery of Maximum Mandibular Opening and the Maxillomandibular Fixation Period After Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2008, 66, 486-491.	0.5	31
84	The evaluation of surgical factors related to recovery period of upper lip hypoesthesia after Le Fort I osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2008, 36, 390-394.	0.7	10
85	Relationship between recovery period of lower lip hypoesthesia and sagittal split area or plate screw position after sagittal split ramus osteotomy. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, 11-15.	1.6	18
86	Horizontal changes in the condylar head after sagittal split ramus osteotomy with bent plate fixation. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 106, 656-661.	1.6	59
87	Expression of bone morphogenetic protein 2 and fibroblast growth factor 2 during bone regeneration using different implant materials as an onlay bone graft in rabbit mandibles. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 103, 16-26.	1.6	40
88	Evaluation of upper lip hypoesthesia with a trigeminal somatosensory-evoked potential following Le Fort I osteotomy in combination with mandibular osteotomy. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 103, 169-174.	1.6	9
89	Condylar and disc positions after sagittal split ramus osteotomy with and without Le Fort I osteotomy. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 103, 342-348.	1.6	54
90	Comparison of maxillary stability after Le Fort I osteotomy for occlusal cant correction surgery and maxillary advanced surgery. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 104, 38-43.	1.6	14

#	ARTICLE	IF	CITATIONS
91	A comparison of lower lip hypoesthesia measured by trigeminal somatosensory-evoked potential between different types of mandibular osteotomies and fixation. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 104, 177-185.	1.6	25
92	Bite Force and Maxillofacial Morphology in Patients With Duchenne-Type Muscular Dystrophy. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007, 65, 34-39.	0.5	29
93	The Use of an Intermaxillary Fixation Screw for Mandibular Setback Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007, 65, 1562-1568.	0.5	20
94	Maxillary Stability Following Le Fort I Osteotomy in Combination With Sagittal Split Ramus Osteotomy and Intraoral Vertical Ramus Osteotomy: A Comparative Study Between Titanium Miniplate and Poly-L-Lactic Acid Plate. <i>Journal of Oral and Maxillofacial Surgery</i> , 2006, 64, 74-80.	0.5	65
95	The Prevention of Periodontal Bone Loss at the Osteotomy Site After Anterior Segmental and Dento-Osseous Osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> , 2006, 64, 1526-1531.	0.5	17
96	Relationship Between the Morphologies of the Masseter Muscle and the Ramus and Occlusal Force in Patients With Mandibular Prognathism. <i>Journal of Oral and Maxillofacial Surgery</i> , 2006, 64, 1480-1486.	0.5	26
97	The change of stress distribution on the condyle after mandibular setback surgery. <i>European Journal of Orthodontics</i> , 2006, 28, 433-439.	1.1	21
98	The assessment of blood loss in orthognathic surgery for prognathia. <i>Journal of Oral and Maxillofacial Surgery</i> , 2005, 63, 350-354.	0.5	78
99	Changes in the chewing path of patients in skeletal class III with and without asymmetry before and after orthognathic surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2005, 63, 442-448.	0.5	26
100	Change in Condylar Long Axis and Skeletal Stability Following Sagittal Split Ramus Osteotomy and Intraoral Vertical Ramus Osteotomy for Mandibular Prognathia. <i>Journal of Oral and Maxillofacial Surgery</i> , 2005, 63, 1494-1499.	0.5	50
101	The relationship between temporomandibular joint disc morphology and stress angulation in skeletal Class III patients. <i>European Journal of Orthodontics</i> , 2005, 27, 501-506.	1.1	37
102	Le Fort I osteotomy using an ultrasonic bone curette to fracture the pterygoid plates. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2004, 32, 381-386.	0.7	80
103	Trigeminal nerve hypesthesia after sagittal split osteotomy in setback cases: correlation of postoperative computed tomography and long-term trigeminal somatosensory evoked potentials. <i>Journal of Oral and Maxillofacial Surgery</i> , 2003, 61, 898-903.	0.5	33
104	The use of polylactic acid/polyglycolic acid copolymer and gelatin sponge complex containing human recombinant bone morphogenetic protein-2 following condylectomy in rabbits. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2003, 31, 107-114.	0.7	51
105	Condylar and temporomandibular joint disc positions after mandibular osteotomy for prognathism. <i>Journal of Oral and Maxillofacial Surgery</i> , 2002, 60, 1424-1432.	0.5	101
106	Somatosensory-evoked potential to evaluate the trigeminal nerve after sagittal split osteotomy. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2001, 91, 146-152.	1.6	44
107	Temporomandibular joint morphology and disc position in skeletal class III patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2000, 28, 362-368.	0.7	85