

Lars F Iversen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8050659/lars-f-iversen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

5,107
citations

42
h-index

64
g-index

184
ext. papers

6,123
ext. citations

3.8
avg, IF

5.6
L-index

#	Paper	IF	Citations
174	The kinases MSK1 and MSK2 act as negative regulators of Toll-like receptor signaling. <i>Nature Immunology</i> , 2008 , 9, 1028-36	19.1	248
173	Characterization of the interleukin-17 isoforms and receptors in lesional psoriatic skin. <i>British Journal of Dermatology</i> , 2009 , 160, 319-24	4	229
172	Comparison of long-term drug survival and safety of biologic agents in patients with psoriasis vulgaris. <i>British Journal of Dermatology</i> , 2015 , 172, 244-52	4	196
171	Modulation of keratinocyte gene expression and differentiation by PPAR-selective ligands and tetradecylthioacetic acid. <i>Journal of Investigative Dermatology</i> , 2001 , 116, 702-12	4.3	187
170	The mitogen-activated protein kinases p38 and ERK1/2 are increased in lesional psoriatic skin. <i>British Journal of Dermatology</i> , 2005 , 152, 37-42	4	154
169	Cardiovascular outcomes and systemic anti-inflammatory drugs in patients with severe psoriasis: 5-year follow-up of a Danish nationwide cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1128-34	4.6	127
168	Old and New Biological Therapies for Psoriasis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	125
167	Protein expression of TNF-alpha in psoriatic skin is regulated at a posttranscriptional level by MAPK-activated protein kinase 2. <i>Journal of Immunology</i> , 2006 , 176, 1431-8	5.3	116
166	Tofacitinib withdrawal and retreatment in moderate-to-severe chronic plaque psoriasis: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015 , 172, 1395-406	4	106
165	The dynamics of gene expression of interleukin-19 and interleukin-20 and their receptors in psoriasis. <i>British Journal of Dermatology</i> , 2005 , 153, 911-8	4	94
164	Expression and localization of peroxisome proliferator-activated receptors and nuclear factor kappaB in normal and lesional psoriatic skin. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 1104-17	4.3	91
163	The expression of IL-20 and IL-24 and their shared receptors are increased in rheumatoid arthritis and spondyloarthritis. <i>Cytokine</i> , 2008 , 41, 16-23	4	81
162	Efficacy and safety of ixekizumab for the treatment of moderate-to-severe plaque psoriasis: Results through 108 weeks of a randomized, controlled phase 3 clinical trial (UNCOVER-3). <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 855-862	4.5	80
161	IL17 is a key driver in the development of psoriasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E5825-33	11.5	76
160	Studies of Jak/STAT3 expression and signalling in psoriasis identifies STAT3-Ser727 phosphorylation as a modulator of transcriptional activity. <i>Experimental Dermatology</i> , 2013 , 22, 323-8	4	74
159	Increased Prevalence of Coronary Artery Disease in Severe Psoriasis and Severe Atopic Dermatitis. <i>American Journal of Medicine</i> , 2015 , 128, 1325-34.e2	2.4	73
158	Malignant inflammation in cutaneous T-cell lymphoma-a hostile takeover. <i>Seminars in Immunopathology</i> , 2017 , 39, 269-282	12	73

157	STAT1 expression and activation is increased in lesional psoriatic skin. <i>British Journal of Dermatology</i> , 2013 , 168, 302-10	4	65
156	The activity of caspase-1 is increased in lesional psoriatic epidermis. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2857-64	4.3	61
155	Staphylococcal enterotoxin A (SEA) stimulates STAT3 activation and IL-17 expression in cutaneous T-cell lymphoma. <i>Blood</i> , 2016 , 127, 1287-96	2.2	60
154	Long-term efficacy and safety of tildrakizumab for moderate-to-severe psoriasis: pooled analyses of two randomized phase III clinical trials (reSURFACE 1 and reSURFACE 2) through 148 weeks. <i>British Journal of Dermatology</i> , 2020 , 182, 605-617	4	59
153	Jak3, STAT3, and STAT5 inhibit expression of miR-22, a novel tumor suppressor microRNA, in cutaneous T-Cell lymphoma. <i>Oncotarget</i> , 2015 , 6, 20555-69	3.3	58
152	1alpha,25(OH)(2)D(3) regulates NF-kappaB DNA binding activity in cultured normal human keratinocytes through an increase in IkappaBalpha expression. <i>Archives of Dermatological Research</i> , 2004 , 296, 195-202	3.3	57
151	Association Between Changes in Coronary Artery Disease Progression and Treatment With Biologic Agents for Severe Psoriasis. <i>JAMA Dermatology</i> , 2016 , 152, 1114-1121	5.1	55
150	Antibiotics inhibit tumor and disease activity in cutaneous T-cell lymphoma. <i>Blood</i> , 2019 , 134, 1072-1083	2.2	54
149	Tumor necrosis factor-alpha-induced CTACK/CCL27 (cutaneous T-cell-attracting chemokine) production in keratinocytes is controlled by nuclear factor kappaB. <i>Cytokine</i> , 2005 , 29, 49-55	4	54
148	Dimethylfumarate specifically inhibits the mitogen and stress-activated kinases 1 and 2 (MSK1/2): possible role for its anti-psoriatic effect. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2129-37	4.3	51
147	Treatment of plaque psoriasis with an ointment formulation of the Janus kinase inhibitor, tofacitinib: a Phase 2b randomized clinical trial. <i>BMC Dermatology</i> , 2016 , 16, 15	2.1	51
146	Bacterial toxins fuel disease progression in cutaneous T-cell lymphoma. <i>Toxins</i> , 2013 , 5, 1402-21	4.9	49
145	Mitogen- and stress-activated protein kinase 1 is activated in lesional psoriatic epidermis and regulates the expression of pro-inflammatory cytokines. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 1784-91	4.3	49
144	Inverse regulation of the nuclear factor-kappaB binding to the p53 and interleukin-8 kappaB response elements in lesional psoriatic skin. <i>Journal of Investigative Dermatology</i> , 2005 , 124, 1284-92	4.3	48
143	Linoleic acid and dihomogammalinolenic acid inhibit leukotriene B4 formation and stimulate the formation of their 15-lipoxygenase products by human neutrophils in vitro. Evidence of formation of antiinflammatory compounds. <i>Agents and Actions</i> , 1991 , 33, 286-91		48
142	Caspase-5 expression is upregulated in lesional psoriatic skin. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 670-6	4.3	47
141	IL-20 gene expression is induced by IL-1beta through mitogen-activated protein kinase and NF-kappaB-dependent mechanisms. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1326-36	4.3	47
140	Low-dose (10-Gy) total skin electron beam therapy for cutaneous T-cell lymphoma: an open clinical study and pooled data analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 138-43	4	46

139	Preferential inhibition of the mRNA expression of p38 mitogen-activated protein kinase regulated cytokines in psoriatic skin by anti-TNF α therapy. <i>British Journal of Dermatology</i> , 2010 , 163, 1194-204	4	46
138	Single-cell heterogeneity in Sjögren syndrome. <i>Blood Advances</i> , 2018 , 2, 2115-2126	7.8	45
137	MicroRNA expression in early mycosis fungoides is distinctly different from atopic dermatitis and advanced cutaneous T-cell lymphoma. <i>Anticancer Research</i> , 2014 , 34, 7207-17	2.3	45
136	Kinetics and differential expression of the skin-related chemokines CCL27 and CCL17 in psoriasis, atopic dermatitis and allergic contact dermatitis. <i>Experimental Dermatology</i> , 2011 , 20, 789-94	4	44
135	1 α ,25-dihydroxyvitamin D3 stimulates activator protein 1 DNA-binding activity by a phosphatidylinositol 3-kinase/Ras/MEK/extracellular signal regulated kinase 1/2 and c-Jun N-terminal kinase 1-dependent increase in c-Fos, Fra1, and c-Jun expression in human keratinocytes. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 561-70	4.3	44
134	Clinical Goals and Barriers to Effective Psoriasis Care. <i>Dermatology and Therapy</i> , 2019 , 9, 5-18	4	44
133	Tumor necrosis factor α -mediated induction of interleukin 17C in human keratinocytes is controlled by nuclear factor κ B. <i>Journal of Biological Chemistry</i> , 2011 , 286, 25487-94	5.4	42
132	Clinical use of dimethyl fumarate in moderate-to-severe plaque-type psoriasis: a European expert consensus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32 Suppl 3, 3-14	4.6	41
131	Staphylococcal enterotoxins stimulate lymphoma-associated immune dysregulation. <i>Blood</i> , 2014 , 124, 761-70	2.2	40
130	Aldara α -induced skin inflammation: studies of patients with psoriasis. <i>British Journal of Dermatology</i> , 2015 , 172, 345-53	4	38
129	Effect of dihomogammalinolenic acid and its 15-lipoxygenase metabolite on eicosanoid metabolism by human mononuclear leukocytes in vitro: selective inhibition of the 5-lipoxygenase pathway. <i>Archives of Dermatological Research</i> , 1992 , 284, 222-6	3.3	36
128	Inflammatory cytokines break down intrinsic immunological tolerance of human primary keratinocytes to cytosolic DNA. <i>Journal of Immunology</i> , 2014 , 192, 2395-404	5.3	35
127	Pro-inflammatory cytokine release in keratinocytes is mediated through the MAPK signal-integrating kinases. <i>Experimental Dermatology</i> , 2008 , 17, 498-504	4	34
126	Prognostic miRNA classifier in early-stage mycosis fungoides: development and validation in a Danish nationwide study. <i>Blood</i> , 2018 , 131, 759-770	2.2	34
125	Characterization of TNF- α and IL-17A-Mediated Synergistic Induction of DEFB4 Gene Expression in Human Keratinocytes through α B γ . <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1608-1616	4.3	32
124	MK2 regulates the early stages of skin tumor promotion. <i>Carcinogenesis</i> , 2009 , 30, 2100-8	4.6	31
123	Activator protein 1 DNA binding activity is decreased in lesional psoriatic skin compared with nonlesional psoriatic skin. <i>British Journal of Dermatology</i> , 2004 , 151, 600-7	4	31
122	STAT5 induces miR-21 expression in cutaneous T cell lymphoma. <i>Oncotarget</i> , 2016 , 7, 45730-45744	3.3	31

121	Inflammasomes and inflammatory caspases in skin inflammation. <i>Expert Review of Molecular Diagnostics</i> , 2008 , 8, 697-705	3.8	29
120	Mitogen- and stress-activated protein kinase 2 and cyclic AMP response element binding protein are activated in lesional psoriatic epidermis. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2012-9	4.3	29
119	The p38 MAPK regulates IL-24 expression by stabilization of the 3'UTR of IL-24 mRNA. <i>PLoS ONE</i> , 2010 , 5, e8671	3.7	29
118	Increased global arterial and subcutaneous adipose tissue inflammation in patients with moderate-to-severe psoriasis. <i>British Journal of Dermatology</i> , 2017 , 176, 732-740	4	28
117	SATB1 in Malignant T Cells. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1805-1815	4.3	28
116	1 α ,25-dihydroxyvitamin D3 induced differentiation of cultured human keratinocytes is accompanied by a PKC-independent regulation of AP-1 DNA binding activity. <i>Journal of Investigative Dermatology</i> , 2000 , 114, 1174-9	4.3	28
115	Human epidermis transforms exogenous leukotriene A4 into peptide leukotrienes: possible role in transcellular metabolism. <i>Archives of Dermatological Research</i> , 1994 , 286, 261-6	3.3	28
114	High-throughput RNA sequencing from paired lesional- and non-lesional skin reveals major alterations in the psoriasis circRNAome. <i>BMC Medical Genomics</i> , 2019 , 12, 174	3.7	28
113	Associations between functional polymorphisms and response to biological treatment in Danish patients with psoriasis. <i>Pharmacogenomics Journal</i> , 2018 , 18, 494-500	3.5	27
112	Reduced oxazolone-induced skin inflammation in MAPKAP kinase 2 knockout mice. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 891-8	4.3	27
111	Methotrexate Use and Monitoring in Patients with Psoriasis: A Consensus Report Based on a Danish Expert Meeting. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 426-432	2.2	26
110	Changes in mRNA expression precede changes in microRNA expression in lesional psoriatic skin during treatment with adalimumab. <i>British Journal of Dermatology</i> , 2015 , 173, 436-47	4	26
109	Dimethylfumarate inhibits MIF-induced proliferation of keratinocytes by inhibiting MSK1 and RSK1 activation and by inducing nuclear p-c-Jun (S63) and p-p53 (S15) expression. <i>Inflammation Research</i> , 2011 , 60, 643-53	7.2	26
108	IL-8 and p53 are inversely regulated through JNK, p38 and NF-kappaB p65 in HepG2 cells during an inflammatory response. <i>Inflammation Research</i> , 2008 , 57, 329-39	7.2	26
107	TNF α and IL-17A-mediated S100A8 expression is regulated by p38 MAPK. <i>Experimental Dermatology</i> , 2013 , 22, 476-81	4	25
106	Mice lacking MSK1 and MSK2 show reduced skin tumor development in a two-stage chemical carcinogenesis model. <i>Cancer Investigation</i> , 2011 , 29, 240-5	2.1	25
105	Efficacy of ustekinumab in palmoplantar pustulosis and palmoplantar pustular psoriasis. <i>International Journal of Dermatology</i> , 2014 , 53, e464-6	1.7	23
104	IL-20, IL-21 and p40: potential biomarkers of treatment response for ustekinumab. <i>Acta Dermato-Venereologica</i> , 2013 , 93, 150-5	2.2	23

103	Adalimumab therapy rapidly inhibits p38 mitogen-activated protein kinase activity in lesional psoriatic skin preceding clinical improvement. <i>British Journal of Dermatology</i> , 2010 , 162, 1216-23	4	23
102	STAT2 is involved in the pathogenesis of psoriasis by promoting CXCL11 and CCL5 production by keratinocytes. <i>PLoS ONE</i> , 2017 , 12, e0176994	3.7	22
101	Identification of key research needs for topical therapy treatment of psoriasis - a consensus paper by the International Psoriasis Council. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1115-9	4.6	21
100	Secukinumab treatment in new-onset psoriasis: aiming to understand the potential for disease modification - rationale and design of the randomized, multicenter STEPIn study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1930-1939	4.6	20
99	Dimethyl fumarate is an allosteric covalent inhibitor of the p90 ribosomal S6 kinases. <i>Nature Communications</i> , 2018 , 9, 4344	17.4	20
98	Staphylococcal alpha-toxin tilts the balance between malignant and non-malignant CD4 T cells in cutaneous T-cell lymphoma. <i>Oncotmunology</i> , 2019 , 8, e1641387	7.2	19
97	IL-17F regulates psoriasis-associated genes through $\text{IR}\beta$. <i>Experimental Dermatology</i> , 2017 , 26, 234-241	4	19
96	Subsequent cancers, mortality, and causes of death in patients with mycosis fungoides and parapsoriasis: a Danish nationwide, population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 529-35	4.5	19
95	Hospital-diagnosed atopic dermatitis and long-term risk of myocardial infarction: a population-based follow-up study. <i>BMJ Open</i> , 2016 , 6, e011870	3	18
94	Patient Preferences for Topical Psoriasis Treatments are Diverse and Difficult to Predict. <i>Dermatology and Therapy</i> , 2016 , 6, 273-85	4	18
93	The role of mitogen- and stress-activated protein kinase 1 and 2 in chronic skin inflammation in mice. <i>Experimental Dermatology</i> , 2011 , 20, 140-5	4	18
92	Systematic review of machine learning for diagnosis and prognosis in dermatology. <i>Journal of Dermatological Treatment</i> , 2020 , 31, 496-510	2.8	18
91	Leptin deficiency in mice counteracts imiquimod (IMQ)-induced psoriasis-like skin inflammation while leptin stimulation induces inflammation in human keratinocytes. <i>Experimental Dermatology</i> , 2017 , 26, 338-345	4	17
90	Upregulation of nuclear PKC and MAP-kinase during hyperproliferation of guinea pig epidermis: modulation by 13-(S)-hydroxyoctadecadienoic acid (13-HODE). <i>Cellular Signalling</i> , 1998 , 10, 143-9	4.9	17
89	Reformulations of well-known active ingredients in the topical treatment of psoriasis vulgaris can improve clinical outcomes for patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1271-1284	4.6	16
88	Global reporting of cases of COVID-19 in psoriasis and atopic dermatitis: an opportunity to inform care during a pandemic. <i>British Journal of Dermatology</i> , 2020 , 183, 404-406	4	16
87	Investigating heredity in cutaneous T-cell lymphoma in a unique cohort of Danish twins. <i>Blood Cancer Journal</i> , 2017 , 7, e517	7	16
86	Purification and characterization of leukotriene A4 hydrolase from human epidermis. <i>FEBS Letters</i> , 1995 , 358, 316-22	3.8	15

85	Tumour necrosis factor- β plays a significant role in the Aldara-induced skin inflammation in mice. <i>British Journal of Dermatology</i> , 2016 , 174, 1011-21	4	15
84	Characteristics of patients receiving ustekinumab compared with secukinumab for treatment of moderate-to-severe plaque psoriasis - nationwide results from the DERMBIO registry. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1183-1187	4.6	14
83	Localization of treatment-resistant areas in patients with psoriasis on biologics. <i>British Journal of Dermatology</i> , 2019 , 181, 332-337	4	14
82	Psoriasis and Risk of Mental Disorders in Denmark. <i>JAMA Dermatology</i> , 2019 , 155, 745-747	5.1	14
81	The caspase-cleaved form of LYN mediates a psoriasis-like inflammatory syndrome in mice. <i>EMBO Journal</i> , 2009 , 28, 2449-60	13	14
80	Quality of life and contact with healthcare systems among patients with psoriasis and psoriatic arthritis: results from the NORdic PATient survey of Psoriasis and Psoriatic arthritis (NORPAPP). <i>Archives of Dermatological Research</i> , 2019 , 311, 351-360	3.3	13
79	The role of leptin in psoriasis comprises a proinflammatory response by the dermal fibroblast. <i>British Journal of Dermatology</i> , 2016 , 174, 187-90	4	13
78	Treatment use and satisfaction among patients with psoriasis and psoriatic arthritis: results from the NORdic PATient survey of Psoriasis and Psoriatic arthritis (NORPAPP). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 340-354	4.6	13
77	Topical treatment of psoriasis: questionnaire results on topical therapy accessibility and influence of body surface area on usage. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1188-1195	4.6	12
76	TRIM21 is important in the early phase of inflammation in the imiquimod-induced psoriasis-like skin inflammation mouse model. <i>Experimental Dermatology</i> , 2017 , 26, 713-720	4	12
75	MicroRNAs in the Pathogenesis, Diagnosis, Prognosis and Targeted Treatment of Cutaneous T-Cell Lymphomas. <i>Cancers</i> , 2020 , 12,	6.6	12
74	Interleukin 20 regulates dendritic cell migration and expression of co-stimulatory molecules. <i>Molecular and Cellular Therapies</i> , 2016 , 4, 1		12
73	The expression of dual-specificity phosphatase 1 mRNA is downregulated in lesional psoriatic skin. <i>British Journal of Dermatology</i> , 2013 , 168, 339-45	4	12
72	The expression and phosphorylation of eukaryotic initiation factor 4E are increased in lesional psoriatic skin. <i>British Journal of Dermatology</i> , 2009 , 161, 1059-66	4	12
71	Patient-relevant needs and treatment goals in nail psoriasis. <i>Quality of Life Research</i> , 2016 , 25, 1179-88	3.7	11
70	Immune responses and parasitological observations induced during probiotic treatment with medicinal <i>Trichuris suis ova</i> in a healthy volunteer. <i>Immunology Letters</i> , 2017 , 188, 32-37	4.1	11
69	Staphylococcus aureus enterotoxins induce FOXP3 in neoplastic T cells in Sjögren syndrome. <i>Blood Cancer Journal</i> , 2020 , 10, 57	7	11
68	CCL27 expression is regulated by both p38 MAPK and IKK β signalling pathways. <i>Cytokine</i> , 2011 , 56, 699-707		11

67	The human IL-17A/F heterodimer regulates psoriasis-associated genes through I κ B. <i>Experimental Dermatology</i> , 2018 , 27, 1048-1052	4	11
66	Signal transduction pathways in human epidermis. <i>European Journal of Dermatology</i> , 2005 , 15, 4-12	0.8	11
65	alpha-toxin inhibits CD8 T cell-mediated killing of cancer cells in cutaneous T-cell lymphoma. <i>Oncolmmunology</i> , 2020 , 9, 1751561	7.2	10
64	Role of p38 mitogen-activated protein kinase isoforms in murine skin inflammation induced by 12-O-tetradecanoylphorbol 13-acetate. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 271-8	2.2	10
63	I κ Bs a key player in the antipsoriatic effects of secukinumab. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 379-390	11.5	10
62	Incorporation of 15-hydroxyeicosatrienoic acid in specific phospholipids of cultured human keratinocytes and psoriatic plaques. <i>Experimental Dermatology</i> , 1995 , 4, 74-8	4	9
61	LTA4 hydrolase in human skin: decreased activity, but normal concentration in lesional psoriatic skin. Evidence for different LTA4 hydrolase activity in human lymphocytes and human skin. <i>Archives of Dermatological Research</i> , 1996 , 288, 217-24	3.3	9
60	Langerhans cell markers CD1a and CD207 are the most rapidly responding genes in lesional psoriatic skin following adalimumab treatment. <i>Experimental Dermatology</i> , 2017 , 26, 804-810	4	8
59	Malignant T cells activate endothelial cells via IL-17 F. <i>Blood Cancer Journal</i> , 2017 , 7, e586	7	8
58	Comparative Analysis of Two Gene-Targeting Approaches Challenges the Tumor-Suppressive Role of the Protein Kinase MK5/PRAK. <i>PLoS ONE</i> , 2015 , 10, e0136138	3.7	8
57	Pathway Analysis of Skin from Psoriasis Patients after Adalimumab Treatment Reveals New Early Events in the Anti-Inflammatory Mechanism of Anti-TNF- α . <i>PLoS ONE</i> , 2016 , 11, e0167437	3.7	8
56	Psoriasis and risk of myocardial infarction before and during an era with biological therapy: a population-based follow-up study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 2185-2190	4.6	7
55	Interleukin 20 protein locates to distinct mononuclear cells in psoriatic skin. <i>Experimental Dermatology</i> , 2014 , 23, 349-52	4	7
54	Distribution of monohydroxy fatty acids in specific human epidermal phospholipids. <i>Experimental Dermatology</i> , 1993 , 2, 38-44	4	7
53	Effect of Dead Sea Climatotherapy on Psoriasis; A Prospective Cohort Study. <i>Frontiers in Medicine</i> , 2020 , 7, 83	4.9	6
52	The effect of botulinum neurotoxin A in patients with plaque psoriasis - an exploratory trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, e81-e82	4.6	6
51	MicroRNA normalization candidates for quantitative reverse-transcriptase polymerase chain reaction in real time in lesional and nonlesional psoriatic skin. <i>British Journal of Dermatology</i> , 2013 , 169, 677-81	4	6
50	A Characterization of the expression of 14-3-3 isoforms in psoriasis, basal cell carcinoma, atopic dermatitis and contact dermatitis. <i>Dermatology Reports</i> , 2010 , 2, e14	0.9	6

49	The Thioredoxin-Interacting Protein TXNIP Is a Putative Tumour Suppressor in Cutaneous T-Cell Lymphoma. <i>Dermatology</i> , 2021 , 237, 283-290	4.4	6
48	Early efficacy and safety data with fixed-dose combination calcipotriol/betamethasone dipropionate foam attributed to mechanism of absorption and steroid potency. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35 Suppl 1, 5-9	4.6	6
47	Prevalence of Psoriasis and Psoriatic Arthritis and Patient Perceptions of Severity in Sweden, Norway and Denmark: Results from the Nordic Patient Survey of Psoriasis and Psoriatic Arthritis. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 18-25	2.2	6
46	MicroRNA-93 Targets p21 and Promotes Proliferation in Mycosis Fungoides T Cells. <i>Dermatology</i> , 2021 , 237, 277-282	4.4	5
45	Anti-inflammatory effect of a retrovirus-derived immunosuppressive peptide in mouse models. <i>BMC Immunology</i> , 2013 , 14, 51	3.7	5
44	IL-37 Expression Is Downregulated in Lesional Psoriasis Skin. <i>ImmunoHorizons</i> , 2020 , 4, 754-761	2.7	5
43	Outcomes Following a Mandatory Nonmedical Switch From Adalimumab Originator to Adalimumab Biosimilars in Patients With Psoriasis. <i>JAMA Dermatology</i> , 2021 , 157, 676-683	5.1	5
42	Spondylitis-psoriasis-enthesitis-enterocolitis-dactylitis-uveitis-peripheral synovitis (SPEED-UP) treatment. <i>Autoimmunity Reviews</i> , 2021 , 20, 102731	13.6	5
41	Protein phosphatase 2C/Wip1 regulates phospho-p90RSK2 activity in lesional psoriatic skin. <i>Journal of Inflammation Research</i> , 2017 , 10, 169-180	4.8	4
40	Non-random Plaque-site Recurrence of Psoriasis in Patients Treated with Dead Sea Climatotherapy. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 909-910	2.2	4
39	The HSP90 inhibitor RGRN-305 exhibits strong immunomodulatory effects in human keratinocytes. <i>Experimental Dermatology</i> , 2021 , 30, 773-781	4	4
38	Prevalence and severity of coronary artery disease linked to prognosis in psoriasis and psoriatic arthritis patients: a multi-centre cohort study. <i>Journal of Internal Medicine</i> , 2021 , 290, 693-703	10.8	4
37	Staphylococcus aureus Induces Signal Transducer and Activator of Transcription 5-Dependent miR-155 Expression in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2449-2458	4.3	4
36	Risk of venous thromboembolism in patients with mycosis fungoides and parapsoriasis: A Danish nationwide population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 1077-1083.e4	4.5	3
35	Deep Learning for Diagnostic Binary Classification of Multiple-Lesion Skin Diseases. <i>Frontiers in Medicine</i> , 2020 , 7, 574329	4.9	3
34	Concerns related to the coronavirus disease 2019 pandemic in adult patients with atopic dermatitis and psoriasis treated with systemic immunomodulatory therapy: a Danish questionnaire survey. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e773-e776	4.6	3
33	Key Signaling Pathways in Psoriasis: Recent Insights from Antipsoriatic Therapeutics. <i>Psoriasis: Targets and Therapy</i> , 2021 , 11, 83-97	2.4	3
32	Pemphigus Vulgaris: Short Time to Relapse in Patients Treated in a Danish Tertiary Referral Center. <i>Frontiers in Medicine</i> , 2019 , 6, 259	4.9	3

31	Dimethyl Fumarate Targets MSK1, RSK1, 2 and IKK β /Kinases and Regulates NF- κ B /p65 Activation in Psoriasis: A Demonstration of the Effect on Peripheral Blood Mononuclear Cells, Drawn from Two Patients with Severe Psoriasis Before and After Treatment with Dimethyl Fumarate. <i>Psoriasis: Targets and Therapy</i> , 2020 , 10, 1-11	2.4	3
30	Long-term efficacy and safety of brodalumab in moderate-to-severe plaque psoriasis: a post hoc pooled analysis of AMAGINE-2 and -3.. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 ,	4.6	3
29	Disease activity in and quality of life of patients with psoriatic arthritis mutilans: the Nordic PAM Study. <i>Scandinavian Journal of Rheumatology</i> , 2017 , 46, 454-460	1.9	2
28	Radiographic scoring systems for psoriatic arthritis are insufficient for psoriatic arthritis mutilans: results from the Nordic PAM Study. <i>Acta Radiologica Open</i> , 2020 , 9, 2058460120920797	1.2	2
27	Suppressed microRNA-195-5p expression in mycosis fungoides promotes tumor cell proliferation. <i>Experimental Dermatology</i> , 2021 , 30, 1141-1149	4	2
26	Using FDG-PET/CT to Detect Vascular Inflammation in Patients with Psoriasis: Where to Look? And for What??. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2236-2237	4.3	2
25	Radiographic development during three decades in a patient with psoriatic arthritis mutilans. <i>Acta Radiologica Open</i> , 2015 , 4, 2058460115588098	1.2	2
24	Safety of Mogamulizumab in Mycosis Fungoides and Sjögren Syndrome: Final Results from the Phase 3 MAVORIC Study. <i>Blood</i> , 2019 , 134, 5300-5300	2.2	2
23	HSP90 inhibitor RGRN-305 for oral treatment of plaque type psoriasis: efficacy, safety and biomarker results in an open-label proof-of-concept study. <i>British Journal of Dermatology</i> , 2021 ,	4	2
22	High-throughput RNA sequencing from paired lesional- and non-lesional skin reveals major alterations in the psoriasis circRNAome		2
21	Calcipotriol/Betamethasone Dipropionate Cutaneous Foam Treatment for Psoriasis in Patients With BSA 5-15% and PGA \geq 3: Post-Hoc Analysis From Three Randomized Controlled Trials. <i>Dermatology and Therapy</i> , 2020 , 10, 1111-1120	4	2
20	Diagnostic Two-Gene Classifier in Early-Stage Mycosis Fungoides: A Retrospective Multicenter Study. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 213-217.e5	4.3	2
19	Anti-tumor necrosis factor agents in psoriasis: addressing key challenges using biosimilars. <i>Expert Opinion on Biological Therapy</i> , 2021 , 21, 75-80	5.4	2
18	I-Kappa-B-Zeta Regulates Interleukin-17A/Tumor Necrosis Factor-Alpha Mediated Synergistic Induction of Interleukin-19 and Interleukin-20 in Humane Keratinocytes. <i>Annals of Dermatology</i> , 2021 , 33, 122-130	0.4	2
17	Tissue-Resident Memory T Cells in Skin Diseases: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
16	Efficacy and safety of mogamulizumab by patient baseline blood tumour burden: a post hoc analysis of the MAVORIC trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2225-2238	4.6	2
15	Effectiveness of brodalumab after previous treatment failure of interleukin-17A inhibitors in patients with psoriasis. <i>Dermatologic Therapy</i> , 2021 , 34, e15106	2.2	2
14	Pregnancy outcomes in patients with psoriasis, psoriatic arthritis, or axial spondyloarthritis receiving ixekizumab. <i>Journal of Dermatological Treatment</i> , 2021 , 1-7	2.8	2

13	Topical treatment of psoriasis: questionnaire results on topical therapy as long-term continuous treatment and use on specific body sites. <i>Journal of Dermatological Treatment</i> , 2021 , 32, 916-921	2.8	1
12	Staphylococcus aureus and Antibiotics in Cutaneous T-Cell Lymphoma. <i>Dermatology</i> , 2021 , 1-3	4.4	1
11	Effectiveness of interdisciplinary combined dermatology-gastroenterology-rheumatology clinical care compared to usual care in patients with immune-mediated inflammatory diseases: a parallel group, non-blinded, pragmatic randomised trial. <i>BMJ Open</i> , 2021 , 11, e041871	3	1
10	Comorbidities in a Cohort of 66 Patients With Psoriatic Arthritis Mutilans-Results From the Nordic PAM Study. <i>Frontiers in Medicine</i> , 2021 , 8, 629741	4.9	1
9	The role of leukotriene A4 hydrolase/aminopeptidase in transcellular leukotriene B4 synthesis in human epidermis. <i>Acta Dermato-venereologica Supplementum</i> , 1997 , 199, 1-28		1
8	HLA-B*27 is significantly enriched in Nordic patients with psoriatic arthritis mutilans. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 775-780	2.2	1
7	Cyclosporin A down-regulates the LTA4 hydrolase level in human keratinocyte cultures. <i>Acta Dermato-Venereologica</i> , 1996 , 76, 424-8	2.2	1
6	I κ B α is a Key Regulator of Tumour Necrosis Factor- α and Interleukin-17A-mediated Induction of Interleukin-36g in Human Keratinocytes. <i>Acta Dermato-Venereologica</i> , 2021 , 101, adv00386	2.2	0
5	Letter by Hjuler et al Regarding Article, "Coronary Plaque Characterization in Psoriasis Reveals High-Risk Features That Improve After Treatment in a Prospective Observational Study". <i>Circulation</i> , 2018 , 137, 1090-1091	16.7	
4	Growth medium-dependent ERK1/2 and AP-1 activity in cultured normal human keratinocytes modulates 1 α ,25-dihydroxyvitamin D3-induced differentiation. <i>Archives of Dermatological Research</i> , 2003 , 295, 199-202	3.3	
3	Investigating the Role of I Kappa B Kinase β in the Pathogenesis of Psoriasis. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 1035-1036	2.2	
2	Comment on Tumour necrosis factor- β plays a significant role in the Aldara-induced skin inflammation in miceReply from authors. <i>British Journal of Dermatology</i> , 2016 , 174, 1419-20	4	
1	Quantification of Immunohistochemically Stained Cells in Skin Biopsies.. <i>Dermatopathology (Basel, Switzerland)</i> , 2022 , 9, 82-93	1.9	