

Yuriy Rusakov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8051128/publications.pdf>

Version: 2024-02-01

82
papers

1,359
citations

393982

19
h-index

454577

30
g-index

87
all docs

87
docs citations

87
times ranked

476
citing authors

#	ARTICLE	IF	CITATIONS
1	Modern quantum chemical methods for calculating spin-spin coupling constants: theoretical basis and structural applications in chemistry. Russian Chemical Reviews, 2013, 82, 99-130.	2.5	107
2	Structural trends of ^{77}Se - ^1H spin-spin coupling constants and conformational behavior of $2\text{-}^1\text{H}$ -substituted selenophenes. Magnetic Resonance in Chemistry, 2010, 48, 44-52.	1.1	77
3	Theoretical grounds of relativistic methods for calculation of spin-spin coupling constants in nuclear magnetic resonance spectra. Russian Chemical Reviews, 2016, 85, 356-426.	2.5	63
4	Divinyl selenide: conformational study and stereochemical behavior of its ^{77}Se - ^1H spin-spin coupling constants. Magnetic Resonance in Chemistry, 2008, 46, 979-985.	1.1	43
5	Influence of the Introduction of Short Alkyl Chains in Poly(2-(2-Thienyl)-1- H -pyrrole) on Its Electrochromic Behavior. Macromolecules, 2008, 41, 6886-6894.	2.2	42
6	Conformational analysis and diastereotopic assignments in the series of selenium-containing heterocycles by means of ^{77}Se - ^1H spin-spin coupling constants: a combined theoretical and experimental study. Magnetic Resonance in Chemistry, 2011, 49, 389-398.	1.1	42
7	On the HALA effect in the NMR carbon shielding constants of the compounds containing heavy p-elements. International Journal of Quantum Chemistry, 2016, 116, 1404-1412.	1.0	39
8	Towards the versatile DFT and MP2 computational schemes for ^{31}P NMR chemical shifts taking into account relativistic corrections. Magnetic Resonance in Chemistry, 2014, 52, 699-710.	1.1	38
9	Experimental and computational studies of ^{13}C - ^1H (^{77}Se - ^1H) selenium-proton couplings in selenoglycosides. Magnetic Resonance in Chemistry, 2011, 49, 190-194.	1.1	32
10	Benchmarking SOPPA(CC2) for the calculation of indirect nuclear spin-spin coupling constants: Carbocycles. Chemical Physics, 2011, 381, 35-43.	0.9	31
11	First example of a high-level correlated calculation of the indirect spin-spin coupling constants involving tellurium: tellurophene and divinyl telluride. Physical Chemistry Chemical Physics, 2013, 15, 13101-13107.	1.3	30
12	Stereochemical behavior of ^{77}Se - ^1H spin-spin coupling constants in pyrazolyl-1,3-diselenanes and 1,2-diselenolane. Magnetic Resonance in Chemistry, 2012, 50, 169-173.	1.1	24
13	Resonance assignments of diastereotopic CH_2 protons in the anomeric side chain of selenoglycosides by means of ^{23}J (Se,H) spin-spin coupling constants. Magnetic Resonance in Chemistry, 2012, 50, 488-495.	1.1	22
14	Conformational analysis and stereochemical dependences of ^{31}P - ^1H spin-spin coupling constants of bis(2-phenethyl)vinylphosphine and related phosphine chalcogenides. Magnetic Resonance in Chemistry, 2009, 47, 288-299.	1.1	21
15	Reaction of 2-pyridylselenenyl bromide with divinyl selenide. Chemistry of Heterocyclic Compounds, 2012, 48, 1129-1131.	0.6	21
16	Quantum chemical calculations of ^{77}Se and ^{125}Te nuclear magnetic resonance spectral parameters and their structural applications. Magnetic Resonance in Chemistry, 2021, 59, 359-407.	1.1	21
17	Conformational Analysis of 2-Formylselenophene by Means of ^{13}C - ^1H , ^{13}C - ^{13}C , and ^{77}Se - ^1H Spin - Spin Coupling Constants. Australian Journal of Chemistry, 2009, 62, 734.	0.5	20
18	Open-chain unsaturated selanyl sulfides: stereochemical structure and stereochemical behavior of their ^{77}Se - ^1H spin-spin coupling constants. Magnetic Resonance in Chemistry, 2012, 50, 653-658.	1.1	20

#	ARTICLE	IF	CITATIONS
19	Trivinylphosphine and trivinylphosphine chalcogenides: stereochemical trends of ^{31}P - ^1H spin-spin coupling constants. <i>Magnetic Resonance in Chemistry</i> , 2010, 48, S48-S55.	1.1	19
20	MP2 calculation of ^{77}Se NMR chemical shifts taking into account relativistic corrections. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 485-492.	1.1	19
21	Calculation of ^{125}Te NMR Chemical Shifts at the Full Four-Component Relativistic Level with Taking into Account Solvent and Vibrational Corrections: A Gateway to Better Agreement with Experiment. <i>Journal of Physical Chemistry A</i> , 2017, 121, 4793-4803.	1.1	19
22	Nonempirical calculations of NMR indirect spin-spin coupling constants. Part 15: pyrrolylpyridines. <i>Magnetic Resonance in Chemistry</i> , 2006, 44, 692-697.	1.1	18
23	Conformational study of 2-aryloxy-1-vinylpyrroles. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 142-151.	1.1	18
24	Benchmark calculations of ^{29}Si - ^1H spin-spin coupling constants across double bond. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 278-283.	1.1	18
25	Relativistic effects in the one-bond spin-spin coupling constants involving selenium. <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 500-510.	1.1	18
26	Normal halogen dependence of ^{13}C NMR chemical shifts of halogenomethanes revisited at the four-component relativistic level. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 787-792.	1.1	18
27	First example of the correlated calculation of the one-bond tellurium-carbon spin-spin coupling constants: Relativistic effects, vibrational corrections, and solvent effects. <i>Journal of Computational Chemistry</i> , 2016, 37, 1367-1372.	1.5	18
28	Hierarchical Basis Sets for the Calculation of Nuclear Magnetic Resonance Spin-Spin Coupling Constants Involving Either Selenium or Tellurium Nuclei. <i>Journal of Physical Chemistry A</i> , 2019, 123, 6564-6571.	1.1	18
29	On the significant relativistic heavy atom effect on ^{13}C NMR chemical shifts of α - and β -carbons in seleno- and telluroketones. <i>Molecular Physics</i> , 2017, 115, 3117-3127.	0.8	17
30	Long-range relativistic heavy atom effect on ^1H NMR chemical shifts of selenium- and tellurium-containing compounds. <i>International Journal of Quantum Chemistry</i> , 2019, 119, e25809.	1.0	17
31	Stereochemical Study of 2-Substituted N-Vinylpyrroles. <i>Australian Journal of Chemistry</i> , 2007, 60, 583.	0.5	16
32	Stereoselective synthesis of E-2-halovinyl tellanes, ditellanes and selenides based on tellurium tetrahalides, selenium dihalides and internal alkynes. <i>Journal of Organometallic Chemistry</i> , 2018, 867, 300-305.	0.8	16
33	Relativistic heavy atom effect on the ^{31}P NMR parameters of phosphine chalcogenides. Part 1. Chemical shifts. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 1061-1073.	1.1	16
34	Structural trends of ^{29}Si - ^1H spin-spin coupling constants across double bond. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 665-671.	1.1	15
35	Algebraic-diagrammatic construction polarization propagator approach to indirect nuclear spin-spin coupling constants. <i>Journal of Chemical Physics</i> , 2012, 137, 044119.	1.2	15
36	Stereochemical behavior of $^2\text{J}(\text{Se},\text{H})$ and $^3\text{J}(\text{Se},\text{H})$ spin-spin coupling constants across sp^3 carbons: a theoretical scrutiny. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 557-562.	1.1	15

#	ARTICLE	IF	CITATIONS
37	One-bond ²⁹ Si- ¹ H spin-spin coupling constants in the series of halosilanes: benchmark SOPPA and DFT calculations, relativistic effects, and vibrational corrections. <i>Magnetic Resonance in Chemistry</i> , 2013, 51, 557-561.	1.1	15
38	Full four-component relativistic calculations of the one-bond ⁷⁷ Se- ¹³ C spin-spin coupling constants in the series of selenium heterocycles and their parent open-chain selenides. <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 214-221.	1.1	15
39	Relativistic heavy atom effect on ¹³ C NMR chemical shifts initiated by adjacent multiple chalcogens. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 716-726.	1.1	15
40	Relativistic effect of iodine in ¹³ C NMR chemical shifts of iodomethanes from quantum chemical calculations within the framework of the full four-component relativistic Dirac-Coulomb scheme. <i>Russian Chemical Bulletin</i> , 2015, 64, 2756-2762.	0.4	14
41	Stereochemical study of the sterically crowded phenylselanylalkenes by means of ⁷⁷ Se- ¹ H spin-spin coupling constants. <i>Magnetic Resonance in Chemistry</i> , 2011, 49, 570-574.	1.1	13
42	Four-component relativistic DFT calculations of ⁷⁷ Se NMR chemical shifts: A gateway to a reliable computational scheme for the medium-sized organoselenium molecules. <i>Journal of Computational Chemistry</i> , 2015, 36, 1756-1762.	1.5	13
43	Easy ¹ - to ² -migration of an enol moiety on a pyrrole ring. <i>Tetrahedron Letters</i> , 2006, 47, 3645-3648.	0.7	11
44	Facile coupling of 2-(1-ethylthioethyl)pyrroles with amines: A route to 2-(1-aminoethyl)pyrroles and 1-amino-3-aminopyrrolizines. <i>Journal of Heterocyclic Chemistry</i> , 2007, 44, 505-513.	1.4	11
45	Relativistic Environmental Effects in ²⁹ Si NMR Chemical Shifts of Halosilanes: Light Nucleus, Heavy Environment. <i>Journal of Physical Chemistry A</i> , 2015, 119, 5778-5789.	1.1	11
46	What Most Affects the Accuracy of ¹²⁵ Te NMR Chemical Shift Calculations. <i>Journal of Physical Chemistry A</i> , 2020, 124, 6714-6725.	1.1	11
47	An efficient method for generating property-energy consistent basis sets. <i>New Journal of Physics</i> 13, 113001 (2011). Involving ¹ H, ¹³ C, ¹⁵ N, and ¹⁹ F nuclei. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 14925-14939.	1.3	11
48	Nonempirical calculations of the one-bond ²⁹ Si- ¹³ C spin-spin coupling constants taking into account relativistic and solvent corrections. <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 413-421.	1.1	10
49	Stereochemical behavior of geminal and vicinal ⁷⁷ Se- ¹³ C spin-spin coupling constants studied at the SOPPA(CC2) level taking into account relativistic corrections. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 93-98.	1.1	10
50	Indirect relativistic bridge and substituent effects from the heavy environment on the one-bond and two-bond ¹³ C- ¹ H spin-spin coupling constants. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 39-45.	1.1	10
51	Calculation of ¹⁵ N and ³¹ P NMR Chemical Shifts of Azoles, Phospholes, and Phosphazoles: A Gateway to Higher Accuracy at Less Computational Cost. <i>Journal of Physical Chemistry A</i> , 2018, 122, 6746-6759.	1.1	10
52	Fluorescence quenching and laser photolysis of dipyrrolylbenzenes in the presence of chloromethanes. <i>Russian Journal of General Chemistry</i> , 2007, 77, 1386-1394.	0.3	9
53	¹³ C- ¹³ C spin-spin coupling constants in structural studies: XL. Conformational analysis of N-vinylpyrroles. <i>Russian Journal of Organic Chemistry</i> , 2007, 43, 880-887.	0.3	9
54	An Effective Method for the Synthesis of 3,5-bis(halomethyl)-1,4-Oxaselenanes and their Derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 49, 1821-1826.	0.6	9

#	ARTICLE	IF	CITATIONS
55	Geometries and NMR properties of cisplatin and transplatin revisited at the four-component relativistic level. <i>Mendeleev Communications</i> , 2019, 29, 315-317.	0.6	9
56	Correlated <i>ab initio</i> calculations of oneâ€bond ³¹ Pâ€ ⁷⁷ Se and ³¹ Pâ€ ¹²⁵ Te spinâ€spin coupling constants in a series of P ₃ Se and P ₃ Te systems 1.1 accounting for relativistic effects (part 2). <i>Magnetic Resonance in Chemistry</i> , 2020, 58, 929-940.	1.1	9
57	Computational ¹⁹⁹ Hg NMR. <i>Magnetic Resonance in Chemistry</i> , 2022, 60, 929-953.	1.1	9
58	Quantum-chemical calculations of NMR chemical shifts of organic molecules: XII. Calculation of the ¹³ C NMR chemical shifts of fluoromethanes at the DFT level. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 160-164.	0.3	8
59	Stereochemical Dependences of ³¹ Pâ€ ¹³ C Spinâ€Spin Coupling Constants of Heterocyclic Phosphines. <i>Journal of Physical Chemistry A</i> , 2019, 123, 6298-6303.	1.1	8
60	On the heavy atom on light atom relativistic effect in the NMR shielding constants of phosphine tellurides. <i>Magnetic Resonance in Chemistry</i> , 2019, 57, 1071-1083.	1.1	8
61	Efficient <i>J</i> -oriented tin basis sets for the correlated calculations of indirect nuclear spinâ€spin coupling constants. <i>Magnetic Resonance in Chemistry</i> , 2021, 59, 713-722.	1.1	8
62	¹³ C- ¹³ C spin-spin coupling constants in structural studies: XLIII. Stereochemical study on functionalized 3-iminopyrrolizines. <i>Russian Journal of Organic Chemistry</i> , 2008, 44, 1338-1344.	0.3	7
63	On the longâ€range relativistic effects in the ¹⁵ N NMR chemical shifts of halogenated azines. <i>Magnetic Resonance in Chemistry</i> , 2017, 55, 990-995.	1.1	7
64	Reaction of tellurium tetrachloride with hex-3-yne. <i>Russian Chemical Bulletin</i> , 2015, 64, 2747-2748.	0.4	6
65	Calculations of ²⁹ Si NMR shifts of organylsilanes by DFT taking into account solvent effects and relativistic corrections. <i>Russian Chemical Bulletin</i> , 2015, 64, 551-557.	0.4	6
66	Quantum-chemical calculations of NMR chemical shifts of organic molecules: XV. Relativistic calculations of ²⁹ Si NMR chemical shifts of silanes. <i>Russian Journal of Organic Chemistry</i> , 2017, 53, 643-651.	0.3	6
67	New pecS- <i>n</i> (<i>n</i> = 1, 2) basis sets for quantum chemical calculations of the NMR chemical shifts of H, C, N, and O nuclei. <i>Journal of Chemical Physics</i> , 2022, 156, .	1.2	6
68	Theoretical conformational analysis of unsaturated phosphines and phosphinechalcogenides. <i>Russian Journal of Organic Chemistry</i> , 2009, 45, 667-673.	0.3	5
69	Quantum-chemical calculations of NMR chemical shifts of organic molecules: XIV. Solvation effects in calculations of chemical shifts in ¹³ C NMR spectra of chlorine-containing compounds. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 1082-1086.	0.3	4
70	A New Basis Set for the Calculation of ¹³ C NMR Chemical Shifts within a Non-empirical Correlated Framework. <i>Journal of Physical Chemistry A</i> , 2020, 124, 7322-7330.	1.1	4
71	Synthesis and conformational analysis of furfuryl vinyl ethers. <i>Russian Chemical Bulletin</i> , 2008, 57, 2132-2138.	0.4	3
72	Incomparably easy migration of functionalized enol substituent in pyrrole ring. <i>Russian Journal of Organic Chemistry</i> , 2008, 44, 237-246.	0.3	3

#	ARTICLE	IF	CITATIONS
73	Theoretical conformational analysis of divinyl selenide. Russian Journal of Organic Chemistry, 2008, 44, 1418-1421.	0.3	3
74	Regioselective dehydrobromination reaction of 5-bromo-2-bromomethyl-1,3-thiaselenolane 1,1-dioxide. Russian Chemical Bulletin, 2011, 60, 196-197.	0.4	3
75	Fluorine spin-spin coupling constants of pentafluorobenzene revisited at the ab initio correlated levels. Magnetic Resonance in Chemistry, 2022, , .	1.1	3
76	4-Dimethylaminoacetophenone O-vinylloxime: Synthesis and steric structure. Russian Journal of Organic Chemistry, 2008, 44, 1497-1503.	0.3	2
77	New relativistic computational schemes for ¹³ C NMR chemical shifts. Russian Journal of Organic Chemistry, 2016, 52, 1203-1204.	0.3	2
78	Relativistic effects of chlorine in ¹⁵ N NMR chemical shifts of chlorine-containing amines. Russian Journal of Organic Chemistry, 2017, 53, 1738-1739.	0.3	2
79	Conformational analysis of N-vinyl-2-phenylpyrrole. Chemistry of Heterocyclic Compounds, 2009, 45, 28-34.	0.6	1
80	Dipropadienyl telluride. Russian Chemical Bulletin, 2017, 66, 2343-2344.	0.4	1
81	Two-components ion flow in a low voltage vacuum spark. , 2004, , .		0
82	10.1007/s11178-008-2009-4. , 2010, 44, 237.		0