

Yi-Quan Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8051416/publications.pdf>

Version: 2024-02-01

204
papers

6,858
citations

61945

43
h-index

88593

70
g-index

204
all docs

204
docs citations

204
times ranked

3034
citing authors

#	ARTICLE	IF	CITATIONS
1	Photocontrollable Magnetism and Photoluminescence in a Binuclear Dysprosium Anthracene Complex. <i>Inorganic Chemistry</i> , 2023, 62, 1864-1874.	1.9	11
2	Four mononuclear dysprosium complexes with neutral Schiff-base ligands: syntheses, crystal structures and slow magnetic relaxation behavior. <i>Dalton Transactions</i> , 2022, 51, 1415-1422.	1.6	6
3	Slow relaxation of Dy(ⁱⁱⁱ) single-ion magnets dominated by the simultaneous binding of chelating ligands in low-symmetry ligand-fields. <i>Dalton Transactions</i> , 2022, 51, 1175-1181.	1.6	3
4	Understanding the magnetic anisotropy for linear sandwich [Er(COT)] ⁺ -based compounds: a theoretical investigation. <i>Dalton Transactions</i> , 2022, 51, 3295-3303.	1.6	26
5	Magneto-optical Properties of Lanthanide(III) Metal-Organic Frameworks Based on an Iridium(III) Metalloligand. <i>Inorganic Chemistry</i> , 2022, 61, 3097-3102.	1.9	5
6	Largely Enhancing the Blocking Energy Barrier and Temperature of a Linear Cobalt(II) Complex through the Structural Distortion: A Theoretical Exploration. <i>Inorganic Chemistry</i> , 2022, 61, 295-301.	1.9	28
7	Schiff base tetranuclear Zn ₂ Ln ₂ single-molecule magnets bridged by hydroxamic acid in association with near-infrared luminescence. <i>Dalton Transactions</i> , 2022, 51, 6918-6926.	1.6	8
8	Reversible on-off switching of Dy(III) single-molecule magnets via single-crystal-to-single-crystal transformation. <i>Dalton Transactions</i> , 2022, .	1.6	3
9	Synthesis and structures of fluoride-bridged dysprosium clusters: influence of fluoride ions on magnetic relaxation behaviors. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2336-2342.	3.0	4
10	Tuning the Equatorial Negative Charge in Hexagonal Bipyramidal Dysprosium(III) Single-Ion Magnets to Improve the Magnetic Behavior. <i>Inorganic Chemistry</i> , 2022, 61, 3664-3673.	1.9	16
11	Hydrogen-Bonded Framework of a Cobalt(II) Complex Showing Superior Stability and Field-Induced Slow Magnetic Relaxation. <i>Inorganic Chemistry</i> , 2022, 61, 3754-3762.	1.9	29
12	Magnetic anisotropy of two tetrahedral Co(ⁱⁱ)-halide complexes with triphenylphosphine ligands. <i>Dalton Transactions</i> , 2022, 51, 7530-7538.	1.6	5
13	Modulation of architectures and magnetic dynamics in pseudotetrahedral cobalt(ⁱⁱ) complexes. <i>Dalton Transactions</i> , 2022, 51, 7673-7680.	1.6	2
14	Slow magnetic relaxation in a trigonal-planar mononuclear Fe(ⁱⁱ) complex. <i>Dalton Transactions</i> , 2022, 51, 8266-8272.	1.6	3
15	A mononuclear nine-coordinated Dy(ⁱⁱⁱ) complex exhibiting field-induced single-ion magnetism behaviour. <i>RSC Advances</i> , 2022, 12, 13992-13998.	1.7	1
16	Single-molecule magnet behaviour in a centrosymmetric dinuclear dysprosium(ⁱⁱⁱ) complex: sequential differentiation of triple relaxation pathways. <i>Dalton Transactions</i> , 2022, 51, 9233-9240.	1.6	3
17	Slow magnetic relaxation in a Dy ₃ triangle and a bistriangular Dy ₆ cluster. <i>Dalton Transactions</i> , 2022, 51, 9404-9411.	1.6	8
18	Modulating Two Pairs of Chiral Dy ^{III} Enantiomers by Distinct $\hat{\eta}^2$ -Diketone Ligands to Show Giant Differences in Single-Ion Magnet Performance and Nonlinear Optical Response. <i>Inorganic Chemistry</i> , 2022, 61, 9283-9294.	1.9	9

#	ARTICLE	IF	CITATIONS
19	Terminal-fluoride-coordinated air-stable chiral dysprosium single-molecule magnets. <i>Chemical Communications</i> , 2022, 58, 7638-7641.	2.2	9
20	Impact of Ligand Substituents on the Magnetization Dynamics of Mononuclear Dy ^{III} Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2022, 61, 9785-9791.	1.9	19
21	Evolution from a single relaxation process to two-step relaxation processes of Dy ² single-molecule magnets via the modulations of the terminal solvent ligands. <i>Dalton Transactions</i> , 2021, 50, 217-228.	1.6	11
22	Origin of Magnetic Relaxation Barriers in a Family of Cobalt(II) Radical Single-Chain Magnets: Density Functional Theory and <i>Ab Initio</i> Calculations. <i>Inorganic Chemistry</i> , 2021, 60, 1007-1015.	1.9	7
23	Two <i>C</i> _{2v} symmetry dysprosium(III) single-molecule magnets with effective energy barriers over 600 K. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2349-2355.	3.0	20
24	Ligand field and anion-driven structures and magnetic properties of dysprosium complexes. <i>CrystEngComm</i> , 2021, 23, 2825-2834.	1.3	5
25	Tuning magnetic anisotropy via terminal ligands along the Dy ^{III} -Dy orientation in novel centrosymmetric [Dy ₂] single molecule magnets. <i>Dalton Transactions</i> , 2021, 50, 568-577.	1.6	16
26	Modulating the slow magnetic relaxation of a mononuclear Dy(III) single-molecule magnet via a magnetic field and dilution effects. <i>CrystEngComm</i> , 2021, 23, 5443-5450.	1.3	5
27	Modulating the relaxation dynamics via structural transition from a dinuclear dysprosium cluster to a nonanuclear cluster. <i>Dalton Transactions</i> , 2021, 50, 12814-12820.	1.6	3
28	Regulating the magnetic dynamics of mononuclear β^2 -diketone Dy(III) single-molecule magnets through the substitution effect on capping N-donor coligands. <i>Dalton Transactions</i> , 2021, 50, 2102-2111.	1.6	15
29	Acid and alkali-resistant Dy ₄ coordination clusters: synthesis, structure and slow magnetic relaxation behaviors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3854-3862.	2.7	18
30	Enhancing the magnetic performance of pyrazine-N-oxide bridged dysprosium chains through controlled variation of ligand coordination modes. <i>Dalton Transactions</i> , 2021, 50, 7048-7055.	1.6	2
31	Slow Magnetic Relaxation in a [Na ₂ Dy ₄] Complex and Coexistence of Multiple Metal Rings. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 740-747.	1.0	1
32	Tuning Magnetic Relaxation in Square-Pyramidal Dysprosium Single-Molecule Magnets Using Apical Alkoxide Ligands. <i>CCS Chemistry</i> , 2021, 3, 388-398.	4.6	33
33	Influence of the Different Types of Auxiliary Noncarboxylate Organic Ligands on the Topologies and Magnetic Relaxation Behavior of Zn ^{II} -Dy Heterometallic Single Molecule Magnets. <i>Inorganic Chemistry</i> , 2021, 60, 9941-9955.	1.9	14
34	Air-Stable Chiral Single-Molecule Magnets with Record Anisotropy Barrier Exceeding 1800 K. <i>Journal of the American Chemical Society</i> , 2021, 143, 10077-10082.	6.6	165
35	A Dy(III) Fluorescent Single-Molecule Magnet Based on a Rhodamine 6G Ligand. <i>Inorganics</i> , 2021, 9, 51.	1.2	3
36	Optimal N-Co-N bite angle for enhancing the magnetic anisotropy of zero-field Co(II) single-ion magnets in tetrahedral [N ₄] coordination environment. <i>Journal of Solid State Chemistry</i> , 2021, 299, 122209.	1.4	6

#	ARTICLE	IF	CITATIONS
37	Enhancing the Magnetic Anisotropy in Low-Symmetry Dy-Based Complexes by Tuning the Bond Length. <i>Inorganic Chemistry</i> , 2021, 60, 11419-11428.	1.9	11
38	Homochiral Dysprosium Phosphonate Nanowires: Morphology Control and Magnetic Dynamics. <i>Chemistry - an Asian Journal</i> , 2021, 16, 2648-2658.	1.7	7
39	Reversible Switching of Single-Molecule Magnetic Behaviour by Desorption/Adsorption of Solvent Ligand in a New Dy(III)-Based Metal Organic Framework. <i>Frontiers in Chemistry</i> , 2021, 9, 714851.	1.8	4
40	Polar Lanthanide Anthracene Complexes Exhibiting Magnetic, Luminescent and Dielectric Properties. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 4207-4215.	1.0	4
41	Influence of F-position and solvent on coordination geometry and single ion magnet behavior of Co(ii) complexes. <i>Dalton Transactions</i> , 2021, 50, 13830-13840.	1.6	3
42	The comparative studies on the magnetic relaxation behaviour of the axially-elongated pentagonal-bipyramidal dysprosium and erbium ions in similar one-dimensional chain structures. <i>Dalton Transactions</i> , 2021, 50, 8736-8745.	1.6	7
43	Dysprosium- π -dianthracene framework showing thermo-responsive magnetic and luminescence properties. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10749-10758.	2.7	12
44	Syntheses, structural modulation, and slow magnetic relaxation of three dysprosium(iii) complexes with mononuclear, dinuclear, and one-dimensional structures. <i>Dalton Transactions</i> , 2021, 50, 13728-13736.	1.6	8
45	Guest-Induced Switching of a Molecule-Based Magnet in a 3d-4f Heterometallic Cluster-Based Chain Structure. <i>Inorganic Chemistry</i> , 2021, 60, 633-641.	1.9	6
46	Significantly Enhancing the Single-Molecule-Magnet Performance of a Dinuclear Dy(III) Complex by Utilizing an Asymmetric Auxiliary Organic Ligand. <i>Inorganic Chemistry</i> , 2021, 60, 18739-18752.	1.9	24
47	Optimal diamagnetic dilution concentration for suppressing the dipole-dipole interaction in single-ion magnets. <i>Dalton Transactions</i> , 2020, 49, 2159-2167.	1.6	8
48	Strong intramolecular Dy ^{III} -Dy ^{III} magnetic couplings up to 15.00 cm ⁻¹ in phenoxy-bridged dinuclear 4f complexes. <i>New Journal of Chemistry</i> , 2020, 44, 2083-2090.	1.4	14
49	Modulating magnetic dynamics through tailoring the terminal ligands in Dy ₂ single-molecule magnets. <i>Dalton Transactions</i> , 2020, 49, 808-816.	1.6	16
50	Weak exchange coupling effects leading to fast magnetic relaxations in a trinuclear dysprosium single-molecule magnet. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 447-454.	3.0	15
51	Two Four-Coordinate and Seven-Coordinate Co ^{II} Complexes Based on the Bidentate Ligand 1, 8-Naphthyridine Showing Slow Magnetic Relaxation Behavior. <i>Chemistry - an Asian Journal</i> , 2020, 15, 279-286.	1.7	10
52	Dy ^{III} single-molecule magnets from ligands incorporating both amine and acylhydrazine Schiff base groups: the centrosymmetric {Dy ₂ } displaying dual magnetic relaxation behaviors. <i>Dalton Transactions</i> , 2020, 49, 15739-15749.	1.6	15
53	Magnetic anisotropy in square pyramidal cobalt(II) complexes supported by a tetraazo macrocyclic ligand. <i>Dalton Transactions</i> , 2020, 49, 14837-14846.	1.6	10
54	Why lanthanide Er ^{III} SIMs cannot possess huge energy barriers: a theoretical investigation. <i>Dalton Transactions</i> , 2020, 49, 14576-14583.	1.6	50

#	ARTICLE	IF	CITATIONS
55	Substituent effects of auxiliary ligands in mononuclear dibenzoylmethane Dy ^{III} /Er ^{III} complexes: single-molecule magnetic behavior and luminescence properties. <i>CrystEngComm</i> , 2020, 22, 7929-7934.	1.3	4
56	Structurally modulated single-ion magnets of mononuclear β^2 -diketone dysprosium(III) complexes. <i>Dalton Transactions</i> , 2020, 49, 14931-14940.	1.6	16
57	Synergistic effect of mixed ligands on the anisotropy axis of two dinuclear dysprosium complexes. <i>Dalton Transactions</i> , 2020, 49, 10594-10602.	1.6	9
58	Understanding the near-infrared fluorescence and field-induced single-molecule-magnetic properties of dinuclear and one-dimensional-chain ytterbium complexes based on 2-hydroxy-3-methoxybenzoic acid. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 3136-3145.	3.0	15
59	Rationally Designing Metal-Organic Frameworks Based on [Ln ₂] Magnetic Building Blocks Utilizing 2-Hydroxyisophthalate and Fine-Tuning the Magnetic Properties of Dy Analogues by Terminal Coordinated Solvents. <i>Inorganic Chemistry</i> , 2020, 59, 16924-16935.	1.9	11
60	Lanthanide Metal-Organic Frameworks Assembled from Unexplored Imidazolylcarboxylic Acid: Structure and Field-Induced Two-Step Magnetic Relaxation. <i>Inorganic Chemistry</i> , 2020, 59, 11930-11934.	1.9	17
61	Incorporating Trigonal-Prismatic Cobalt(II) Blocks into an Exchange-Coupled [Co ₂ Cu] System. <i>Inorganic Chemistry</i> , 2020, 59, 10389-10394.	1.9	8
62	Assembling two Dy ₂ single-molecule magnets with different energy barriers via fine-tuning the geometries of Dy ^{III} sites. <i>New Journal of Chemistry</i> , 2020, 44, 20634-20642.	1.4	2
63	Switchable slow relaxation of magnetization in photochromic dysprosium(III) complexes manipulated by a dithienylethene ligand. <i>New Journal of Chemistry</i> , 2020, 44, 20129-20136.	1.4	8
64	Macrocyclic supported dimetallic lanthanide complexes with slow magnetic relaxation in Dy ₂ analogues. <i>Dalton Transactions</i> , 2020, 49, 14169-14179.	1.6	20
65	A series of lanthanide(III) metal-organic frameworks derived from a pyridyl-dicarboxylate ligand: single-molecule magnet behaviour and luminescence properties. <i>Dalton Transactions</i> , 2020, 49, 14123-14132.	1.6	22
66	Magnetic field and dilution effects on the slow relaxation of {Er ₃ } triangle-based arsenotungstate single-molecule magnets. <i>Dalton Transactions</i> , 2020, 49, 12458-12465.	1.6	13
67	Designing asymmetric Dy ₂ single-molecule magnets with two-step relaxation processes by the modification of the coordination environments of Dy(III) ions. <i>Dalton Transactions</i> , 2020, 49, 8976-8984.	1.6	8
68	Four Dinuclear and One-Dimensional-Chain Dysprosium and Terbium Complexes Based on 2-Hydroxy-3-methoxybenzoic Acid: Structures, Fluorescence, Single-Molecule-Magnet, and Ab Initio Investigation. <i>Inorganic Chemistry</i> , 2020, 59, 4414-4423.	1.9	29
69	Tuning Magnetic Anisotropy in a Class of Co(II) Bis(hexafluoroacetylacetonate) Complexes. <i>Chemistry - an Asian Journal</i> , 2020, 15, 1469-1477.	1.7	15
70	A Trinuclear Zinc Coordination Cluster Exhibiting Fluorescence, Colorimetric Sensitivity, and Recycling of Silver Ion and Detection of Cupric Ion. <i>Inorganic Chemistry</i> , 2020, 59, 2833-2842.	1.9	23
71	Tuning the Single-Molecule Magnetism of Dysprosium Complexes by a Redox-Noninnocent Diborane Ligand. <i>Organometallics</i> , 2020, 39, 4143-4148.	1.1	10
72	Structural Modulation of Fluorescent Rhodamine-Based Dysprosium(III) Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2020, 59, 2308-2315.	1.9	16

#	ARTICLE	IF	CITATIONS
73	Unprecedented one-dimensional chain and two-dimensional network dysprosium(ⁱⁱⁱ) single-molecule toroids with white-light emission. <i>Chemical Communications</i> , 2020, 56, 2590-2593.	2.2	21
74	A capped trigonal prismatic cobalt(ⁱⁱ) complex as a structural archetype for single-ion magnets. <i>Dalton Transactions</i> , 2020, 49, 2063-2067.	1.6	32
75	Rare CH ₃ O ⁺ /CH ₃ CH ₂ O ⁺ -bridged nine-coordinated binuclear Dy ^{III} single-molecule magnets (SMMs) significantly regulate and enhance the effective energy barriers. <i>CrystEngComm</i> , 2020, 22, 1712-1724.	1.3	6
76	Adducts of Tris(alkyl) Holmium(III) Showing Magnetic Relaxation. <i>Inorganic Chemistry</i> , 2020, 59, 5835-5844.	1.9	17
77	Bulky Schiff-base ligand supported Co(ii) single-ion magnets with zero-field slow magnetic relaxation. <i>Dalton Transactions</i> , 2020, 49, 5798-5802.	1.6	14
78	Coercive Fields Above 6 K in Two Cobalt(II) Radical Chain Compounds. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 10610-10618.	7.2	38
79	Observation of field-induced single-ion magnet behavior in a mononuclear Dy ^{III} complex by co-crystallization of a square-planar Cu ^I complex. <i>Inorganica Chimica Acta</i> , 2020, 510, 119718.	1.2	8
80	Coordination microenvironment perturbed single-ion magnet behavior in a β^2 -diketone Dy(iii) complex. <i>CrystEngComm</i> , 2020, 22, 6856-6863.	1.3	10
81	The differential magnetic relaxation behaviours of slightly distorted triangular dodecahedral dysprosium analogues in a type of cyano-bridged 3d-4f zig-zag chain compounds. <i>Dalton Transactions</i> , 2020, 49, 6867-6875.	1.6	8
82	Double and triple pyridine-N-oxide bridged dinuclear Dysprosium(III) dimers and single-molecule magnetic properties. <i>Journal of Molecular Structure</i> , 2019, 1175, 686-697.	1.8	9
83	Both magnetic relaxation and luminescence of Zn ₂ Dy ₂ cluster complexes regulated by the bis-imine chain in Schiff base ligands. <i>New Journal of Chemistry</i> , 2019, 43, 14502-14510.	1.4	17
84	Synthesis, crystal structures and magnetic properties of a series of chair-like heterometallic [Fe ₄ Ln ₂] (Ln = Gd ^{III} , Dy ^{III} , Ho ^{III} , and) <i>TJ ETQq0 0 0.6 BT / Overlock 10 T</i>	0.6	10
85	Enhancing single-molecule magnet behaviour through decorating terminal ligands in Dy ₂ compounds. <i>Dalton Transactions</i> , 2019, 48, 12622-12631.	1.6	25
86	Terbium Triangle Bridged by a Triazole Nitronyl Nitroxide Radical with Single-Molecule-Magnet Behavior. <i>Inorganic Chemistry</i> , 2019, 58, 14285-14288.	1.9	19
87	Photochemically Tuned Magnetic Properties in an Erbium(III)-Based Easy-Plane Single-Molecule Magnet. <i>Inorganic Chemistry</i> , 2019, 58, 14440-14448.	1.9	21
88	Two Dy(III) Single-Molecule Magnets with Their Performance Tuned by Schiff Base Ligands. <i>Inorganic Chemistry</i> , 2019, 58, 1191-1200.	1.9	50
89	A series of dysprosium-based hydrogen-bonded organic frameworks (Dy ^{III} -HOFs): thermally triggered off $\hat{\mu}$ on conversion of a single-ion magnet. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2906-2913.	3.0	42
90	Zero-Field Slow Magnetic Relaxation and Hysteresis Loop in Four-Coordinate Co ^{II} Single-Ion Magnets with Strong Easy-Axis Anisotropy. <i>Inorganic Chemistry</i> , 2019, 58, 12555-12564.	1.9	36

#	ARTICLE	IF	CITATIONS
91	Single molecule magnet behaviors of Zn_4Ln_2 ($Ln = Dy^{III}$), $TJ\ ETQq1\ 1\ 0.784314\ rgBT / Overlock$ CO_2 in air through <i>in situ</i> reactions. Dalton Transactions, 2019, 48, 512-522.	1.6	42
92	Hexagonal Bipyramidal Dy(III) Complexes as a Structural Archetype for Single-Molecule Magnets. Inorganic Chemistry, 2019, 58, 2610-2617.	1.9	60
93	Bifunctional Mononuclear Dysprosium Complexes: Single-Ion Magnet Behaviors and Antitumor Activities. Inorganic Chemistry, 2019, 58, 2286-2298.	1.9	50
94	A rare chloride-bridged dysprosium chain with slow magnetic relaxation: a thermally activated mechanism <i>via</i> a second-excited state promoted by magnetic interactions. Inorganic Chemistry Frontiers, 2019, 6, 786-790.	3.0	18
95	Regulation of magnetic relaxation behavior by replacing 3d transition metal ions in $[M_2Dy_2]$ complexes containing two different organic chelating ligands. Dalton Transactions, 2019, 48, 10011-10022.	1.6	27
96	Dysprosium complexes bearing unsupported $Dy^{III}Ge^{II}Sn^{II}$ metal-metal bonds as single-ion magnets. Chemical Communications, 2019, 55, 8250-8253.	2.2	20
97	Magnetic anisotropy and slow magnetic relaxation processes of cobalt(II)-pseudohalide complexes. Dalton Transactions, 2019, 48, 10743-10752.	1.6	23
98	Modulating Magnetic Property of Phthalocyanine Supported $M^{II}Dy^{III}$ ($M = Ni$), $TJ\ ETQq0\ 0\ 0\ rgBT / Overlock$	1.9	13
99	Effect of coordination anion substitutions on relaxation dynamics of defect dicubane Zn_2Dy_2 tetranuclear clusters. Dalton Transactions, 2019, 48, 7844-7852.	1.6	14
100	Structures, Single-Molecule Magnets, and Fluorescent Properties of Four Dinuclear Lanthanide Complexes Based on 4-Azotriazolyl-3-hydroxy-2-naphthoic Acid. Inorganic Chemistry, 2019, 58, 5914-5921.	1.9	28
101	Magnetic properties and theoretical calculations of mononuclear lanthanide complexes with a Schiff base coordinated to Ln(III) ion in a monodentate coordination mode. Inorganica Chimica Acta, 2019, 494, 8-12.	1.2	7
102	Syntheses, structures, and magnetic properties of three two-dimensional cobalt(II)- $Co^{II}N_4X_2$ octahedral geometry. CrystEngComm, 2019, 21, 3176-3185.	1.3	20
103	Multiple magnetic relaxation pathways in T-shaped N-heterocyclic carbene-supported Fe(I) single-ion magnets. Inorganic Chemistry Frontiers, 2019, 6, 1050-1057.	3.0	6
104	High local coordination symmetry around the spin center and the alignment between magnetic and symmetric axes together play a crucial role in single-molecule magnet performance. Dalton Transactions, 2019, 48, 4931-4940.	1.6	23
105	Syntheses and magnetic properties of a bis-tridentate nitronyl nitroxide radical and its metal complexes. Dalton Transactions, 2019, 48, 4774-4778.	1.6	7
106	Tuning the Magnetization Dynamic Properties of $Nd\cdots Fe$ and $Nd\cdots Co$ Single-Molecular Magnets by Introducing 3d of Magnetic Interactions. Chemistry - an Asian Journal, 2019, 14, 2029-2035.	1.7	4
107	Influence of Magnetic Interactions and Single-Ion Anisotropy on Magnetic Relaxation within a Family of Tetranuclear Dysprosium Complexes. Inorganic Chemistry, 2019, 58, 5715-5724.	1.9	44
108	Solvent-tuned magnetic exchange interactions in Dy_2 systems ligated by a $1/4$ -phenolato heptadentate Schiff base. RSC Advances, 2019, 9, 39640-39648.	1.7	12

#	ARTICLE	IF	CITATIONS
109	Effect of Bridging Ligands on Magnetic Behavior in Dinuclear Dysprosium Cores Supported by Polyoxometalates. <i>Inorganic Chemistry</i> , 2019, 58, 1301-1308.	1.9	42
110	Capping Nâ€Donor Ligands Modulate the Magnetic Dynamics of Dy ^{III} Diketonate Single-Ion Magnets with <i>C</i> _{4v} Symmetry. <i>Chemistry - A European Journal</i> , 2019, 25, 3884-3892.	1.7	32
111	Slow relaxation of the magnetization observed in mononuclear Ln ^{III} radical compounds with <i>D</i> _{4d} geometry configurations. <i>Dalton Transactions</i> , 2019, 48, 558-565.	1.6	16
112	One-dimensional cobalt(II) coordination polymer featuring single-ion-magnet-type field-induced slow magnetic relaxation. <i>New Journal of Chemistry</i> , 2018, 42, 9612-9619.	1.4	22
113	Dinuclear Dy ₂ Single-Molecule Magnets: Functional Modulation on the Bridging Ligand and Different Relaxation Performances within the Single-Crystal to Single-Crystal System. <i>Chemistry - an Asian Journal</i> , 2018, 13, 1725-1734.	1.7	13
114	Modulating the Magnetic Interaction in New Triple-Decker Dysprosium(III) Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2018, 57, 1408-1416.	1.9	32
115	Slow magnetic relaxation influenced by change of symmetry from ideal <i>C</i> _i to <i>D</i> _{3d} in cobalt(II)-based single-ion magnets. <i>Dalton Transactions</i> , 2018, 47, 2506-2510.	1.6	31
116	Realization of toroidal magnetic moments in heterometallic 3d ^{4f} metallocycles. <i>Chemical Communications</i> , 2018, 54, 1065-1068.	2.2	79
117	Dramatic impact of the lattice solvent on the dynamic magnetic relaxation of dinuclear dysprosium single-molecule magnets. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1575-1586.	3.0	48
118	Rhodamine Salicylaldehyde Hydrazone Dy(III) Complexes: Fluorescence and Magnetism. <i>Inorganic Chemistry</i> , 2018, 57, 4061-4069.	1.9	30
119	Magnetic Anisotropy from Trigonal Prismatic to Trigonal Antiprismatic Co(II) Complexes: Experimental Observation and Theoretical Prediction. <i>Inorganic Chemistry</i> , 2018, 57, 3903-3912.	1.9	37
120	Enhanced energy barriers triggered by magnetic anisotropy modulation <i>via</i> tuning the functional groups on the bridging ligands in Dy ₂ single-molecule magnets. <i>Dalton Transactions</i> , 2018, 47, 15197-15205.	1.6	23
121	A belt-like one-dimensional Dy chain exhibiting slow magnetic relaxation behavior. <i>Dalton Transactions</i> , 2018, 47, 15298-15302.	1.6	4
122	Influence of alcoholic solvent and acetate anion coordination mode variations on structures and magnetic properties of heterometallic Zn ₂ Dy ₂ tetranuclear clusters. <i>Dalton Transactions</i> , 2018, 47, 16616-16626.	1.6	19
123	A triangular Dy ₃ single-molecule toric with high inversion energy barrier: magnetic properties and multiple-step assembly mechanism. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 3155-3162.	3.0	71
124	Magnetic on/off switching in redox non-innocent ligand bridged binuclear cobalt complexes. <i>Dalton Transactions</i> , 2018, 47, 17211-17215.	1.6	17
125	Spontaneous Resolution of Chiral Co(III)Dy(III) Single-Molecule Magnet Based on an Achiral Flexible Ligand. <i>Crystal Growth and Design</i> , 2018, 18, 7611-7617.	1.4	18
126	Concise Chemistry Modulation of the SMM Behavior within a Family of Mononuclear Dy(III) Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 14843-14851.	1.9	48

#	ARTICLE	IF	CITATIONS
127	Heterometallic M ^{II} Ln ^{III} (M = Co/Zn; Ln = Dy/Y) Complexes with Pentagonal Bipyramidal 3d Centers: Syntheses, Structures, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2018, 57, 15526-15536.	1.9	28
128	Dinuclear Lanthanide Complexes Based on a Schiff-base Ligand: Free Lattice Solvent Inducing the Single Molecule Magnet Behavior of Dy ₂ Compound. <i>Chemistry - an Asian Journal</i> , 2018, 13, 3753-3761.	1.7	23
129	A new salicylaldehyde-based azo dye and its two lanthanide(ⁱⁱⁱ) complexes displaying slow magnetic relaxation. <i>Dalton Transactions</i> , 2018, 47, 14975-14984.	1.6	13
130	Dysprosium Compounds with Hula-Hoop-like Geometries: The Influence of Magnetic Anisotropy and Magnetic Interactions on Magnetic Relaxation. <i>Inorganic Chemistry</i> , 2018, 57, 12213-12221.	1.9	49
131	A family of lanthanide compounds with reduced nitronyl nitroxide diradical: syntheses, structures and magnetic properties. <i>Dalton Transactions</i> , 2018, 47, 7925-7933.	1.6	20
132	A new $\hat{1}^2$ -diketonate Dy(III) single-ion magnet featuring multiple magnetic relaxation processes. <i>Journal of Coordination Chemistry</i> , 2018, 71, 2209-2224.	0.8	3
133	Modulation of the Coordination Environment around the Magnetic Easy Axis Leads to Significant Magnetic Relaxations in a Series of 3d-4f Schiff Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 8065-8077.	1.9	40
134	Reversible ON \leftrightarrow OFF switching of single-molecule-magnetism associated with single-crystal-to-single-crystal structural transformation of a decanuclear dysprosium phosphonate. <i>Chemical Science</i> , 2018, 9, 6424-6433.	3.7	54
135	Magnetic anisotropy and relaxation behavior of six-coordinate tris(pivalato)-Co(ⁱⁱ) and -Ni(ⁱⁱ) complexes. <i>Dalton Transactions</i> , 2018, 47, 10162-10171.	1.6	16
136	Syntheses, structures and magnetic properties of macrocyclic Schiff base-supported homodinuclear lanthanide complexes. <i>Dalton Transactions</i> , 2018, 47, 11696-11704.	1.6	21
137	Elucidation of the two-step relaxation processes of a tetranuclear dysprosium molecular nanomagnet through magnetic dilution. <i>Dalton Transactions</i> , 2018, 47, 11636-11644.	1.6	21
138	A soft phosphorus atom to σ -harden an erbium(ⁱⁱⁱ) single-ion magnet. <i>Chemical Science</i> , 2018, 9, 7540-7545.	3.7	72
139	Single-molecule magnet behaviour in a dysprosium-triradical complex. <i>Chemical Communications</i> , 2018, 54, 9726-9729.	2.2	48
140	Single-Molecule Magnet Behavior of 1D Coordination Polymers Based on DyZn ₂ (salen) ₂ Units and Pyridin- <i>N</i> -Oxide-4-Carboxylate: Structural Divergence and Magnetic Regulation. <i>Inorganic Chemistry</i> , 2018, 57, 11077-11086.	1.9	34
141	Reversible on \leftrightarrow off switching of both spin crossover and single-molecule magnet behaviours <i>via</i> a crystal-to-crystal transformation. <i>Chemical Science</i> , 2018, 9, 7986-7991.	3.7	88
142	Magnetic anisotropy and slow magnetic relaxation of seven-coordinate cobalt(II)-nitrate complexes. <i>Polyhedron</i> , 2018, 154, 148-155.	1.0	11
143	High-coordinate Co ^{II} and Fe ^{II} compounds constructed from an asymmetric tetradentate ligand show slow magnetic relaxation behavior. <i>Dalton Transactions</i> , 2018, 47, 8940-8948.	1.6	18
144	Effect of the Ligand Field Geometry on the Slow Magnetization Relaxation in Mononuclear Dysprosium Complexes. <i>Science of Advanced Materials</i> , 2018, 10, 1274-1285.	0.1	1

#	ARTICLE	IF	CITATIONS
145	Electrostatic Potential Determined Magnetic Dynamics Observed in Two Mononuclear \hat{I}^2 -Diketone Dysprosium(III) Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2017, 56, 3644-3656.	1.9	63
146	Field-Induced Co(II) Single-Ion Magnets with <i>mer</i> -Directing Ligands but Ambiguous Coordination Geometry. <i>Inorganic Chemistry</i> , 2017, 56, 6056-6066.	1.9	35
147	Detection of Picric Acid by Terpy π -Based Metallo π -Supramolecular Fluorescent Coordination Polymers in Aqueous Media. <i>Chinese Journal of Chemistry</i> , 2017, 35, 447-456.	2.6	10
148	Magnetic Relaxation Dynamics of a Centrosymmetric D_{2h} Single-Molecule Magnet Triggered by Magnetic-Site Dilution and External Magnetic Field. <i>Inorganic Chemistry</i> , 2017, 56, 5611-5622.	1.9	57
149	A Six-Coordinate Dysprosium Single-Ion Magnet with Trigonal-Prismatic Geometry. <i>Inorganic Chemistry</i> , 2017, 56, 7320-7323.	1.9	27
150	Strictly linear trinuclear Dy π -Ca/Mg π -Dy single-molecule magnets: the impact of long-range f - f ferromagnetic interactions on suppressing quantum tunnelling of magnetization leading to slow magnetic relaxation. <i>Dalton Transactions</i> , 2017, 46, 8259-8268.	1.6	10
151	Two-Coordinate Co(II) Imido Complexes as Outstanding Single-Molecule Magnets. <i>Journal of the American Chemical Society</i> , 2017, 139, 373-380.	6.6	343
152	Complementation and joint contribution of appropriate intramolecular coupling and local ion symmetry to improve magnetic relaxation in a series of dinuclear Dy $_2$ single-molecule magnets. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 499-508.	3.0	45
153	Modulating Single-Molecule Magnetic Behavior of a Dinuclear Erbium(III) Complex by Solvent Exchange. <i>Inorganic Chemistry</i> , 2017, 56, 336-343.	1.9	47
154	Modulating Slow Magnetic Relaxation of Dysprosium Compounds through the Position of Coordinating Nitrate Group. <i>Inorganic Chemistry</i> , 2017, 56, 13430-13436.	1.9	22
155	Probing the influence of molecular symmetry on the magnetic anisotropy of octahedral cobalt(ii) complexes. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1909-1916.	3.0	31
156	Two Series of Homodinuclear Lanthanide Complexes: Greatly Enhancing Energy Barriers through Tuning Terminal Solvent Ligands in Dy $_2$ Single-Molecule Magnets. <i>Chemistry - an Asian Journal</i> , 2017, 12, 2834-2844.	1.7	22
157	Isomeric ligands enhance the anisotropy barrier within nine-coordinated $\{Dy_2\}$ compounds. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9488-9495.	2.7	29
158	Chiral six-coordinate Dy(III) and Tb(III) complexes of an achiral ligand: structure, fluorescence, and magnetism. <i>Dalton Transactions</i> , 2017, 46, 13035-13042.	1.6	28
159	Solvent orientation in the crystal lattice producing distinct magnetic dynamics in two binuclear Dy(iii) polymorphs with a polydentate Schiff base ligand. <i>CrystEngComm</i> , 2017, 19, 5735-5741.	1.3	12
160	Magnetic Interaction Affecting the Zero-Field Single-Molecule Magnet Behaviors in Isomorphous $\{Ni^{II}_2Dy^{III}_2\}$ and $\{Co^{II}_2Dy^{III}_2\}$ Tetranuclear Complexes. <i>Inorganic Chemistry</i> , 2017, 56, 11387-11397.	1.9	22
161	Syntheses, structures and magnetic properties of the lanthanide complexes of the pyrimidyl-substituted nitronyl nitroxide radical. <i>Dalton Transactions</i> , 2017, 46, 10452-10461.	1.6	28
162	A Rare Water and Hydroxyl-Extended One-Dimensional Dysprosium(III) Chain and Its Magnetic Dilution Effect. <i>Inorganic Chemistry</i> , 2017, 56, 9594-9601.	1.9	17

#	ARTICLE	IF	CITATIONS
163	Interchange between coordinated and lattice solvents generates the highest energy barrier within nine-coordinated Dy ^{III} single molecule magnets. <i>Dalton Transactions</i> , 2017, 46, 11159-11165.	1.6	16
164	The Charge Transfer Approach to Heavier Main-Group Element Radicals in Transition-Metal Complexes. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 12741-12745.	7.2	25
165	Magnetic Anisotropy along a Series of Lanthanide Polyoxometalates with Pentagonal Bipyramidal Symmetry. <i>Inorganic Chemistry</i> , 2017, 56, 7835-7841.	1.9	28
166	Single-Molecule Magnet Behavior Enhanced by Synergic Effect of Single-Ion Anisotropy and Magnetic Interactions. <i>Inorganic Chemistry</i> , 2017, 56, 7882-7889.	1.9	79
167	Tuning quantum tunnelling of magnetization through 3d-4f magnetic interactions: an alternative approach for manipulating single-molecule magnetism. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 114-122.	3.0	81
168	Hydroxide-bridged five-coordinate Dy ^{III} single-molecule magnet exhibiting the record thermal relaxation barrier of magnetization among lanthanide-only dimers. <i>Chemical Science</i> , 2017, 8, 1288-1294.	3.7	165
169	Fine-tuning terminal solvent ligands to rationally enhance the energy barrier in dinuclear dysprosium single-molecule magnets. <i>Dalton Transactions</i> , 2017, 46, 186-192.	1.6	40
170	Single-ion magnetism in seven-coordinate Yb ^{III} complexes with distorted D _{5h} coordination geometry. <i>Dalton Transactions</i> , 2017, 46, 12884-12892.	1.6	23
171	Slow Magnetic Relaxations in Cobalt(II) Tetranitrate Complexes. Studies of Magnetic Anisotropy by Inelastic Neutron Scattering and High-Frequency and High-Field EPR Spectroscopy. <i>Inorganic Chemistry</i> , 2016, 55, 12603-12617.	1.9	39
172	Assembling Dysprosium Dimer Units into a Novel Chain Featuring Slow Magnetic Relaxation via Formate Linker. <i>Inorganic Chemistry</i> , 2016, 55, 12904-12911.	1.9	46
173	A distinct magnetic anisotropy enhancement in mononuclear dysprosium-sulfur complexes by controlling the Dy-ligand bond length. <i>Dalton Transactions</i> , 2016, 45, 8149-8153.	1.6	25
174	Fine-Tuning Ligand to Modulate the Magnetic Anisotropy in a Carboxylate-Bridged Dy ₂ Single-Molecule Magnet System. <i>Inorganic Chemistry</i> , 2016, 55, 5578-5584.	1.9	129
175	Two field-induced slow magnetic relaxation processes in a mononuclear Co(II) complex with a distorted octahedral geometry. <i>Dalton Transactions</i> , 2016, 45, 9279-9284.	1.6	55
176	Thermostability and photoluminescence of Dy ^{III} single-molecule magnets under a magnetic field. <i>Chemical Science</i> , 2016, 7, 5020-5031.	3.7	100
177	Probing the Effect of Axial Ligands on Easy-Plane Anisotropy of Pentagonal-Bipyramidal Cobalt(II) Single-Ion Magnets. <i>Inorganic Chemistry</i> , 2016, 55, 10859-10869.	1.9	103
178	Tuning Slow Magnetic Relaxation in a Two-Dimensional Dysprosium Layer Compound through Guest Molecules. <i>Inorganic Chemistry</i> , 2016, 55, 7980-7987.	1.9	37
179	Weak Ligand-Field Effect from Ancillary Ligands on Enhancing Single-Ion Magnet Performance. <i>Chemistry - A European Journal</i> , 2016, 22, 12724-12731.	1.7	81
180	Fine Tuning of the Anisotropy Barrier by Ligand Substitution Observed in Linear {Dy ₂ Ni ₂ } Clusters. <i>Chemistry - A European Journal</i> , 2016, 22, 18840-18849.	1.7	20

#	ARTICLE	IF	CITATIONS
181	Can Non-Kramers Trivalent Mononuclear Molecules be Single-Molecule Magnets (SMMs)? Chemistry - A European Journal, 2016, 22, 4704-4708.	1.7	46
182	A series of dinuclear Dy(III) complexes bridged by 2-methyl-8-hydroxylquinoline: replacement on the periphery coordinated β -diketonate terminal leads to different single-molecule magnetic properties. Dalton Transactions, 2016, 45, 3863-3873.	1.6	31
183	(Boratabenzene)(cyclooctatetraenyl) lanthanide complexes: a new type of organometallic single-ion magnet. Inorganic Chemistry Frontiers, 2016, 3, 828-835.	3.0	77
184	High symmetry or low symmetry, that is the question – high performance Dy(III) single-ion magnets by electrostatic potential design. Chemical Science, 2016, 7, 684-691.	3.7	229
185	Slow magnetic relaxation in a novel carboxylate/oxalate/hydroxyl bridged dysprosium layer. Chemical Science, 2015, 6, 3095-3101.	3.7	158
186	Half-Sandwich Complexes of Dy(III): A Janus-Motif with Facile Tunability of Magnetism. Inorganic Chemistry, 2015, 54, 5162-5168.	1.9	42
187	A Family of CoII/CoIII Single-Ion Magnets with Zero-Field Slow Magnetic Relaxation: Fine Tuning of Energy Barrier by Remote Substituent and Counter Cation. Inorganic Chemistry, 2015, 54, 5475-5486.	1.9	94
188	Field-induced slow magnetic relaxation in a hydrogen-bonding linked Co(II) 1D supramolecular coordination polymer. Supramolecular Chemistry, 2015, 27, 401-406.	1.5	19
189	Unexpectedly Strong Magnetic Anisotropy in a Mononuclear Eight-Coordinate Cobalt(II) Complex: a Theoretical Exploration. Inorganic Chemistry, 2015, 54, 1203-1205.	1.9	11
190	Does the thermal evolution of molecular structures critically affect the magnetic anisotropy? Chemical Science, 2015, 6, 4587-4593.	3.7	61
191	Rational enhancement of the energy barrier of bis(tetrapyrrole) dysprosium SMMs via replacing atom of porphyrin core. Chemical Science, 2015, 6, 5947-5954.	3.7	90
192	Cobalt(II) Coordination Polymer Exhibiting Single-Ion-Magnet-Type Field-Induced Slow Relaxation Behavior. Inorganic Chemistry, 2015, 54, 3716-3718.	1.9	75
193	Observation of the single-ion magnet behavior of d ⁸ ions on two-coordinate Co(I)-NHC complexes. Chemical Science, 2015, 6, 7156-7162.	3.7	115
194	Experimental and theoretical investigations of four 3d ⁴ -4f butterfly single-molecule magnets. Dalton Transactions, 2015, 44, 18544-18552.	1.6	39
195	Field-Induced Slow Magnetic Relaxation and Gas Adsorption Properties of a Bifunctional Cobalt(II) Compound. Inorganic Chemistry, 2015, 54, 11362-11368.	1.9	48
196	Slow Magnetic Relaxation in Mononuclear Octahedral Manganese(III) Complexes with Dibenzoylmethanide Ligands. European Journal of Inorganic Chemistry, 2015, 2015, 271-278.	1.0	40
197	A 1D dysprosium chain with slow magnetic relaxation constructed from a pyridine-N-oxide ligand. Chemical Communications, 2014, 50, 10434.	2.2	64
198	Slow Magnetic Relaxation in a Mononuclear Eight-Coordinate Cobalt(II) Complex. Journal of the American Chemical Society, 2014, 136, 12213-12216.	6.6	155

#	ARTICLE	IF	CITATIONS
199	Six-coordinate Lanthanide Complexes: Slow Relaxation of Magnetization in the Dysprosium(III) Complex. <i>Chemistry - A European Journal</i> , 2014, 20, 15975-15980.	1.7	66
200	Magneto-Structural Correlations in a Family of FeIIReIV(CN)2 Single-Chain Magnets: Density Functional Theory and Ab Initio Calculations. <i>Inorganic Chemistry</i> , 2014, 53, 3503-3510.	1.9	19
201	The slow magnetic relaxation regulated by ligand conformation of a lanthanide single-ion magnet [Hex4N][Dy(DBM)4]. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 503-509.	3.0	53
202	Understanding the Magnetic Anisotropy in a Family of N ₂ ³⁺ Radical-Bridged Lanthanide Complexes: Density Functional Theory and ab Initio Calculations. <i>Journal of Physical Chemistry A</i> , 2013, 117, 10873-10880.	1.1	26
203	Zero-field slow magnetic relaxation from single Co(II) ion: a transition metal single-molecule magnet with high anisotropy barrier. <i>Chemical Science</i> , 2013, 4, 1802.	3.7	289
204	Inspiration from old molecules: field-induced slow magnetic relaxation in three air-stable tetrahedral cobalt(II) compounds. <i>Chemical Communications</i> , 2013, 49, 5289.	2.2	128