

# Joo Young Huh

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/805143/joo-young-huh-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26  
papers

2,082  
citations

13  
h-index

28  
g-index

28  
ext. papers

2,517  
ext. citations

5.6  
avg, IF

5.12  
L-index

#	Paper	IF	Citations
26	Exercise Inhibits NLRP3 Inflammasome Activation in Obese Mice via the Anti-Inflammatory Effect of Meteorin-like.. <i>Cells</i> , <b>2021</b> , 10,	7.9	4
25	Exercise-Induced Irisin Decreases Inflammation and Improves NAFLD by Competitive Binding with MD2.. <i>Cells</i> , <b>2021</b> , 10,	7.9	4
24	Associations of Circulating Irisin with FNDC5 Expression in Fat and Muscle in Type 1 and Type 2 Diabetic Mice. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	6
23	Bio-transformation of green tea infusion with tannase and its improvement on adipocyte metabolism. <i>Enzyme and Microbial Technology</i> , <b>2020</b> , 135, 109496	3.8	4
22	Fibroblast growth factor 2 exacerbates inflammation in adipocytes through NLRP3 inflammasome activation. <i>Archives of Pharmacal Research</i> , <b>2020</b> , 43, 1311-1324	6.1	12
21	Irisin Exerts Inhibitory Effect on Adipogenesis Through Regulation of Wnt Signaling. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 1085	4.6	17
20	Integrative Omics Reveals Metabolic and Transcriptomic Alteration of Nonalcoholic Fatty Liver Disease in Catalase Knockout Mice. <i>Biomolecules and Therapeutics</i> , <b>2019</b> , 27, 134-144	4.2	6
19	Network-based integrated analysis of omics data reveal novel players of TGF- $\beta$ -induced EMT in human peritoneal mesothelial cells. <i>Scientific Reports</i> , <b>2019</b> , 9, 1497	4.9	7
18	The effects of phenolic glycosides from <i>Betula platyphylla</i> var. <i>japonica</i> on adipocyte differentiation and mature adipocyte metabolism. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2018</b> , 33, 1167-1173	5.6	9
17	The role of exercise-induced myokines in regulating metabolism. <i>Archives of Pharmacal Research</i> , <b>2018</b> , 41, 14-29	6.1	100
16	Physiology and role of irisin in glucose homeostasis. <i>Nature Reviews Endocrinology</i> , <b>2017</b> , 13, 324-337	15.2	259
15	8-Hydroxy-2-deoxyguanosine ameliorates high-fat diet-induced insulin resistance and adipocyte dysfunction in mice. <i>Biochemical and Biophysical Research Communications</i> , <b>2017</b> , 491, 890-896	3.4	12
14	A novel plasminogen activator inhibitor-1 inhibitor, TM5441, protects against high-fat diet-induced obesity and adipocyte injury in mice. <i>British Journal of Pharmacology</i> , <b>2016</b> , 173, 2622-32	8.6	22
13	Identification and saturable nature of signaling pathways induced by metreleptin in humans: comparative evaluation of in vivo, ex vivo, and in vitro administration. <i>Diabetes</i> , <b>2015</b> , 64, 828-39	0.9	13
12	Irisin in response to exercise in humans with and without metabolic syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, E453-7	5.6	109
11	Exercise-induced irisin secretion is independent of age or fitness level and increased irisin may directly modulate muscle metabolism through AMPK activation. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E2154-61	5.6	193
10	Circulating irisin levels are not affected by coffee intake: a randomized controlled trial. <i>PLoS ONE</i> , <b>2014</b> , 9, e94463	3.7	7

9	Irisin in response to acute and chronic whole-body vibration exercise in humans. <i>Metabolism: Clinical and Experimental</i> , <b>2014</b> , 63, 918-21	12.7	62
8	Circulating irisin in relation to insulin resistance and the metabolic syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 4899-907	5.6	318
7	Responses of circulating irisin to different exercises in humans. <i>FASEB Journal</i> , <b>2013</b> , 27, 712.17	0.9	
6	Peroxisome proliferator-activated receptor-γ is a key molecule regulating adipocyte oxidative stress, mitochondrial biogenesis, and adipokine expression. <i>Antioxidants and Redox Signaling</i> , <b>2012</b> , 16, 229-43	8.4	114
5	FNDC5 and irisin in humans: I. Predictors of circulating concentrations in serum and plasma and II. mRNA expression and circulating concentrations in response to weight loss and exercise. <i>Metabolism: Clinical and Experimental</i> , <b>2012</b> , 61, 1725-38	12.7	631
4	Catalase deficiency accelerates diabetic renal injury through peroxisomal dysfunction. <i>Diabetes</i> , <b>2012</b> , 61, 728-38	0.9	120
3	8-Hydroxy-2-deoxyguanosine prevents plaque formation and inhibits vascular smooth muscle cell activation through Rac1 inactivation. <i>Free Radical Biology and Medicine</i> , <b>2012</b> , 53, 109-21	7.8	21
2	Glucose-based peritoneal dialysis solution suppresses adiponectin synthesis through oxidative stress in an experimental model of peritoneal dialysis. <i>Peritoneal Dialysis International</i> , <b>2012</b> , 32, 20-8	2.8	13
1	Antifibrotic effect of globular adiponectin in human hepatocyte. <i>FASEB Journal</i> , <b>2008</b> , 22, 978.11	0.9	