Thinzar M Lwin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8052374/publications.pdf

Version: 2024-02-01

840119 839053 27 328 11 18 citations h-index g-index papers 27 27 27 414 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Tumor-Specific Labeling of Pancreatic Cancer Using a Humanized Anti-CEA Antibody Conjugated to a Near-Infrared Fluorophore. Annals of Surgical Oncology, 2018, 25, 1079-1085.	0.7	40
2	Indocyanine green fluorescence-guided parathyroidectomy for primary hyperparathyroidism. Surgery, 2018, 163, 388-392.	1.0	36
3	Effective fluorescenceâ€guided surgery of liver metastasis using a fluorescent antiâ€CEA antibody. Journal of Surgical Oncology, 2016, 114, 951-958.	0.8	30
4	The development of fluorescence guided surgery for pancreatic cancer: from bench to clinic. Expert Review of Anticancer Therapy, 2018, 18, 651-662.	1.1	24
5	Advantages of patientâ€derived orthotopic mouse models and genetic reporters for developing fluorescenceâ€guided surgery. Journal of Surgical Oncology, 2018, 118, 253-264.	0.8	22
6	Tumor-specific near-infrared nanobody probe rapidly labels tumors in an orthotopic mouse model of pancreatic cancer. Surgery, 2020, 168, 85-91.	1.0	21
7	Improved antibody-guided surgery with a near-infrared dye on a PEGylated linker for CEA-positive tumors. Journal of Biomedical Optics, 2019, 24, 1.	1.4	17
8	Anti-Claudin-1 Conjugated to a Near-Infrared Fluorophore Targets Colon Cancer in PDOX MouseÂModels. Journal of Surgical Research, 2019, 242, 145-150.	0.8	15
9	Fluorescence-guided hepatobiliary surgery with long and short wavelength fluorophores. Hepatobiliary Surgery and Nutrition, 2020, 9, 615-639.	0.7	15
10	Fluorescent humanized anti-CEA antibody specifically labels metastatic pancreatic cancer in a patient-derived orthotopic xenograft (PDOX) mouse model. Oncotarget, 2018, 9, 37333-37342.	0.8	15
11	Fluorescence Molecular Targeting of Colon Cancer to Visualize the Invisible. Cells, 2022, 11, 249.	1.8	14
12	Rapid tumorâ€labeling kinetics with a siteâ€specific nearâ€infrared antiâ€CEA nanobody in a patientâ€derived orthotopic xenograft mouse model of colon cancer. Journal of Surgical Oncology, 2021, 124, 1121-1127.	0.8	11
13	Rare, Uncommon, and Unusual Complications After Pancreaticoduodenal Resection. Surgical Clinics of North America, 2018, 98, 87-94.	0.5	8
14	A Novel Color-Coded Liver Metastasis Mouse Model to Distinguish Tumor and Adjacent Liver Segment. Journal of Surgical Research, 2021, 264, 327-333.	0.8	8
15	Adrenal Cushing syndrome with detectable ACTH from an unexpected source. BMJ Case Reports, 2016, 2016, bcr2016216965.	0.2	8
16	The Use of Fluorescent Anti-CEA Antibodies to Label, Resect and Treat Cancers: A Review. Biomolecules, 2021, 11, 1819.	1.8	8
17	Unique Benefits of Tumor-Specific Nanobodies for Fluorescence Guided Surgery. Biomolecules, 2021, 11, 311.	1.8	7
18	Rapid intraoperative perfusion assessment of parathyroid adenomas with ICG using a wide-field portable hand-held fluorescence imaging system. American Journal of Surgery, 2022, 223, 686-693.	0.9	7

#	Article	IF	Citations
19	Fluorescent Anti-CEA Nanobody for Rapid Tumor-Targeting and Imaging in Mouse Models of Pancreatic Cancer. Biomolecules, 2022, 12, 711.	1.8	6
20	Fluorescent Anti-MUC5AC Brightly Targets Pancreatic Cancer in a Patient-derived Orthotopic Xenograft. In Vivo, 2022, 36, 57-62.	0.6	5
21	Regarding the applications of fusion-fluorescence imaging using indocyanine green in laparoscopic hepatectomy. Translational Gastroenterology and Hepatology, 2017, 2, 70-70.	1.5	4
22	The future of tumour-specific fluorescence-guided surgery for pancreatic cancer. The Lancet Gastroenterology and Hepatology, 2020, 5, 715-717.	3.7	3
23	A Patient-Derived Orthotopic Xenograft Model of Gastroesophageal-Junction Adenocarcinoma Translated to the Clinic by Tumor-Targeting Fluorescent Antibodies to Carcinoembryonic-Antigen-Related Cell-Adhesion Molecules. In Vivo, 2021, 35, 1959-1963.	0.6	3
24	Fluorescence-guided laparoscopic hepatectomy. Annals of Laparoscopic and Endoscopic Surgery, 2016, 1, 10-10.	0.5	1
25	ASO Author Reflections: Fluorescent Anti-CEA IR800 for Tumor Labeling. Annals of Surgical Oncology, 2018, 25, 970-971.	0.7	O
26	RE: "Intraoperative Near-infrared Imaging Can Identify Neoplasms and Aid in Real-time Margin Assessment During Pancreatic Resection― Annals of Surgery, 2019, 270, 21-22.	2.1	0
27	Color-coded double labeling of colon-cancer liver metastasis and the adjacent liver segment with a tumor-specific fluorescent antibody and indocyanine green. , 2022, , .		O