

Thinzar M Lwin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8052374/thinzar-m-lwin-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22

papers

173

citations

8

h-index

12

g-index

27

ext. papers

257

ext. citations

4

avg, IF

3.07

L-index

#	Paper	IF	Citations
22	Tumor-Specific Labeling of Pancreatic Cancer Using a Humanized Anti-CEA Antibody Conjugated to a Near-Infrared Fluorophore. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1079-1085	3.1	26
21	Indocyanine green fluorescence-guided parathyroidectomy for primary hyperparathyroidism. <i>Surgery</i> , 2018 , 163, 388-392	3.6	25
20	Effective fluorescence-guided surgery of liver metastasis using a fluorescent anti-CEA antibody. <i>Journal of Surgical Oncology</i> , 2016 , 114, 951-958	2.8	21
19	The development of fluorescence guided surgery for pancreatic cancer: from bench to clinic. <i>Expert Review of Anticancer Therapy</i> , 2018 , 18, 651-662	3.5	19
18	Advantages of patient-derived orthotopic mouse models and genetic reporters for developing fluorescence-guided surgery. <i>Journal of Surgical Oncology</i> , 2018 , 118, 253-264	2.8	16
17	Fluorescent humanized anti-CEA antibody specifically labels metastatic pancreatic cancer in a patient-derived orthotopic xenograft (PDOX) mouse model. <i>Oncotarget</i> , 2018 , 9, 37333-37342	3.3	12
16	Anti-Claudin-1 Conjugated to a Near-Infrared Fluorophore Targets Colon Cancer in PDOX Mouse Models. <i>Journal of Surgical Research</i> , 2019 , 242, 145-150	2.5	10
15	Improved antibody-guided surgery with a near-infrared dye on a pegylated linker for CEA-positive tumors. <i>Journal of Biomedical Optics</i> , 2019 , 24, 1-9	3.5	10
14	Tumor-specific near-infrared nanobody probe rapidly labels tumors in an orthotopic mouse model of pancreatic cancer. <i>Surgery</i> , 2020 , 168, 85-91	3.6	8
13	Fluorescence-guided hepatobiliary surgery with long and short wavelength fluorophores. <i>Hepatobiliary Surgery and Nutrition</i> , 2020 , 9, 615-639	2.1	7
12	Rare, Uncommon, and Unusual Complications After Pancreaticoduodenal Resection. <i>Surgical Clinics of North America</i> , 2018 , 98, 87-94	4	5
11	Adrenal Cushing syndrome with detectable ACTH from an unexpected source. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	3
10	The future of tumour-specific fluorescence-guided surgery for pancreatic cancer. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 715-717	18.8	2
9	Fluorescence-guided laparoscopic hepatectomy. <i>Annals of Laparoscopic and Endoscopic Surgery</i> , 2016 , 1,	0.7	1
8	Rapid tumor-labeling kinetics with a site-specific near-infrared anti-CEA nanobody in a patient-derived orthotopic xenograft mouse model of colon cancer. <i>Journal of Surgical Oncology</i> , 2021 , 124, 1121-1127	2.8	1
7	Unique Benefits of Tumor-Specific Nanobodies for Fluorescence Guided Surgery. <i>Biomolecules</i> , 2021 , 11,	5.9	1
6	A Novel Color-Coded Liver Metastasis Mouse Model to Distinguish Tumor and Adjacent Liver Segment. <i>Journal of Surgical Research</i> , 2021 , 264, 327-333	2.5	1

5	Fluorescent Anti-MUC5AC Brightly Targets Pancreatic Cancer in a Patient-derived Orthotopic Xenograft.. <i>In Vivo</i> , 2022 , 36, 57-62	2.3	1
4	A Patient-Derived Orthotopic Xenograft Model of Gastroesophageal-Junction Adenocarcinoma Translated to the Clinic by Tumor-Targeting Fluorescent Antibodies to Carcinoembryonic-Antigen-Related Cell-Adhesion Molecules. <i>In Vivo</i> , 2021 , 35, 1959-1963	2.3	0
3	Fluorescent Anti-CEA Nanobody for Rapid Tumor-Targeting and Imaging in Mouse Models of Pancreatic Cancer. <i>Biomolecules</i> , 2022 , 12, 711	5.9	0
2	RE: "Intraoperative Near-infrared Imaging Can Identify Neoplasms and Aid in Real-time Margin Assessment During Pancreatic Resection". <i>Annals of Surgery</i> , 2019 , 270, 21-22	7.8	
1	ASO Author Reflections: Fluorescent Anti-CEA IR800 for Tumor Labeling. <i>Annals of Surgical Oncology</i> , 2018 , 25, 970-971	3.1	