

Juan Iovanna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8053444/publications.pdf>

Version: 2024-02-01

408
papers

26,883
citations

12597

71
h-index

9865

146
g-index

431
all docs

431
docs citations

431
times ranked

42870
citing authors

#	ARTICLE	IF	CITATIONS
1	Ketogenic HMG-CoA lyase and its product β -hydroxybutyrate promote pancreatic cancer progression. <i>EMBO Journal</i> , 2022, 41, e110466.	3.5	24
2	Melatonin modulates metabolic adaptation of pancreatic stellate cells subjected to hypoxia. <i>Biochemical Pharmacology</i> , 2022, 202, 115118.	2.0	2
3	Implementing biological markers as a tool to guide clinical care of patients with pancreatic cancer. <i>Translational Oncology</i> , 2021, 14, 100965.	1.7	11
4	Response to the Letter to the editor regarding "Targeting NUPR1 with the small compound ZZW-115 is an efficient strategy to treat hepatocellular carcinoma" by Jiong Lin. <i>Cancer Letters</i> , 2021, 500, 161-162.	3.2	0
5	NUPR1 interacts with eIF2 α and is required for resolution of the ER stress response in pancreatic tissue. <i>FEBS Journal</i> , 2021, 288, 4081-4097.	2.2	7
6	Intrinsically disordered protein NUPR1 binds to the armadillo-repeat domain of Plakophilin 1. <i>International Journal of Biological Macromolecules</i> , 2021, 170, 549-560.	3.6	4
7	NUPR1 protects liver from lipotoxic injury by improving the endoplasmic reticulum stress response. <i>FASEB Journal</i> , 2021, 35, e21395.	0.2	4
8	Combating pancreatic cancer chemoresistance by triggering multiple cell death pathways. <i>Pancreatology</i> , 2021, 21, 522-529.	0.5	22
9	Metabolomic profiling of pancreatic adenocarcinoma reveals key features driving clinical outcome and drug resistance. <i>EBioMedicine</i> , 2021, 66, 103332.	2.7	20
10	Human Endogenous Retrovirus (HERV)-K env Gene Knockout Affects Tumorigenic Characteristics of nupr1 Gene in DLD-1 Colorectal Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3941.	1.8	22
11	Prognostic Role of Plasma PD-1, PD-L1, pan-BTN3As and BTN3A1 in Patients Affected by Metastatic Gastrointestinal Stromal Tumors: Can Immune Checkpoints Act as a Sentinel for Short-Term Survival?. <i>Cancers</i> , 2021, 13, 2118.	1.7	23
12	Targeting Fibrosis: The Bridge That Connects Pancreatitis and Pancreatic Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4970.	1.8	19
13	Exploring the Complementarity of Pancreatic Ductal Adenocarcinoma Preclinical Models. <i>Cancers</i> , 2021, 13, 2473.	1.7	6
14	TNF- α induces endothelial "mesenchymal transition promoting stromal development of pancreatic adenocarcinoma. <i>Cell Death and Disease</i> , 2021, 12, 649.	2.7	31
15	Crowding Effects on the Structure and Dynamics of the Intrinsically Disordered Nuclear Chromatin Protein NUPR1. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 684622.	1.6	17
16	NUPR1: A Critical Regulator of the Antioxidant System. <i>Cancers</i> , 2021, 13, 3670.	1.7	25
17	Dendrimeric nanosystem consistently circumvents heterogeneous drug response and resistance in pancreatic cancer. <i>Exploration</i> , 2021, 1, 21-34.	5.4	64
18	Back Cover: Dendrimeric nanosystem consistently circumvents heterogeneous drug response and resistance in pancreatic cancer (EXP2 1/2021). <i>Exploration</i> , 2021, 1, ii.	5.4	0

#	ARTICLE	IF	CITATIONS
19	LDL receptor-peptide conjugate as in vivo tool for specific targeting of pancreatic ductal adenocarcinoma. <i>Communications Biology</i> , 2021, 4, 987.	2.0	6
20	Squamousness gain defines pancreatic ductal adenocarcinoma hepatic metastases phenotype, and gemcitabine response. <i>European Journal of Cancer</i> , 2021, 155, 42-53.	1.3	1
21	A glycosyltransferase gene signature to detect pancreatic ductal adenocarcinoma patients with poor prognosis. <i>EBioMedicine</i> , 2021, 71, 103541.	2.7	22
22	NUPR1 inhibitor ZZW-115 induces ferroptosis in a mitochondria-dependent manner. <i>Cell Death Discovery</i> , 2021, 7, 269.	2.0	33
23	The NUPR1/p73 axis contributes to sorafenib resistance in hepatocellular carcinoma. <i>Cancer Letters</i> , 2021, 519, 250-262.	3.2	9
24	Targeting REG3 β limits pancreatic ductal adenocarcinoma progression through CTGF downregulation. <i>Cancer Letters</i> , 2021, 521, 64-70.	3.2	4
25	Biomarkers. <i>UNIPA Springer Series</i> , 2021, , 43-64.	0.1	0
26	Design of Inhibitors of the Intrinsically Disordered Protein NUPR1: Balance between Drug Affinity and Target Function. <i>Biomolecules</i> , 2021, 11, 1453.	1.8	15
27	KrasG12D induces changes in chromatin territories that differentially impact early nuclear reprogramming in pancreatic cells. <i>Genome Biology</i> , 2021, 22, 289.	3.8	6
28	Induction of Apoptosis in Human Pancreatic Cancer Stem Cells by the Endoplasmic Reticulum-Targeted Alkylphospholipid Analog Edelfosine and Potentiation by Autophagy Inhibition. <i>Cancers</i> , 2021, 13, 6124.	1.7	7
29	Targeting intrinsically disordered proteins involved in cancer. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 1695-1707.	2.4	74
30	Basal-like and classical cells coexist in pancreatic cancer revealed by single-cell analysis on biopsy-derived pancreatic cancer organoids from the classical subtype. <i>FASEB Journal</i> , 2020, 34, 12214-12228.	0.2	83
31	Establishment of a pancreatic adenocarcinoma molecular gradient (PAMG) that predicts the clinical outcome of pancreatic cancer. <i>EBioMedicine</i> , 2020, 57, 102858.	2.7	57
32	Evidencing a Pancreatic Ductal Adenocarcinoma Subpopulation Sensitive to the Proteasome Inhibitor Carfilzomib. <i>Clinical Cancer Research</i> , 2020, 26, 5506-5519.	3.2	20
33	A Tumor Lymphocyte MicroRNA Signature as Predictive Biomarker of Immunotherapy Response and Plasma PD-1/PD-L1 Expression Levels in Patients with Metastatic Renal Cell Carcinoma: Pointing towards Epigenetic Reprogramming. <i>Cancers</i> , 2020, 12, 3396.	1.7	41
34	Baseline plasma levels of soluble PD-1, PD-L1, and BTN3A1 predict response to nivolumab treatment in patients with metastatic renal cell carcinoma: a step toward a biomarker for therapeutic decisions. <i>Oncotarget</i> , 2020, 9, 1832348.	2.1	55
35	Novel triazole nucleoside analogues promote anticancer activity <i>via</i> both apoptosis and autophagy. <i>Chemical Communications</i> , 2020, 56, 10014-10017.	2.2	5
36	Surface Charge of Supramolecular Nanosystems for In Vivo Biodistribution: A MicroSPECT/CT Imaging Study. <i>Small</i> , 2020, 16, e2003290.	5.2	11

#	ARTICLE	IF	CITATIONS
37	Expression of POU2F3 Transcription Factor Control Inflammation, Immunological Recruitment and Metastasis of Pancreatic Cancer in Mice. <i>Biology</i> , 2020, 9, 341.	1.3	5
38	Bioimaging: Surface Charge of Supramolecular Nanosystems for In Vivo Biodistribution: A MicroSPECT/CT Imaging Study (Small 37/2020). <i>Small</i> , 2020, 16, 2070203.	5.2	0
39	A Phosphorylation-Induced Switch in the Nuclear Localization Sequence of the Intrinsically Disordered NUPR1 Hampers Binding to Importin. <i>Biomolecules</i> , 2020, 10, 1313.	1.8	13
40	Targeting Mitochondrial Complex I Overcomes Chemoresistance in High OXPHOS Pancreatic Cancer. <i>Cell Reports Medicine</i> , 2020, 1, 100143.	3.3	74
41	Soluble forms of PD-L1 and PD-1 as prognostic and predictive markers of sunitinib efficacy in patients with metastatic clear cell renal cell carcinoma. <i>Oncolmmunology</i> , 2020, 9, 1846901.	2.1	27
42	The Paralogue of the Intrinsically Disordered Nuclear Protein 1 Has a Nuclear Localization Sequence that Binds to Human Importin β 3. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7428.	1.8	7
43	IFN- γ and IgG responses to Mycobacterium tuberculosis latency antigen Rv2626c differentiate remote from recent tuberculosis infection. <i>Scientific Reports</i> , 2020, 10, 7472.	1.6	8
44	Upcoming Revolutionary Paths in Preclinical Modeling of Pancreatic Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 9, 1443.	1.3	16
45	Human importin β 3 and its N-terminal truncated form, without the importin- β 2-binding domain, are oligomeric species with a low conformational stability in solution. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129609.	1.1	11
46	Combined Targeting of G9a and Checkpoint Kinase 1 Synergistically Inhibits Pancreatic Cancer Cell Growth by Replication Fork Collapse. <i>Molecular Cancer Research</i> , 2020, 18, 448-462.	1.5	10
47	Targeting NUPR1 with the small compound ZZW-115 is an efficient strategy to treat hepatocellular carcinoma. <i>Cancer Letters</i> , 2020, 486, 8-17.	3.2	21
48	ZZW-115-dependent inhibition of NUPR1 nuclear translocation sensitizes cancer cells to genotoxic agents. <i>JCI Insight</i> , 2020, 5, .	2.3	24
49	Dynamics of the intrinsically disordered protein NUPR1 in isolation and in its fuzzy complexes with DNA and prothymosin β . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 140252.	1.1	8
50	Flavonoid-alkylphospholipid conjugates elicit dual inhibition of cancer cell growth and lipid accumulation. <i>Chemical Communications</i> , 2019, 55, 8919-8922.	2.2	9
51	Emerging epigenomic landscapes of pancreatic cancer in the era of precision medicine. <i>Nature Communications</i> , 2019, 10, 3875.	5.8	59
52	PML hypoSUMOylation is responsible for the resistance of pancreatic cancer. <i>FASEB Journal</i> , 2019, 33, 12447-12463.	0.2	12
53	Can the plasma PD-1 levels predict the presence and efficiency of tumor-infiltrating lymphocytes in patients with metastatic melanoma?. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591984887.	1.4	30
54	Dendrimers as Competitors of Protein-Protein Interactions of the Intrinsically Disordered Nuclear Chromatin Protein NUPR1. <i>Biomacromolecules</i> , 2019, 20, 2567-2576.	2.6	11

#	ARTICLE	IF	CITATIONS
55	Aurora kinase B-phosphorylated HP1± functions in chromosomal instability. <i>Cell Cycle</i> , 2019, 18, 1407-1421.	1.3	7
56	Pancreatic Cancer Organoids for Determining Sensitivity to Bromodomain and Extra-Terminal Inhibitors (BETi). <i>Frontiers in Oncology</i> , 2019, 9, 475.	1.3	31
57	Deficiency of stress-associated gene <i>Nupr1</i> increases bone volume by attenuating differentiation of osteoclasts and enhancing differentiation of osteoblasts. <i>FASEB Journal</i> , 2019, 33, 8836-8852.	0.2	10
58	Designing and repurposing drugs to target intrinsically disordered proteins for cancer treatment: using NUPR1 as a paradigm. <i>Molecular and Cellular Oncology</i> , 2019, 6, e1612678.	0.3	10
59	Pancreatic Cancer Heterogeneity Can Be Explained Beyond the Genome. <i>Frontiers in Oncology</i> , 2019, 9, 246.	1.3	46
60	Prognostic significance of circulating PD-1, PD-L1, pan-BTN3As, BTN3A1 and BTLA in patients with pancreatic adenocarcinoma. <i>Oncoimmunology</i> , 2019, 8, e1561120.	2.1	92
61	Melatonin induces reactive oxygen species generation and changes in glutathione levels and reduces viability in human pancreatic stellate cells. <i>Journal of Physiology and Biochemistry</i> , 2019, 75, 185-197.	1.3	18
62	Targeting the Stress-Induced Protein NUPR1 to Treat Pancreatic Adenocarcinoma. <i>Cells</i> , 2019, 8, 1453.	1.8	28
63	Dissecting the Anticancer Mechanism of Trifluoperazine on Pancreatic Ductal Adenocarcinoma. <i>Cancers</i> , 2019, 11, 1869.	1.7	31
64	The regenerating family member 3 ² instigates IL-17A-mediated neutrophil recruitment downstream of NOD1/2 signalling for controlling colonisation resistance independently of microbiota community structure. <i>Gut</i> , 2019, 68, 1190-1199.	6.1	14
65	Role of tumor-infiltrating lymphocytes in patients with solid tumors: Can a drop dig a stone?. <i>Cellular Immunology</i> , 2019, 343, 103753.	1.4	187
66	Ligand-based design identifies a potent NUPR1 inhibitor exerting anticancer activity via necroptosis. <i>Journal of Clinical Investigation</i> , 2019, 129, 2500-2513.	3.9	68
67	Optimization of a Bioluminescence Resonance Energy Transfer-Based Assay for Screening of <i>Trypanosoma cruzi</i> Protein/Protein Interaction Inhibitors. <i>Molecular Biotechnology</i> , 2018, 60, 369-379.	1.3	4
68	LIF Drives Neural Remodeling in Pancreatic Cancer and Offers a New Candidate Biomarker. <i>Cancer Research</i> , 2018, 78, 909-921.	0.4	83
69	Prevalence of Microsatellite Instability in Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Gastroenterology</i> , 2018, 154, 1061-1065.	0.6	79
70	Interleukin-22-deficiency and microbiota contribute to the exacerbation of <i>Toxoplasma gondii</i> -induced intestinal inflammation. <i>Mucosal Immunology</i> , 2018, 11, 1181-1190.	2.7	29
71	Differential Therapy Based on Tumor Heterogeneity in Pancreatic Cancer. , 2018, , 1203-1217.		0
72	Amphipathic helical peptides hamper protein-protein interactions of the intrinsically disordered chromatin nuclear protein 1 (NUPR1). <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018, 1862, 1283-1295.	1.1	22

#	ARTICLE	IF	CITATIONS
73	BTN3A is a prognosis marker and a promising target for V β 9V α 2 T cells based-immunotherapy in pancreatic ductal adenocarcinoma (PDAC). <i>Oncimmunology</i> , 2018, 7, e1372080.	2.1	47
74	Cadherin-1 and cadherin-3 cooperation determines the aggressiveness of pancreatic ductal adenocarcinoma. <i>British Journal of Cancer</i> , 2018, 118, 546-557.	2.9	20
75	A dietary flavone confers communicable protection against colitis through NLRP6 signaling independently of inflammasome activation. <i>Mucosal Immunology</i> , 2018, 11, 811-819.	2.7	55
76	Stratification of Pancreatic Ductal Adenocarcinomas Based on Tumor and Microenvironment Features. <i>Gastroenterology</i> , 2018, 155, 1999-2013.e3.	0.6	347
77	Inactivation of NUPR1 promotes cell death by coupling ER-stress responses with necrosis. <i>Scientific Reports</i> , 2018, 8, 16999.	1.6	44
78	Mechanisms Underlying the Regulation of HP1 β by the NGF-PKA Signaling Pathway. <i>Scientific Reports</i> , 2018, 8, 15077.	1.6	4
79	Pancreatic cancer chemo-resistance is driven by tumor phenotype rather than tumor genotype. <i>Heliyon</i> , 2018, 4, e01055.	1.4	43
80	Self-assembling supramolecular dendrimer nanosystem for PET imaging of tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 11454-11459.	3.3	58
81	Distinct epigenetic landscapes underlie the pathobiology of pancreatic cancer subtypes. <i>Nature Communications</i> , 2018, 9, 1978.	5.8	177
82	E2F signature is predictive for the pancreatic adenocarcinoma clinical outcome and sensitivity to E2F inhibitors, but not for the response to cytotoxic-based treatments. <i>Scientific Reports</i> , 2018, 8, 8330.	1.6	21
83	New Insights Into the Regulation of β 17 T Cells by BTN3A and Other BTN/BTNL in Tumor Immunity. <i>Frontiers in Immunology</i> , 2018, 9, 1601.	2.2	68
84	Pancreatic Ductal Adenocarcinoma: A Strong Imbalance of Good and Bad Immunological Cops in the Tumor Microenvironment. <i>Frontiers in Immunology</i> , 2018, 9, 1044.	2.2	107
85	α -lipoic acid reduces postreperfusion syndrome in human liver transplantation - a pilot study. <i>Transplant International</i> , 2018, 31, 1357-1368.	0.8	19
86	Targeting mitochondrial energy metabolism in PDAC is a promising strategy to overcome resistance to chemotherapy. <i>Pancreatology</i> , 2018, 18, S154.	0.5	2
87	The chromatin nuclear protein NUPR1L is intrinsically disordered and binds to the same proteins as its paralogue. <i>Biochemical Journal</i> , 2018, 475, 2271-2291.	1.7	9
88	Chloroquine plays a cell-dependent role in the response to treatment of pancreatic adenocarcinoma. <i>Oncotarget</i> , 2018, 9, 30837-30846.	0.8	18
89	Ribonuclease MCPiP1 contributes to the loss of micro-RNA-200 family members in pancreatic cancer cells. <i>Oncotarget</i> , 2018, 9, 35941-35961.	0.8	10
90	IL-22-induced antimicrobial peptides are key determinants of mucosal vaccine-induced protection against <i>H. pylori</i> in mice. <i>Mucosal Immunology</i> , 2017, 10, 271-281.	2.7	50

#	ARTICLE	IF	CITATIONS
91	Identification of a Drug Targeting an Intrinsically Disordered Protein Involved in Pancreatic Adenocarcinoma. <i>Scientific Reports</i> , 2017, 7, 39732.	1.6	101
92	GATA6 regulates EMT and tumour dissemination, and is a marker of response to adjuvant chemotherapy in pancreatic cancer. <i>Gut</i> , 2017, 66, 1665-1676.	6.1	212
93	Combined AURKA and H3K9 Methyltransferase Targeting Inhibits Cell Growth By Inducing Mitotic Catastrophe. <i>Molecular Cancer Research</i> , 2017, 15, 984-997.	1.5	16
94	REG3 ^{Î²} modifies cell tumor function by impairing extracellular vesicle uptake. <i>Scientific Reports</i> , 2017, 7, 3143.	1.6	24
95	Gene expression profiling of patientâ€derived pancreatic cancer xenografts predicts sensitivity to the <scp>BET</scp> bromodomain inhibitor <scp>JQ</scp> 1: implications for individualized medicine efforts. <i>EMBO Molecular Medicine</i> , 2017, 9, 482-497.	3.3	66
96	Speeding towards individualized treatment for pancreatic cancer by taking an alternative road. <i>Cancer Letters</i> , 2017, 410, 63-67.	3.2	31
97	Resectable pancreatic head adenocarcinoma: Is R0 resection an illusion? Genetic evaluation of venous resection margin affirmed unrecognized disease. <i>Journal of Visceral Surgery</i> , 2017, 154, 329-333.	0.4	2
98	Intrinsically disordered chromatin protein NUPR1 binds to the C-terminal region of Polycomb RING1B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E6332-E6341.	3.3	39
99	Pancreatic Adenocarcinoma Therapeutic Targets Revealed by Tumor-Stroma Cross-Talk Analyses in Patient-Derived Xenografts. <i>Cell Reports</i> , 2017, 21, 2458-2470.	2.9	148
100	Factors released by the tumor far microenvironment are decisive for pancreatic adenocarcinoma development and progression. <i>Oncolmmunology</i> , 2017, 6, e1358840.	2.1	12
101	Blocking Nupr1 Protein, A Successful Approach for Pancreatic Adenocarcinoma Treatment. <i>Gastroenterology</i> , 2017, 152, S42.	0.6	0
102	Collagen-derived proline promotes pancreatic ductal adenocarcinoma cell survival under nutrient limited conditions. <i>Nature Communications</i> , 2017, 8, 16031.	5.8	299
103	PAP/REG3A favors perineural invasion in pancreatic adenocarcinoma and serves as a prognostic marker. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 4231-4243.	2.4	20
104	Stress Response Gene Nupr1 Alleviates Cyclosporin A Nephrotoxicity In Vivo. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 545-556.	3.0	15
105	Regulation of NUB1 Activity through Non-Proteolytic Mdm2-Mediated Ubiquitination. <i>PLoS ONE</i> , 2017, 12, e0169988.	1.1	9
106	Differential Therapy Based on Tumor Heterogeneity in Pancreatic Cancer. , 2017, , 1-15.		0
107	Morphine, when used for treating patients with acute pancreatitis, could be more risky than previously suspected. <i>Translational Cancer Research</i> , 2017, 6, S1166-S1168.	0.4	0
108	Autophagy Induced during Pancreatitis Promotes KRAS-Dependent Transformation in the Pancreas. <i>Frontiers in Oncology</i> , 2016, 6, 226.	1.3	7

#	ARTICLE	IF	CITATIONS
109	Î±-Lipoic Acid Protects Against Ischemia-Reperfusion Injury in Simultaneous Kidney-Pancreas Transplantation. <i>Transplantation</i> , 2016, 100, 908-915.	0.5	39
110	Stratification and therapeutic potential of PML in metastatic breast cancer. <i>Nature Communications</i> , 2016, 7, 12595.	5.8	45
111	Determinants of the pKa values of ionizable residues in an intrinsically disordered protein. <i>Archives of Biochemistry and Biophysics</i> , 2016, 598, 18-27.	1.4	32
112	The pancreatitis-associated protein VMP1, a key regulator of inducible autophagy, promotes KrasG12D-mediated pancreatic cancer initiation. <i>Cell Death and Disease</i> , 2016, 7, e2295-e2295.	2.7	25
113	Response to "Is the Reg3Î± (HIP/PAP) Protein Really an Obesogenic Factor?" <i>Journal of Cellular Physiology</i> , 2016, 231, 2-2.	2.0	2
114	Epithelial IL-23R Signaling Licenses Protective IL-22 Responses in Intestinal Inflammation. <i>Cell Reports</i> , 2016, 16, 2208-2218.	2.9	89
115	The promise of epigenomic therapeutics in pancreatic cancer. <i>Epigenomics</i> , 2016, 8, 831-842.	1.0	40
116	NUPR1, a new target in liver cancer: implication in controlling cell growth, migration, invasion and sorafenib resistance. <i>Cell Death and Disease</i> , 2016, 7, e2269-e2269.	2.7	94
117	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
118	REG3Î² Plays a Key Role in IL17RA Protumoral Effect"Response. <i>Cancer Research</i> , 2016, 76, 2051-2051.	0.4	5
119	TAp73 loss favors Smad-independent TGF-Î² signaling that drives EMT in pancreatic ductal adenocarcinoma. <i>Cell Death and Differentiation</i> , 2016, 23, 1358-1370.	5.0	38
120	A liver stress-endocrine nexus promotes metabolic integrity during dietary protein dilution. <i>Journal of Clinical Investigation</i> , 2016, 126, 3263-3278.	3.9	138
121	Cancer-associated fibroblast-derived annexin A6+ extracellular vesicles support pancreatic cancer aggressiveness. <i>Journal of Clinical Investigation</i> , 2016, 126, 4140-4156.	3.9	169
122	A pancreatic ductal adenocarcinoma subpopulation is sensitive to FK866, an inhibitor of NAMPT. <i>Oncotarget</i> , 2016, 7, 53783-53796.	0.8	28
123	Heterogeneity of metastatic pancreatic adenocarcinoma: Lung metastasis show better prognosis than liver metastasis" a case control study. <i>Oncotarget</i> , 2016, 7, 45649-45655.	0.8	26
124	Pharmacological targeting of the Aurora A and histone 3 lysine 9 methyltransferase pathways in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15715-e15715.	0.8	0
125	Abstract 5203: Innovative and predictive models against cancer: an IMODI integrative approach. , 2016, , .		0
126	Pivotal Role of the Chromatin Protein Nupr1 in Kras-Induced Senescence and Transformation. <i>Scientific Reports</i> , 2015, 5, 17549.	1.6	29

#	ARTICLE	IF	CITATIONS
127	Defects in mitophagy promote redox-driven metabolic syndrome in the absence of <sc>TP</sc> 53 <sc>INP</sc> 1. EMBO Molecular Medicine, 2015, 7, 802-818.	3.3	38
128	Functional Characterization of Nupr1L, A Novel p53-Regulated Isoform of the High-Mobility Group (HMG)-Related Protumoral Protein Nupr1. Journal of Cellular Physiology, 2015, 230, 2936-2950.	2.0	14
129	Long-term survivors after pancreatectomy for cancer: the <sc>TNM</sc> classification is outdated. ANZ Journal of Surgery, 2015, 85, 860-864.	0.3	7
130	Microwave promoted C=O coupling for synthesizing O-aryloxytriazole nucleoside analogues. New Journal of Chemistry, 2015, 39, 3889-3893.	1.4	4
131	Nidogen 1 and Nuclear Protein 1: novel targets of ETV5 transcription factor involved in endometrial cancer invasion. Clinical and Experimental Metastasis, 2015, 32, 467-478.	1.7	40
132	Phenotypic Characterization of Mice Carrying Homozygous Deletion of KLF11, a Gene in Which Mutations Cause Human Neonatal and MODY VII Diabetes. Endocrinology, 2015, 156, 3581-3595.	1.4	9
133	Cholesterol uptake disruption, in association with chemotherapy, is a promising combined metabolic therapy for pancreatic adenocarcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 2473-2478.	3.3	310
134	The Thymus-Specific Serine Protease TSSP/PRSS16 Is Crucial for the Antitumoral Role of CD4+ T Cells. Cell Reports, 2015, 10, 39-46.	2.9	13
135	Labs leak staff under French law. Nature, 2015, 518, 35-35.	13.7	0
136	Stromal SLIT2 impacts on pancreatic cancer-associated neural remodeling. Cell Death and Disease, 2015, 6, e1592-e1592.	2.7	52
137	Methodological aspects of the molecular and histological study of prostate cancer: Focus on PTEN. Methods, 2015, 77-78, 25-30.	1.9	16
138	Transcriptomic Analysis Predicts Survival and Sensitivity to Anticancer Drugs of Patients with a Pancreatic Adenocarcinoma. American Journal of Pathology, 2015, 185, 1022-1032.	1.9	46
139	IL17 Functions through the Novel REG3Î²-JAK2-STAT3 Inflammatory Pathway to Promote the Transition from Chronic Pancreatitis to Pancreatic Cancer. Cancer Research, 2015, 75, 4852-4862.	0.4	92
140	A Mycobacterium tuberculosis Dormancy Antigen Differentiates Latently Infected Bacillus Calmette-Guérin-vaccinated Individuals. EBioMedicine, 2015, 2, 884-890.	2.7	20
141	The Aurora A-HP1Î³ pathway regulates gene expression and mitosis in cells from the sperm lineage. BMC Developmental Biology, 2015, 15, 23.	2.1	6
142	P8 deficiency increases cellular ROS and induces HO-1. Archives of Biochemistry and Biophysics, 2015, 565, 89-94.	1.4	13
143	Loss of Tribbles pseudokinase-3 promotes Akt-driven tumorigenesis via FOXO inactivation. Cell Death and Differentiation, 2015, 22, 131-144.	5.0	70
144	Targeting CD44 as a novel therapeutic approach for treating pancreatic cancer recurrence. Oncoscience, 2015, 2, 572-575.	0.9	21

#	ARTICLE	IF	CITATIONS
145	A subgroup of pancreatic adenocarcinoma is sensitive to the 5-aza-dC DNA methyltransferase inhibitor. <i>Oncotarget</i> , 2015, 6, 746-754.	0.8	21
146	Deciphering the cellular source of tumor relapse identifies CD44 as a major therapeutic target in pancreatic adenocarcinoma. <i>Oncotarget</i> , 2015, 6, 7408-7423.	0.8	28
147	Rs488087 single nucleotide polymorphism as predictive risk factor for pancreatic cancers. <i>Oncotarget</i> , 2015, 6, 39855-39864.	0.8	11
148	TRIB3 suppresses tumorigenesis by controlling mTORC2/AKT/FOXO signaling. <i>Molecular and Cellular Oncology</i> , 2015, 2, e980134.	0.3	16
149	Abstract B06: Impact of intratumoral microenvironment and epithelial cells crosstalk in pancreatic carcinogenesis. , 2015, , .		0
150	IER3 in pancreatic carcinogenesis. <i>Oncotarget</i> , 2015, 6, 15712-15713.	0.8	2
151	Pancreatitis-Associated Protein Does Not Predict Disease Relapse in Inflammatory Bowel Disease Patients. <i>PLoS ONE</i> , 2014, 9, e84957.	1.1	7
152	Further Characterization of HDAC and SIRT Gene Expression Patterns in Pancreatic Cancer and Their Relation to Disease Outcome. <i>PLoS ONE</i> , 2014, 9, e108520.	1.1	31
153	Pancreatitis promotes oncogenic KrasG12D-induced pancreatic transformation through activation of Nupr1. <i>Molecular and Cellular Oncology</i> , 2014, 1, e29913.	0.3	4
154	Genetic inactivation of <i>Nupr1</i> acts as a dominant suppressor event in a two-hit model of pancreatic carcinogenesis. <i>Gut</i> , 2014, 63, 984-995.	6.1	32
155	Germline copy number variation in the <i>YTHDC2</i> gene: does it have a role in finding a novel potential molecular target involved in pancreatic adenocarcinoma susceptibility?. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 841-850.	1.5	44
156	Genetic inactivation of the pancreatitis-inducible gene <i>Nupr1</i> impairs PanIN formation by modulating KrasG12D-induced senescence. <i>Cell Death and Differentiation</i> , 2014, 21, 1633-1641.	5.0	43
157	Redox-sensitive TP53INP1 SUMOylation as an oxidative stress sensor to activate TP53. <i>Molecular and Cellular Oncology</i> , 2014, 1, e964044.	0.3	2
158	Triple negative breast carcinoma EGFR amplification is not associated with EGFR, Kras or ALK mutations. <i>British Journal of Cancer</i> , 2014, 110, 1045-1052.	2.9	35
159	Arginine-Terminated Generation 4 PAMAM Dendrimer as an Effective Nanovector for Functional siRNA Delivery in Vitro and in Vivo. <i>Bioconjugate Chemistry</i> , 2014, 25, 521-532.	1.8	95
160	<i>PAP</i> / <i>HIP</i> Protein Is an Obesogenic Factor. <i>Journal of Cellular Physiology</i> , 2014, 229, 225-231.	2.0	6
161	Oxidative stress-induced p53 activity is enhanced by a redox-sensitive TP53INP1 SUMOylation. <i>Cell Death and Differentiation</i> , 2014, 21, 1107-1118.	5.0	64
162	Regenerating Islet-Derived 3Î± (Reg3Î±) Is Required For Acinar Cell NFÎ±B Activation and Tissue Protection in Experimental Acute Pancreatitis (AP). <i>Journal of the American College of Surgeons</i> , 2014, 219, S26.	0.2	1

#	ARTICLE	IF	CITATIONS
163	Pancreatic Cancer-induced Cachexia Is Jak2-dependent in Mice. <i>Journal of Cellular Physiology</i> , 2014, 229, 1437-1443.	2.0	52
164	Evidence supporting the existence of a NUPR1-like family of helix-loop-helix chromatin proteins related to, yet distinct from, AT hook-containing HMG proteins. <i>Journal of Molecular Modeling</i> , 2014, 20, 2357.	0.8	15
165	Single and combinatorial chromatin coupling events underlies the function of transcript factor Krüppel-like factor 11 in the regulation of gene networks. <i>BMC Molecular Biology</i> , 2014, 15, 10.	3.0	6
166	Pancreatic tumor cell metabolism: Focus on glycolysis and its connected metabolic pathways. <i>Archives of Biochemistry and Biophysics</i> , 2014, 545, 69-73.	1.4	42
167	Identification of New Mechanisms of Cellular Response to Chemotherapy by Tracking Changes in Post-Translational Modifications by Ubiquitin and Ubiquitin-Like Proteins. <i>Journal of Proteome Research</i> , 2014, 13, 2478-2494.	1.8	26
168	IER3 supports KRASG12D-dependent pancreatic cancer development by sustaining ERK1/2 phosphorylation. <i>Journal of Clinical Investigation</i> , 2014, 124, 4709-4722.	3.9	32
169	Oligomerization and Phosphorylation Dependent Regulation of ArgBP2 Adaptive Capabilities and Associated Functions. <i>PLoS ONE</i> , 2014, 9, e87130.	1.1	8
170	P8 Protein. , 2014, , 3364-3367.		0
171	Functional impact of Aurora A-mediated phosphorylation of HP1 ^β at serine 83 during cell cycle progression. <i>Epigenetics and Chromatin</i> , 2013, 6, 21.	1.8	19
172	Functional characterization of EZH2 ² reveals the increased complexity of EZH2 isoforms involved in the regulation of mammalian gene expression. <i>Epigenetics and Chromatin</i> , 2013, 6, 3.	1.8	27
173	Novel role of VMP1 as modifier of the pancreatic tumor cell response to chemotherapeutic drugs. <i>Journal of Cellular Physiology</i> , 2013, 228, 1834-1843.	2.0	10
174	Nupr1 deletion protects against glucose intolerance by increasing beta cell mass. <i>Diabetologia</i> , 2013, 56, 2477-2486.	2.9	20
175	Mechanistic Insights into Self-Reinforcing Processes Driving Abnormal Histogenesis During the Development of Pancreatic Cancer. <i>American Journal of Pathology</i> , 2013, 182, 1078-1086.	1.9	17
176	FGFR3 has tumor suppressor properties in cells with epithelial phenotype. <i>Molecular Cancer</i> , 2013, 12, 83.	7.9	37
177	TAp73 is required for macrophage-mediated innate immunity and the resolution of inflammatory responses. <i>Cell Death and Differentiation</i> , 2013, 20, 293-301.	5.0	26
178	PAP1/Reg3b dependant MAPK activation mediates pancreatic regeneration after partial pancreatectomy in mouse. <i>Journal of the American College of Surgeons</i> , 2013, 217, S19.	0.2	0
179	Development of an ELISA detecting Tumor Protein 53-Induced Nuclear Protein 1 in serum of prostate cancer patients. <i>Results in Immunology</i> , 2013, 3, 51-56.	2.2	5
180	Insights into the epigenetic mechanisms controlling pancreatic carcinogenesis. <i>Cancer Letters</i> , 2013, 328, 212-221.	3.2	72

#	ARTICLE	IF	CITATIONS
181	Vemurafenib Potently Induces Endoplasmic Reticulum Stress-mediated Apoptosis in BRAFV600E Melanoma Cells. <i>Science Signaling</i> , 2013, 6, ra7.	1.6	114
182	NUPR1 works against the metabolic stress-induced autophagy-associated cell death in pancreatic cancer cells. <i>Autophagy</i> , 2013, 9, 95-97.	4.3	22
183	Krüppel-like Factor 11 Regulates the Expression of Metabolic Genes via an Evolutionarily Conserved Protein Interaction Domain Functionally Disrupted in Maturity Onset Diabetes of the Young. <i>Journal of Biological Chemistry</i> , 2013, 288, 17745-17758.	1.6	31
184	Strengthened glycolysis under hypoxia supports tumor symbiosis and hexosamine biosynthesis in pancreatic adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3919-3924.	3.3	359
185	Reg3 ^Δ Deficiency Impairs Pancreatic Tumor Growth by Skewing Macrophage Polarization. <i>Cancer Research</i> , 2013, 73, 5682-5694.	0.4	51
186	Analysis of Germline Gene Copy Number Variants of Patients with Sporadic Pancreatic Adenocarcinoma Reveals Specific Variations. <i>Oncology</i> , 2013, 85, 306-311.	0.9	15
187	Meaning of tumor protein 53-induced nuclear protein 1 in the molecular mechanism of gemcitabine sensitivity. <i>Molecular and Clinical Oncology</i> , 2013, 1, 100-104.	0.4	2
188	Deciphering the Binding between Nupr1 and MSL1 and Their DNA-Repairing Activity. <i>PLoS ONE</i> , 2013, 8, e78101.	1.1	33
189	An N-terminally Truncated Mutant of Human Chemokine CXCL14 has Biological Activity. <i>Protein and Peptide Letters</i> , 2013, 20, 955-967.	0.4	2
190	The human <i>NUPR1/P8</i> gene is transcriptionally activated by transforming growth factor β^2 via the SMAD signalling pathway. <i>Biochemical Journal</i> , 2012, 445, 285-293.	1.7	29
191	Detailed Structural-Functional Analysis of the Krüppel-like Factor 16 (KLF16) Transcription Factor Reveals Novel Mechanisms for Silencing Sp/KLF Sites Involved in Metabolism and Endocrinology. <i>Journal of Biological Chemistry</i> , 2012, 287, 7010-7025.	1.6	37
192	New strategies and designs in pancreatic cancer research: consensus guidelines report from a European expert panel. <i>Annals of Oncology</i> , 2012, 23, 570-576.	0.6	69
193	Intestinally Secreted C-Type Lectin Reg3b Attenuates Salmonellosis but Not Listeriosis in Mice. <i>Infection and Immunity</i> , 2012, 80, 1115-1120.	1.0	91
194	Sequence-specific Recruitment of Heterochromatin Protein 1 via Interaction with Krüppel-like Factor 11, a Human Transcription Factor Involved in Tumor Suppression and Metabolic Diseases. <i>Journal of Biological Chemistry</i> , 2012, 287, 13026-13039.	1.6	47
195	Autophagy in Pancreatic Cancer. <i>International Journal of Cell Biology</i> , 2012, 2012, 1-7.	1.0	24
196	Krüppel-like Factor 11 Differentially Couples to Histone Acetyltransferase and Histone Methyltransferase Chromatin Remodeling Pathways to Transcriptionally Regulate Dopamine D2 Receptor in Neuronal Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 12723-12735.	1.6	36
197	Tie1 deficiency induces endothelial-mesenchymal transition. <i>EMBO Reports</i> , 2012, 13, 431-439.	2.0	41
198	Consequences of DJ-1 upregulation following p53 loss and cell transformation. <i>Oncogene</i> , 2012, 31, 664-670.	2.6	44

#	ARTICLE	IF	CITATIONS
199	Nupr1-Aurora Kinase A Pathway Provides Protection against Metabolic Stress-Mediated Autophagic-Associated Cell Death. <i>Clinical Cancer Research</i> , 2012, 18, 5234-5246.	3.2	63
200	Targeting heat shock factor 1 with a triazole nucleoside analog to elicit potent anticancer activity on drug-resistant pancreatic cancer. <i>Cancer Letters</i> , 2012, 318, 145-153.	3.2	56
201	Urinary levels of Hepatocarcinoma-intestine-pancreas/Pancreatitis-associated protein as a diagnostic biomarker in patients with bladder cancer. <i>BMC Urology</i> , 2012, 12, 24.	0.6	6
202	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
203	Current Knowledge on Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2012, 2, 6.	1.3	62
204	Nuclear protein 1 promotes pancreatic cancer development and protects cells from stress by inhibiting apoptosis. <i>Journal of Clinical Investigation</i> , 2012, 122, 2092-2103.	3.9	102
205	TP53INP1 overexpression in prostate cancer correlates with poor prognostic factors and is predictive of biological cancer relapse. <i>Prostate</i> , 2012, 72, 117-128.	1.2	19
206	TP53INP1 as new therapeutic target in castration-resistant prostate cancer. <i>Prostate</i> , 2012, 72, 1286-1294.	1.2	10
207	A Novel Bitriazolyl Acyclonucleoside Endowed with Dual Antiproliferative and Immunomodulatory Activity. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 5642-5646.	2.9	25
208	TP53INP1, a tumor suppressor, interacts with LC3 and ATG8-family proteins through the LC3-interacting region (LIR) and promotes autophagy-dependent cell death. <i>Cell Death and Differentiation</i> , 2012, 19, 1525-1535.	5.0	109
209	Homotypic cell cannibalism, a cell death process regulated by the nuclear protein 1, opposes to metastasis in pancreatic cancer. <i>EMBO Molecular Medicine</i> , 2012, 4, 964-979.	3.3	67
210	Validation of an immunohistochemical signature predictive of 8-year outcome for patients with breast carcinoma. <i>International Journal of Cancer</i> , 2012, 131, E236-43.	2.3	20
211	Targeting heat shock response pathways to treat pancreatic cancer. <i>Drug Discovery Today</i> , 2012, 17, 35-43.	3.2	40
212	An Efficient Mixed-Ligand Pd Catalytic System to Promote C-N Coupling for the Synthesis of Arylamino-triazole Nucleosides. <i>Chemistry - A European Journal</i> , 2012, 18, 2221-2225.	1.7	22
213	Pancreatic Cancer Genetics. , 2012, , 51-79.		0
214	Absence of Tumor Suppressor Tumor Protein 53-Induced Nuclear Protein 1 (TP53INP1) Sensitizes Mouse Thymocytes and Embryonic Fibroblasts to Redox-Driven Apoptosis. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 1639-1653.	2.5	29
215	OGX-427 inhibits tumor progression and enhances gemcitabine chemotherapy in pancreatic cancer. <i>Cell Death and Disease</i> , 2011, 2, e221-e221.	2.7	87
216	Protein kinase CK2 subunit over-expression correlates with metastatic risk in breast carcinomas: Quantitative immunohistochemistry in tissue microarrays. <i>European Journal of Cancer</i> , 2011, 47, 792-801.	1.3	61

#	ARTICLE	IF	CITATIONS
217	TP53INP1 decreases pancreatic cancer cell migration by regulating SPARC expression. <i>Oncogene</i> , 2011, 30, 3049-3061.	2.6	71
218	Effect of reactive oxygen and carbonyl species on crucial cellular antioxidant enzymes. <i>Chemico-Biological Interactions</i> , 2011, 190, 28-34.	1.7	25
219	Nupr1: The Swissâ€œknife of cancer. <i>Journal of Cellular Physiology</i> , 2011, 226, 1439-1443.	2.0	95
220	p8 Expression controls pancreatic cancer cell migration, invasion, adhesion, and tumorigenesis. <i>Journal of Cellular Physiology</i> , 2011, 226, 3442-3451.	2.0	42
221	Genome profiling of pancreatic adenocarcinoma. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 456-465.	1.5	107
222	Zymophagy, a Novel Selective Autophagy Pathway Mediated by VMP1-USP9x-p62, Prevents Pancreatic Cell Death*. <i>Journal of Biological Chemistry</i> , 2011, 286, 8308-8324.	1.6	174
223	Disruption of a Novel KrÃ¼ppel-like Transcription Factor p300-regulated Pathway for Insulin Biosynthesis Revealed by Studies of the c.-331 INS Mutation Found in Neonatal Diabetes Mellitus. <i>Journal of Biological Chemistry</i> , 2011, 286, 28414-28424.	1.6	72
224	Decreased metalloprotease 9 induction, cardiac fibrosis, and higher autophagy after pressure overload in mice lacking the transcriptional regulator p8. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C1046-C1056.	2.1	30
225	P8 Protein. , 2011, , 2752-2755.		0
226	Immunohistochemical profiling of node negative breast carcinomas allows prediction of metastatic risk. <i>International Journal of Oncology</i> , 2010, 36, 889-98.	1.4	4
227	Tumor Protein p53â€œinduced Nuclear Protein (TP53INP1) Expression in Medullary Thyroid Carcinoma: A Molecular Guide to the Optimal Extent of Surgery?. <i>World Journal of Surgery</i> , 2010, 34, 830-835.	0.8	10
228	N-Aryltriazole ribonucleosides with potent antiproliferative activity against drug-resistant pancreatic cancer. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2503-2507.	1.0	25
229	A novel arylethynyltriazole acyclonucleoside inhibits proliferation of drug-resistant pancreatic cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 5979-5983.	1.0	24
230	Heat shock protein 27 confers resistance to androgen ablation and chemotherapy in prostate cancer cells through eIF4E. <i>Oncogene</i> , 2010, 29, 1883-1896.	2.6	120
231	VAV2 regulates epidermal growth factor receptor endocytosis and degradation. <i>Oncogene</i> , 2010, 29, 2528-2539.	2.6	42
232	Masitinib Combined with Standard Gemcitabine Chemotherapy: In Vitro and In Vivo Studies in Human Pancreatic Tumour Cell Lines and Ectopic Mouse Model. <i>PLoS ONE</i> , 2010, 5, e9430.	1.1	62
233	Pancreatic Cancer: Molecular, Biochemical, Chemopreventive, and Therapeutic Aspects. <i>Scientific World Journal</i> , The, 2010, 10, 1967-1970.	0.8	4
234	Epithelial-to-Mesenchymal Transition in Pancreatic Adenocarcinoma. <i>Scientific World Journal</i> , The, 2010, 10, 1947-1957.	0.8	55

#	ARTICLE	IF	CITATIONS
235	Stress Proteins and Pancreatic Cancer Metastasis. <i>Scientific World Journal</i> , The, 2010, 10, 1958-1966.	0.8	13
236	Deficiency of the Transcriptional Regulator p8 Results in Increased Autophagy and Apoptosis, and Causes Impaired Heart Function. <i>Molecular Biology of the Cell</i> , 2010, 21, 1335-1349.	0.9	53
237	Stress-inducible Protein p8 Is Involved in Several Physiological and Pathological Processes. <i>Journal of Biological Chemistry</i> , 2010, 285, 1577-1581.	1.6	85
238	Hypoxia Induced Tumor Metabolic Switch Contributes to Pancreatic Cancer Aggressiveness. <i>Cancers</i> , 2010, 2, 2138-2152.	1.7	52
239	Novel combination of Celecoxib and proteasome inhibitor MG132 provides synergistic antiproliferative and proapoptotic effects in human liver tumor cells. <i>Cell Cycle</i> , 2010, 9, 1399-1410.	1.3	39
240	Ligand-Mediated Highly Effective and Selective C ^α -N Coupling for Synthesizing Bioactive N-Aryltriazole Acyclonucleosides. <i>Organic Letters</i> , 2010, 12, 5712-5715.	2.4	14
241	CIP4 is a new ArgBP2 interacting protein that modulates the ArgBP2 mediated control of WAVE1 phosphorylation and cancer cell migration. <i>Cancer Letters</i> , 2010, 288, 116-123.	3.2	21
242	Gemcitabine Induces the VMP1 -Mediated Autophagy Pathway to Promote Apoptotic Death in Human Pancreatic Cancer Cells. <i>Pancreatology</i> , 2010, 10, 19-26.	0.5	82
243	Differential Expression of Pancreatitis-Associated Protein and Thrombospondins in Arterial versus Venous Tissues. <i>Journal of Vascular Research</i> , 2009, 46, 551-560.	0.6	4
244	TP53INP2 is the new guest at the table of self-eating. <i>Autophagy</i> , 2009, 5, 383-384.	4.3	16
245	TRB3 links ER stress to autophagy in cannabinoid antitumoral action. <i>Autophagy</i> , 2009, 5, 1048-1049.	4.3	68
246	Tumor Protein 53 ^α -Induced Nuclear Protein 1 Is a Major Mediator of p53 Antioxidant Function. <i>Cancer Research</i> , 2009, 69, 219-226.	0.4	135
247	Cannabinoid action induces autophagy-mediated cell death through stimulation of ER stress in human glioma cells. <i>Journal of Clinical Investigation</i> , 2009, 119, 1359-1372.	3.9	585
248	The TP53INP2 Protein Is Required for Autophagy in Mammalian Cells. <i>Molecular Biology of the Cell</i> , 2009, 20, 870-881.	0.9	107
249	TAp73 regulates the spindle assembly checkpoint by modulating BubR1 activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 797-802.	3.3	113
250	Cu ^{II} -Mediated Selective C ^α -N Arylation of Aminotriazole Acyclonucleosides. <i>Helvetica Chimica Acta</i> , 2009, 92, 1503-1513.	1.0	20
251	PAMAM Dendrimers Mediate siRNA Delivery to Target Hsp27 and Produce Potent Antiproliferative Effects on Prostate Cancer Cells. <i>ChemMedChem</i> , 2009, 4, 1302-1310.	1.6	116
252	p8/nupr1 regulates DNA ^α -repair activity after double ^α -strand gamma irradiation ^α -induced DNA damage. <i>Journal of Cellular Physiology</i> , 2009, 221, 594-602.	2.0	46

#	ARTICLE	IF	CITATIONS
253	PAP1 signaling involves MAPK signal transduction. Cellular and Molecular Life Sciences, 2009, 66, 2195-2204.	2.4	14
254	Combined inhibition of PAK7, MAP3K7 and CK2± kinases inhibits the growth of MiaPaCa2 pancreatic cancer cell xenografts. Cancer Gene Therapy, 2009, 16, 731-740.	2.2	22
255	A Review of Kinases Implicated in Pancreatic Cancer. Pancreatology, 2009, 9, 738-754.	0.5	35
256	Mice Deficient for the Stress-Induced Transcriptional Regulator p8 Have a Decreased Metalloprotease 9 Induction and Cardiac Fibrosis after Transverse Aortic Constriction. Journal of Cardiac Failure, 2009, 15, S39-S40.	0.7	0
257	Autophagy and VMP1 Expression Are Early Cellular Events in Experimental Diabetes. Pancreatology, 2009, 9, 81-88.	0.5	27
258	MicroRNAs in Pancreatic Ductal Adenocarcinoma: New Diagnostic and Therapeutic Clues. Pancreatology, 2009, 9, 66-72.	0.5	18
259	Discovery of Novel Arylethynyltriazole Ribonucleosides with Selective and Effective Antiviral and Antiproliferative Activity. Journal of Medicinal Chemistry, 2009, 52, 1144-1155.	2.9	56
260	Novel Triazole Ribonucleoside Down-Regulates Heat Shock Protein 27 and Induces Potent Anticancer Activity on Drug-Resistant Pancreatic Cancer. Journal of Medicinal Chemistry, 2009, 52, 6083-6096.	2.9	95
261	Toll-like receptor 2 is critical for induction of Reg3A expression and intestinal clearance of Yersinia pseudotuberculosis. Gut, 2009, 58, 771-776.	6.1	93
262	DJ-1/PARK7 is an important mediator of hypoxia-induced cellular responses. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 1111-1116.	3.3	190
263	Identification of Genomic Alterations Associated with the Aggressiveness of Pancreatic Cancer Using an Ultra-High-Resolution CGH Array. Pancreatology, 2009, 9, 267-272.	0.5	7
264	Genetic alterations in precancerous pancreatic lesions and their clinical implications. Gastroenterologie Clinique Et Biologique, 2009, 33, 1028-1035.	0.9	11
265	Inhibition of Transforming Growth Factor Î² Signaling by Halofuginone as a Modality for Pancreas Fibrosis Prevention. Pancreas, 2009, 38, 427-435.	0.5	61
266	Inactivation of TIF1Î³ Cooperates with KrasG12D to Induce Cystic Tumors of the Pancreas. PLoS Genetics, 2009, 5, e1000575.	1.5	102
267	The reg4 Gene, Amplified in the Early Stages of Pancreatic Cancer Development, Is a Promising Therapeutic Target. PLoS ONE, 2009, 4, e7495.	1.1	26
268	Identification of multi-SH3 domain-containing protein interactome in pancreatic cancer: A yeast two-hybrid approach. Proteomics, 2008, 8, 3071-3081.	1.3	41
269	Early molecular and functional changes in colonic epithelium that precede increased gut permeability during colitis development in mdr1a(±/±) mice. Inflammatory Bowel Diseases, 2008, 14, 620-631.	0.9	45
270	TAp73 knockout shows genomic instability with infertility and tumor suppressor functions. Genes and Development, 2008, 22, 2677-2691.	2.7	378

#	ARTICLE	IF	CITATIONS
271	A novel mammalian trans-membrane protein reveals an alternative initiation pathway for autophagy. <i>Autophagy</i> , 2008, 4, 388-390.	4.3	48
272	ArgBP2-Dependent Signaling Regulates Pancreatic Cell Migration, Adhesion, and Tumorigenicity. <i>Cancer Research</i> , 2008, 68, 4588-4596.	0.4	48
273	Loss of the Protein NUPR1 (p8) Leads to Delayed LHB Expression, Delayed Ovarian Maturation, and Testicular Development of a Sertoli-Cell-Only Syndrome-Like Phenotype in Mice1. <i>Biology of Reproduction</i> , 2008, 79, 598-607.	1.2	20
274	The WSB1 Gene Is Involved in Pancreatic Cancer Progression. <i>PLoS ONE</i> , 2008, 3, e2475.	1.1	31
275	Experimental acute pancreatitis in PAP/HIP knock-out mice. <i>Gut</i> , 2007, 56, 1091-1097.	6.1	77
276	The Pancreatitis-induced Vacuole Membrane Protein 1 Triggers Autophagy in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 37124-37133.	1.6	186
277	Tumor protein 53-induced nuclear protein 1 expression is repressed by miR-155, and its restoration inhibits pancreatic tumor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16170-16175.	3.3	513
278	Colitis and Colitis-Associated Cancer Are Exacerbated in Mice Deficient for Tumor Protein 53-Induced Nuclear Protein 1. <i>Molecular and Cellular Biology</i> , 2007, 27, 2215-2228.	1.1	85
279	Pancreatitis-associated protein: From a lectin to an anti-inflammatory cytokine. <i>World Journal of Gastroenterology</i> , 2007, 13, 170.	1.4	52
280	Interaction of the stress protein p8 with Jab1 is required for Jab1-dependent p27 nuclear-to-cytoplasm translocation. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 284-289.	1.0	26
281	High level of tumour protein p53-induced nuclear protein 1 (TP53INP1) expression in anaplastic carcinoma of the thyroid. <i>Pathology</i> , 2006, 38, 545-547.	0.3	14
282	The stress-regulated protein p8 mediates cannabinoid-induced apoptosis of tumor cells. <i>Cancer Cell</i> , 2006, 9, 301-312.	7.7	299
283	Cell growth-dependent subcellular localization of p8. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 1066-1079.	1.2	33
284	Upregulation of the stress-associated gene p8 in mouse models of demyelination and in multiple sclerosis tissues. <i>Glia</i> , 2006, 53, 529-537.	2.5	21
285	p8 and Prothymosin Alpha : Unity is Strength. <i>Cell Cycle</i> , 2006, 5, 829-830.	1.3	17
286	p8 Is a New Target of Gemcitabine in Pancreatic Cancer Cells. <i>Clinical Cancer Research</i> , 2006, 12, 235-241.	3.2	92
287	Cannabinoids Induce Apoptosis of Pancreatic Tumor Cells via Endoplasmic Reticulum Stress-Related Genes. <i>Cancer Research</i> , 2006, 66, 6748-6755.	0.4	302
288	Pancreatitis-Associated Protein I Suppresses NF- κ B Activation through a JAK/STAT-Mediated Mechanism in Epithelial Cells. <i>Journal of Immunology</i> , 2006, 176, 3774-3779.	0.4	71

#	ARTICLE	IF	CITATIONS
289	Probing the human kinome for kinases involved in pancreatic cancer cell survival and gemcitabine resistance. <i>FASEB Journal</i> , 2006, 20, 1982-1991.	0.2	88
290	Regulation of apoptosis by the p8/prothymosin Δ complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2671-2676.	3.3	109
291	Peroxisome proliferator-activated receptor δ agonist reduces the severity of post-ERCP pancreatitis in rats. <i>World Journal of Gastroenterology</i> , 2006, 12, 6458.	1.4	24
292	Down-expression of tumor protein p53-induced nuclear protein 1 in human gastric cancer. <i>World Journal of Gastroenterology</i> , 2006, 12, 691.	1.4	60
293	Decreased expression of tumor protein p53-induced nuclear protein 1 (TP53INP1) in breast carcinoma. <i>Anticancer Research</i> , 2006, 26, 4391-5.	0.5	30
294	TP53INP1 is a novel p73 target gene that induces cell cycle arrest and cell death by modulating p73 transcriptional activity. <i>Oncogene</i> , 2005, 24, 8093-8104.	2.6	119
295	Inactivation of stress protein p8 increases murine carbon tetrachloride hepatotoxicity via preserved CYP2E1 activity. <i>Hepatology</i> , 2005, 42, 176-182.	3.6	51
296	Anti-inflammatory effects of pancreatitis associated protein in inflammatory bowel disease. <i>Gut</i> , 2005, 54, 1244-1253.	6.1	91
297	The multifunctional family of secreted proteins containing a C-type lectin-like domain linked to a short N-terminal peptide. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005, 1723, 8-18.	1.1	48
298	CIN85 regulates the ability of MEKK4 to activate the p38 MAP kinase pathway. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 808-814.	1.0	20
299	Gene expression profiling of tumours derived from rasV12/E1A-transformed mouse embryonic fibroblasts to identify genes required for tumour development. <i>Molecular Cancer</i> , 2005, 4, 4.	7.9	19
300	Expression of p8 protein in breast carcinoma; an inverse relationship with apoptosis. <i>Anticancer Research</i> , 2005, 25, 833-7.	0.5	26
301	Expression of p8 protein in medullary thyroid carcinoma. <i>Anticancer Research</i> , 2005, 25, 3419-23.	0.5	19
302	The Stress Response of the Exocrine Pancreas. <i>Digestive Diseases</i> , 2004, 22, 239-246.	0.8	22
303	p8 Improves Pancreatic Response to Acute Pancreatitis by Enhancing the Expression of the Anti-inflammatory Protein Pancreatitis-associated Protein I. <i>Journal of Biological Chemistry</i> , 2004, 279, 7199-7207.	1.6	113
304	Cloning of IP15, a pancreatitis-induced gene whose expression inhibits cell growth. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 1001-1009.	1.0	10
305	Expression of Vacuole Membrane Protein 1 (VMP1) in Spontaneous Chronic Pancreatitis in the WBN/Kob Rat. <i>Pancreas</i> , 2004, 29, 225-230.	0.5	16
306	Tumor protein p53-induced nuclear protein 1 (TP53INP1) in spontaneous chronic pancreatitis in the WBN/Kob rat: drug effects on its expression in the pancreas. <i>JOP: Journal of the Pancreas</i> , 2004, 5, 205-16.	1.5	6

#	ARTICLE	IF	CITATIONS
307	Overexpression of pancreatitis-associated protein (PAP) in human pancreatic ductal adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2003, 48, 459-464.	1.1	38
308	Mice with targeted disruption of p8 gene show increased sensitivity to lipopolysaccharide and DNA microarray analysis of livers reveals an aberrant gene expression response. <i>BMC Gastroenterology</i> , 2003, 3, 25.	0.8	42
309	The pancreatitis-associated protein induces lung inflammation in the rat through activation of TNF α expression in hepatocytes. <i>Journal of Pathology</i> , 2003, 199, 398-408.	2.1	29
310	Cdx1 homeobox gene during human colon cancer progression. <i>Oncogene</i> , 2003, 22, 7913-7921.	2.6	29
311	Antiinflammatory effect of PAP protein in human inflammatory bowel disease. <i>Gastroenterology</i> , 2003, 124, A319.	0.6	0
312	Gene expression profiling by DNA microarray analysis in mouse embryonic fibroblasts transformed by rasV12 mutated protein and the E1A oncogene. <i>Molecular Cancer</i> , 2003, 2, 19.	7.9	54
313	p8 inhibits the growth of human pancreatic cancer cells and its expression is induced through pathways involved in growth inhibition and repressed by factors promoting cell growth. <i>Molecular Cancer</i> , 2003, 2, 37.	7.9	47
314	Expression and cellular localization of p8 protein in thyroid neoplasms. <i>Cancer Letters</i> , 2003, 201, 237-244.	3.2	31
315	VMP1 expression correlates with acinar cell cytoplasmic vacuolization in arginine-induced acute pancreatitis. <i>Pancreatology</i> , 2003, 3, 69-74.	0.5	37
316	Developmental Regulation of Apolipoprotein B mRNA Editing Is an Autonomous Function of Small Intestine Involving Homeobox Gene Cdx1. <i>Journal of Biological Chemistry</i> , 2003, 278, 7600-7606.	1.6	17
317	TP53INP1s and Homeodomain-interacting Protein Kinase-2 (HIPK2) Are Partners in Regulating p53 Activity. <i>Journal of Biological Chemistry</i> , 2003, 278, 37722-37729.	1.6	140
318	Pancreatic changes in TNBS-induced colitis in mice. <i>Gastroenterologie Clinique Et Biologique</i> , 2003, 27, 895-900.	0.9	23
319	Assignment of tumor protein p53 induced nuclear protein 1 (TP53INP1) gene to human chromosome band 8q22 by in situ hybridization. <i>Cytogenetic and Genome Research</i> , 2002, 97, 140E-140E.	0.6	12
320	The HMG-I/Y-related Protein p8 Binds to p300 and Pax2trans-Activation Domain-interacting Protein to Regulate the trans-Activation Activity of the Pax2A and Pax2B Transcription Factors on the Glucagon Gene Promoter. <i>Journal of Biological Chemistry</i> , 2002, 277, 22314-22319.	1.6	61
321	Cloning and Expression of the Rat Vacuole Membrane Protein 1 (VMP1), a New Gene Activated in Pancreas with Acute Pancreatitis, Which Promotes Vacuole Formation. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 641-649.	1.0	81
322	The homeobox gene Cdx1 belongs to the p53 β -p21WAF β -Bcl-2 network in intestinal epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 607-615.	1.0	26
323	Different expression of HIP/PAP transcripts in human hepatoma cells. <i>Journal of Hepatology</i> , 2002, 36, 72.	1.8	0
324	p53-dependent expression of the stress-induced protein (SIP). <i>European Journal of Cell Biology</i> , 2002, 81, 294-301.	1.6	76

#	ARTICLE	IF	CITATIONS
325	p8-deficient fibroblasts grow more rapidly and are more resistant to adriamycin-induced apoptosis. <i>Oncogene</i> , 2002, 21, 1685-1694.	2.6	80
326	Nitric Oxide Supplementation Ameliorates Dextran Sulfate Sodium-Induced Colitis in Mice. <i>Laboratory Investigation</i> , 2002, 82, 597-608.	1.7	35
327	Effect of carboxamide derivative IS-741 on rat spontaneous chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 2002, 47, 139-147.	1.1	7
328	p8 is critical for tumour development induced by ras V12 mutated protein and E1A oncogene. <i>EMBO Reports</i> , 2002, 3, 165-170.	2.0	68
329	Expression of the Stress-Associated Protein p8 is a Requisite for Tumor Development. <i>International Journal of Gastrointestinal Cancer</i> , 2002, 31, 89-98.	0.4	16
330	Expression of HIP/PAP mRNA in Human Hepatoma Cell Lines. <i>Annals of the New York Academy of Sciences</i> , 2002, 963, 53-58.	1.8	9
331	Cdx1 promotes cellular growth of epithelial intestinal cells through induction of the secretory protein PAP I. <i>European Journal of Cell Biology</i> , 2001, 80, 156-163.	1.6	48
332	Effect of Camostat Mesilate on the Expression of Pancreatitis-Associated Protein (PAP), p8, and Cytokines in Rat Spontaneous Chronic Pancreatitis. <i>Pancreas</i> , 2001, 23, 134-140.	0.5	19
333	Transforming growth factor \hat{I}^2 -1 enhances Smad transcriptional activity through activation of p8 gene expression. <i>Biochemical Journal</i> , 2001, 357, 249.	1.7	34
334	Transforming growth factor \hat{I}^2 -1 enhances Smad transcriptional activity through activation of p8 gene expression. <i>Biochemical Journal</i> , 2001, 357, 249-253.	1.7	46
335	Pancreatitis Associated Protein I (PAP-I) Alters Adhesion and Motility of Human Melanocytes and Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2001, 116, 426-433.	0.3	12
336	P8 expression is induced in acinar cells during chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 2001, 46, 1640-1646.	1.1	13
337	Homeobox gene Cdx1 regulates Ras, Rho and PI3 kinase pathways leading to transformation and tumorigenesis of intestinal epithelial cells. <i>Oncogene</i> , 2001, 20, 4180-4187.	2.6	42
338	Expression of the stress-induced p8 mRNA is transiently activated after culture medium change. <i>European Journal of Cell Biology</i> , 2001, 80, 720-725.	1.6	51
339	Cloning and expression of the human p8, a nuclear protein with mitogenic activity. <i>FEBS Journal</i> , 2001, 259, 670-675.	0.2	83
340	Human p8 Is a HMG-I/Y-like Protein with DNA Binding Activity Enhanced by Phosphorylation. <i>Journal of Biological Chemistry</i> , 2001, 276, 2742-2751.	1.6	110
341	Molecular and Functional Characterization of the Stress-induced Protein (SIP) Gene and Its Two Transcripts Generated by Alternative Splicing. <i>Journal of Biological Chemistry</i> , 2001, 276, 44185-44192.	1.6	69
342	Reg-2 is a motoneuron neurotrophic factor and a signalling intermediate in the CNTF survival pathway. <i>Nature Cell Biology</i> , 2000, 2, 906-914.	4.6	140

#	ARTICLE	IF	CITATIONS
343	Lipopolysaccharide directly affects pancreatic acinar cells: implications on acute pancreatitis pathophysiology. <i>Digestive Diseases and Sciences</i> , 2000, 45, 915-926.	1.1	56
344	Pancreatic Acinar Cells Submitted to Stress Activate TNF- α Gene Expression. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 485-490.	1.0	28
345	Expression Profiling in Pancreas during the Acute Phase of Pancreatitis Using cDNA Microarrays. <i>Biochemical and Biophysical Research Communications</i> , 2000, 277, 660-667.	1.0	31
346	Overexpression of Cdx1 and Cdx2 Homeogenes Enhances Expression of the HLA-I in HT-29 Cells. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2000, 3, 271-276.	1.7	6
347	Cloning and Expression of the Mouse PIP49 (Pancreatitis Induced Protein 49) mRNA Which Encodes a New Putative Transmembrane Protein Activated in the Pancreas with Acute Pancreatitis. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2000, 4, 188-193.	1.7	8
348	Serum levels of pancreatitis associated protein (PAP) as an indicator of both localization and activity of Crohn's disease (CD). <i>Gastroenterology</i> , 2000, 118, A1338.	0.6	0
349	Oncogenic capacity of the Cdx1 homeotic gene. <i>Gastroenterology</i> , 2000, 118, A601.	0.6	0
350	CDX1 promotes cellular growth and increases resistance to apoptosis of epithelial intestinal cells through induction of the secretory protein PAP I. <i>Gastroenterology</i> , 2000, 118, A551.	0.6	0
351	P8 gene expression is induced in the acinar cells during chronic pancreatitis. <i>Gastroenterology</i> , 2000, 118, A428.	0.6	0
352	Tumor necrosis factor α triggers antiapoptotic mechanisms in rat pancreatic cells through pancreatitis-associated protein I activation. <i>Gastroenterology</i> , 2000, 119, 816-828.	0.6	121
353	Pancreatic damages in TNBS-induced colitis in mice. <i>Gastroenterology</i> , 2000, 118, A1142.	0.6	0
354	Cloning and expression of the rat VMP1 (vacuole membrane protein 1) mRNA, a new gene activated in pancreas with acute pancreatitis, which promotes vacuole formation. <i>Gastroenterology</i> , 2000, 118, A195.	0.6	0
355	pap, reg I? and reg I? mRNAs are concomitantly up-regulated during human colorectal carcinogenesis. , 1999, 81, 688-694.		63
356	PAP I Interacts with Itself, PAP II, PAP III, and Lithostathine/regI α . <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 1999, 2, 150-154.	1.7	13
357	Cdx1 promotes differentiation in a rat intestinal epithelial cell line. <i>Gastroenterology</i> , 1999, 117, 1326-1338.	0.6	113
358	Lipopolysaccharides Induce p8 mRNA Expression in Vivo and in Vitro. <i>Biochemical and Biophysical Research Communications</i> , 1999, 260, 686-690.	1.0	61
359	Structural and functional characterization of the mouse p8 gene: promotion of transcription by the CAAT-enhancer binding protein I α (C/EBP I α) and C/EBP I β trans-acting factors involves a C/EBP cis-acting element and other regions of the promoter. <i>Biochemical Journal</i> , 1999, 343, 377-383.	1.7	39
360	Structural and functional characterization of the mouse p8 gene: promotion of transcription by the CAAT-enhancer binding protein I α (C/EBP I α) and C/EBP I β trans-acting factors involves a C/EBP cis-acting element and other regions of the promoter. <i>Biochemical Journal</i> , 1999, 343, 377.	1.7	18

#	ARTICLE	IF	CITATIONS
361	Clusterin overexpression in rat pancreas during the acute phase of pancreatitis and pancreatic development. <i>FEBS Journal</i> , 1998, 254, 282-289.	0.2	33
362	The pancreatitis-associated protein is induced by free radicals in AR4-2J cells and confers cell resistance to apoptosis. <i>Gastroenterology</i> , 1998, 114, 808-816.	0.6	116
363	Overexpression of the PC3/TIS21/BTG2 mRNA Is Part of the Stress Response Induced by Acute Pancreatitis in Rats. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 562-565.	1.0	18
364	PAP Gene Transcription Induced by Cycloheximide in AR4-2J Cells Involves ADP-Ribosylation. <i>Biochemical and Biophysical Research Communications</i> , 1998, 251, 710-713.	1.0	13
365	Expression of the Cdx1 and Cdx2 Homeotic Genes Leads to Reduced Malignancy in Colon Cancer-derived Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 14030-14036.	1.6	149
366	Pancreatitis-Associated Protein Is Upregulated in Mouse Pancreas during Acute Pancreatitis. <i>Digestion</i> , 1998, 59, 186-191.	1.2	22
367	Acute-phase response of the rat pancreas protects against further aggression with severe necrotizing pancreatitis. <i>Critical Care Medicine</i> , 1998, 26, 887-894.	0.4	33
368	Cloning and Expression of the Rat p8 cDNA, a New Gene Activated in Pancreas during the Acute Phase of Pancreatitis, Pancreatic Development, and Regeneration, and Which Promotes Cellular Growth. <i>Journal of Biological Chemistry</i> , 1997, 272, 32360-32369.	1.6	195
369	The Pancreatitis-associated Protein I Promoter Allows Targeting to the Pancreas of a Foreign Gene, Whose Expression Is Up-regulated during Pancreatic Inflammation. <i>Journal of Biological Chemistry</i> , 1997, 272, 5800-5804.	1.6	28
370	Downregulation of IGF-I mRNA expression during postnatal pancreatic development and overexpression after subtotal pancreatectomy and acute pancreatitis in the rat pancreas. <i>Journal of Molecular Endocrinology</i> , 1997, 18, 233-242.	1.1	29
371	Characterization of a Silencer Regulatory Element in the Rat PAP I Gene Which Confers Tissue-Specific Expression and Is Promoter-Dependent. <i>Archives of Biochemistry and Biophysics</i> , 1997, 340, 111-116.	1.4	10
372	Cloning and Expression of the mRNA of Human Galectin-4, an S-type Lectin Down-Regulated in Colorectal Cancer. <i>FEBS Journal</i> , 1997, 248, 225-230.	0.2	71
373	Molecular cloning, sequencing and expression of the mRNA encoding human Cdx1 and Cdx2 homeobox. Down-regulation of Cdx1 and Cdx2 mRNA expression during colorectal carcinogenesis. <i>International Journal of Cancer</i> , 1997, 74, 35-44.	2.3	201
374	Induction of Lithostathine/regmRNA Expression by Serum from Rats with Acute Pancreatitis and Cytokines in Pancreatic Acinar AR-42J Cells. <i>Archives of Biochemistry and Biophysics</i> , 1996, 330, 129-132.	1.4	54
375	Effect of Antioxidants on Postoperative Hyperamylasemia in Coronary Bypass Surgery. <i>Pancreas</i> , 1996, 13, 236-240.	0.5	2
376	Presence of Pancreatitis-Associated Protein in Pancreatic Acinar Cells of Rats Treated with Chlorophenylalanine Methyl Ester. <i>Pancreas</i> , 1996, 13, 147-153.	0.5	6
377	Redifferentiation and apoptosis of pancreatic cells during acute pancreatitis. <i>International Journal of Gastrointestinal Cancer</i> , 1996, 20, 77-84.	0.4	32
378	Mechanism of PAP I gene induction during hepatocarcinogenesis: clinical implications. <i>British Journal of Cancer</i> , 1996, 74, 1767-1775.	2.9	16

#	ARTICLE	IF	CITATIONS
379	Increased serum pancreatitis associated protein (PAP) concentration after longterm alcohol consumption: further evidence for regular subclinical pancreatic damage after heavy drinking?. <i>Gut</i> , 1995, 36, 117-120.	6.1	21
380	Immunocytochemical localization of pancreatitis-associated protein in human small intestine. <i>Digestive Diseases and Sciences</i> , 1995, 40, 519-524.	1.1	41
381	Two transcripts are generated from the pancreatitis associated protein II gene by alternative splicing in the 5' untranslated region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1261, 272-274.	2.4	5
382	Cloning, sequencing and expression of the L5, L21, L27a, L28, S5, S9, S10 and S29 human ribosomal protein mRNAs. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1262, 64-68.	2.4	66
383	Pancreatitis-associated Protein I (PAP I), an Acute Phase Protein Induced by Cytokines. <i>Journal of Biological Chemistry</i> , 1995, 270, 22417-22421.	1.6	95
384	Developmental, Nutritional, and Hormonal Regulation of the Pancreatitis-Associated Protein I and III Gene Expression in the Rat Small Intestine. <i>Scandinavian Journal of Gastroenterology</i> , 1995, 30, 664-669.	0.6	13
385	The Acute Phase Reaction of the Exocrine Pancreas. <i>Digestion</i> , 1994, 55, 65-72.	1.2	64
386	Serum from Rats with Acute Pancreatitis Induces Expression of the PAP mRNA in the Pancreatic Acinar Cell Line Ar-42J. <i>Biochemical and Biophysical Research Communications</i> , 1994, 204, 238-243.	1.0	13
387	Molecular Cloning, Genomic Organization, and Chromosomal Localization of the Human Pancreatitis-Associated Protein (PAP) Gene. <i>Genomics</i> , 1994, 19, 108-114.	1.3	62
388	Rat Pancreatitis-Associated Protein Is Expressed in Relation to Severity of Experimental Pancreatitis. <i>Pancreas</i> , 1994, 9, 606-612.	0.5	29
389	Serum levels of pancreatitis-associated protein as indicators of the course of acute pancreatitis. <i>Gastroenterology</i> , 1994, 106, 728-734.	0.6	110
390	Rapid PCR cloning and sequence determination of the rat lithostathine gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1174, 99-102.	2.4	6
391	The pancreatitis associated protein III (PAP III), a new member of the PAP gene family. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1216, 329-331.	2.4	44
392	Identification of a second rat pancreatitis-associated protein. Messenger RNA cloning, gene structure, and expression during acute pancreatitis. <i>Biochemistry</i> , 1993, 32, 9236-9241.	1.2	51
393	Effects of Hypercholecystokinemia Produced by Pancreaticobiliary Diversion on Pancreatic Growth and Enzyme mRNA Levels in Starved Rats. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 311-314.	0.6	12
394	Acute Pancreatitis Is Not a Cause of Chronic Pancreatitis in the Absence of Residual Duct Strictures. <i>Pancreas</i> , 1993, 8, 354-357.	0.5	15
395	Lithostathine, an Inhibitor of CaCO ₃ Crystal Growth in Pancreatic Juice, Induces Bacterial Aggregation. <i>Pancreas</i> , 1993, 8, 597-601.	0.5	33
396	Expression of Genes Associated with Dedifferentiation and Cell Proliferation During Pancreatic Regeneration Following Acute Pancreatitis. <i>Pancreas</i> , 1992, 7, 712-718.	0.5	40

#	ARTICLE	IF	CITATIONS
397	Human pancreatitis-associated protein. Messenger RNA cloning and expression in pancreatic diseases.. Journal of Clinical Investigation, 1992, 90, 2284-2291.	3.9	115
398	Transcriptional regulation by cholecystokinin-pancreozymin in rat pancreas. Regulatory Peptides, 1991, 33, 165-173.	1.9	6
399	Changes in Gene Expression During Pancreatic Regeneration. Pancreas, 1991, 6, 150-156.	0.5	29
400	Changes in Growth and Pancreatic mRNA Concentrations During Postnatal Development of Rat Pancreas. Pancreas, 1990, 5, 421-426.	0.5	9
401	Time-Dependent Effect of Melatonin on Actin mRNA Levels and Incorporation of ³⁵ S-Methionine Into Actin and Proteins by the Rat Hypothalamus. Journal of Pineal Research, 1990, 9, 51-63.	3.4	6
402	Diurnal changes in actin mRNA levels and incorporation of ³⁵ S-methionine into actin in the rat hypothalamus. Cellular and Molecular Neurobiology, 1990, 10, 207-216.	1.7	7
403	Secretory pancreatic stone protein messenger RNA. Nucleotide sequence and expression in chronic calcifying pancreatitis.. Journal of Clinical Investigation, 1989, 84, 100-106.	3.9	99
404	Temporary Pseudochronic Lesions During the Recovery of Acute Necrohemorrhagic Pancreatitis in Rabbits. Pancreas, 1988, 3, 433-438.	0.5	13
405	Amylase and Chymotrypsinogen Synthesis and Secretion by the Anesthetized Rat Pancreas. Pancreas, 1987, 2, 578-583.	0.5	3
406	Localized Necrohemorrhagic Pancreatitis in the Rat after Pancreatic Interstitial Trypsin Injection. Digestion, 1986, 34, 68-77.	1.2	25
407	Newly Synthesized Amylase, Lipase and Serine Proteases Are Transported at Different Rates in Rat Pancreas. Digestion, 1986, 34, 178-184.	1.2	12
408	Limitation and challenges in using pancreatic cancerâ€derived organoids as a preclinical tool. Cancer Communications, 0, , .	3.7	0