## Pietro Battaglia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8053717/publications.pdf

Version: 2024-02-01

83 papers 2,087 citations

20 h-index 254184 43 g-index

87 all docs 87 docs citations

87 times ranked

2368 citing authors

#	Article	IF	CITATIONS
1	Microplastics in the bogue, Boops boops: A snapshot of the past from the southern Tyrrhenian Sea. Journal of Hazardous Materials, 2022, 424, 127669.	12.4	15
2	The waste collector: information from a pilot study on the interaction between the common octopus (Octopus vulgaris, Cuvier, 1797) and marine litter in bottom traps fishing and first evidence of plastic ingestion. Marine Pollution Bulletin, 2022, 174, 113185.	5 <b>.</b> 0	16
3	Fishing capacity in Southern Italy: An insight into the status and trends of the Campanian fishing fleet. Regional Studies in Marine Science, 2022, 49, 102102.	0.7	1
4	Snapshot of the Distribution and Biology of Alien Jellyfish Cassiopea andromeda (Forsskål, 1775) in a Mediterranean Touristic Harbour. Biology, 2022, 11, 319.	2.8	7
5	Neglected fishery data sources as indicators of preâ€industrial ecological properties of Mediterranean swordfish ( <i>Xiphias gladius</i> , Xiphiidae). Fish and Fisheries, 2022, 23, 829-846.	<b>5.</b> 3	2
6	When opportunistic predators interact with swordfish harpoon fishing activities: shark depredation over catches in the Strait of Messina (central Mediterranean Sea)., 2021, 88, 226-236.		6
7	Marine litter pollution associated with hydrothermal sites in the Aeolian archipelago (western) Tj ETQq1 1 0.784	314 rgBT 8.0	/Overlock 10 1
8	Age, Growth and Otolith Microstructure of the Spotted Lanternfish Myctophum punctatum Rafinesque 1810. Journal of Marine Science and Engineering, 2021, 9, 801.	2.6	6
9	Age and growth of pompano, Trachinotus ovatus, from the Strait of Messina (central Mediterranean) Tj ETQq $1\ 1$	0.78431	4 rgBT /Overlo
10	When nature continues to surprise: observations of the <i>hectocotylus</i> of <i>Argonauta argo</i> , Linnaeus 1758., 2021, 88, 980-986.		2
10		0.7	2
	argo < /i>, Linnaeus 1758. , 2021, 88, 980-986.	0.7	
11	argo , Linnaeus 1758. , 2021, 88, 980-986.  Non-indigenous cephalopods in the Mediterranean Sea. Acta Adriatica, 2021, 61, 113-134.  "New records of rare species in the Mediterranean Sea―(October 2021). Mediterranean Marine Science,		7
11 12	argo ⟨ /i >, Linnaeus 1758. , 2021, 88, 980-986.  Non-indigenous cephalopods in the Mediterranean Sea. Acta Adriatica, 2021, 61, 113-134.  "New records of rare species in the Mediterranean Sea―(October 2021). Mediterranean Marine Science, 2021, 22, 627.  New historical data for long-term swordfish ecological studies in the Mediterranean Sea. Earth	1.6	7
11 12 13	argo ⟨ /i >, Linnaeus 1758. , 2021, 88, 980-986.  Non-indigenous cephalopods in the Mediterranean Sea. Acta Adriatica, 2021, 61, 113-134.  "New records of rare species in the Mediterranean Sea―(October 2021). Mediterranean Marine Science, 2021, 22, 627.  New historical data for long-term swordfish ecological studies in the Mediterranean Sea. Earth System Science Data, 2021, 13, 5867-5877.  Consumption of mesopelagic prey in the Strait of Messina, an upwelling area of the central Mediterranean Sea: feeding behaviour of the blue jack mackerel Trachurus picturatus (Bowdich, 1825).	<b>1.6</b> 9.9	7 12 1
11 12 13	argo ⟨  i⟩, Linnaeus 1758., 2021, 88, 980-986.  Non-indigenous cephalopods in the Mediterranean Sea. Acta Adriatica, 2021, 61, 113-134.  "New records of rare species in the Mediterranean Sea―(October 2021). Mediterranean Marine Science, 2021, 22, 627.  New historical data for long-term swordfish ecological studies in the Mediterranean Sea. Earth System Science Data, 2021, 13, 5867-5877.  Consumption of mesopelagic prey in the Strait of Messina, an upwelling area of the central Mediterranean Sea: feeding behaviour of the blue jack mackerel Trachurus picturatus (Bowdich, 1825). Deep-Sea Research Part I: Oceanographic Research Papers, 2020, 155, 103158.  The last stage in the life history of the European conger eel Conger conger: a transformation before	1.6 9.9 1.4	7 12 1 12
11 12 13 14	Non-indigenous cephalopods in the Mediterranean Sea. Acta Adriatica, 2021, 61, 113-134.  "New records of rare species in the Mediterranean Sea―(October 2021). Mediterranean Marine Science, 2021, 22, 627.  New historical data for long-term swordfish ecological studies in the Mediterranean Sea. Earth System Science Data, 2021, 13, 5867-5877.  Consumption of mesopelagic prey in the Strait of Messina, an upwelling area of the central Mediterranean Sea: feeding behaviour of the blue jack mackerel Trachurus picturatus (Bowdich, 1825). Deep-Sea Research Part I: Oceanographic Research Papers, 2020, 155, 103158.  The last stage in the life history of the European conger eel Conger conger: a transformation before death. Journal of Fish Biology, 2020, 96, 533-538.  Characterization of seafloor litter on Mediterranean shallow coastal waters: Evidence from Dive	1.6 9.9 1.4	7 12 1 12

#	Article	IF	CITATIONS
19	Coupling Gastro-Intestinal Tract Analysis With an Airborne Contamination Control Method to Estimate Litter Ingestion in Demersal Elasmobranchs. Frontiers in Environmental Science, 2020, 8, .	3.3	13
20	When prey becomes killer: does a double lethal attack on a blue shark reveal a precise defensive strategy in young swordfish?. Journal of the Marine Biological Association of the United Kingdom, 2020, 100, 831-836.	0.8	5
21	First evidence of anticancer and antimicrobial activity in Mediterranean mesopelagic species. Scientific Reports, 2020, 10, 4929.	3.3	20
22	<strong>First record of <em>Dosima</em> <em>fascicularis</em> (Ellis &amp; Solander, 1786) </strong> <strong> (Crustacea, Cirripedia) in the Strait of Messina (Central Mediterranean) Tj ETQq0 0 0 rgBT /O</strong>	ver <b>las</b> k 10	Tf150 617 To
23	A new digestion approach for the extraction of microplastics from gastrointestinal tracts (GITs) of the common dolphinfish (Coryphaena hippurus) from the western Mediterranean Sea. Journal of Hazardous Materials, 2020, 397, 122794.	12.4	75
24	Vertical distribution and diel migration of zooplankton and micronekton in Polcevera submarine canyon of the Ligurian mesopelagic zone (NW Mediterranean Sea). Progress in Oceanography, 2020, 183, 102298.	3.2	8
25	The Unexploited Potential of Small-Scale Fisheries in Italy: Analysis and Perspectives on the Status and Resilience of a Neglected Fishery Sector. MARE Publication Series, 2020, , 191-211.	0.5	3
26	Evidence of a predation event on a tagged Mediterranean spearfish (Tetrapturus belone; Pisces,) Tj ETQq0 0 0 rg	BT/Overlo	ock <sub>1</sub> 10 Tf 50 <sup>(</sup>
27	Occurrence of Microplastics in the Gastrointestinal Tracts (GITs) of the Common Dolphinfish, Coryphaena Hippurus, from the Western Mediterranean Sea. Springer Water, 2020, , 240-244.	0.3	0
28	Colonization of floats from submerged derelict fishing gears by four protected species of deep-sea corals and barnacles in the Strait of Messina (central Mediterranean Sea). Marine Pollution Bulletin, 2019, 148, 61-65.	5.0	22
29	The genetic population structure of Thunnus thynnus (Linnaeus, 1758) in the Mediterranean Sea, a controversial issue. Journal of Applied Ichthyology, 2019, 35, 436-443.	0.7	1
30	Historical separation and present-day structure of common dolphinfish (Coryphaena hippurus) populations in the Atlantic Ocean and Mediterranean Sea. ICES Journal of Marine Science, 2019, 76, 1028-1038.	2.5	11
31	Historical separation and present-day structure of common dolphinfish (Coryphaena hippurus) populations in the Atlantic Ocean and Mediterranean Sea. ICES Journal of Marine Science, 2019, 76, 352-352.	2.5	0
32	Structure and ultrastructure study on photophores of the Madeira lanternfish, <i>Ceratoscopelus maderensis</i> (Lowe, 1839), Pisces: Myctophidae. Acta Zoologica, 2019, 100, 89-95.	0.8	3
33	Marine litter in an EBSA (Ecologically or Biologically Significant Area) of the central Mediterranean Sea: Abundance, composition, impact on benthic species and basis for monitoring entanglement. Environmental Pollution, 2018, 236, 405-415.	7.5	62
34	Few But Relatively Large Prey: Trophic Ecology of Chauliodus sloani (Pisces: Stomiidae) in Deep Waters of the Central Mediterranean Sea. Journal of Ichthyology, 2018, 58, 8-16.	0.5	16
35	Morphology and ontogenetic changes in otoliths of the mesopelagic fishes <i>Ceratoscopelus maderensis</i> (Myctophidae), <i>Vinciguerria attenuata</i> and <i>V</i> .Â <i>poweriae</i> (Phosichthyidae) from the Strait of Messina (Mediterranean Sea). Acta Zoologica, 2018, 99, 126-142.	0.8	16
36	Evolution, crisis and new scenarios of the Italian swordfish harpoon fishery. Regional Studies in Marine Science, 2018, 21, 94-101.	0.7	9

#	Article	IF	Citations
37	Anisakis spp. larvae in three mesopelagic and bathypelagic fish species of the central Mediterranean Sea. Parasitology International, 2018, 67, 23-28.	1.3	10
38	Bioindicators for monitoring marine litter ingestion and its impacts on Mediterranean biodiversity. Environmental Pollution, 2018, 237, 1023-1040.	7.5	255
39	Composition and abundance of benthic marine litter in a coastal area of the central Mediterranean Sea. Marine Pollution Bulletin, 2018, 136, 243-247.	5.0	54
40	Exceptional discovery of a shallow-water hydrothermal site in the SW area of Basiluzzo islet (Aeolian) Tj ETQq0	0 0 rgBT /0	Overlock 10 Tf
41	First record of the mesopelagic fish Diaphus dumerilii (Bleeker, 1856) in the Mediterranean Sea. Marine Biodiversity, 2017, 47, 585-588.	1.0	8
42	New data on morphology and ultrastructure of skin photophores in the deepâ€sea squid <i>Histioteuthis bonnellii</i> (Férussac, 1834), Cephalopoda: Histioteuthidae. Acta Zoologica, 2017, 98, 271-277.	0.8	5
43	Mediterranean banks in EBSA area: Hotspots of biodiversity under threat. Marine Environmental Research, 2017, 131, 57-68.	2.5	9
44	The impact of fisheries on vulnerable habitats: the case of trawling on circa-littoral grounds in the Strait of Sicily (central Mediterranean Sea). Marine Biology Research, 2017, 13, 1084-1094.	0.7	7
45	Influence of lunar phases, winds and seasonality on the stranding of mesopelagic fish in the Strait of Messina (Central Mediterranean Sea). Marine Ecology, 2017, 38, e12459.	1.1	26
46	Baseline data to characterize and manage the small-scale fishery (SSF) of an oncoming Marine Protected Area (Cape Milazzo, Italy) in the western Mediterranean Sea. Ocean and Coastal Management, 2017, 148, 231-244.	4.4	25
47	Are shipwrecks a real hazard for the ecosystem in the Mediterranean Sea?. Marine Pollution Bulletin, 2017, 124, 21-32.	5.0	12
48	Critical Inconsistencies in Early Implementations of the Marine Strategy Framework Directive and Common Fisheries Policy Objectives Hamper Policy Synergies in Fostering the Sustainable Exploitation of Mediterranean Fisheries Resources. Frontiers in Marine Science, 2017, 4, .	2.5	14
49	Recent records of swordfish attacks on harpoon vessels in the Sicilian waters (Mediterranean Sea). Acta Adriatica, 2017, 58, 147-156.	0.7	4
50	Unusual presence of Coryphaena hippurus Linnaeus, 1758 (Perciformes: Coryphaenidae) under an offshore oil platform in Southern Brazil. Journal of Coastal Life Medicine, 2017, 5, 239-241.	0.2	2
51	Diet and trophic ecology of the lanternfish Electrona risso (Cocco 1829) in the Strait of Messina (central Mediterranean Sea) and potential resource utilization from the Deep Scattering Layer (DSL). Journal of Marine Systems, 2016, 159, 100-108.	2.1	26
52	Swordfish monitoring by a GIS-based spatial and temporal distribution analysis on harpoon fishery data: A case of study in the central Mediterranean Sea. Fisheries Research, 2016, 183, 424-434.	1.7	20
53	The deep-water squid Octopoteuthis sicula RÃ $^{1}$ 4ppell, 1844 (Cephalopoda: Octopoteuthidae) as the single species of the genus occurring in the Mediterranean Sea. Marine Biology, 2016, 163, 1.	1.5	4
54	Diet and first documented data on plastic ingestion of <i>Trachinotus ovatus </i> L. 1758 (Pisces:) Tj ETQq0 0 0 83, 121-129.	rgBT /Over 0.6	lock 10 Tf 50 6 54

83, 121-129.

#	Article	IF	CITATIONS
55	PCB and OCP accumulation and evidence of hepatic alteration in the Atlantic bluefin tuna, T. thynnus, from the Mediterranean Sea. Marine Environmental Research, 2016, 121, 40-48.	2.5	87
56	Fish Distribution and Habitat Complexity on Banks of the Strait of Sicily (Central Mediterranean Sea) from Remotely-Operated Vehicle (ROV) Explorations. PLoS ONE, 2016, 11, e0167809.	2.5	35
57	Relationships between otolith size and fish length in some mesopelagic teleosts (Myctophidae,) Tj ETQq1 1 0.78	4314 rgBT 1.6	/gyerlock 10
58	The effect of shipwrecks on associated fish assemblages in the central Mediterranean Sea. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 17-24.	0.8	21
59	Cephalopod prey in the stomach contents of odontocete cetaceans stranded in the western Mediterranean Sea. Marine Biology Research, 2015, 11, 593-602.	0.7	16
60	First evidence of presence of plastic debris in stomach of large pelagic fish in the Mediterranean Sea. Marine Pollution Bulletin, 2015, 95, 358-361.	5.0	449
61	New records and underwater observation of the rare fish <i>Scorpaenodes arenai</i> (Osteichthyes:) Tj ETQq1 1 0 454-458.	0.784314 r 0.6	gBT /Overloo 7
62	The morphology of photophores in the garrick, cyclothone braueri (Family:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	462 <sub>.8</sub> Td (<	scp>G
63	Swordfish harpoon fishery in the Mediterranean Sea: Recent data to implement the Marine Strategy Framework Directive and the EcAp (Ecosystem Approach) process. Fisheries Research, 2015, 161, 191-199.	1.7	13
64	Fish community in a surf zone of the northern Sicilian coast (Mediterranean Sea): diversity and functional guild composition. Mediterranean Marine Science, 2015, 16, 502.	1.6	2
65	Diet of the spothead lanternfish <i>Diaphus metopoclampus</i> (Cocco, 1829) (Pisces: Myctophidae) in the central Mediterranean Sea. Italian Journal of Zoology, 2014, 81, 530-543.	0.6	18
66	A support to manage the swordfish ( <i>Xiphias gladius </i> Linnaeus, 1758) IUUF (illegal, unreported) Tj ETQq0 (2014, 30, 114-116.	0 rgBT /O 0.7	verlock 10 T 5
67	Feeding habits of juvenile fishes belonging to three medusivorous species (Centrolophidae and) Tj ETQq1 1 0.784	1314 rgBT 0.7	/Overlock 10 4
68	Feeding habits of the Atlantic bluefin tuna, Thunnus thynnus (L. 1758), in the central Mediterranean Sea (Strait of Messina). Helgoland Marine Research, 2013, 67, 97-107.	1.3	79
69	The effects of protection measures on fish assemblage in the Plemmirio marine reserve (Central) Tj ETQq1 1 0.78 2013, 79, 20-26.	4314 rgBT 1.6	/Overlock 1 14
70	Cephalopods in the diet of young-of-the-year bluefin tuna (Thunnus thynnusL. 1758, Pisces: Scombridae) from the southern Tyrrhenian Sea (central Mediterranean Sea). Italian Journal of Zoology, 2013, 80, 560-565.	0.6	13
71	Finding of Eretmophorus kleinenbergi (Moridae) in the central Mediterranean Sea 93 years after its previous record, with a first description of sagittae and fresh coloration. Marine Biodiversity Records, 2012, 5, .	1.2	2
72	Pelagic cephalopods of the central Mediterranean Sea determined by the analysis of the stomach content of large fish predators. Helgoland Marine Research, 2012, 66, 295-306.	1.3	42

#	Article	IF	CITATIONS
73	Trophic relationships among scorpaeniform fishes associated with gas platforms. Helgoland Marine Research, 2012, 66, 401-411.	1.3	9
74	Relationship between swordfish swimming behaviour and sea surface temperature in the central Mediterranean Sea during the reproductive period. Marine Biology Research, 2011, 7, 186-194.	0.7	8
75	Age and growth of pearly razorfish, Xyrichtys novacula (Linnaeus 1758), in the central Mediterranean Sea. Journal of Applied Ichthyology, 2010, 26, 410-415.	0.7	6
76	Age, growth and feeding habits of the bluemouth rockfish, Helicolenus dactylopterus dactylopterus (Delaroche 1809) in the central Mediterranean (southern Tyrrhenian Sea). Journal of Applied Ichthyology, 2010, 26, 583-591.	0.7	31
77	Swordfish (Xiphias gladius Linnaeus 1758) harpoon fishery: a method of evaluation of swordfish presence in the Strait of Messina (Central Mediterranean Sea). Journal of Applied Ichthyology, 2010, 26, 886-891.	0.7	4
78	Characterization of the artisanal fishery and its socio-economic aspects in the central Mediterranean Sea (Aeolian Islands, Italy). Fisheries Research, 2010, 102, 87-97.	1.7	77
79	Relationships between otolith size and fish size in some mesopelagic and bathypelagic species from the Mediterranean Sea (Strait of Messina, Italy). Scientia Marina, 2010, 74, 605-612.	0.6	82
80	Diet of Atlantic lizardfish, <em>Synodus saurus</em> (Linnaeus, 1758) (Pisces: Synodontidae) in the central Mediterranean Sea. Scientia Marina, 2009, 73, 369-376.	0.6	9
81	Feeding habits of the albacore tuna Thunnus alalunga (Perciformes, Scombridae) from central Mediterranean Sea. Marine Biology, 2008, 155, 113-120.	1.5	38
82	Age, growth, biological and ecological aspects of Remora osteochir (Echeneidae) in the Mediterranean Sea. Journal of the Marine Biological Association of the United Kingdom, 0, , 1-7.	0.8	2
83	New Data on the Stomiid Teleost Bathophilus nigerrimus from Mediterranean Waters. Journal of Ichthyology, 0, , .	0.5	O