

Letizia Sambri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8054283/publications.pdf>

Version: 2024-02-01

137
papers

5,413
citations

57758

44
h-index

95266

68
g-index

192
all docs

192
docs citations

192
times ranked

4579
citing authors

#	ARTICLE	IF	CITATIONS
1	Organocatalytic Asymmetric Friedel-Crafts Alkylation of Indoles with Simple α,β -Unsaturated Ketones. <i>Organic Letters</i> , 2007, 9, 1403-1405.	4.6	300
2	Conjugate Addition of Amines to α,β -Enones Promoted by $\text{CeCl}_3 \cdot 7\text{H}_2\text{O} \sim \text{NaI}$ System Supported in Silica Gel. <i>Journal of Organic Chemistry</i> , 2001, 66, 9052-9055.	3.2	166
3	Organocatalytic Asymmetric Hydrophosphination of α,β -Unsaturated Aldehydes. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4504-4506.	13.8	164
4	Asymmetric Iminium Ion Catalysis with a Novel Bifunctional Primary Amine Thiourea: Controlling Adjacent Quaternary and Tertiary Stereocenters. <i>Chemistry - A European Journal</i> , 2009, 15, 7846-7849.	3.3	159
5	The Michael Addition of Indoles to α,β -Unsaturated Ketones Catalyzed by $\text{CeCl}_3 \cdot 7\text{H}_2\text{O} \sim \text{NaI}$ Combination Supported on Silica Gel. <i>Journal of Organic Chemistry</i> , 2003, 68, 4594-4597.	3.2	150
6	Organocatalytic Asymmetric Conjugate Addition of 1,3-Dicarbonyl Compounds to Maleimides. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4966-4970.	13.8	147
7	Organocatalytic Asymmetric Sulfa-Michael Addition to α,β -Unsaturated Ketones. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 49-53.	4.3	145
8	Asymmetric Aminolysis of Aromatic Epoxides: A Facile Catalytic Enantioselective Synthesis of α -Amino Alcohols. <i>Organic Letters</i> , 2004, 6, 2173-2176.	4.6	116
9	Cerium(III) Chloride, a Novel Reagent for Nonaqueous Selective Conversion of Dioxolanes to Carbonyl Compounds. <i>Journal of Organic Chemistry</i> , 1997, 62, 4183-4184.	3.2	111
10	Quaternary Stereogenic Carbon Atoms in Complex Molecules by an Asymmetric, Organocatalytic, Triple-Cascade Reaction. <i>Chemistry - A European Journal</i> , 2008, 14, 4788-4791.	3.3	104
11	A Novel Route to the Vinyl Sulfide Nine-Membered Macrocyclic Moiety of Griseoviridin. <i>Journal of Organic Chemistry</i> , 2000, 65, 4553-4559.	3.2	98
12	Aminocatalytic Enantioselective Mannich Reaction of Aldehydes with In Situ Generated α -Cbz and α -Boc Imines. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8700-8702.	13.8	98
13	Applications of CeCl_3 as an Environmental Friendly Promoter in Organic Chemistry. <i>Chemical Reviews</i> , 2010, 110, 6104-6143.	47.7	95
14	Organocatalytic asymmetric hydrophosphination of nitroalkenes. <i>Chemical Communications</i> , 2007, , 722-724.	4.1	93
15	Organocatalytic Asymmetric α -Halogenation of 1,3-Dicarbonyl Compounds. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 6219-6222.	13.8	91
16	Efficient Preparation of 2-Indolyl-1-nitroalkane Derivatives Employing Nitroalkenes as Versatile Michael Acceptors: A New Practical Linear Approach to Alkyl 9H-Indolizino[4,3-b]carbazole-4-carboxylate. <i>Journal of Organic Chemistry</i> , 2005, 70, 1941-1944.	3.2	90
17	Perchloric Acid and Its Salts: Very Powerful Catalysts in Organic Chemistry. <i>Chemical Reviews</i> , 2010, 110, 3501-3551.	47.7	90
18	Asymmetric Catalytic Synthesis of Enantiopure N-Protected 1,2-Amino Alcohols. <i>Organic Letters</i> , 2004, 6, 3973-3975.	4.6	89

#	ARTICLE	IF	CITATIONS
19	A Simple Method for the Selective Deprotection of <i>p</i> -Methoxybenzyl Ethers by Cerium(III) Chloride Heptahydrate and Sodium Iodide. <i>Journal of Organic Chemistry</i> , 1999, 64, 5696-5699.	3.2	82
20	Zn(ClO ₄) ₂ ·6H ₂ O as a Powerful Catalyst for the Conversion of β -Ketoesters into β -Enamino Esters. <i>Synlett</i> , 2004, 2004, 0239-0242.	1.8	80
21	Organocatalytic Asymmetric α -Hydroxylation of α,β -Unsaturated Ketones. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 5492-5495.	2.4	79
22	Magnesium perchlorate as efficient Lewis acid for the Knoevenagel condensation between β -diketones and aldehydes. <i>Tetrahedron Letters</i> , 2008, 49, 2555-2557.	1.4	79
23	Zn(ClO ₄) ₂ ·6H ₂ O as a Powerful Catalyst for a Practical Acylation of Alcohols with Acid Anhydrides. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 4611-4617.	2.4	73
24	Unusual and Unexpected Reactivity of <i>t</i> -Butyl Dicarboxylate (Boc ₂ O) with Alcohols in the Presence of Magnesium Perchlorate. A New and General Route to <i>t</i> -Butyl Ethers. <i>Organic Letters</i> , 2005, 7, 427-430.	4.6	73
25	Iridium(III) Complexes with Phenyl-tetrazoles as Cyclometalating Ligands. <i>Inorganic Chemistry</i> , 2014, 53, 7709-7721.	4.0	72
26	A Lewis Acid-Mediated Protocol for the Protection of Aryl Amines as their Boc-Derivatives. <i>Synlett</i> , 2004, 2004, 1794-1798.	1.8	68
27	A Simple, Efficient, and General Method for the Conversion of Alcohols into Alkyl Iodides by a CeCl ₃ ·7H ₂ O/NaI System in Acetonitrile. <i>Journal of Organic Chemistry</i> , 2000, 65, 2830-2833.	3.2	66
28	The CeCl ₃ ·nH ₂ O/NaI System in Organic Synthesis: An Efficient Water Tolerant Lewis Acid Promoter. <i>Synlett</i> , 2003, 2003, 2101-2116.	1.8	64
29	<p>Surface-Modified Nanocellulose for Application in Biomedical Engineering and Nanomedicine: A Review</p>. <i>International Journal of Nanomedicine</i> , 2020, Volume 15, 9909-9937.	6.7	64
30	Selective Deprotection of N-Boc-Protected <i>t</i> -Butyl Ester Amino Acids by the CeCl ₃ ·7H ₂ O~NaI System in Acetonitrile. <i>Journal of Organic Chemistry</i> , 2001, 66, 4430-4432.	3.2	59
31	Reaction of Dicarboxylates with Carboxylic Acids Catalyzed by Weak Lewis Acids: General Method for the Synthesis of Anhydrides and Esters. <i>Synthesis</i> , 2007, 2007, 3489-3496.	2.3	57
32	Excited-State Engineering in Heteroleptic Ionic Iridium(III) Complexes. <i>Accounts of Chemical Research</i> , 2021, 54, 1492-1505.	15.6	57
33	Cerium(III) Chloride Catalyzed Michael Reaction of 1,3-Dicarbonyl Compounds and Enones in the Presence of Sodium Iodide Under Solvent-Free Conditions. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 617-620.	2.4	54
34	A Mild, Efficient, and Selective Method for the Desilylation of More Common Trialkylsilyl Ethers by Cerium(III) Chloride Heptahydrate and Sodium Iodide in Acetonitrile. <i>Synlett</i> , 1998, 1998, 209-211.	1.8	53
35	Reversed Stereochemical Control in the Presence of CeCl ₃ and TiCl ₄ in the Lewis Acid Mediated Reduction of α -Alkyl- β -keto Esters by Metal Hydrides. A General Methodology for the Diastereoselective Synthesis of <i>syn</i> - and <i>anti</i> - α -Alkyl- β -hydroxy Esters. <i>Journal of Organic Chemistry</i> , 1999, 64, 1986-1992.	3.2	53
36	Direct Catalytic Synthesis of Enantiopure 5-Substituted Oxazolidinones from Racemic Terminal Epoxides. <i>Organic Letters</i> , 2005, 7, 1983-1985.	4.6	53

#	ARTICLE	IF	CITATIONS
37	A Mesoionic Carbene as Neutral Ligand for Phosphorescent Cationic Ir(III) Complexes. <i>Inorganic Chemistry</i> , 2016, 55, 7912-7919.	4.0	51
38	Efficient Diastereoselective Syntheses of erythro- and threo-1,2-Alkyl-1,2-hydroxy Sulfones by Reductions of 1,2-Alkyl-1,2-keto Sulfones with TiCl ₄ /BH ₃ or LiEt ₃ BH/CeCl ₃ , Respectively. <i>Journal of Organic Chemistry</i> , 1998, 63, 3624-3630.	3.2	50
39	Extreme Tuning of Redox and Optical Properties of Cationic Cyclometalated Iridium(III) Isocyanide Complexes. <i>Organometallics</i> , 2013, 32, 460-467.	2.3	49
40	Ultrasound-promoted hydrogelation of terpyridine derivatives. <i>New Journal of Chemistry</i> , 2010, 34, 2093.	2.8	48
41	Highly Efficient Solvent-Free Condensation of Carboxylic Acids with Alcohols Catalysed by Zinc Perchlorate Hexahydrate, Zn(ClO ₄) ₂ ·6H ₂ O. <i>Advanced Synthesis and Catalysis</i> , 2005, 347, 33-38.	4.3	47
42	Deprotection of t-butyl dimethylsilyl ethers promoted by cerium(IV) triflate. <i>Tetrahedron Letters</i> , 2002, 43, 5945-5947.	1.4	46
43	LiClO ₄ acyl anhydrides complexes as powerful acylating reagents of aromatic compounds in solvent free conditions. <i>Tetrahedron Letters</i> , 2002, 43, 6331-6333.	1.4	46
44	Investigation into the Allylation Reactions of Aldehydes Promoted by the CeCl ₃ ·7H ₂ O·NaI System as a Lewis Acid. <i>Journal of Organic Chemistry</i> , 2004, 69, 1290-1297.	3.2	45
45	Photoredox radical conjugate addition of dithiane-2-carboxylate promoted by an iridium(III) phenyl-tetrazole complex: a formal radical methylation of Michael acceptors. <i>Chemical Science</i> , 2017, 8, 1613-1620.	7.4	45
46	An Efficient Procedure for the Preparation of (E)-1,2-Alkylidene cycloalkanones Mediated by a CeCl ₃ ·7H ₂ O·NaI System. <i>Novel Methodology for the Synthesis of (S)-Pulegone</i> . <i>Journal of Organic Chemistry</i> , 2002, 67, 9111-9114.	3.2	44
47	Alcohols and Di-tert-butyl Dicarbonate: How the Nature of the Lewis Acid Catalyst May Address the Reaction to the Synthesis of tert-Butyl Ethers. <i>Journal of Organic Chemistry</i> , 2006, 71, 9580-9588.	3.2	44
48	Controlling Stereoselectivity in the Aminocatalytic Enantioselective Mannich Reaction of Aldehydes with In Situ Generated N-Carbamoyl Imines. <i>Chemistry - A European Journal</i> , 2010, 16, 6069-6076.	3.3	44
49	Cerium(III) Chloride Promoted Nucleophilic Addition of Organolithium Reagents to 1,2-Alkyl-1,2-Ketophosphine Oxides: A New Protocol for the Synthesis of Stereochemically Defined Trisubstituted Olefins. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 2046-2048.	4.4	41
50	Photocatalytic Radical Alkylation of Electrophilic Olefins by Benzylic and Alkyl Zinc-Sulfonates. <i>ACS Catalysis</i> , 2017, 7, 5357-5362.	11.2	41
51	Anionic Cyclometalated Iridium(III) Complexes with a Bis-Tetrazolate Ancillary Ligand for Light-Emitting Electrochemical Cells. <i>Inorganic Chemistry</i> , 2017, 56, 10584-10595.	4.0	36
52	Click-Derived Triazolylidenes as Chelating Ligands: Achievement of a Neutral and Luminescent Iridium(III)-Triazolide Complex. <i>Inorganic Chemistry</i> , 2018, 57, 11673-11686.	4.0	35
53	A Stereoselective Synthesis of 1,2-Alkylidene Unsaturated Ketones Involving the Reactions of Organocerium Reagents with Secondary 1,2-Enamino Ketones. <i>Chemistry - A European Journal</i> , 1996, 2, 913-918.	3.3	33
54	Opposite Stereochemical Effects Exerted by CeCl ₃ and TiCl ₄ on the Lewis Acid Mediated Reduction of 1,2-Alkylidene Ketophosphine Oxides with Metallic Hydrides: A Highly Stereoselective Protocol for the Synthesis of syn and anti 1,2-Alkylidene Hydroxyphosphine Oxides. <i>Chemistry - A European Journal</i> , 1997, 3, 1941-1950.	3.3	32

#	ARTICLE	IF	CITATIONS
55	tert-Butyl Ethers: Renaissance of an Alcohol Protecting Group. Facile Cleavage with Cerium(III) Chloride/Sodium Iodide. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 905-910.	4.3	32
56	Zein as a versatile biopolymer: different shapes for different biomedical applications. <i>RSC Advances</i> , 2021, 11, 39004-39026.	3.6	32
57	Microwave-Assisted Synthesis of Functionalized Shvo-Type Complexes. <i>Organometallics</i> , 2014, 33, 2814-2819.	2.3	31
58	New nitrogen-rich heterocycles for organo-modified bentonites as flame retardant fillers in epoxy resin nanocomposites. <i>Polymer Engineering and Science</i> , 2017, 57, 621-630.	3.1	31
59	TiCl ₄ Mediated LiBH ₄ reduction of β -ketophosphine oxides: a high stereoselective route to the synthesis of anti- β -hydroxyphosphine oxides. <i>Tetrahedron Letters</i> , 1996, 37, 7421-7424.	1.4	29
60	Phosphorescent bio-based resin for digital light processing (DLP) 3D-printing. <i>Green Chemistry</i> , 2020, 22, 6212-6224.	9.0	29
61	Cerium chloride (III) promoted nucleophilic addition of organolithium reagents to β -diphenylphosphinoyl ketones. An efficient method for the synthesis of horner-wittig intermediates. <i>Tetrahedron Letters</i> , 1994, 35, 8453-8456.	1.4	28
62	Synthesis of α,β -Unsaturated Ketones via Cerium-Mediated Addition of Organolithiums to Silylated Enaminones. <i>Journal of Organic Chemistry</i> , 1998, 63, 3745-3747.	3.2	28
63	An Efficient Procedure for the Diastereoselective Dehydration of β -Hydroxy Carbonyl Compounds by CeCl ₃ ·7H ₂ O/NaI System. <i>Organic Letters</i> , 2000, 2, 1791-1793.	4.6	28
64	New Photosensitizers Based on Heteroleptic Cu I Complexes and CO ₂ Photocatalytic Reduction with [Ni II (cyclam)]Cl ₂ . <i>Chemistry - A European Journal</i> , 2020, 26, 9929-9937.	3.3	26
65	TiCl ₄ -Mediated Reduction of 1,3-Diketones with BH ₃ ·Pyridine Complex: A Highly Diastereoselective Method for the Synthesis of syn-1,3-Diols. <i>Organic Letters</i> , 2000, 2, 45-47.	4.6	25
66	Cerium(III) chloride mediated Michael addition of RMgX to nitroenes: A very efficient access to complex nitroalkanes. <i>Tetrahedron Letters</i> , 1994, 35, 8651-8654.	1.4	24
67	A new tetraarylcyclopentadienone based low molecular weight gelator: synthesis, self-assembly properties and anion recognition. <i>New Journal of Chemistry</i> , 2012, 36, 1469.	2.8	24
68	Introducing a New Family of Biotinylated Ir(III)-Pyridyltriazole Lumophores: Synthesis, Photophysics, and Preliminary Study of Avidin-Binding Properties. <i>Organometallics</i> , 2014, 33, 6154-6164.	2.3	24
69	Taking Up the Cudgels for Perchlorates: Uses and Applications in Organic Reactions under Mild Conditions. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 2037-2049.	2.4	23
70	The First Simple Method of Protection of Hydroxy Compounds as their O-Boc Derivatives under Lewis Acid Catalysis. <i>Synlett</i> , 2006, 2006, 2104-2108.	1.8	22
71	One-pot highly stereoselective reduction of β -keto amides to syn- β -aminols. <i>Tetrahedron Letters</i> , 2001, 42, 8811-8815.	1.4	19
72	Highly Stereoselective and Efficient Addition of Organocerium Reagents to syn- β -Alkyl- β -hydroxy- β -methyl Ketones by Way of Their Titanium Alkoxides - Synthesis of Complex 1,3-Diol Units with Three Stereodefined Centres. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 2901.	2.4	19

#	ARTICLE	IF	CITATIONS
73	A New, Mild, General and Efficient Route to Aryl Ethyl Carbonates in Solvent-Free Conditions Promoted by Magnesium Perchlorate. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 4429-4434.	2.4	18
74	Carbazole-terpyridine donor-acceptor luminophores. <i>RSC Advances</i> , 2013, 3, 6507.	3.6	18
75	Internal Lewis Acid Coordination as a Powerful Tool To Promote Highly Stereoselective Alkylation of α -Alkyl- β -Hydroxy Ketones with Grignard Reagents. <i>Chemistry - A European Journal</i> , 1998, 4, 2154-2161.	3.3	17
76	Mechanism and Extensibility of the Reaction. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 99-104.	2.4	17
77	Allylation of Aldehydes Promoted by the Cerium(III) Chloride Heptahydrate/Sodium Iodide System: the Dependence of Regio- and Stereocontrol on the Reaction Conditions. <i>Advanced Synthesis and Catalysis</i> , 2005, 347, 1673-1680.	4.3	17
78	Multicomponent Domino Reaction Promoted by $Mg(ClO_4)_2$: Highly Efficient Access to Functionalized 1,4-Dihydropyridines. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3970-3975.	2.4	17
79	Triple Click to Tripodal Triazole-Based Ligands - Synthesis and Characterization of Blue-Emitting Ce^{3+} Complexes. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2432-2439.	2.0	17
80	1-Methyl-1,4-cyclohexadiene as a Traceless Reducing Agent for the Synthesis of Catechols and Hydroquinones. <i>Journal of Organic Chemistry</i> , 2019, 84, 13655-13664.	3.2	17
81	Solvent-Free Carbon-Oxygen Bond Formation Catalysed by $CeCl_3 \cdot 7H_2O/NaI$: Tetrahydropyranlation of Hydroxy Groups. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 1476-1482.	2.4	16
82	A chelating diisocyanide ligand for cyclometalated $Ir(III)$ complexes with strong and tunable luminescence. <i>Faraday Discussions</i> , 2015, 185, 233-248.	3.2	16
83	The Role of the Stereogenic Center in the Control of Stereoselection in the Reduction of α -Alkyl- β -hydroxy Ketones: A Highly Diastereoselective Protocol for the Synthesis of 1,2-syn-2-Alkyl-1,3-diols. <i>Chemistry - A European Journal</i> , 2000, 6, 2590-2598.	3.3	15
84	Highly stereoselective titanium-mediated addition of organocerium reagents to β -keto amides: an efficient synthesis of stereodefined β -hydroxy amides having a tertiary alcoholic fragment. <i>Tetrahedron Letters</i> , 2001, 42, 6093-6096.	1.4	15
85	A Highly Diastereoselective $TiCl_4$ -Mediated Reduction of β -Hydroxy Ketones with $BH_3 \cdot py$: A Very Efficient and General Synthesis of syn-1,3-Diols. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 4679.	2.4	15
86	Addition of organocerium reagents to homoallyl alcohols. <i>Tetrahedron Letters</i> , 2001, 42, 8833-8835.	1.4	14
87	Hydrogen Transfer Activation via Stabilization of Coordinatively Vacant Sites: Tuning Long-Range π -System Electronic Interaction between $Ru(0)$ and NHC Pendants. <i>Organometallics</i> , 2019, 38, 1041-1051.	2.3	14
88	Synthesis of Ultrasmall Single-Crystal Gold-Silver Alloy Nanotriangles and Their Application in Photothermal Therapy. <i>Nanomaterials</i> , 2021, 11, 912.	4.1	14
89	Organocerium reagents in organic chemistry: General method of synthesis of alkyl substituted 1,3-diols by $RLi-CeCl_3$ addition to β -hydroxyketones. <i>Tetrahedron Letters</i> , 1996, 37, 2293-2296.	1.4	13
90	Reactivity of Organocerium Compounds with Allyl Alcohols. <i>Journal of Organic Chemistry</i> , 1998, 63, 9559-9560.	3.2	13

#	ARTICLE	IF	CITATIONS
91	An Efficient Diastereoselective Reduction of α -Alkyl- β -keto Carbonitriles with $\text{TiCl}_4/\text{BH}_3$ or $\text{LiBH}_4/\text{CeCl}_3$ to syn- or anti- α -Alkyl- β -hydroxy Carbonitriles. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 2971.	2.4	13
92	Lewis Acid-Mediated Diastereoselective Reduction of N-Protected β -Amino Ketones: Influence of the Nature of the Metal Atom and of the Nitrogen Protecting Group. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 2359-2366.	2.4	12
93	Iridium(III) Complexes with Fluorinated Phenyl-tetrazoles as Cyclometalating Ligands: Enhanced Excited-State Energy and Blue Emission. <i>Inorganic Chemistry</i> , 2020, 59, 16238-16250.	4.0	12
94	Carbazole-terpyridine Donor-Acceptor Dyads with Rigid π -Conjugated Bridges. <i>ChemPlusChem</i> , 2019, 84, 1353-1365.	2.8	11
95	Surface modification of nanocellulose through carbamate link for a selective release of chemotherapeutics. <i>Cellulose</i> , 2020, 27, 8503-8511.	4.9	11
96	Surface-Stabilization of Ultrathin Gold Nanowires for Capacitive Sensors in Flexible Electronics. <i>ACS Applied Nano Materials</i> , 2021, 4, 8668-8673.	5.0	11
97	Biocompatible pectin-based hybrid hydrogels for tissue engineering applications. <i>New Journal of Chemistry</i> , 2021, 45, 22386-22395.	2.8	11
98	1,2 asymmetric induction in the TiCl_4 mediated alkylation of α -methyl- β -silyloxy ketones with Grignard reagents. <i>Tetrahedron Letters</i> , 1997, 38, 3785-3788.	1.4	10
99	New heterometallic $\text{Ir(III)}_2\text{Eu(III)}$ complexes: white light emission from a single molecule. <i>Dalton Transactions</i> , 2015, 44, 37-40.	3.3	10
100	A new protocol for the synthesis of α,β -unsaturated 1,3-diketones. <i>Tetrahedron</i> , 1997, 53, 2585-2590.	1.9	9
101	A Simple Method for the Selective Deprotection of <i>p</i> -Methoxybenzyl Ethers by Cerium(III) Chloride Heptahydrate and Sodium Iodide. <i>Journal of Organic Chemistry</i> , 2000, 65, 4782-4782.	3.2	9
102	Magnesium Perchlorate as Efficient Lewis Acid: A Simple and Convenient Route to 1,4-Dihydropyridines. <i>Synlett</i> , 2007, 2007, 2897-2901.	1.8	9
103	Recent Developments on the Synthesis and Cleavage of <i>tert</i> -Butyl Ethers and Esters for Synthetic Purposes and Fuel Additive Uses. <i>Current Organic Synthesis</i> , 2012, 9, 137-148.	1.3	9
104	Itaconic-Acid-Based Sustainable Poly(ester amide) Resin for Stereolithography. <i>Macromolecules</i> , 2022, 55, 3087-3095.	4.8	8
105	Highly Diastereoselective Synthesis of β -Hydroxy Amides from β -Keto Amides. <i>Synthesis</i> , 2004, 2004, 3092-3096.	2.3	7
106	Luminescent methacrylic copolymers with side-chain cyclometalated iridium(III) complexes. <i>Dyes and Pigments</i> , 2019, 160, 188-197.	3.7	7
107	Group 14 Metalloles. Properties, Synthesis and Potential Applications: From Organic Electronics to Soft Materials. <i>Mini-Reviews in Organic Chemistry</i> , 2013, 10, 254-267.	1.3	7
108	Ce(III) -chloridunterstützte nucleophile Addition von Organolithiumreagentien an α -Alkyl- β -keto-phosphinoxide: eine neue Methode für die Synthese stereochemisch definierter trisubstituierter Olefine. <i>Angewandte Chemie</i> , 1995, 107, 2163-2164.	2.0	6

#	ARTICLE	IF	CITATIONS
109	Highly diastereoselective reduction of $\hat{1}\pm$ -alkyl- $\hat{1}^2$ -hydroxy ketones with sodium and lithium boron hydrides via their titanium alcoholates. <i>Tetrahedron Letters</i> , 1999, 40, 2845-2848.	1.4	6
110	Highly Stereoselective Reduction of $\hat{1}^2$ -Keto Amides: The First General and Efficient Approach to N-mono- and non-Substituted anti- $\hat{1}\pm$ -Alkyl $\hat{1}^2$ -Hydroxy Amides. <i>Synlett</i> , 2004, 2004, 73-76.	1.8	6
111	Hybrid cholesterol-based nanocarriers containing phosphorescent Ir complexes: in vitro imaging on glioblastoma cell line. <i>RSC Advances</i> , 2015, 5, 1091-1096.	3.6	6
112	4-Phenyl-1,2,3-triazoles as Versatile Ligands for Cationic Cyclometalated Iridium(III) Complexes. <i>Inorganic Chemistry</i> , 2022, 61, 8509-8520.	4.0	6
113	Blue-emitting bolaamphiphilic zwitterionic iridium($\langle scp \rangle iii \langle /scp \rangle$) complex. <i>Dalton Transactions</i> , 2019, 48, 3664-3670.	3.3	4
114	Solvent-Free Indoles Addition to Carbonyl Compounds Promoted by $CeCl_3 \cdot 7H_2O$ -NaI-SiO ₂ : An Efficient Method for the Synthesis of Streptindole. <i>Synthesis</i> , 2004, 2004, 895-900.	2.3	3
115	Recent Development about the Use of Pyrocarbonates as Activator in Organic Synthesis: A Review. <i>Current Organic Synthesis</i> , 2009, 6, 79-101.	1.3	3
116	Diastereoselective synthesis of tertiary alcohols by nucleophilic addition to $\hat{1}\pm$ -substituted- $\hat{1}^2$ -keto esters. <i>Arkivoc</i> , 2006, 2006, 49-58.	0.5	3
117	1.08 Organocerium Reagents. , 2014, , 267-277.		2
118	Organo-modified bentonites as new flame retardant fillers in epoxy resin nanocomposites. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	2
119	Phosphorescent iridium-containing nanomicelles: synthesis, characterization and preliminary applications in nanomedical imaging. <i>RSC Advances</i> , 2018, 8, 34162-34167.	3.6	2
120	Cerium(III) Chloride Catalyzed Michael Reaction of 1,3-Dicarbonyl Compounds and Enones in the Presence of Sodium Iodide Under Solvent-Free Conditions. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 617-620.	2.4	1
121	The Michael Addition of Indoles to $\hat{1}\pm, \hat{1}^2$ -Unsaturated Ketones Catalyzed by $CeCl_3 \cdot nH_2O$ -NaI Combination Supported on Silica Gel.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
122	An Efficient Procedure for the Preparation of (E)- $\hat{1}\pm$ -Alkylidenecycloalkanones Mediated by a $CeCl_3 \cdot nH_2O$ -NaI System. Novel Methodology for the Synthesis of (S)-(-)-Pulegone.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
123	The $CeCl_3 \cdot nH_2O$ /NaI System in Organic Synthesis: An Efficient Water Tolerant Lewis Acid Promoter. <i>ChemInform</i> , 2004, 35, no.	0.0	0
124	$Zn(ClO_4)_2 \cdot 6H_2O$ as a Powerful Catalyst for a Practical Acylation of Alcohols with Acid Anhydrides.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
125	Highly Stereoselective Reduction of $\hat{1}^2$ -Keto Amides: The First General and Efficient Approach to N-Mono- and Non-Substituted anti- $\hat{1}\pm$ -Alkyl $\hat{1}^2$ -Hydroxy Amides.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
126	$Zn(ClO_4)_2 \cdot 6H_2O$ as a Powerful Catalyst for the Conversion of $\hat{1}^2$ -Ketoesters into $\hat{1}^2$ -Enamino Esters.. <i>ChemInform</i> , 2004, 35, no.	0.0	0

#	ARTICLE	IF	CITATIONS
127	Investigation into the Allylation Reactions of Aldehydes Promoted by the CeCl ₃ ·7H ₂ O/Nal System as a Lewis Acid.. ChemInform, 2004, 35, no.	0.0	0
128	Asymmetric Aminolysis of Aromatic Epoxides: A Facile Catalytic Enantioselective Synthesis of anti-1,2-Amino Alcohols.. ChemInform, 2004, 35, no.	0.0	0
129	A Lewis Acid Mediated Protocol for the Protection of Aryl Amines as Their Boc-Derivatives.. ChemInform, 2005, 36, no.	0.0	0
130	Asymmetric Catalytic Synthesis of Enantiopure N-Protected 1,2-Amino Alcohols.. ChemInform, 2005, 36, no.	0.0	0
131	Highly Diastereoselective Synthesis of β -Hydroxy Amides from β -Keto Amides.. ChemInform, 2005, 36, no.	0.0	0
132	Unusual and Unexpected Reactivity of t-Butyl Dicarboxylate (Boc ₂ O) with Alcohols in the Presence of Magnesium Perchlorate. A New and General Route to t-Butyl Ethers.. ChemInform, 2005, 36, no.	0.0	0
133	Efficient Preparation of 2-Indolyl-1-nitroalkane Derivatives Employing Nitroalkenes as Versatile Michael Acceptors: New Practical Linear Approach to Alkyl 9H- β -Carboline-4-carboxylate.. ChemInform, 2005, 36, no.	0.0	0
134	Direct Catalytic Synthesis of Enantiopure 5-Substituted Oxazolidinones from Racemic Terminal Epoxides.. ChemInform, 2005, 36, no.	0.0	0
135	Organocatalytic Asymmetric α -Halogenation of 1,3-Dicarbonyl Compounds.. ChemInform, 2006, 37, no.	0.0	0
136	Organocatalytic Asymmetric α -Halogenation of 1,3-Dicarbonyl Compounds. Angewandte Chemie - International Edition, 2006, 45, 340-340.	13.8	0
137	Giuseppe Bartoli (1941-2020). Angewandte Chemie - International Edition, 2020, 59, 6962-6962.	13.8	0