

# Ayako Suzuki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8054338/publications.pdf>

Version: 2024-02-01

63  
papers

5,538  
citations

185998

28  
h-index

138251

58  
g-index

67  
all docs

67  
docs citations

67  
times ranked

7599  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex and gender: modifiers of health, disease, and medicine. <i>Lancet</i> , The, 2020, 396, 565-582.	6.3	955
2	Sex Differences in Nonalcoholic Fatty Liver Disease: State of the Art and Identification of Research Gaps. <i>Hepatology</i> , 2019, 70, 1457-1469.	3.6	547
3	Drug-induced liver injury. <i>Nature Reviews Disease Primers</i> , 2019, 5, 58.	18.1	409
4	Drug-induced liver injury: Interactions between drug properties and host factors. <i>Journal of Hepatology</i> , 2015, 63, 503-514.	1.8	319
5	The use of liver biopsy evaluation in discrimination of idiopathic autoimmune hepatitis versus drug-induced liver injury. <i>Hepatology</i> , 2011, 54, 931-939.	3.6	279
6	No Significant Effects of Ethyl-Eicosapentanoic Acid on Histologic Features of Nonalcoholic Steatohepatitis in a Phase 2 Trial. <i>Gastroenterology</i> , 2014, 147, 377-384.e1.	0.6	260
7	Hepatic gene expression profiles differentiate presymptomatic patients with mild versus severe nonalcoholic fatty liver disease. <i>Hepatology</i> , 2014, 59, 471-482.	3.6	256
8	Gender and menopause impact severity of fibrosis among patients with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2014, 59, 1406-1414.	3.6	250
9	DILrank: the largest reference drug list ranked by the risk for developing drug-induced liver injury in humans. <i>Drug Discovery Today</i> , 2016, 21, 648-653.	3.2	248
10	Chronological development of elevated aminotransferases in a nonalcoholic population. <i>Hepatology</i> , 2005, 41, 64-71.	3.6	177
11	Hyaluronic acid, an accurate serum marker for severe hepatic fibrosis in patients with non-alcoholic fatty liver disease.. <i>Liver International</i> , 2005, 25, 779-786.	1.9	176
12	Drugs Associated with Hepatotoxicity and their Reporting Frequency of Liver Adverse Events in Vigibase,ç. <i>Drug Safety</i> , 2010, 33, 503-522.	1.4	142
13	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016, 64, 85-91.	3.6	128
14	Nonalcoholic Steatohepatitis. <i>Annual Review of Medicine</i> , 2017, 68, 85-98.	5.0	119
15	Nonalcoholic Fatty Liver Disease in Women. <i>Women's Health</i> , 2009, 5, 191-203.	0.7	110
16	Sexual Dimorphism of NAFLD in Adults. Focus on Clinical Aspects and Implications for Practice and Translational Research. <i>Journal of Clinical Medicine</i> , 2020, 9, 1278.	1.0	86
17	Association Between Puberty and Features of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 786-794.	2.4	74
18	Light to Moderate Alcohol Consumption Is Associated With Lower Frequency of Hypertransaminasemia. <i>American Journal of Gastroenterology</i> , 2007, 102, 1912-1919.	0.2	67

#	ARTICLE	IF	CITATIONS
19	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 127-131.e2.	2.4	66
20	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013, 57, 1814-1825.	3.6	60
21	Increased Glutaminolysis Marks Active Scarring in Nonalcoholic Steatohepatitis Progression. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 1-21.	2.3	58
22	Values and limitations of serum aminotransferases in clinical trials of nonalcoholic steatohepatitis. <i>Liver International</i> , 2006, 26, 1209-1216.	1.9	55
23	Comedications alter drug-induced liver injury reporting frequency: Data mining in the WHO Vigibase. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 481-490.	1.3	46
24	Age-related differences in reporting of drug-associated liver injury: Data-mining of WHO Safety Report Database. <i>Regulatory Toxicology and Pharmacology</i> , 2014, 70, 519-526.	1.3	45
25	Genetic signatures in choline and carbon metabolism are associated with the severity of hepatic steatosis. <i>FASEB Journal</i> , 2013, 27, 1674-1689.	0.2	40
26	Interleukin-15 increases hepatic regenerative activity. <i>Journal of Hepatology</i> , 2006, 45, 410-418.	1.8	37
27	Low Testosterone Is Associated With Nonalcoholic Steatohepatitis and Fibrosis Severity in Men. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 400-402.e2.	2.4	37
28	Vitamin B12 and folate decrease inflammation and fibrosis in NASH by preventing syntaxin 17 homocysteinylation. <i>Journal of Hepatology</i> , 2022, 77, 1246-1255.	1.8	37
29	Characterizing phenotypes and outcomes of drug-associated liver injury using electronic medical record data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 190-198.	0.9	32
30	<i>APOL1</i> Risk Variants, Acute Kidney Injury, and Death in Participants With African Ancestry Hospitalized With COVID-19 From the Million Veteran Program. <i>JAMA Internal Medicine</i> , 2022, 182, 386.	2.6	31
31	Interplay of gender, age and drug properties on reporting frequency of drug-induced liver injury. <i>Regulatory Toxicology and Pharmacology</i> , 2018, 94, 101-107.	1.3	29
32	Identifying Nonalcoholic Fatty Liver Disease Advanced Fibrosis in the Veterans Health Administration. <i>Digestive Diseases and Sciences</i> , 2018, 63, 2259-2266.	1.1	26
33	Expression of mitochondrial membrane-linked SAB determines severity of sex-dependent acute liver injury. <i>Journal of Clinical Investigation</i> , 2019, 129, 5278-5293.	3.9	26
34	Sex Hormone Relations to Histologic Severity of Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3496-3504.	1.8	25
35	Testosterone is Associated With Nonalcoholic Steatohepatitis and Fibrosis in Premenopausal Women With NAFLD. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1267-1274.e1.	2.4	25
36	Hepatic Mitochondrial SAB Deletion or Knockdown Alleviates Diet-Induced Metabolic Syndrome, Steatohepatitis, and Hepatic Fibrosis. <i>Hepatology</i> , 2021, 74, 3127-3145.	3.6	24

#	ARTICLE	IF	CITATIONS
37	Formyl peptide receptor 2 determines sex-specific differences in the progression of nonalcoholic fatty liver disease and steatohepatitis. <i>Nature Communications</i> , 2022, 13, 578.	5.8	24
38	Elevated bilirubin, alkaline phosphatase at onset, and drug metabolism are associated with prolonged recovery from DILI. <i>Journal of Hepatology</i> , 2021, 75, 333-341.	1.8	23
39	Tools for causality assessment in drug-induced liver disease. <i>Current Opinion in Gastroenterology</i> , 2019, 35, 183-190.	1.0	22
40	Regional Anthropometric Measures and Hepatic Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2010, 8, 1062-1069.	2.4	21
41	Associations of gender and a proxy of female menopausal status with histological features of drug-induced liver injury. <i>Liver International</i> , 2017, 37, 1723-1730.	1.9	18
42	Tackling Nonalcoholic Fatty Liver Disease: Three Targeted Populations. <i>Hepatology</i> , 2021, 73, 1199-1206.	3.6	16
43	Nonalcoholic fatty liver disease: does sex matter?. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 164-166.	0.7	15
44	Association of Kidney Comorbidities and Acute Kidney Failure With Unfavorable Outcomes After COVID-19 in Individuals With the Sickle Cell Trait. <i>JAMA Internal Medicine</i> , 0, , .	2.6	15
45	Sex and Menopause Modify the Effect of Single Nucleotide Polymorphism Genotypes on Fibrosis in NAFLD. <i>Hepatology Communications</i> , 2021, 5, 598-607.	2.0	12
46	The influence of drug properties and host factors on delayed onset of symptoms in drug-induced liver injury. <i>Liver International</i> , 2018, 39, 401-410.	1.9	10
47	Mutational analysis of ATP7B and genotype-phenotype correlation in Japanese with Wilson's disease. <i>Human Mutation</i> , 2000, 15, 454.	1.1	10
48	Oral Tolerance and Pyruvate Dehydrogenase in Patients with Primary Biliary Cirrhosis. <i>Autoimmunity</i> , 2002, 9, 55-61.	0.6	7
49	Drug-Induced Liver Injury. <i>BioMed Research International</i> , 2017, 2017, 1-2.	0.9	7
50	COVID-19-Associated Mortality in US Veterans with and without SARS-CoV-2 Infection. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8486.	1.2	6
51	Serum aminotransferase changes with significant weight loss: sex and age effects. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 177-185.	1.5	5
52	Medications Associated with Lower Mortality in a SARS-CoV-2 Positive Cohort of 26,508 Veterans. <i>Journal of General Internal Medicine</i> , 2022, 37, 4144-4152.	1.3	5
53	A novel phenotype-based drug-induced liver injury causality assessment tool ( <scp>DILI-CAT</scp> ) allows for signal confirmation in early drug development. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1028-1037.	1.9	4
54	Reproductive Health and Nonalcoholic Fatty Liver Disease in Women: Considerations Across the Reproductive Lifespan. <i>Clinical Liver Disease</i> , 2020, 15, 219-222.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Drug properties and host factors contribute to biochemical presentation of drug-induced liver injury: a prediction model from a machine learning approach. <i>Archives of Toxicology</i> , 2021, 95, 1793-1803.	1.9	3
56	Proton-pump inhibitor use is not associated with severe COVID-19-related outcomes: a propensity score-weighted analysis of a national veteran cohort. <i>Gut</i> , 2022, 71, 1447-1450.	6.1	3
57	Should nonalcoholic fatty liver disease be treated differently in elderly patients?. <i>Nature Reviews Gastroenterology &amp; Hepatology</i> , 2005, 2, 208-209.	1.7	2
58	A Pilot Study: No Therapeutic Effect of L-Alanine in Patients with Nonalcoholic Steatohepatitis. <i>Food and Nutrition Sciences (Print)</i> , 2010, 01, 67-73.	0.2	2
59	Statin Therapy Decreases Risk of Hepatic Steatosis and Lobular Inflammation in Patients with Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2010, 105, S116.	0.2	1
60	REPLY:. <i>Hepatology</i> , 2021, 73, 1625-1625.	3.6	0
61	The Association of Serum Thyroid Hormone Levels and Hepatic Gene Expression of Potential Regulators of Intracellular Thyroid Hormone Concentration with Severity of Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2012, 107, S193.	0.2	0
62	Interaction of Vitamin D and Corticosteroid Use in Hospitalized COVID-19 Patients: A Potential Explanation for Inconsistent Findings in the Literature. <i>Current Pharmaceutical Design</i> , 2022, 28, .	0.9	0
63	Abstract 20174: Impact of Entrance Examination on Development of Nonalcoholic Fatty Liver Disease in New University Students. <i>Circulation</i> , 2015, 132, .	1.6	0