

Ayako Suzuki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8054338/ayako-suzuki-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56

papers

3,247

citations

26

h-index

56

g-index

67

ext. papers

4,546

ext. citations

8.1

avg, IF

5.48

L-index

#	Paper	IF	Citations
56	APOL1 Risk Variants, Acute Kidney Injury, and Death in Participants With African Ancestry Hospitalized With COVID-19 From the Million Veteran Program.. <i>JAMA Internal Medicine</i> , 2022 ,	11.5	2
55	Formyl peptide receptor 2 determines sex-specific differences in the progression of nonalcoholic fatty liver disease and steatohepatitis.. <i>Nature Communications</i> , 2022 , 13, 578	17.4	0
54	A novel phenotype-based drug-induced liver injury causality assessment tool (DILI-CAT) allows for signal confirmation in early drug development.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 ,	6.1	2
53	Proton-pump inhibitor use is not associated with severe COVID-19-related outcomes: a propensity score-weighted analysis of a national veteran cohort. <i>Gut</i> , 2021 ,	19.2	0
52	Drug properties and host factors contribute to biochemical presentation of drug-induced liver injury: a prediction model from a machine learning approach. <i>Archives of Toxicology</i> , 2021 , 95, 1793-1803 ^{5.8}	5.8	2
51	Testosterone is Associated With Nonalcoholic Steatohepatitis and Fibrosis in Premenopausal Women With NAFLD. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1267-1274.e1	6.9	4
50	REPLY. <i>Hepatology</i> , 2021 , 73, 1625	11.2	
49	Tackling Nonalcoholic Fatty Liver Disease: Three Targeted Populations. <i>Hepatology</i> , 2021 , 73, 1199-1206	11.2	9
48	Low Testosterone Is Associated With Nonalcoholic Steatohepatitis and Fibrosis Severity in Men. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 400-402.e2	6.9	15
47	Hepatic Mitochondrial SAB Deletion or Knockdown Alleviates Diet-Induced Metabolic Syndrome, Steatohepatitis, and Hepatic Fibrosis. <i>Hepatology</i> , 2021 , 74, 3127-3145	11.2	1
46	Elevated bilirubin, alkaline phosphatase at onset, and drug metabolism are associated with prolonged recovery from DILI. <i>Journal of Hepatology</i> , 2021 , 75, 333-341	13.4	6
45	COVID-19-Associated Mortality in US Veterans with and without SARS-CoV-2 Infection. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
44	Sex and Menopause Modify the Effect of Single Nucleotide Polymorphism Genotypes on Fibrosis in NAFLD. <i>Hepatology Communications</i> , 2021 , 5, 598-607	6	2
43	Sexual Dimorphism of NAFLD in Adults. Focus on Clinical Aspects and Implications for Practice and Translational Research. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	45
42	Increased Glutaminolysis Marks Active Scarring in Nonalcoholic Steatohepatitis Progression. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020 , 10, 1-21	7.9	20
41	Reproductive Health and Nonalcoholic Fatty Liver Disease in Women: Considerations Across the Reproductive Lifespan. <i>Clinical Liver Disease</i> , 2020 , 15, 219-222	2.2	1
40	Sex Hormone Relations to Histologic Severity of Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	10

39	Sex and gender: modifiers of health, disease, and medicine. <i>Lancet, The</i> , 2020 , 396, 565-582	40	347
38	Drug-induced liver injury. <i>Nature Reviews Disease Primers</i> , 2019 , 5, 58	51.1	148
37	Sex Differences in Nonalcoholic Fatty Liver Disease: State of the Art and Identification of Research Gaps. <i>Hepatology</i> , 2019 , 70, 1457-1469	11.2	238
36	Expression of mitochondrial membrane-linked SAB determines severity of sex-dependent acute liver injury. <i>Journal of Clinical Investigation</i> , 2019 , 129, 5278-5293	15.9	13
35	Tools for causality assessment in drug-induced liver disease. <i>Current Opinion in Gastroenterology</i> , 2019 , 35, 183-190	3	16
34	The influence of drug properties and host factors on delayed onset of symptoms in drug-induced liver injury. <i>Liver International</i> , 2019 , 39, 401-410	7.9	9
33	Interplay of gender, age and drug properties on reporting frequency of drug-induced liver injury. <i>Regulatory Toxicology and Pharmacology</i> , 2018 , 94, 101-107	3.4	16
32	Identifying Nonalcoholic Fatty Liver Disease Advanced Fibrosis in the Veterans Health Administration. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 2259-2266	4	19
31	Associations of gender and a proxy of female menopausal status with histological features of drug-induced liver injury. <i>Liver International</i> , 2017 , 37, 1723-1730	7.9	16
30	Nonalcoholic Steatohepatitis. <i>Annual Review of Medicine</i> , 2017 , 68, 85-98	17.4	74
29	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 127-131.e2	6.9	38
28	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016 , 64, 85-91	11.2	87
27	DILIrank: the largest reference drug list ranked by the risk for developing drug-induced liver injury in humans. <i>Drug Discovery Today</i> , 2016 , 21, 648-53	8.8	132
26	Drug-induced liver injury: Interactions between drug properties and host factors. <i>Journal of Hepatology</i> , 2015 , 63, 503-14	13.4	231
25	Comedications alter drug-induced liver injury reporting frequency: Data mining in the WHO VigiBase. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 72, 481-90	3.4	29
24	Hepatic gene expression profiles differentiate presymptomatic patients with mild versus severe nonalcoholic fatty liver disease. <i>Hepatology</i> , 2014 , 59, 471-82	11.2	188
23	Age-related differences in reporting of drug-associated liver injury: data-mining of WHO Safety Report Database. <i>Regulatory Toxicology and Pharmacology</i> , 2014 , 70, 519-26	3.4	35
22	No significant effects of ethyl-eicosapentanoic acid on histologic features of nonalcoholic steatohepatitis in a phase 2 trial. <i>Gastroenterology</i> , 2014 , 147, 377-84.e1	13.3	212

21	Gender and menopause impact severity of fibrosis among patients with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2014 , 59, 1406-14	11.2	162
20	Genetic signatures in choline and 1-carbon metabolism are associated with the severity of hepatic steatosis. <i>FASEB Journal</i> , 2013 , 27, 1674-89	0.9	32
19	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013 , 57, 1814-25	11.2	46
18	Characterizing phenotypes and outcomes of drug-associated liver injury using electronic medical record data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 190-8	2.6	24
17	Association between puberty and features of nonalcoholic fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012 , 10, 786-94	6.9	44
16	The use of liver biopsy evaluation in discrimination of idiopathic autoimmune hepatitis versus drug-induced liver injury. <i>Hepatology</i> , 2011 , 54, 931-9	11.2	199
15	Regional anthropometric measures and hepatic fibrosis in patients with nonalcoholic Fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 1062-9	6.9	16
14	Drugs associated with hepatotoxicity and their reporting frequency of liver adverse events in VigiBase: unified list based on international collaborative work. <i>Drug Safety</i> , 2010 , 33, 503-22	5.1	110
13	Serum aminotransferase changes with significant weight loss: sex and age effects. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 177-85	12.7	4
12	A Pilot Study: No Therapeutic Effect of L-Alanine in Patients with Nonalcoholic Steatohepatitis. <i>Food and Nutrition Sciences (Print)</i> , 2010 , 01, 67-73	0.4	2
11	Nonalcoholic fatty liver disease in women. <i>Women's Health</i> , 2009 , 5, 191-203	3	95
10	Light to moderate alcohol consumption is associated with lower frequency of hypertransaminasemia. <i>American Journal of Gastroenterology</i> , 2007 , 102, 1912-9	0.7	56
9	Interleukin-15 increases hepatic regenerative activity. <i>Journal of Hepatology</i> , 2006 , 45, 410-8	13.4	34
8	Values and limitations of serum aminotransferases in clinical trials of nonalcoholic steatohepatitis. <i>Liver International</i> , 2006 , 26, 1209-16	7.9	46
7	Hyaluronic acid, an accurate serum marker for severe hepatic fibrosis in patients with non-alcoholic fatty liver disease. <i>Liver International</i> , 2005 , 25, 779-86	7.9	143
6	Chronological development of elevated aminotransferases in a nonalcoholic population. <i>Hepatology</i> , 2005 , 41, 64-71	11.2	149
5	Should nonalcoholic fatty liver disease be treated differently in elderly patients?. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2005 , 2, 208-9		2
4	Oral tolerance and pyruvate dehydrogenase in patients with primary biliary cirrhosis. <i>Autoimmunity</i> , 2002 , 9, 55-61		4

3	Mutational analysis of ATP7B and genotype-phenotype correlation in Japanese with Wilson's disease 2000 , 15, 454	5
2	A Novel Computer-Assisted Drug-Induced Liver Injury Causality Assessment Tool (DILI-CAT)	1
1	Unravelling Sex Differences in Drug-Induced Liver Injury	1