

Miao Long

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/805477/publications.pdf>

Version: 2024-02-01

60
papers

1,928
citations

230014

27
h-index

325983

40
g-index

60
all docs

60
docs citations

60
times ranked

2080
citing authors

#	ARTICLE	IF	CITATIONS
1	Antifungal and mycotoxin detoxification ability of essential oils: A review. <i>Phytotherapy Research</i> , 2022, 36, 62-72.	2.8	22
2	<i>Bacillus coagulans</i> TL3 Inhibits LPS-Induced Caecum Damage in Rat by Regulating the TLR4/MyD88/NF- κ B and Nrf2 Signal Pathways and Modulating Intestinal Microflora. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-20.	1.9	6
3	MicroRNA regulates the toxicological mechanism of four mycotoxins in vivo and in vitro. <i>Journal of Animal Science and Biotechnology</i> , 2022, 13, 37.	2.1	8
4	Limitations of Phage Therapy and Corresponding Optimization Strategies: A Review. <i>Molecules</i> , 2022, 27, 1857.	1.7	17
5	Isolation, Purification, and Characterization of a Laccase-Degrading Aflatoxin B1 from <i>Bacillus amyloliquefaciens</i> B10. <i>Toxins</i> , 2022, 14, 250.	1.5	10
6	<i>Bacillus velezensis</i> A2 Inhibited the Cecal Inflammation Induced by Zearalenone by Regulating Intestinal Flora and Short-Chain Fatty Acids. <i>Frontiers in Nutrition</i> , 2022, 9, 806115.	1.6	9
7	An update on immunotoxicity and mechanisms of action of six environmental mycotoxins. <i>Food and Chemical Toxicology</i> , 2022, 163, 112895.	1.8	39
8	Procyanidins inhibit zearalenone-induced apoptosis and oxidative stress of porcine testis cells through activation of Nrf2 signaling pathway. <i>Food and Chemical Toxicology</i> , 2022, 165, 113061.	1.8	11
9	Complete Genome Sequence of Zearalenone Degrading Bacteria <i>Bacillus velezensis</i> A2. <i>Current Microbiology</i> , 2021, 78, 347-350.	1.0	3
10	Aflatoxin Detoxification Using Microorganisms and Enzymes. <i>Toxins</i> , 2021, 13, 46.	1.5	52
11	Fumonisin B1: Mechanisms of toxicity and biological detoxification progress in animals. <i>Food and Chemical Toxicology</i> , 2021, 149, 111977.	1.8	51
12	<i>Bacillus amyloliquefaciens</i> B10 can alleviate liver apoptosis and oxidative stress induced by aflatoxin B1. <i>Food and Chemical Toxicology</i> , 2021, 151, 112124.	1.8	42
13	Activity and Mechanism of Action of Antifungal Peptides from Microorganisms: A Review. <i>Molecules</i> , 2021, 26, 3438.	1.7	40
14	<i>Bacillus amyloliquefaciens</i> B10 can alleviate aflatoxin B1-induced kidney oxidative stress and apoptosis in mice. <i>Ecotoxicology and Environmental Safety</i> , 2021, 218, 112286.	2.9	23
15	Zearalenone promotes apoptosis of mouse Leydig cells by targeting phosphatase and tensin homolog and thus inhibiting the PI3K/AKT signal pathway. <i>Environmental Science and Pollution Research</i> , 2021, 28, 67779-67787.	2.7	5
16	The Interaction Between Viruses and Intestinal Microbiota: A Review. <i>Current Microbiology</i> , 2021, 78, 3597-3608.	1.0	14
17	Research Progress on Fumonisin B1 Contamination and Toxicity: A Review. <i>Molecules</i> , 2021, 26, 5238.	1.7	41
18	<i>Bacillus amyloliquefaciens</i> B10 inhibits aflatoxin B1-induced cecal inflammation in mice by regulating their intestinal flora. <i>Food and Chemical Toxicology</i> , 2021, 156, 112438.	1.8	15

#	ARTICLE	IF	CITATIONS
19	Astaxanthin Alleviates Ochratoxin A-Induced Cecum Injury and Inflammation in Mice by Regulating the Diversity of Cecal Microbiota and TLR4/MyD88/NF- κ B Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-13.	1.9	14
20	The biological detoxification of deoxynivalenol: A review. <i>Food and Chemical Toxicology</i> , 2020, 145, 111649.	1.8	65
21	Effects of non-esterified fatty acids on relative abundance of prostaglandin E2 and F2 α synthesis-related mRNA transcripts and protein in endometrial cells of cattle in vitro. <i>Animal Reproduction Science</i> , 2020, 221, 106549.	0.5	5
22	Selenium Protects against Zearalenone-Induced Oxidative Stress and Apoptosis in the Mouse Kidney by Inhibiting Endoplasmic Reticulum Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-10.	1.9	16
23	Proteomic analysis using iTRAQ technology reveals the toxic effects of zearalenone on the leydig cells of rats. <i>Food and Chemical Toxicology</i> , 2020, 141, 111405.	1.8	10
24	Astaxanthin Protects Ochratoxin A-Induced Oxidative Stress and Apoptosis in the Heart via the Nrf2 Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-11.	1.9	57
25	Selenium Yeast Alleviates Ochratoxin A-Induced Apoptosis and Oxidative Stress via Modulation of the PI3K/AKT and Nrf2/Keap1 Signaling Pathways in the Kidneys of Chickens. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-12.	1.9	27
26	Selenium-rich yeast attenuates ochratoxin A-induced small intestinal injury in broiler chickens by activating the Nrf2 pathway and inhibiting NF-KB activation. <i>Journal of Functional Foods</i> , 2020, 66, 103784.	1.6	34
27	Selenium-enriched yeast reduces caecal pathological injuries and intervenes changes of the diversity of caecal microbiota caused by Ochratoxin-A in broilers. <i>Food and Chemical Toxicology</i> , 2020, 137, 111139.	1.8	35
28	Curcumin inhibits zearalenone-induced apoptosis and oxidative stress in Leydig cells via modulation of the PTEN/Nrf2/Bip signaling pathway. <i>Food and Chemical Toxicology</i> , 2020, 141, 111385.	1.8	47
29	Transcriptome study reveals apoptosis of porcine kidney cells induced by fumonisin B1 via TNF signalling pathway. <i>Food and Chemical Toxicology</i> , 2020, 139, 111274.	1.8	19
30	Quercetin: Its Main Pharmacological Activity and Potential Application in Clinical Medicine. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-13.	1.9	251
31	<i>Pediococcus pentosaceus</i> xy46 Can Absorb Zearalenone and Alleviate its Toxicity to the Reproductive Systems of Male Mice. <i>Microorganisms</i> , 2019, 7, 266.	1.6	15
32	Detoxification Strategies for Zearalenone Using Microorganisms: A Review. <i>Microorganisms</i> , 2019, 7, 208.	1.6	70
33	Palmitic Acid and β -Hydroxybutyrate Induce Inflammatory Responses in Bovine Endometrial Cells by Activating Oxidative Stress-Mediated NF- κ B Signaling. <i>Molecules</i> , 2019, 24, 2421.	1.7	37
34	Protective role of curcumin in cadmium-induced testicular injury in mice by attenuating oxidative stress via Nrf2/ARE pathway. <i>Environmental Science and Pollution Research</i> , 2019, 26, 34575-34583.	2.7	42
35	Astaxanthin Protects OTA-Induced Lung Injury in Mice through the Nrf2/NF- κ B Pathway. <i>Toxins</i> , 2019, 11, 540.	1.5	40
36	Proanthocyanidins Protect against β -Hydroxybutyrate-Induced Oxidative Damage in Bovine Endometrial Cells. <i>Molecules</i> , 2019, 24, 400.	1.7	18

#	ARTICLE	IF	CITATIONS
37	Analysis of the miRNA Expression Profiles in the Zearalenone-Exposed TM3 Leydig Cell Line. <i>International Journal of Molecular Sciences</i> , 2019, 20, 635.	1.8	21
38	Sulforaphane Protect Against Cadmium-Induced Oxidative Damage in mouse Leydig cells by Activating Nrf2/ARE Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2019, 20, 630.	1.8	23
39	Protective effects of proanthocyanidins against cadmium-induced testicular injury through the modification of Nrf2-Keap1 signal path in rats. <i>Environmental Toxicology and Pharmacology</i> , 2018, 57, 1-8.	2.0	38
40	Zearalenone Changes the Diversity and Composition of Caecum Microbiota in Weaned Rabbit. <i>BioMed Research International</i> , 2018, 2018, 1-10.	0.9	21
41	The Protective Role of <i>Bacillus velezensis</i> A2 on the Biochemical and Hepatic Toxicity of Zearalenone in Mice. <i>Toxins</i> , 2018, 10, 449.	1.5	18
42	Transcriptome analysis to identify the Ras and Rap1 signal pathway genes involved in the response of TM3 Leydig cells exposed to zearalenone. <i>Environmental Science and Pollution Research</i> , 2018, 25, 31230-31239.	2.7	7
43	<i>Bacillus velezensis</i> A2 fermentation exerts a protective effect on renal injury induced by Zearalenone in mice. <i>Scientific Reports</i> , 2018, 8, 13646.	1.6	27
44	Protective Mechanism of Sulforaphane on Cadmium-Induced Sertoli Cell Injury in Mice Testis via Nrf2/ARE Signaling Pathway. <i>Molecules</i> , 2018, 23, 1774.	1.7	36
45	Proanthocyanidins Protect Epithelial Cells from Zearalenone-Induced Apoptosis via Inhibition of Endoplasmic Reticulum Stress-Induced Apoptosis Pathways in Mouse Small Intestines. <i>Molecules</i> , 2018, 23, 1508.	1.7	33
46	Combined Use of <i>C. butyricum</i> Sx-01 and <i>L. salivarius</i> C-1-3 Improves Intestinal Health and Reduces the Amount of Lipids in Serum via Modulation of Gut Microbiota in Mice. <i>Nutrients</i> , 2018, 10, 810.	1.7	32
47	Protective effect of proanthocyanidin on mice Sertoli cell apoptosis induced by zearalenone via the Nrf2/ARE signalling pathway. <i>Environmental Science and Pollution Research</i> , 2017, 24, 26724-26733.	2.7	34
48	Characterization of semen quality, testicular marker enzyme activities and gene expression changes in the blood testis barrier of Kunming mice following acute exposure to zearalenone. <i>Environmental Science and Pollution Research</i> , 2017, 24, 27235-27243.	2.7	29
49	Proanthocyanidin protects against acute zearalenone-induced testicular oxidative damage in male mice. <i>Environmental Science and Pollution Research</i> , 2017, 24, 938-946.	2.7	27
50	Proanthocyanidins Attenuation of Chronic Lead-Induced Liver Oxidative Damage in Kunming Mice via the Nrf2/ARE Pathway. <i>Nutrients</i> , 2016, 8, 656.	1.7	56
51	Intervention of Grape Seed Proanthocyanidin Extract on the Subchronic Immune Injury in Mice Induced by Aflatoxin B1. <i>International Journal of Molecular Sciences</i> , 2016, 17, 516.	1.8	43
52	The Protective Effect of Grape-Seed Proanthocyanidin Extract on Oxidative Damage Induced by Zearalenone in Kunming Mice Liver. <i>International Journal of Molecular Sciences</i> , 2016, 17, 808.	1.8	71
53	Sulforaphane Prevents Testicular Damage in Kunming Mice Exposed to Cadmium via Activation of Nrf2/ARE Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1703.	1.8	36
54	The Protective Effect of Selenium on Chronic Zearalenone-Induced Reproductive System Damage in Male Mice. <i>Molecules</i> , 2016, 21, 1687.	1.7	37

#	ARTICLE	IF	CITATIONS
55	The Influence of Selenium Yeast on Hematological, Biochemical and Reproductive Hormone Level Changes in Kunming Mice Following Acute Exposure to Zearalenone. <i>Biological Trace Element Research</i> , 2016, 174, 362-368.	1.9	23
56	Evaluation of the protective effect of the acid-tolerant engineered bacterial strain <i>M. elsdenii</i> H6F32 as a probiotic fed to sheep during the lactic acidosis challenge. <i>Indian Journal of Animal Research</i> , 2015, , .	0.0	6
57	Effect of Non-Esterified Fatty Acids on Fatty Acid Metabolism-Related Genes in Calf Hepatocytes Cultured <i>in Vitro</i> . <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 1509-1516.	1.1	30
58	Seroprevalence of <i>Toxoplasma gondii</i> infection in slaughtered chickens, ducks, and geese in Shenyang, northeastern China. <i>Parasites and Vectors</i> , 2012, 5, 237.	1.0	37
59	Effect of insulin-like growth factor-1 (IGF-1) on the gluconeogenesis in calf hepatocytes cultured <i>in vitro</i> . <i>Molecular and Cellular Biochemistry</i> , 2012, 362, 87-91.	1.4	16
60	Removal of Zearalenone by Strains of <i>Lactobacillus</i> sp. Isolated from Rumen <i>in vitro</i> . <i>Journal of Animal and Veterinary Advances</i> , 2012, 11, 2417-2422.	0.1	17