

Rozanne M Sandri-Goldin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8055232/rozzanne-m-sandri-goldin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

2,128
citations

25
h-index

46
g-index

126
ext. papers

2,444
ext. citations

7.6
avg, IF

5.67
L-index

#	Paper	IF	Citations
40	Mechanism and consequences of herpes simplex virus 1-mediated regulation of host mRNA alternative polyadenylation. <i>PLoS Genetics</i> , 2021 , 17, e1009263	6	5
39	Herpes simplex virus blocks host transcription termination via the bimodal activities of ICP27. <i>Nature Communications</i> , 2020 , 11, 293	17.4	25
38	Viral Vectors for Neural Circuit Mapping and Recent Advances in Trans-synaptic Anterograde Tracers. <i>Neuron</i> , 2020 , 107, 1029-1047	13.9	26
37	Molecular Mechanism of SR Protein Kinase 1 Inhibition by the Herpes Virus Protein ICP27. <i>MBio</i> , 2019 , 10,	7.8	10
36	Structural identification of conserved RNA binding sites in herpesvirus ORF57 homologs: implications for PAN RNA recognition. <i>Nucleic Acids Research</i> , 2019 , 47, 1987-2001	20.1	3
35	The ICP27 Homology Domain of the Human Cytomegalovirus Protein UL69 Adopts a Dimer-of-Dimers Structure. <i>MBio</i> , 2018 , 9,	7.8	7
34	Overlapping motifs on the herpes viral proteins ICP27 and ORF57 mediate interactions with the mRNA export adaptors ALYREF and UIF. <i>Scientific Reports</i> , 2018 , 8, 15005	4.9	7
33	The herpes viral transcription factor ICP4 forms a novel DNA recognition complex. <i>Nucleic Acids Research</i> , 2017 , 45, 8064-8078	20.1	13
32	HSV-1 ICP27 targets the TBK1-activated STING signaling pathway to inhibit virus-induced type I IFN expression. <i>EMBO Journal</i> , 2016 , 35, 1385-99	13	128
31	ASM Journals Eliminate Impact Factor Information from Journal Websites. <i>MSphere</i> , 2016 , 1,	5	3
30	The structure of the folded domain from the signature multifunctional protein ICP27 from herpes simplex virus-1 reveals an intertwined dimer. <i>Scientific Reports</i> , 2015 , 5, 11234	4.9	18
29	Recognizing the Top 25 Peer Reviewers for the Journal of Virology. <i>Journal of Virology</i> , 2015 , 89, 12233-12233	7.8	7
28	Recognizing the Top 25 Peer Reviewers for the Journal of Virology. <i>Journal of Virology</i> , 2013 , 87, 13087-13087	7.8	7
27	The interaction of the cellular export adaptor protein Aly/REF with ICP27 contributes to the efficiency of herpes simplex virus 1 mRNA export. <i>Journal of Virology</i> , 2013 , 87, 7210-7	6.6	15
26	Inhibition of cdk9 during herpes simplex virus 1 infection impedes viral transcription. <i>PLoS ONE</i> , 2013 , 8, e79007	3.7	23
25	Arginine methylation of the RGG box does not appear to regulate ICP27 import during herpes simplex virus infection. <i>Journal of Virology</i> , 2011 , 85, 6809-13	6.6	2
24	The many roles of the highly interactive HSV protein ICP27, a key regulator of infection. <i>Future Microbiology</i> , 2011 , 6, 1261-77	2.9	76

23	Herpes simplex virus 1 regulatory protein ICP27 undergoes a head-to-tail intramolecular interaction. <i>Journal of Virology</i> , 2010 , 84, 4124-35	6.6	21
22	Herpes simplex virus type 1 (HSV-1)-induced apoptosis in human dendritic cells as a result of downregulation of cellular FLICE-inhibitory protein and reduced expression of HSV-1 antiapoptotic latency-associated transcript sequences. <i>Journal of Virology</i> , 2010 , 84, 1034-46	6.6	33
21	ICP27 phosphorylation site mutants are defective in herpes simplex virus 1 replication and gene expression. <i>Journal of Virology</i> , 2010 , 84, 2200-11	6.6	21
20	ICP27 phosphorylation site mutants display altered functional interactions with cellular export factors Aly/REF and TAP/NXF1 but are able to bind herpes simplex virus 1 RNA. <i>Journal of Virology</i> , 2010 , 84, 2212-22	6.6	20
19	Three arginine residues within the RGG box are crucial for ICP27 binding to herpes simplex virus 1 GC-rich sequences and for efficient viral RNA export. <i>Journal of Virology</i> , 2010 , 84, 6367-76	6.6	19
18	Head-to-tail intramolecular interaction of herpes simplex virus type 1 regulatory protein ICP27 is important for its interaction with cellular mRNA export receptor TAP/NXF1. <i>MBio</i> , 2010 , 1,	7.8	19
17	SR proteins SRp20 and 9G8 contribute to efficient export of herpes simplex virus 1 mRNAs. <i>Virology</i> , 2010 , 401, 155-64	3.6	50
16	Arginine methylation of the ICP27 RGG box regulates the functional interactions of ICP27 with SRPK1 and Aly/REF during herpes simplex virus 1 infection. <i>Journal of Virology</i> , 2009 , 83, 8970-5	6.6	26
15	Efficient nuclear export of herpes simplex virus 1 transcripts requires both RNA binding by ICP27 and ICP27 interaction with TAP/NXF1. <i>Journal of Virology</i> , 2009 , 83, 1184-92	6.6	49
14	The cellular RNA export receptor TAP/NXF1 is required for ICP27-mediated export of herpes simplex virus 1 RNA, but the TREX complex adaptor protein Aly/REF appears to be dispensable. <i>Journal of Virology</i> , 2009 , 83, 6335-46	6.6	44
13	Arginine methylation of the ICP27 RGG box regulates ICP27 export and is required for efficient herpes simplex virus 1 replication. <i>Journal of Virology</i> , 2009 , 83, 5309-20	6.6	26
12	The HSV-1 ICP27 RGG box specifically binds flexible, GC-rich sequences but not G-quartet structures. <i>Nucleic Acids Research</i> , 2009 , 37, 7290-301	20.1	25
11	Hsc70 focus formation at the periphery of HSV-1 transcription sites requires ICP27. <i>PLoS ONE</i> , 2008 , 3, e1491	3.7	43
10	The many roles of the regulatory protein ICP27 during herpes simplex virus infection. <i>Frontiers in Bioscience - Landmark</i> , 2008 , 13, 5241-56	2.8	87
9	ICP27 interacts with the C-terminal domain of RNA polymerase II and facilitates its recruitment to herpes simplex virus 1 transcription sites, where it undergoes proteasomal degradation during infection. <i>Journal of Virology</i> , 2006 , 80, 3567-81	6.6	82
8	ICP27 recruits Aly/REF but not TAP/NXF1 to herpes simplex virus type 1 transcription sites although TAP/NXF1 is required for ICP27 export. <i>Journal of Virology</i> , 2005 , 79, 3949-61	6.6	79
7	Viral regulation of mRNA export. <i>Journal of Virology</i> , 2004 , 78, 4389-96	6.6	59
6	ICP27 interacts with SRPK1 to mediate HSV splicing inhibition by altering SR protein phosphorylation. <i>EMBO Journal</i> , 2003 , 22, 1608-19	13	129

5	ICP27 interacts with the RNA export factor Aly/REF to direct herpes simplex virus type 1 intronless mRNAs to the TAP export pathway. <i>Journal of Virology</i> , 2002 , 76, 12877-89	6.6	127
4	Self-interaction of the herpes simplex virus type 1 regulatory protein ICP27. <i>Virology</i> , 1999 , 257, 341-51	3.6	39
3	Analysis of the phosphorylation sites of herpes simplex virus type 1 regulatory protein ICP27. <i>Journal of Virology</i> , 1999 , 73, 3246-57	6.6	45
2	Interactions between a herpes simplex virus regulatory protein and cellular mRNA processing pathways. <i>Methods</i> , 1998 , 16, 95-104	4.6	23
1	Evidence that the herpes simplex virus immediate early protein ICP27 acts post-transcriptionally during infection to regulate gene expression. <i>Virology</i> , 1992 , 186, 74-86	3.6	252