## Ryan T Li

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8055456/publications.pdf

Version: 2024-02-01

		933264	1125617
14	954	10	13
papers	citations	h-index	g-index
			1050
14	14	14	1350
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Wearable sensors for monitoring the physiological and biochemical profile of the athlete. Npj Digital Medicine, 2019, 2, 72.	5.7	235
2	Predictors of Radiographic Knee Osteoarthritis After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2011, 39, 2595-2603.	1.9	214
3	Wearable Performance Devices in Sports Medicine. Sports Health, 2016, 8, 74-78.	1.3	185
4	Wearable sensors for monitoring the internal and external workload of the athlete. Npj Digital Medicine, 2019, 2, 71.	5.7	150
5	Origin of Cam Morphology in Femoroacetabular Impingement. American Journal of Sports Medicine, 2018, 46, 478-486.	1.9	51
6	Does Overexertion Correlate With Increased Injury? The Relationship Between Player Workload and Soft Tissue Injury in Professional American Football Players Using Wearable Technology. Sports Health, 2020, 12, 66-73.	1.3	33
7	On-Track Lesions with a Small Distance to Dislocation Are Associated with Failure After Arthroscopic Anterior Shoulder Stabilization. Journal of Bone and Joint Surgery - Series A, 2021, 103, 961-967.	1.4	24
8	Does Pelvic Rotation Alter Radiologic Measurement of Anterior and Lateral Acetabular Coverage?. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 1111-1116.e1.	1.3	18
9	Clinical outcomes of reverse total shoulder arthroplasty for elective indications versus acute 3- and 4-part proximal humeral fractures: a systematic review and meta-analysis. Journal of Shoulder and Elbow Surgery, 2022, 31, e14-e21.	1.2	14
10	Intercondylar Notch Measurement During Arthroscopy and on Preoperative Magnetic Resonance Imaging. Arthroscopy Techniques, 2019, 8, e1263-e1267.	0.5	13
11	Use of the False-Profile Radiographic View to Measure Pelvic Incidence. American Journal of Sports Medicine, 2018, 46, 2089-2095.	1.9	10
12	Intercondylar Notch Size Can Be Predicted on Preoperative Magnetic Resonance Imaging. Arthroscopy, Sports Medicine, and Rehabilitation, 2020, 2, e17-e22.	0.8	5
13	Assessing precision and accuracy of false-profile hip radiographs. HIP International, 2021, 31, 258-263.	0.9	2
14	Posterior Labral Tear Extension Concomitant With Shoulder Bankart Injuries Is not Uncommon. Arthroscopy, Sports Medicine, and Rehabilitation, 2022, 4, e567-e573.	0.8	O