

# João Luis Garcia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8055622/publications.pdf>

Version: 2024-02-01

153  
papers

2,206  
citations

218592  
26  
h-index

330025  
37  
g-index

155  
all docs

155  
docs citations

155  
times ranked

2203  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ocular Disease in Mice Inoculated with Pork Heart Samples Infected with <i>Toxoplasma gondii</i> . <i>Ocular Immunology and Inflammation</i> , 2022, 30, 463-469.	1.0	2
2	Prevalence and risk factors of <i>Eimeria</i> spp. natural infection in sheep from northern Paraná, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2022, 31, e017421.	0.2	2
3	Neospora caninum infection and reproductive problems in dairy cows from Brazil: A case-control study. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022, 28, 100683.	0.3	0
4	A systematic literature review and meta-analysis of <i>Toxoplasma gondii</i> seroprevalence in goats. <i>Acta Tropica</i> , 2022, 230, 106411.	0.9	5
5	<i>Toxoplasma gondii</i> infection impairs the colonic motility of rats due to loss of myenteric neurons. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13967.	1.6	6
6	Seroprevalence of <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> , and <i>Leishmania</i> spp. in hunting dogs from Mato Grosso do Sul, Brazil. <i>Ciencia Rural</i> , 2021, 51, .	0.3	1
7	<i>Toxoplasma gondii</i> infection in wild boars ( <i>Sus scrofa</i> ) from the State of São Paulo, Brazil: Serology, molecular characterization, and hunter's perception on toxoplasmosis. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 23, 100534.	0.3	5
8	Molecular characterization of <i>Toxoplasma gondii</i> isolates from free-range chickens reveals new genotypes in Goiânia, Goiás, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e000321.	0.2	2
9	Toxoplasmosis outbreak in sheep in northern-central Paraná, Brazil. <i>Semina:Ciencias Agrarias</i> , 2021, 42, 1361-1368.	0.1	2
10	Comparison of serological and molecular techniques to detect <i>Toxoplasma gondii</i> in free-range chickens ( <i>Gallus gallus domesticus</i> ). <i>Veterinary Parasitology</i> , 2021, 296, 109515.	0.7	4
11	Acute infection with <i>Toxoplasma gondii</i> oocysts preferentially activates non-neuronal cells expressing serotonin in the jejunum of rats. <i>Life Sciences</i> , 2021, 283, 119872.	2.0	5
12	Seroprevalence and risk factors for <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in goats of Maranhão State, Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 26, 100634.	0.3	5
13	Effects of <i>Neospora caninum</i> on reproductive parameters in dairy cows from a closed herd in Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 23, 100524.	0.3	4
14	Evaluation of quantitative polymerase chain reaction for the detection of <i>Toxoplasma gondii</i> oocysts shed by cats. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e016621.	0.2	2
15	Isolation, genetic and immunohistochemical identification of <i>Toxoplasma gondii</i> from human placenta in a large toxoplasmosis outbreak in southern Brazil, 2018. <i>Infection, Genetics and Evolution</i> , 2020, 85, 104589.	1.0	9
16	A Review of Toxoplasmosis and Neosporosis in Water Buffalo ( <i>Bubalus bubalis</i> ). <i>Frontiers in Veterinary Science</i> , 2020, 7, 455.	0.9	13
17	Clinical parameters of goats infected with gastrointestinal nematodes and treated with condensed tannin. <i>Semina:Ciencias Agrarias</i> , 2020, 41, 517-530.	0.1	1
18	Cryptosporidiosis and Giardiasis in Buffaloes ( <i>Bubalus bubalis</i> ). <i>Frontiers in Veterinary Science</i> , 2020, 7, 557967.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Occurrence of gastrointestinal protozoans in cats from Londrina, Paraná, Brazil. Semina: Ciencias Agrarias, 2020, 41, 213.	0.1	3
20	Occurrence of Atypical and New Genotypes of Toxoplasma Gondii in Free-Range Chickens Intended for Human Consumption in Brazil. Acta Parasitologica, 2020, 65, 774-778.	0.4	9
21	Toxoplasma gondii genotyping from free-range chickens ( <i>Gallus gallus domesticus</i> ) in a rural area of Rio Grande do Sul, Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2020, 72, 1339-1345.	0.1	4
22	Neospora caninum in free-range chickens ( <i>Gallus gallus domesticus</i> ) from southern Brazil. Brazilian Journal of Veterinary Parasitology, 2020, 29, e013620.	0.2	2
23	First molecular detection of <i>Eimeria</i> spp. in eared doves ( <i>Zenaida auriculata</i> ) from Brazil. Semina: Ciencias Agrarias, 2020, 41, 1259.	0.1	1
24	Neospora caninum and Toxoplasma gondii: seroprevalence and associated factors in cows from milk farms of Toledo, Paraná, Brazil. Semina: Ciencias Agrarias, 2020, 41, 1581-1590.	0.1	0
25	Molecular survey of <i>Cryptosporidium</i> spp. in calves from the state of Mato Grosso, Brazil. Semina: Ciencias Agrarias, 2020, 41, 2437-2444.	0.1	0
26	First molecular detection of <i>Haemoproteus</i> spp. and <i>Plasmodium</i> spp. in eared doves ( <i>Zenaida auriculata</i> ). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	0.2	0
27	Protection against Toxoplasma gondii cysts in pigs immunized with rROP2 plus Iscomatrix. Brazilian Journal of Veterinary Parasitology, 2020, 29, e012620.	0.2	0
28	Development of a qPCR to diagnose the genus <i>Eimeria</i> in bovines. Semina: Ciencias Agrarias, 2020, 41, 2695-2702.	0.1	1
29	Resveratrol as a Therapy to Restore Neurogenesis of Neural Progenitor Cells Infected by Toxoplasma gondii. Molecular Neurobiology, 2019, 56, 2328-2338.	1.9	12
30	Neospora caninum: soroepidemiologia de vacas e cães de propriedades leiteiras de Cunha, São Paulo, Brasil. Semina: Ciencias Agrarias, 2019, 40, 3123.	0.1	1
31	First study of <i>Cryptosporidium</i> spp. occurrence in eared doves ( <i>Zenaida auriculata</i> ). Brazilian Journal of Veterinary Parasitology, 2019, 28, 489-492.	0.2	2
32	A one health approach to vaccines against Toxoplasma gondii. Food and Waterborne Parasitology, 2019, 15, e00053.	1.1	50
33	Surveillance of Giardia and Cryptosporidium in sewage from an urban area in Brazil. Brazilian Journal of Veterinary Parasitology, 2019, 28, 291-297.	0.2	13
34	Anti-Neospora caninum antibodies in beef cattle from the northern region of Paraná state, Brazil. Ciencia Rural, 2019, 49, .	0.3	1
35	Experimental inoculation of Neospora caninum tachyzoites in eared doves ( <i>Zenaida auriculata</i> ). Experimental Parasitology, 2019, 202, 1-6.	0.5	1
36	Genotyping of Toxoplasma gondii isolated from pigs for human consumption. Parasitology Research, 2019, 118, 1593-1599.	0.6	13

#	ARTICLE	IF	CITATIONS
37	Toxoplasma gondii causes increased ICAM-1 and serotonin expression in the jejunum of rats 12 h after infection. <i>Biomedicine and Pharmacotherapy</i> , 2019, 114, 108797.	2.5	13
38	Vertical transmission of <i>Neospora caninum</i> in bovine fetuses from a slaughterhouse in Brazil. <i>Tropical Animal Health and Production</i> , 2019, 51, 1751-1755.	0.5	10
39	Acute <i>Toxoplasma gondii</i> infection alters the number of neurons and the proportion of enteric glial cells in the duodenum in Wistar rats. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13523.	1.6	13
40	First description of clonal lineage type II (genotype #1) of <i>Toxoplasma gondii</i> in abortion outbreak in goats. <i>Experimental Parasitology</i> , 2018, 188, 21-25.	0.5	8
41	<i>Neospora caninum</i> in birds: A review. <i>Parasitology International</i> , 2018, 67, 397-402.	0.6	31
42	Supplementation with dry <i>Mimosa caesalpiniifolia</i> leaves can reduce the <i>Haemonchus contortus</i> worm burden of goats. <i>Veterinary Parasitology</i> , 2018, 252, 47-51.	0.7	14
43	<i>Toxoplasma gondii</i> : prevalence and characterization of new genotypes in free-range chickens from south Brazil. <i>Parasitology Research</i> , 2018, 117, 681-688.	0.6	20
44	<i>Toxoplasma gondii</i> promotes changes in VIPergic submucosal neurons, mucosal intraepithelial lymphocytes, and goblet cells during acute infection in the ileum of rats. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13264.	1.6	11
45	Hemotropic mycoplasmas infection in water buffaloes ( <i>Bubalus bubalis</i> ) from northeastern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2018, 56, 27-29.	0.7	12
46	First identification of <i>Cryptosporidium parvum</i> subtype IlaA20G1R1 in water buffalos ( <i>Bubalus bubalis</i> ). <i>Research in Veterinary Science</i> , 2018, 118, 181-183.	0.9	6
47	Caprine toxoplasmosis in Southern Brazil: a comparative seroepidemiological study between the indirect immunofluorescence assay, the enzyme-linked immunosorbent assay, and the modified agglutination test. <i>Tropical Animal Health and Production</i> , 2018, 50, 413-419.	0.5	14
48	<i>Toxoplasma gondii</i> : A study of oocyst re-shedding in domestic cats. <i>Veterinary Parasitology</i> , 2018, 249, 17-20.	0.7	59
49	"BAIXADEIROS" HORSES: PREVALENCE OF ANTI- <i>Trypanosoma</i> spp. AND ANTI- <i>Leishmania</i> spp. ANTIBODIES. <i>Ciencia Animal Brasileira</i> , 2018, 19, .	0.3	2
50	<i>Theileria</i> sp. in water buffaloes from Maranhão State, northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 593-596.	0.2	3
51	Canine morbillivirus (canine distemper virus) with concomitant canine adenovirus, canine parvovirus-2, and <i>Neospora caninum</i> in puppies: a retrospective immunohistochemical study. <i>Scientific Reports</i> , 2018, 8, 13477.	1.6	32
52	Prevalence of <i>Eimeria</i> spp. in calves from dairy farms in northern Paraná state, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 118-122.	0.2	11
53	Immunocompetent host develops mild intestinal inflammation in acute infection with <i>Toxoplasma gondii</i> . <i>PLoS ONE</i> , 2018, 13, e0190155.	1.1	7
54	Associação histórica de abortamento com a presença de anticorpos anti- <i>Neospora caninum</i> em vacas leiteiras. <i>Semina: Ciencias Agrarias</i> , 2018, 39, 2443.	0.1	1

#	ARTICLE	IF	CITATIONS
55	Ocorrência de anticorpos contra <i>Neospora caninum</i> em bovinos e cães oriundo de propriedades produtoras de leite do Norte Central do Estado do Paraná. Semina: Ciencias Agrarias, 2018, 39, 2449.	0.1	1
56	First isolation and RFLP genotyping of <i>Toxoplasma gondii</i> from crab-eating fox ( <i>Cerdocyon thous</i> ) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.9	
57	<i>Toxoplasma gondii</i> infection causes structural changes in the jejunum of rats infected with different inoculum doses. Life Sciences, 2017, 191, 141-149.	2.0	13
58	Systemic Histomoniasis in a Leucistic Indian Peafowl ( <i>Pavo cristatus</i> ) from Southern Brazil. Avian Diseases, 2017, 61, 325-329.	0.4	4
59	Mycoplasma ovis infection in goat farms from northeastern Brazil. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 55, 1-5.	0.7	26
60	Survey of <i>Neospora caninum</i> in eared doves ( <i>Zenaida auriculata</i> ) in Southern Brazil. Acta Tropica, 2017, 174, 132-135.	0.9	7
61	The use of ELISA, nPCR and qPCR for diagnosis of ocular toxoplasmosis in experimentally infected pigs. Research in Veterinary Science, 2017, 115, 490-495.	0.9	9
62	Risk factors for <i>Neospora caninum</i> infection in dairy cattle and their possible cause-effect relation for disease. Microbial Pathogenesis, 2017, 110, 202-207.	1.3	19
63	Anti- <i>Neospora caninum</i> antibodies among dairy cattle in a rural settlement, Paraná, Brazil. Semina: Ciencias Agrarias, 2017, 38, 259.	0.1	1
64	Seroepidemiology of <i>Leishmania</i> spp. in equids from Uberlândia, Minas Gerais, Brazil. Ciencia Rural, 2017, 47, .	0.3	5
65	<i>Leishmania</i> in synanthropic rodents ( <i>Rattus rattus</i> ): new evidence for the urbanization of <i>Leishmania</i> ( <i>Leishmania</i> ) amazonensis. Brazilian Journal of Veterinary Parasitology, 2017, 26, 17-27.	0.2	27
66	Different inoculum loads of <i>Toxoplasma gondii</i> induce reduction of myenteric neurons of the rat colon. Brazilian Journal of Veterinary Parasitology, 2017, 26, 47-53.	0.2	9
67	Occurrence of abortions induced by <i>Neospora caninum</i> in dairy cattle from Santa Catarina, southern Brazil. Brazilian Journal of Veterinary Parasitology, 2017, 26, 292-298.	0.2	11
68	<i>Cryptosporidium</i> spp. and <i>Giardia</i> spp. in feces and water and the associated exposure factors on dairy farms. PLoS ONE, 2017, 12, e0175311.	1.1	33
69	Spatial and simultaneous representative seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in owners and their domiciled dogs in a major city of southern Brazil. PLoS ONE, 2017, 12, e0180906.	1.1	29
70	The first study of molecular prevalence and species characterization of <i>Cryptosporidium</i> in free-range chicken ( <i>Gallus gallus domesticus</i> ) from Brazil. Brazilian Journal of Veterinary Parasitology, 2017, 26, 472-478.	0.2	11
71	Molecular cloning, sequencing, and expression of <i>Eimeria tenella</i> HSP70 partial gene. Genetics and Molecular Research, 2017, 16, .	0.3	4
72	rROP2 from <i>Toxoplasma gondii</i> as a potential vaccine against oocyst shedding in domestic cats. Brazilian Journal of Veterinary Parasitology, 2017, 26, 67-73.	0.2	12

#	ARTICLE	IF	CITATIONS
73	In vitro action of <i>Mimosa caesalpiniifolia</i> ketone extract on <i>Haemonchus contortus</i> and <i>Trichostrongylus colubriformis</i> . <i>Semina: Ciencias Agrarias</i> , 2017, 38, 1963.	0.1	1
74	Genotyping of <i>Toxoplasma gondii</i> isolates from naturally infected <i>Gallus domesticus</i> in Santa Catarina state, Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2017, 69, 139-145.	0.1	7
75	Estudo epidemiológico e avaliação de fatores de risco da infecção por <i>Toxoplasma gondii</i> e achados clínico-patológicos da infecção aguda em cães admitidos em um Hospital Escola Veterinário. <i>Pesquisa Veterinaria Brasileira</i> , 2016, 36, 993-998.	0.5	3
76	CD19 LYMPHOCYTE PROLIFERATION INDUCED BY <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> IN C57BL/6 MICE EXPERIMENTALLY INFECTED WITH <i>Toxoplasma gondii</i> . <i>Revista Do Instituto De Medicina Tropical De São Paulo</i> , 2016, 58, 26.	0.5	8
77	FREQUÊNCIA DE ANTICORPOS ANTI-TOXOPLASMA GONDII EM CÃES COM SINAIS CLÍNICOS COMPATÍVEIS COM TOXOPLASMOSE. <i>Ciencia Animal Brasileira</i> , 2016, 17, 640-646.	0.3	2
78	ISOLATION AND GENOTYPING OF <i>Toxoplasma gondii</i> IN SERONEGATIVE URBAN RATS AND PRESENCE OF ANTIBODIES IN COMMUNICATING DOGS IN BRAZIL. <i>Revista Do Instituto De Medicina Tropical De São Paulo</i> , 2016, 58, 28.	0.5	15
79	Presence of antibodies against <i>Leishmania</i> spp. in domestic dogs from Toledo, Paraná, Brazil. <i>Semina: Ciencias Agrarias</i> , 2016, 37, 3087.	0.1	2
80	Atypical <i>Toxoplasma gondii</i> genotype in feral cats from the Fernando de Noronha Island, northeastern Brazil. <i>Veterinary Parasitology</i> , 2016, 224, 92-95.	0.7	13
81	Kinetics of acute infection with <i>Toxoplasma gondii</i> and histopathological changes in the duodenum of rats. <i>Experimental Parasitology</i> , 2016, 165, 22-29.	0.5	36
82	â€Candidatus Mycoplasma haemobosâ€™: Transplacental transmission in dairy cows ( <i>Bos taurus</i> ). <i>Veterinary Microbiology</i> , 2016, 195, 22-24.	0.8	17
83	Evaluation of the Western blotting method for the diagnosis of congenital toxoplasmosis. <i>Jornal De Pediatria</i> , 2016, 92, 616-623.	0.9	23
84	First Detection of <i>Toxoplasma gondii</i> DNA in the Fresh Leaves of Vegetables in South America. <i>Vector-Borne and Zoonotic Diseases</i> , 2016, 16, 624-626.	0.6	26
85	Comparison of indirect fluorescent antibody test and the modified agglutination test for the detection of <i>Toxoplasma gondii</i> antibodies in stray dogs from Southern Brazil. <i>Acta Parasitologica</i> , 2016, 61, 694-696.	0.4	7
86	Antibodies against <i>Toxoplasma gondii</i> in bats ( <i>Desmodus rotundus</i> ) captured near caves in cities from western region of Santa Catarina State, Brazil. <i>Comparative Clinical Pathology</i> , 2016, 25, 505-507.	0.3	1
87	Congenital Toxoplasmosis in Chronically Infected and Subsequently Challenged Ewes. <i>PLoS ONE</i> , 2016, 11, e0165124.	1.1	16
88	CCp5A Protein from <i>Toxoplasma gondii</i> as a Serological Marker of Oocyst-driven Infections in Humans and Domestic Animals. <i>Frontiers in Microbiology</i> , 2015, 6, 1305.	1.5	27
89	Occurrence of <i>Cryptosporidium</i> spp. and <i>Giardia</i> spp. in a public water-treatment system, Paraná, Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 303-308.	0.2	21
90	Eficácia do dipropionato de imidocarb, da enrofloxacin e do cloridrato de oxitetraciclina no tratamento de bovinos naturalmente infectados por <i>Anaplasma marginale</i> . <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2015, 67, 1056-1062.	0.1	5

#	ARTICLE	IF	CITATIONS
91	Evaluation of a recombinant rhoptry protein 2 enzyme-linked immunoassay for the diagnosis of toxoplasmosis acquired during pregnancy. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015, 110, 732-738.	0.8	4
92	Serological survey of <i>Neospora caninum</i> in dairy herds from Parauapebas, State of Pará. <i>Semina:Ciencias Agrarias</i> , 2015, 36, 231.	0.1	3
93	Oral dependent-dose toxoplasmic infection model induced by oocysts in rats: Myenteric plexus and jejunal wall changes. <i>Experimental Parasitology</i> , 2015, 156, 12-18.	0.5	18
94	Vaccination of pigs with the S48 strain of <i>Toxoplasma gondii</i> – safer meat for human consumption. <i>Veterinary Research</i> , 2015, 46, 47.	1.1	50
95	Venereal transmission of <i>Toxoplasma gondii</i> in goats after a buck was experimentally infected. <i>Small Ruminant Research</i> , 2015, 123, 301-305.	0.6	6
96	First report of genotype #65 of <i>Toxoplasma gondii</i> in pigs. <i>Parasitology Research</i> , 2015, 114, 3927-3930.	0.6	10
97	Genetic characterization of <i>Toxoplasma gondii</i> isolates from eared doves ( <i>Zenaida auriculata</i> ) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 443-448.	0.2	30
98	<i>Toxoplasma gondii</i> genotypes isolated from pregnant women with follow-up of infected children in southern Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2014, 108, 244-246.	0.7	16
99	Anti- <i>Neospora caninum</i> antibody detection and vertical transmission rate in pregnant zebu beef cows ( <i>Bos indicus</i> ): <i>Neospora caninum</i> in pregnant beef cows ( <i>Bos indicus</i> ). <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014, 37, 267-270.	0.7	4
100	Seroprevalence and risk factors of toxoplasmosis in cattle from extensive and semi-intensive rearing systems at Zona da Mata, Minas Gerais state, Southern Brazil. <i>Parasites and Vectors</i> , 2013, 6, 191.	1.0	45
101	Concomitant canine distemper, infectious canine hepatitis, canine parvoviral enteritis, canine infectious tracheobronchitis, and toxoplasmosis in a puppy. <i>Journal of Veterinary Diagnostic Investigation</i> , 2013, 25, 129-135.	0.5	58
102	Immune response of calves immunized with cocktail of DNA vaccine encoding complexed outer membrane proteins from <i>Anaplasma marginale</i> . <i>Semina:Ciencias Agrarias</i> , 2013, 34, 3877.	0.1	1
103	Inquérito soro-epidemiológico sobre neosporose bovina no norte do estado de Mato Grosso, Brasil. <i>Semina:Ciencias Agrarias</i> , 2013, 34, 3897.	0.1	3
104	Occurrence of gastrointestinal and renal helminths in <i>Zenaida auriculata</i> (Des Murs, 1847) trap-captured from Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 415-419.	0.2	8
105	<i>Neospora caninum</i> : evaluation of vertical transmission in slaughtered dairy cows ( <i>Bos taurus</i> ). <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 13-17.	0.2	9
106	Immune response of calves inoculated with proteins of <i>Anaplasma marginale</i> bound to an immunostimulant complex. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 253-259.	0.2	1
107	Isolation and genotyping of <i>Toxoplasma gondii</i> from pregnant dairy cows ( <i>Bos taurus</i> ) slaughtered. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 74-77.	0.2	18
108	Ocorrência de anticorpos contra <i>Leishmania</i> spp., <i>Neospora caninum</i> E <i>Toxoplasma gondii</i> em soros de cães atendidos no Hospital Veterinário da Universidade Estadual de Londrina-Pr. <i>Semina:Ciencias Agrarias</i> , 2012, 33, 1897-1906.	0.1	8

#	ARTICLE	IF	CITATIONS
109	Uso de vacinas no controle da coccidiose aviária. Semina: Ciencias Agrarias, 2012, 33, 1165-1176.	0.1	1
110	Molecular detection and occurrence of 'Candidatus Mycoplasma haemobos' in dairy cattle of Southern Brazil. Brazilian Journal of Veterinary Parasitology, 2012, 21, 342-344.	0.2	35
111	Oocyst shedding in cats vaccinated by the nasal and rectal routes with crude rhoptry proteins of <i>Toxoplasma gondii</i> . Experimental Parasitology, 2012, 131, 223-230.	0.5	19
112	Humoral and cellular immune responses in pigs immunized intranasally with crude rhoptry proteins of <i>Toxoplasma gondii</i> plus Quil-A. Veterinary Parasitology, 2012, 186, 216-221.	0.7	23
113	Serum occurrence of anti- <i>Toxoplasma gondii</i> antibodies in dairy cows slaughtered in an abattoir for human consume. Ciencia Rural, 2012, 42, 1065-1069.	0.3	9
114	The immunogenicity of <i>Eimeria tenella</i> sporozoite proteins and living oocyst vaccines in broilers. Semina: Ciencias Agrarias, 2012, 33, 3233-3242.	0.1	1
115	Investigation of bacterial microbiota and risk factors in dogs with external ocular diseases from Bandeirantes, Paraná State, Brazil. Semina: Ciencias Agrarias, 2012, 33, 3243-3250.	0.1	7
116	Infection by <i>Toxoplasma gondii</i> and <i>Leishmania</i> spp. in humans and dogs from rural settlements in Northern Paraná State, Brazil. Semina: Ciencias Agrarias, 2012, 33, 3251-3264.	0.1	2
117	Sero-occurrence of anti- <i>Toxoplasma gondii</i> antibodies and vertical transmission in slaughtered beef cows ( <i>Bos indicus</i> ). Semina: Ciencias Agrarias, 2012, 33, 1095-1102.	0.1	3
118	Zoonosis of public health interest in slaughtered Brazilian equidae. Semina: Ciencias Agrarias, 2012, 33, 3223-3232.	0.1	4
119	<i>Neospora caninum</i> : evaluation of vertical transmission in slaughtered beef cows ( <i>Bos indicus</i> ). Parasitology Research, 2011, 108, 1015-1019.	0.6	18
120	A prospective study of <i>Toxoplasma</i> -positive pregnant women in southern Brazil: a health alert. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 400-405.	0.7	14
121	<i>Toxoplasma gondii</i> : humoral and cellular immune response of BALB/c mice immunized via intranasal route with rTgROP2. Brazilian Journal of Veterinary Parasitology, 2010, 19, 210-216.	0.2	14
122	DETECÇÃO DE ANTICORPOS CONTRA <i>Toxoplasma gondii</i> EM BOVINOS DE CORTE ABATIDOS EM GUARAPUAVA, PR, BRASIL. Archives of Veterinary Science, 2010, 15, .	0.1	7
123	Occurrence of anti- <i>Neospora caninum</i> antibodies in sheep from farms located in northern Paraná, Brazil. Semina: Ciencias Agrarias, 2010, 31, 1031.	0.1	9
124	<i>Toxoplasma gondii</i> : investigação de surto em um rebanho caprino da região sul do Brasil. Semina: Ciencias Agrarias, 2009, 29, 887.	0.1	5
125	Factors associated with seropositivity for anti- <i>Toxoplasma gondii</i> antibodies in pregnant women of Londrina, Paraná, Brazil. Memorias Do Instituto Oswaldo Cruz, 2009, 104, 378-382.	0.8	38
126	Induced immune response of <i>Escherichia coli</i> BL21 expressing recombinant MSP1a and MSP1b proteins of <i>Anaplasma marginale</i> . Brazilian Archives of Biology and Technology, 2009, 52, 113-120.	0.5	1

#	ARTICLE	IF	CITATIONS
127	Cloning, expression, and characterization of the MSP1a and MSP1b recombinant proteins from PR1 Anaplasma marginale strain, Brazil. Research in Veterinary Science, 2009, 86, 98-107.	0.9	8
128	Vaccination concepts against <i>Toxoplasma gondii</i> . Expert Review of Vaccines, 2009, 8, 215-225.	2.0	36
129	<i>Toxoplasma gondii</i> : Evaluation of an intranasal vaccine using recombinant proteins against brain cyst formation in BALB/c mice. Experimental Parasitology, 2008, 118, 386-392.	0.5	34
130	<i>Eimeria tenella</i> : Utilization of a nasal vaccine with sporozoite antigens incorporated into Iscom as protection for broiler breeders against a homologous challenge. Experimental Parasitology, 2008, 120, 185-190.	0.5	13
131	Evaluation of IFA, MAT, ELISAs and immunoblotting for the detection of anti- <i>Toxoplasma gondii</i> antibodies in paired serum and aqueous humour samples from experimentally infected pigs. Research in Veterinary Science, 2008, 84, 237-242.	0.9	22
132	Induced immune response of DNA vaccine encoding an association MSP1a, MSP1b, and MSP5 antigens of <i>Anaplasma marginale</i> . Vaccine, 2008, 26, 3522-3527.	1.7	9
133	<i>Toxoplasma gondii</i> : cloning, sequencing, expression, and antigenic characterization of ROP2, GRA5 and GRA7. Genetics and Molecular Research, 2008, 7, 305-313.	0.3	8
134	Prevalence of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in sheep and dogs from Guarapuava farms, Paraná State, Brazil. Research in Veterinary Science, 2007, 82, 202-207.	0.9	100
135	Immune response of BALB/c mouse immunized with recombinant MSPs proteins of <i>Anaplasma marginale</i> binding to immunostimulant complex (ISCOM). Research in Veterinary Science, 2007, 83, 347-354.	0.9	12
136	Detection of <i>Toxoplasma gondii</i> by PCR and mouse bioassay in commercial cuts of pork from experimentally infected pigs. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2007, 59, 30-34.	0.1	16
137	Protective activity against oocyst shedding in cats vaccinated with crude rhoptry proteins of the <i>Toxoplasma gondii</i> by the intranasal route. Veterinary Parasitology, 2007, 145, 197-206.	0.7	33
138	Ocorrência de anticorpos anti- <i>Toxoplasma gondii</i> em caprinos de Pitanga, Paraná, Brasil. Brazilian Journal of Veterinary Research and Animal Science, 2007, 44, 358.	0.2	5
139	In vitro evaluation of the disinfection efficacy on <i>Eimeria tenella</i> unsporulated oocysts isolated from broilers. Brazilian Journal of Veterinary Parasitology, 2007, 16, 67-71.	0.2	2
140	<i>Toxoplasma gondii</i> : Comparison of a rhoptry-ELISA with IFAT and MAT for antibody detection in sera of experimentally infected pigs. Experimental Parasitology, 2006, 113, 100-105.	0.5	55
141	<i>Toxoplasma gondii</i> : Detection by mouse bioassay, histopathology, and polymerase chain reaction in tissues from experimentally infected pigs. Experimental Parasitology, 2006, 113, 267-271.	0.5	75
142	Partial protection against tissue cysts formation in pigs vaccinated with crude rhoptry proteins of <i>Toxoplasma gondii</i> . Veterinary Parasitology, 2005, 129, 209-217.	0.7	63
143	Sero-epidemiological survey for toxoplasmosis in wild New World monkeys ( <i>Cebus</i> spp.; <i>Alouatta</i> ) Tj ETQq1 1 0.784314 rgBT <sub>0.7</sub> /Overlock 35		
144	<i>Toxoplasma gondii</i> : isolation of tachyzoites rhoptries and incorporation into Iscom. Experimental Parasitology, 2004, 108, 40-46.	0.5	24

#	ARTICLE	IF	CITATIONS
145	Evaluation of the indirect fluorescent antibody test and modified agglutination test for detection of antibodies against <i>Toxoplasma gondii</i> in experimentally infected pigs. <i>Pesquisa Veterinaria Brasileira</i> , 2004, 24, 199-202.	0.5	5
146	Toxoplasma antibody and stool parasites in public school children, Rolândia, Paraná, Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2002, 35, 215-219.	0.4	8
147	Enteroparasites prevalence among daycare and elementary school children of municipal schools, Rolândia, PR, Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2001, 34, 385-387.	0.4	17
148	Soroprevalência do <i>Toxoplasma gondii</i> em galinhas ( <i>Gallus gallus domesticus</i> ) de criações domésticas, oriundas de propriedades rurais do Norte do Paraná, Brasil. <i>Ciencia Rural</i> , 2000, 30, 123-127.	0.3	22
149	Soroprevalência do toxoplasma gondii, em suínos, bovinos, ovinos e eqüinos, e sua correlação com humanos, felinos e caninos, oriundos de propriedades rurais do norte do Paraná-Brasil. <i>Ciencia Rural</i> , 1999, 29, 91-97.	0.3	88
150	Soroepidemiologia da toxoplasmose em gatos e cães de propriedades rurais do município de Jaguapitá, estado do Paraná, Brasil. <i>Ciencia Rural</i> , 1999, 29, 99-104.	0.3	36
151	Levantamento soroepidemiológico da toxoplasmose em moradores da zona rural do município de Guaraci - Paraná - Brasil. <i>Semina:Ciencias Agrarias</i> , 1995, 16, 63.	0.1	5
152	Current progress toward vaccines against <i>Toxoplasma gondii</i> . <i>Vaccine (Auckland, N Z)</i> , 0, , 23.	1.7	20
153	Molecular detection of <i>Babesia vogeli</i> , <i>Ehrlichia canis</i> and <i>Anaplasma platys</i> in a hospital population of dogs clinically diagnosed with hemoparasitosis. <i>Semina:Ciencias Agrarias</i> , 0, , 2143-2152.	0.1	0