Dorota Kaminska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8057021/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identification of 90 NAFLD GWAS loci and establishment of NAFLD PRS and causal role of NAFLD in coronary artery disease. Human Genetics and Genomics Advances, 2022, 3, 100056.	1.0	10
2	Hyperinsulinemia Is Highly Associated With Markers of Hepatocytic Senescence in Two Independent Cohorts. Diabetes, 2022, 71, 1929-1936.	0.3	11
3	Serum aromatic and branchedâ€chain amino acids associated with NASH demonstrate divergent associations with serum lipids. Liver International, 2021, 41, 754-763.	1.9	23
4	Protein Phosphatase 1 Regulatory Subunit 3B Genotype at rs4240624 Has a Major Effect on Gallbladder Bile Composition. Hepatology Communications, 2021, 5, 244-257.	2.0	4
5	Differential Mitochondrial Gene Expression in Adipose Tissue Following Weight Loss Induced by Diet or Bariatric Surgery. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1312-1324.	1.8	13
6	Integrative analysis of liver-specific non-coding regulatory SNPs associated with the risk of coronary artery disease. American Journal of Human Genetics, 2021, 108, 411-430.	2.6	20
7	Identification of TBX15 as an adipose master trans regulator of abdominal obesity genes. Genome Medicine, 2021, 13, 123.	3.6	23
8	Indole-3-Propionic Acid, a Gut-Derived Tryptophan Metabolite, Associates with Hepatic Fibrosis. Nutrients, 2021, 13, 3509.	1.7	25
9	Parental metabolic syndrome epigenetically reprograms offspring hepatic lipid metabolism in mice. Journal of Clinical Investigation, 2020, 130, 2391-2407.	3.9	42
10	Novel Lipid Long Intervening Noncoding RNA, Oligodendrocyte Maturationâ€Associated Long Intergenic Noncoding RNA, Regulates the Liver Steatosis Gene Stearoyl oenzyme A Desaturase As an Enhancer RNA. Hepatology Communications, 2019, 3, 1356-1372.	2.0	28
11	Total liver phosphatidylcholine content associates with nonâ€alcoholic steatohepatitis and glycine Nâ€methyltransferase expression. Liver International, 2019, 39, 1895-1905.	1.9	12
12	Serum, liver and bile sitosterol and sitostanol in obese patients with and without NAFLD. Bioscience Reports, 2018, 38, .	1.1	6
13	Identification and characterization of a FOXA2-regulated transcriptional enhancer at a type 2 diabetes intronic locus that controls GCKR expression in liver cells. Genome Medicine, 2017, 9, 63.	3.6	21
14	Regulation of alternative splicing in human obesity loci. Obesity, 2016, 24, 2033-2037.	1.5	11
15	Statin use and non-alcoholic steatohepatitis in at risk individuals. Journal of Hepatology, 2015, 63, 705-712.	1.8	309
16	Transmembrane 6 superfamily member 2 gene variant disentangles nonalcoholic steatohepatitis from cardiovascular disease. Hepatology, 2015, 61, 506-514.	3.6	424
17	The 148 M allele of the PNPLA3 is associated with plasma irisin levels in a population sample of Caucasian children: The PANIC Study. Metabolism: Clinical and Experimental, 2015, 64, 793-796.	1.5	19
18	Ketone body production is differentially altered in steatosis and nonâ€alcoholic steatohepatitis in obese humans. Liver International, 2015, 35, 1853-1861.	1.9	62

Dorota Kaminska

#	Article	IF	CITATIONS
19	Dietary polyunsaturated fatty acids and the Pro12Ala polymorphisms of PPARG regulate serum lipids through divergent pathways: a randomized crossover clinical trial. Genes and Nutrition, 2015, 10, 43.	1.2	15
20	Lipoprotein subclass metabolism in nonalcoholic steatohepatitis. Journal of Lipid Research, 2014, 55, 2676-2684.	2.0	59
21	Adipose tissue INSR splicing in humans associates with fasting insulin level and is regulated by weight loss. Diabetologia, 2014, 57, 347-351.	2.9	41
22	Specific collagen XVIII isoforms promote adipose tissue accrual via mechanisms determining adipocyte number and affect fat deposition. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E3043-52.	3.3	43
23	High-fat diet increases tau expression in the brain of T2DM and AD mice independently of peripheral metabolic status. Journal of Nutritional Biochemistry, 2014, 25, 634-641.	1.9	50
24	Desmosterol in human nonalcoholic steatohepatitis. Hepatology, 2013, 58, 976-982.	3.6	42
25	Downregulation of <i>CPPED1</i> Expression Improves Glucose Metabolism In Vitro in Adipocytes. Diabetes, 2013, 62, 3747-3750.	0.3	32
26	Regulation of alternative splicing in obesity and weight loss. Adipocyte, 2013, 2, 143-147.	1.3	13
27	Adipose Tissue TCF7L2 Splicing Is Regulated by Weight Loss and Associates With Glucose and Fatty Acid Metabolism. Diabetes, 2012, 61, 2807-2813.	0.3	67
28	Serum interleukin 1 receptor antagonist as an independent marker of non-alcoholic steatohepatitis in humans. Journal of Hepatology, 2012, 56, 663-670.	1.8	87
29	Response to Brosch etÂal Cell Metabolism, 2012, 15, 267-269.	7.2	5
30	Conjugated Bile Acids Associate with Altered Rates of Glucose and Lipid Oxidation after Roux-en-Y Gastric Bypass. Obesity Surgery, 2012, 22, 1473-1480.	1.1	135
31	Local peripheral opioid effects and expression of opioid genes in the spinal cord and dorsal root ganglia in neuropathic and inflammatory pain. Pain, 2009, 141, 283-291.	2.0	183
32	Regulation of ERK1/2 phosphorylation by acute and chronic morphine – implications for the role of cAMPâ€responsive element binding factor (CREB)â€dependent and Etsâ€like proteinâ€1 (Elkâ€1)â€dependent transcription; small interfering RNAâ€based strategy. FEBS Journal, 2008, 275, 3836-3849.	2.2	15
33	α-Synuclein expression in the brain and blood during abstinence from chronic alcohol drinking in mice. Neuropharmacology, 2008, 54, 1239-1246.	2.0	14
34	Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model. Pain, 2008, 138, 587-597.	2.0	88
35	Morphine effects on striatal transcriptome in mice. Genome Biology, 2007, 8, R128.	13.9	74
36	Gene expression profiling in the striatum of inbred mouse strains with distinct opioid-related phenotypes. BMC Genomics, 2006, 7, 146.	1.2	48