

Tiago S Prata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8057420/publications.pdf>

Version: 2024-02-01

139
papers

2,530
citations

201674

27
h-index

254184

43
g-index

141
all docs

141
docs citations

141
times ranked

2322
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Elucidation of the role of the lamina cribrosa in glaucoma using optical coherence tomography. Survey of Ophthalmology, 2022, 67, 197-216. | 4.0 | 7 |
| 2 | Clinical Profiles of Glaucomatous Patients With High-tension and Low-tension Optic Disc Hemorrhages: A Comparative Study. Journal of Glaucoma, 2022, 31, 178-182. | 1.6 | 3 |
| 3 | Short-term endothelial cell density changes after gonioscopy-assisted transluminal trabeculectomy. Arquivos Brasileiros De Oftalmologia, 2022, 85, . | 0.5 | 1 |
| 4 | Ab-interno trabeculectomy with Kahook dual blade in secondary traumatic glaucoma in a child. American Journal of Ophthalmology Case Reports, 2022, 25, 101354. | 0.7 | 1 |
| 5 | Real-world data from selective laser trabeculectomy in Brazil. Scientific Reports, 2022, 12, 1923. | 3.3 | 4 |
| 6 | Gonioscopy-assisted Transluminal Trabeculectomy for Glaucoma: One-year Outcomes and Success Predictors. Journal of Glaucoma, 2022, Publish Ahead of Print, . | 1.6 | 4 |
| 7 | Phacoemulsification with Kahook Dual Blade goniotomy in eyes with medically treated glaucoma: analysis of surgical outcomes and success predictors. Arquivos Brasileiros De Oftalmologia, 2022, 85, . | 0.5 | 3 |
| 8 | To the Editor: "One-Year Outcomes of Micropulse Cyclophototherapy for Primary Open-Angle Glaucoma". Journal of Glaucoma, 2022, Publish Ahead of Print, . | 1.6 | 1 |
| 9 | Subtenon triamcinolone as an adjuvant in mitomycin-C-enhanced trabeculectomy in non-inflammatory glaucomas: A randomized clinical trial. PLoS ONE, 2022, 17, e0268623. | 2.5 | 0 |
| 10 | Comparison between provocative test-based and long-term intraocular pressure parameters in patients with stable open-angle glaucoma. European Journal of Ophthalmology, 2021, 31, 453-459. | 1.3 | 0 |
| 11 | Long-term intraocular pressure fluctuation in patients with stable glaucoma: the impact of regression to the mean on glaucoma management. Arquivos Brasileiros De Oftalmologia, 2021, 84, 519-520. | 0.5 | 1 |
| 12 | Efeito de colírios esteróides pré-operatório em pacientes com glaucoma: análise com keratograph. Arquivos Brasileiros De Oftalmologia, 2021, 84, 345-351. | 0.5 | 0 |
| 13 | Iris stromal cell nuclei deform to more elongated shapes during pharmacologically-induced miosis and mydriasis. Experimental Eye Research, 2021, 202, 108373. | 2.6 | 2 |
| 14 | Is Reading Performance Impaired in Glaucoma Patients With Preserved Central Vision?. Journal of Glaucoma, 2021, 30, e153-e158. | 1.6 | 4 |
| 15 | Standalone XEN45 Gel Stent implantation versus combined XEN45-phacoemulsification in the treatment of open angle glaucoma: a systematic review and meta-analysis. Graefes' Archive for Clinical and Experimental Ophthalmology, 2021, 259, 3209-3219. | 1.9 | 9 |
| 16 | Interventions to Improve Reading Performance in Glaucoma. Ophthalmology Glaucoma, 2021, 4, 624-631. | 1.9 | 3 |
| 17 | Partial corneal recovery following selective trabeculectomy-induced keratopathy: Longitudinal analysis through Scheimpflug imaging. American Journal of Ophthalmology Case Reports, 2021, 22, 101062. | 0.7 | 0 |
| 18 | Resultados de curto prazo da trabeculectomia ab-interno usando o Kahook Dual Blade em pacientes com glaucoma congênito primário. Arquivos Brasileiros De Oftalmologia, 2021, 84, 380-382. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Assessment of short-term intraocular pressure parameters in phakic and pseudophakic patients with primary open-angle glaucoma. <i>Arquivos Brasileiros De Oftalmologia</i> , 2021, 84, 425-429. | 0.5 | 0 |
| 20 | Optic Nerve Head Hemoglobin Levels in Glaucoma: A Structural and Functional Correlation Study. <i>Journal of Ophthalmology</i> , 2021, 2021, 1-8. | 1.3 | 4 |
| 21 | Two-Year Clinical Outcomes of Combined Phacoemulsification, Goniosynechialysis, and Excisional Goniotomy For Angle-Closure Glaucoma. <i>Asia-Pacific Journal of Ophthalmology</i> , 2021, 10, 183-187. | 2.5 | 14 |
| 22 | Structural abnormalities associated with glaucoma using swept-source optical coherence tomography in patients with systemic sclerosis. <i>International Ophthalmology</i> , 2021, , 1. | 1.4 | 1 |
| 23 | Comparison of Fundus Biomicroscopy Examination of the Optic Nerve Head with and without Mydriasis. <i>Ophthalmic Research</i> , 2020, 63, 8-12. | 1.9 | 2 |
| 24 | Exercise-Induced Changes in Ocular Blood Flow Parameters in Primary Open-Angle Glaucoma Patients. <i>Ophthalmic Research</i> , 2020, 63, 309-313. | 1.9 | 7 |
| 25 | Intra-operative optical coherence tomography in glaucoma surgery—a systematic review. <i>Eye</i> , 2020, 34, 168-177. | 2.1 | 18 |
| 26 | <p>Corneal Endothelial Cell Changes After Phacoemulsification Combined with Excisional Goniotomy with the Kahook Dual Blade or iStent: A Prospective Fellow-Eye Comparison</p>. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 4047-4053. | 1.8 | 11 |
| 27 | <p>Retinal Sensitivity Thresholds Obtained Through Easyfield and Humphrey Perimeters in Eyes with Glaucoma: A Cross-Sectional Comparative Study</p>. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 4201-4207. | 1.8 | 0 |
| 28 | USING ENHANCED DEPTH IMAGING OPTICAL COHERENCE TOMOGRAPHY —“ DERIVED PARAMETERS TO DISCRIMINATE BETWEEN EYES WITH AND WITHOUT GLAUCOMA: A CROSS-SECTIONAL COMPARATIVE STUDY. <i>Ophthalmic Research</i> , 2020, 64, 108-115. | 1.9 | 2 |
| 29 | Re: Samuelson etÂal.: Prospective, randomized, controlled pivotal trial of an ab interno implanted trabecular micro-bypass in primary open-angle glaucoma and cataract: two-year results (<i>Ophthalmology</i> . 2019;126:811-821). <i>Ophthalmology</i> , 2020, 127, e14-e15. | 5.2 | 0 |
| 30 | What do we know about COVID-19? A review article. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2020, 66, 534-540. | 0.7 | 17 |
| 31 | <p>Twelve-month outcomes of excisional goniotomy using the Kahook Dual Blade in eyes with angle-closure glaucoma</p>. <i>Clinical Ophthalmology</i> , 2019, Volume 13, 1779-1785. | 1.8 | 23 |
| 32 | <p>Comparison of clinical effects of two latanoprost 0.005% solutions (Xalatan<sup>&reg</sup> and Arulatan<sup>&reg</sup>) in primary open-angle glaucoma or ocular hypertensive patients: a randomized clinical trial</p>. <i>Clinical Ophthalmology</i> , 2019, Volume 13, 679-684. | 1.8 | 1 |
| 33 | Lack of association between provocative test-based intraocular pressure parameters and functional loss in treated glaucoma patients. <i>Arquivos Brasileiros De Oftalmologia</i> , 2019, 82, 176-182. | 0.5 | 3 |
| 34 | Structure-function relationships in glaucoma using enhanced depth imaging optical coherence tomography-derived parameters: a cross-sectional observational study. <i>BMC Ophthalmology</i> , 2019, 19, 52. | 1.4 | 22 |
| 35 | Predicting the Therapeutic Efficacy of Laser Peripheral Iridotomy for Individuals With Asymptomatic Narrow Angle. <i>Journal of Glaucoma</i> , 2019, 28, e145. | 1.6 | 0 |
| 36 | Response. <i>Journal of Glaucoma</i> , 2019, 28, e90-e91. | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Factors Associated with Midterm Visual Field Variability in Patients with Stable Glaucoma. <i>Journal of Ophthalmology</i> , 2019, 2019, 1-7. | 1.3 | 1 |
| 38 | Kahook Dual Blade Excisional Goniotomy and Goniosynechialysis Combined With Phacoemulsification for Angle-closure Glaucoma: 6-Month Results. <i>Journal of Glaucoma</i> , 2019, 28, 643-646. | 1.6 | 33 |
| 39 | Considerations With Regard to the Relationship Between Anticoagulant Intake and Glaucoma Prognosis in Eyes With Optic Disc Hemorrhages. <i>Journal of Glaucoma</i> , 2019, 28, e133-e133. | 1.6 | 0 |
| 40 | Peak, Fluctuation, or Mean? A Correlation Analysis of Long-term Intraocular Pressure Variation Parameters in Patients with Stable Glaucoma. <i>Journal of Current Glaucoma Practice</i> , 2019, 13, 28-31. | 0.5 | 1 |
| 41 | Glaucoma Surgery with Soaked Sponges with Mitomycin C vs Sub-Tenon Injection: Short-term Outcomes. <i>Journal of Current Glaucoma Practice</i> , 2019, 13, 50-54. | 0.5 | 11 |
| 42 | Factors associated with vision-related quality of life in Brazilian patients with glaucoma. <i>Arquivos Brasileiros De Oftalmologia</i> , 2019, 82, 463-470. | 0.5 | 8 |
| 43 | Diurnal Variation of IOP in Angle Closure Disease: Are We Doing Enough?. <i>Romanian Journal of Ophthalmology</i> , 2019, 63, 208-216. | 0.5 | 1 |
| 44 | The Water-drinking Test and Glaucoma Progression: Considerations Regarding the Test Usefulness as an Independent Risk Assessment Tool. <i>Journal of Glaucoma</i> , 2018, 27, e25-e26. | 1.6 | 1 |
| 45 | Intraocular Pressure Spikes within First Postoperative Hours following Standard Trabeculectomy: Incidence and Associated Factors. <i>Ophthalmic Research</i> , 2018, 59, 142-147. | 1.9 | 3 |
| 46 | Evaluation of Ocular Surface Disease in Patients With Glaucoma: Clinical Parameters, Self-report Assessment, and Keratograph Analysis. <i>Journal of Glaucoma</i> , 2018, 27, 794-801. | 1.6 | 23 |
| 47 | Factors associated with the presence of parafoveal scotoma in glaucomatous eyes with optic disc hemorrhages. <i>Eye</i> , 2018, 32, 1669-1674. | 2.1 | 8 |
| 48 | Macular Inner Retinal Layer Thinning in Diabetic Patients without Retinopathy Measured by Spectral Domain Optical Coherence Tomography. <i>Medical Hypothesis, Discovery, and Innovation in Ophthalmology</i> , 2018, 7, 133-139. | 0.2 | 5 |
| 49 | Neurophthalmological conditions mimicking glaucomatous optic neuropathy: analysis of the most common causes of misdiagnosis. <i>BMC Ophthalmology</i> , 2017, 17, 2. | 1.4 | 35 |
| 50 | Evaluation of the Efficacy and Safety of the New Susanna Glaucoma Drainage Device in Refractory Glaucomas: Short-term Results. <i>Journal of Glaucoma</i> , 2017, 26, 356-360. | 1.6 | 7 |
| 51 | Re: Narayanaswamy etÂal.: Argon laser peripheral iridoplasty for primary angle-closure glaucoma: a randomized controlled trial (<i>Ophthalmology</i> . 2016;123:514-521). <i>Ophthalmology</i> , 2017, 124, e34. | 5.2 | 1 |
| 52 | Clinical Implications of Specific Features of the New Susanna Glaucoma Drainage Device. <i>Journal of Glaucoma</i> , 2017, 26, e222-e223. | 1.6 | 3 |
| 53 | In vivo analysis of glaucoma-related features within the optic nerve head using enhanced depth imaging optical coherence tomography. <i>PLoS ONE</i> , 2017, 12, e0180128. | 2.5 | 11 |
| 54 | Hypotony Management through Transconjunctival Scleral Flap Resuturing: Analysis of Surgical Outcomes and Success Predictors. <i>Journal of Current Glaucoma Practice</i> , 2017, 11, 58-62. | 0.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Peripapillary Atrophy in Myopic Eyes: Comparison of Gamma to Beta Zone Ratio Between Those With and Without Glaucoma. , 2016, 57, 6031. | | 3 |
| 56 | Selective laser trabeculoplasty as an initial treatment option for open-angle glaucoma. Arquivos Brasileiros De Oftalmologia, 2016, 79, 417-421. | 0.5 | 7 |
| 57 | Eyes with Suspicious Appearance of the Optic Disc and Normal Intraocular Pressure: Using Clinical and Epidemiological Characteristics to Differentiate Those with and without Glaucoma. PLoS ONE, 2016, 11, e0158983. | 2.5 | 3 |
| 58 | Identification of the Most Accurate Spectral-domain Optical Coherence Tomography Parameters in Eyes With Early High-Tension and Low-Tension Glaucoma. Journal of Glaucoma, 2016, 25, 854-859. | 1.6 | 2 |
| 59 | Selective laser trabeculoplasty for early glaucoma: analysis of success predictors and adjusted laser outcomes based on the untreated fellow eye. BMC Ophthalmology, 2016, 16, 206. | 1.4 | 19 |
| 60 | Do All Disc Hemorrhages Have the Same Causative Mechanism and Same Influence on Glaucoma Prognosis?. American Journal of Ophthalmology, 2016, 166, 208-209. | 3.3 | 3 |
| 61 | Ocular Perfusion Pressure and Pulsatile Ocular Blood Flow in Normal and Systemic Hypertensive Patients. Journal of Current Glaucoma Practice, 2015, 9, 16-19. | 0.5 | 4 |
| 62 | Evaluation of the efficacy and safety of a new device for eye drops instillation in patients with glaucoma. Clinical Ophthalmology, 2015, 9, 367. | 1.8 | 8 |
| 63 | Association between Glucose Levels and Intraocular Pressure: Pre- and Postprandial Analysis in Diabetic and Nondiabetic Patients. Journal of Ophthalmology, 2015, 2015, 1-5. | 1.3 | 20 |
| 64 | Suitability of the Visual Field Index according to Glaucoma Severity. Journal of Current Glaucoma Practice, 2015, 9, 65-68. | 0.5 | 24 |
| 65 | Carbonic anhydrase inhibitors as fourth drug in primary glaucomas: Is it worth it?. Canadian Journal of Ophthalmology, 2015, 50, 297-301. | 0.7 | 2 |
| 66 | Re: Tham etÁal.: Global prevalence of glaucoma and projections of glaucoma burden through 2040: a systematic review and meta-analysis (Ophthalmology 2014;121:2081-90). Ophthalmology, 2015, 122, e40-e41. | 5.2 | 32 |
| 67 | Cataract surgery alone cannot be considered an IOP-lowering procedure for open-angle glaucoma patients: an evidence-based perspective. Arquivos Brasileiros De Oftalmologia, 2015, 78, V-VI. | 0.5 | 5 |
| 68 | Non-pupillary block angle-closure mechanisms: a comprehensive analysis of their prevalence and treatment outcomes. Arquivos Brasileiros De Oftalmologia, 2014, 77, 360-3. | 0.5 | 5 |
| 69 | Role of Laser Iridoplasty in the Management of Angle Closure Mechanisms other than Pupillary Block. Journal of Current Glaucoma Practice, 2014, 8, 82-84. | 0.5 | 7 |
| 70 | Risk Calculation Variability Over Time in Ocular Hypertensive Subjects. Journal of Glaucoma, 2014, 23, 1-4. | 1.6 | 32 |
| 71 | Effect of Topical Calcium Channel Blockers on Intraocular Pressure in Steroid-induced Glaucoma. Journal of Current Glaucoma Practice, 2014, 8, 15-19. | 0.5 | 9 |
| 72 | Ability of non-ophthalmologist doctors to detect eyes with occludable angles using the flashlight test. International Ophthalmology, 2014, 34, 557-561. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Analysis of neuroretinal rim distribution and vascular pattern in eyes with presumed large physiological cupping: a comparative study. <i>BMC Ophthalmology</i> , 2014, 14, 72. | 1.4 | 14 |
| 74 | Effect of intraoperative 5-fluorouracil and low molecular weight heparin on the outcome of high-risk proliferative vitreoretinopathy. <i>Saudi Journal of Ophthalmology</i> , 2014, 28, 257-261. | 0.3 | 14 |
| 75 | Angle-closure Glaucoma: treatment. <i>Revista Da Associação Médica Brasileira</i> , 2014, 60, 295-297. | 0.7 | 3 |
| 76 | Bilateral cataracts in tuberous sclerosis. <i>Journal of Ophthalmic and Vision Research</i> , 2014, 9, 113-5. | 1.0 | 3 |
| 77 | Eyes with large disc cupping and normal intraocular pressure: using optical coherence tomography to discriminate those with and without glaucoma. <i>Medical Hypothesis, Discovery, and Innovation in Ophthalmology</i> , 2014, 3, 91-8. | 0.2 | 9 |
| 78 | Ocular decompression retinopathy: A review. <i>Survey of Ophthalmology</i> , 2013, 58, 505-512. | 4.0 | 46 |
| 79 | Subconjunctival bevacizumab as an adjuvant in first-time filtration surgery for patients with primary glaucomas. <i>International Ophthalmology</i> , 2013, 33, 741-746. | 1.4 | 8 |
| 80 | Anterior Segment Imaging in Glaucoma. <i>Seminars in Ophthalmology</i> , 2013, 28, 113-125. | 1.6 | 7 |
| 81 | Combined Baerveldt Glaucoma Implant and Scleral Buckling Surgery for Patients With Retinal Detachment and Coexisting Glaucoma. <i>Journal of Glaucoma</i> , 2013, 22, 294-300. | 1.6 | 4 |
| 82 | Semiautomated quantification of zone parapapillary atrophy using blue light fundus autofluorescence. <i>Acta Ophthalmologica</i> , 2013, 91, e379-385. | 1.1 | 0 |
| 83 | Is preoperative ciliary body and iris anatomical configuration a predictor of malignant glaucoma development?. <i>Clinical and Experimental Ophthalmology</i> , 2013, 41, 541-545. | 2.6 | 42 |
| 84 | Angle Closure Associated With a Cobblestone Iris Configuration. <i>Journal of Glaucoma</i> , 2013, 22, e36-e37. | 1.6 | 3 |
| 85 | Perioperative management of anticoagulant users scheduled for glaucoma surgery: a survey among the Brazilian Glaucoma Society members. <i>Arquivos Brasileiros De Oftalmologia</i> , 2013, 76, 363-365. | 0.5 | 10 |
| 86 | Association of age and macular pigment optical density using dual-wavelength autofluorescence imaging. <i>Clinical Ophthalmology</i> , 2013, 7, 685. | 1.8 | 7 |
| 87 | New adjustable suture technique for trabeculectomy. <i>Arquivos Brasileiros De Oftalmologia</i> , 2013, 76, 152-154. | 0.5 | 1 |
| 88 | Pattern of inner retinal layers involvement in pigmented paravenous retinochoroidal atrophy as determined by SD-OCT: case report. <i>Arquivos Brasileiros De Oftalmologia</i> , 2013, 76, 380-382. | 0.5 | 13 |
| 89 | Changing Trends of Imaging in Angle Closure Evaluation. <i>ISRN Ophthalmology</i> , 2012, 2012, 1-7. | 1.7 | 16 |
| 90 | Encephalotrigeminal Angiomatosis (Sturge-Weber Syndrome, Klippel-Trenaunay-Weber Syndrome). <i>Asia-Pacific Journal of Ophthalmology</i> , 2012, 1, 226-234. | 2.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Short Duration Transient Visual Evoked Potentials in Glaucomatous Eyes. <i>Journal of Glaucoma</i> , 2012, 21, 415-420. | 1.6 | 9 |
| 92 | Association between corneal biomechanical properties and optic nerve head morphology in newly diagnosed glaucoma patients. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, 682-688. | 2.6 | 51 |
| 93 | In Vivo Evaluation of Focal Lamina Cribrosa Defects in Glaucoma. <i>JAMA Ophthalmology</i> , 2012, 130, 552-9. | 2.4 | 147 |
| 94 | The Posterior Location of the Dilator Muscle Induces Anterior Iris Bowing during Dilation, Even in the Absence of Pupillary Block. , 2012, 53, 1188. | | 24 |
| 95 | Anterior Segment Optical Coherence Tomography and its Clinical Applications in Glaucoma. <i>Journal of Current Glaucoma Practice</i> , 2012, 6, 68-74. | 0.5 | 16 |
| 96 | Spectral-domain optical coherence tomography for early glaucoma assessment: analysis of macular ganglion cell complex versus peripapillary retinal nerve fiber layer. <i>Canadian Journal of Ophthalmology</i> , 2011, 46, 543-547. | 0.7 | 56 |
| 97 | The Region of Largest $\hat{\sigma}^2$ -Zone Parapapillary Atrophy Area Predicts the Location of Most Rapid Visual Field Progression. <i>Ophthalmology</i> , 2011, 118, 2409-2413. | 5.2 | 79 |
| 98 | Macular changes detected by Fourier-domain optical coherence tomography in patients with hypotony without clinical maculopathy. <i>Acta Ophthalmologica</i> , 2011, 89, e274-7. | 1.1 | 11 |
| 99 | Influence of optic disc size on the diagnostic performance of macular ganglion cell complex and peripapillary retinal nerve fiber layer analyses in glaucoma. <i>Clinical Ophthalmology</i> , 2011, 5, 1333. | 1.8 | 14 |
| 100 | Pattern of intraocular pressure reduction following laser trabeculoplasty in open-angle glaucoma patients: comparison between selective and nonselective treatment. <i>Clinical Ophthalmology</i> , 2011, 5, 933. | 1.8 | 18 |
| 101 | Factors associated with topographic changes of the optic nerve head induced by acute intraocular pressure reduction in glaucoma patients. <i>Eye</i> , 2011, 25, 201-207. | 2.1 | 28 |
| 102 | Intraocular pressure, corneal thickness, and corneal hysteresis in Steinert's myotonic dystrophy. <i>Arquivos Brasileiros De Oftalmologia</i> , 2011, 74, 161-162. | 0.5 | 7 |
| 103 | Hypotensive Effect of Juxtasclear Administration of Anecortave Acetate in Different Types of Glaucoma. <i>Journal of Glaucoma</i> , 2010, 19, 488-492. | 1.6 | 9 |
| 104 | Baerveldt Glaucoma Implant in the Ciliary Sulcus. <i>Journal of Glaucoma</i> , 2010, 19, 15-18. | 1.6 | 26 |
| 105 | Indentation Slitlamp-Adapted Optical Coherence Tomography Technique for Anterior Chamber Angle Assessment. <i>JAMA Ophthalmology</i> , 2010, 128, 646. | 2.4 | 10 |
| 106 | Recurrent disc hemorrhage does not increase the rate of visual field progression. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 839-844. | 1.9 | 40 |
| 107 | Response to: "Morphologic and functional glaucomatous change after occurrence of single or recurrent optic disc haemorrhages". <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1685-1685. | 1.9 | 0 |
| 108 | Repeatability of short-duration transient visual evoked potentials in normal subjects. <i>Documenta Ophthalmologica</i> , 2010, 120, 219-228. | 2.2 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Retinal vascular occlusions occur more frequently in the more affected eye in exfoliation syndrome. <i>Eye</i> , 2010, 24, 658-662. | 2.1 | 26 |
| 110 | Comparison between Macular Pigment Optical Density Measurements Using Two-Wavelength Autofluorescence and Heterochromatic Flicker Photometry Techniques. , 2010, 51, 3152. | | 22 |
| 111 | Factors affecting the variability of the Heidelberg Retina Tomograph III measurements in newly diagnosed glaucoma patients. <i>Arquivos Brasileiros De Oftalmologia</i> , 2010, 73, 354-357. | 0.5 | 6 |
| 112 | A comparison between microperimetry and standard achromatic perimetry of the central visual field in eyes with glaucomatous paracentral visual-field defects. <i>British Journal of Ophthalmology</i> , 2010, 94, 64-67. | 3.9 | 65 |
| 113 | INTRAVITREAL TRIAMCINOLONE AND BEVACIZUMAB THERAPY FOR COMBINED PAPILLOPHLEBITIS AND CENTRAL RETINAL ARTERY OCCLUSION. <i>Retinal Cases and Brief Reports</i> , 2010, 4, 125-128. | 0.6 | 2 |
| 114 | Visual Field Progression Differences between Normal-Tension and Exfoliative High-Tension Glaucoma. , 2010, 51, 1458. | | 80 |
| 115 | Macular Pigment Optical Density Measured by Dual-Wavelength Autofluorescence Imaging in Diabetic and Nondiabetic Patients: A Comparative Study. , 2010, 51, 5840. | | 42 |
| 116 | Factors Affecting Rates of Visual Field Progression in Glaucoma Patients with Optic Disc Hemorrhage. <i>Ophthalmology</i> , 2010, 117, 24-29. | 5.2 | 90 |
| 117 | Î²-Zone Parapapillary Atrophy and the Velocity of Glaucoma Progression. <i>Ophthalmology</i> , 2010, 117, 909-915. | 5.2 | 149 |
| 118 | Eye Pressure and Head Position. <i>Ophthalmology</i> , 2010, 117, 2236-2237. | 5.2 | 1 |
| 119 | Posture-induced Intraocular Pressure Changes: Considerations Regarding Body Position in Glaucoma Patients. <i>Survey of Ophthalmology</i> , 2010, 55, 445-453. | 4.0 | 136 |
| 120 | Glaucoma Surgery Decreases the Rates of Localized and Global Visual Field Progression. <i>American Journal of Ophthalmology</i> , 2010, 149, 258-264.e2. | 3.3 | 41 |
| 121 | Slitâ€adapted optical coherence tomography for assessment of an overhanging filtering bleb. <i>Acta Ophthalmologica</i> , 2010, 88, 910-911. | 1.1 | 8 |
| 122 | Association of exfoliation syndrome and central retinal vein occlusion: an ultrastructural analysis. <i>Acta Ophthalmologica</i> , 2010, 88, 91-95. | 1.1 | 51 |
| 123 | Corneal Viscoelasticity Differences Between Diabetic and Nondiabetic Glaucomatous Patients. <i>Journal of Glaucoma</i> , 2010, 19, 341-343. | 1.6 | 31 |
| 124 | Multiple wedge-shaped retinal nerve fiber layer defects in a patient with optic nerve glioma in the contralateral eye: case report. <i>Arquivos Brasileiros De Oftalmologia</i> , 2009, 72, 556-559. | 0.5 | 0 |
| 125 | Spatially Consistent, Localized Visual Field Loss before and after Disc Hemorrhage. , 2009, 50, 4727. | | 95 |
| 126 | Effect of Diabetic Retinopathy and Panretinal Photocoagulation on Retinal Nerve Fiber Layer and Optic Nerve Appearance. <i>JAMA Ophthalmology</i> , 2009, 127, 857. | 2.4 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Ascorbic acid concentration is reduced in the secondary aqueous humour of glaucomatous patients. <i>Clinical and Experimental Ophthalmology</i> , 2009, 37, 402-406. | 2.6 | 26 |
| 128 | Changes in visual function after intraocular pressure reduction using antiglaucoma medications. <i>Eye</i> , 2009, 23, 1081-1085. | 2.1 | 12 |
| 129 | Imaging of a traumatic cyclodialysis cleft in a child using slit-lamp-adapted optical coherence tomography. <i>Eye</i> , 2009, 23, 1618-1619. | 2.1 | 7 |
| 130 | Monocular diplopia induced by posterior chamber intraocular lens in a patient with peripheral laser iridotomy: a case report. <i>Eye</i> , 2009, 23, 2131-2132. | 2.1 | 4 |
| 131 | Iris Morphologic Changes Related to α -Adrenergic Receptor Antagonists. <i>Ophthalmology</i> , 2009, 116, 877-881. | 5.2 | 66 |
| 132 | Assessment of corneal biomechanical properties and intraocular pressure in patients with rheumatoid arthritis. <i>Canadian Journal of Ophthalmology</i> , 2009, 44, 602. | 0.7 | 31 |
| 133 | Glaucoma With Early Visual Field Loss Affecting Both Hemifields and the Risk of Disease Progression. <i>JAMA Ophthalmology</i> , 2009, 127, 1129. | 2.4 | 41 |
| 134 | Modalities of Tonometry and their Accuracy with Respect to Corneal Thickness and Irregularities. <i>Journal of Optometry</i> , 2008, 1, 43-49. | 1.3 | 35 |
| 135 | Central retinal artery occlusion and non-arteritic anterior ischemic optic neuropathy associated with an overlap syndrome: a case report. <i>Journal of Medical Case Reports</i> , 2008, 2, 389. | 0.8 | 1 |
| 136 | Correlation Between Water-Drinking Test Outcomes and Body Mass Index in Primary Open-Angle Glaucoma Patients Under Clinical Treatment. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2008, 24, 513-516. | 1.4 | 6 |
| 137 | Diode Laser Transscleral Cyclophotocoagulation-Induced Staphyloma Following Trabeculectomy with Mitomycin C. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2008, 39, 343-345. | 0.7 | 4 |
| 138 | Baerveldt glaucoma implant insertion in the posterior chamber sulcus. <i>British Journal of Ophthalmology</i> , 2007, 91, 739-742. | 3.9 | 50 |
| 139 | Ultrasound Biomicroscopy in Asymmetric Pigment Dispersion Syndrome and Pigmentary Glaucoma. <i>JAMA Ophthalmology</i> , 2006, 124, 1573. | 2.4 | 36 |