

Farhad Shahram

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8057532/farhad-shahram-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106 papers	3,393 citations	26 h-index	56 g-index
110 ext. papers	4,046 ext. citations	3.3 avg, IF	4.62 L-index

#	Paper	IF	Citations
106	The International Criteria for Behçet's Disease (ICBD): a collaborative study of 27 countries on the sensitivity and specificity of the new criteria. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 338-47	4.6	642
105	Mesenchymal stem cell therapy for knee osteoarthritis. Preliminary report of four patients. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 211-5	2.3	275
104	Behcet's disease: from East to West. <i>Clinical Rheumatology</i> , 2010 , 29, 823-33	3.9	174
103	WHO-ILAR COPCORD Study (Stage 1, Urban Study) in Iran. <i>Journal of Rheumatology</i> , 2008 , 35, 1384	4.1	154
102	Rituximab in intractable ocular lesions of Behcet's disease; randomized single-blind control study (pilot study). <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 246-52	2.3	142
101	Behcet's disease: epidemiology, clinical manifestations, and diagnosis. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 57-65	5.1	133
100	Behcet's disease in Iran: analysis of 6500 cases. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 367-73	2.3	119
99	Consensus classification criteria for paediatric Behçet's disease from a prospective observational cohort: PEDBD. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 958-64	2.4	108
98	Colchicine versus placebo in Behçet's disease: randomized, double-blind, controlled crossover trial. <i>Modern Rheumatology</i> , 2009 , 19, 542-549	3.3	94
97	Dense genotyping of immune-related loci implicates host responses to microbial exposure in Behçet's disease susceptibility. <i>Nature Genetics</i> , 2017 , 49, 438-443	36.3	89
96	Association study of IL10 and IL23R-IL12RB2 in Iranian patients with Behçet's disease. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2761-72		62
95	The microvascular niche instructs T cells in large vessel vasculitis via the VEGF-Jagged1-Notch pathway. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	58
94	Diagnostic value of pathergy test in Behcet's disease according to the change of incidence over the time. <i>Clinical Rheumatology</i> , 2011 , 30, 1151-5	3.9	56
93	Registries in rheumatological and musculoskeletal conditions. Paediatric Behçet's disease: an international cohort study of 110 patients. One-year follow-up data. <i>Rheumatology</i> , 2011 , 50, 184-8	3.9	56
92	Adult Behcet's disease in Iran: analysis of 6075 patients. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 95-103	2.3	55
91	FUT2: filling the gap between genes and environment in Behçet's disease?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 618-24	2.4	54
90	Salmonella infection in systemic lupus erythematosus. <i>Lupus</i> , 1993 , 2, 55-9	2.6	47

89	Colchicine versus placebo in Behçet's disease: randomized, double-blind, controlled crossover trial. <i>Modern Rheumatology</i> , 2009 , 19, 542-9	3.3	46
88	How to deal with Behcet's disease in daily practice. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 105-16	2.3	42
87	The saga of diagnostic/classification criteria in Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 594-605	2.3	40
86	Validation of the International Criteria for Behçet's disease (ICBD) in Iran. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 55-60	2.3	37
85	The effect of ginger supplementation on some immunity and inflammation intermediate genes expression in patients with active Rheumatoid Arthritis. <i>Gene</i> , 2019 , 698, 179-185	3.8	36
84	Comparison of existing disease activity indices in the follow-up of patients with Behçet's disease. <i>Modern Rheumatology</i> , 2009 , 19, 536-541	3.3	30
83	Proinflammatory cytokine gene polymorphisms in Behçet's disease. <i>European Cytokine Network</i> , 2010 , 21, 292-6	3.3	30
82	Brief report: association of CCR1, KLRC4, IL12A-AS1, STAT4, and ERAP1 With Behçet's disease in Iranians. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2742-8	9.5	29
81	Systemic lupus erythematosus in Iran: a study of 2280 patients over 33 years. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 374-9	2.3	27
80	Pimecrolimus versus placebo in genital aphthous ulcers of Behcet's disease: a randomized double-blind controlled trial. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 253-8	2.3	26
79	Prevalence of Behcet's disease in Iran: a WHO-ILAR COPCORD stage I study. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 239-243		26
78	Gluten sensitivity enteropathy in patients with recurrent aphthous stomatitis. <i>BMC Gastroenterology</i> , 2009 , 9, 44	3	25
77	The prevalence of oral aphthosis in a normal population in Iran: a WHO-ILAR COPCORD study. <i>Archives of Iranian Medicine</i> , 2008 , 11, 207-9	2.4	25
76	Effect of ethnic origin (Caucasians versus Turks) on the prevalence of rheumatic diseases: a WHO-ILAR COPCORD urban study in Iran. <i>Clinical Rheumatology</i> , 2009 , 28, 1275-82	3.9	23
75	Effect of conjugated linoleic acids, vitamin E and their combination on the clinical outcome of Iranian adults with active rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2009 , 12, 20-8	2.3	22
74	Behcet's disease: is there a gender influence on clinical manifestations?. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 306-14	2.3	21
73	Combination of pulse cyclophosphamide and azathioprine in ocular manifestations of Behcet's disease: longitudinal study of up to 10 years. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 444-52	2.3	21
72	Curcumin reduces the expression of interleukin 1 β and the production of interleukin 6 and tumor necrosis factor alpha by M1 macrophages from patients with Behcet's disease. <i>Immunopharmacology and Immunotoxicology</i> , 2018 , 40, 297-302	3.2	21

71	Methotrexate in ocular manifestations of Behcet's disease: a longitudinal study up to 15 years. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 568-77	2.3	19
70	Behcet's disease in Iran: Analysis of 7641 cases. <i>Modern Rheumatology</i> , 2019 , 29, 1023-1030	3.3	19
69	Paediatric Behçet's disease in Iran: report of 204 cases. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 135-140	2.2	19
68	Characterization of the major histocompatibility complex locus association with Behçet's disease in Iran. <i>Arthritis Research and Therapy</i> , 2015 , 17, 81	5.7	18
67	On the genetics of the Silk Route: association analysis of HLA, IL10, and IL23R-IL12RB2 regions with Behçet's disease in an Iranian population. <i>Immunogenetics</i> , 2015 , 67, 289-93	3.2	17
66	Validation of the revised International Criteria for Behcet's Disease (ICBD) in Iran. <i>Clinical Rheumatology</i> , 2015 , 34, 315-20	3.9	17
65	Effect of conjugated linoleic Acid, vitamin e, alone or combined on immunity and inflammatory parameters in adults with active rheumatoid arthritis: a randomized controlled trial. <i>International Journal of Preventive Medicine</i> , 2014 , 5, 1567-77	1.6	17
64	Association of interleukin-2, interleukin-4 and transforming growth factor-beta gene polymorphisms with Behcet's disease. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S28-31	2.2	17
63	Nailfold capillaroscopy in Behçet's disease, analysis of 128 patients. <i>Clinical Rheumatology</i> , 2009 , 28, 603-5	3.9	16
62	Pathergy test in Behcet's disease: change in incidence over the time. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 333-335		15
61	Comparison of existing disease activity indices in the follow-up of patients with Behçet's disease. <i>Modern Rheumatology</i> , 2009 , 19, 536-41	3.3	15
60	Non-corticosteroid risk factors of symptomatic avascular necrosis of bone in systemic lupus erythematosus: A retrospective case-control study. <i>Modern Rheumatology</i> , 2015 , 25, 590-4	3.3	14
59	Evaluation of the effect of acetazolamide on cystoid macular oedema in patients with Behcet's disease. <i>Eye</i> , 2003 , 17, 762-6	4.4	14
58	Clinical and immunological pattern of systemic lupus erythematosus in men in a cohort of 2355 patients. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 394-9	2.3	13
57	Gender influence on ocular manifestations and their outcome in Behcet's Disease. A long-term follow-up of up to 20 years. <i>Clinical Rheumatology</i> , 2011 , 30, 541-7	3.9	13
56	Comparative analysis of Behcet's disease in the APLAR region. <i>APLAR Journal of Rheumatology</i> , 2004 , 7, 38-43		13
55	Serum Profiles of Cytokines in Behcet's Disease. <i>Journal of Clinical Medicine</i> , 2017 , 6,	5.1	12
54	Impact of the positive pathergy test on the performance of classification/diagnosis criteria for Behçet's disease. <i>Modern Rheumatology</i> , 2013 , 23, 125-132	3.3	12

53	Clinical features of Behcet's disease in patients without oral aphthosis. <i>Modern Rheumatology</i> , 2014 , 24, 637-9	3.3	11
52	High-dose intravenous steroid pulse therapy in ocular involvement of Behcet's disease: a pilot double-blind controlled study. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 1269-1276	2.3	10
51	Prospective study of articular manifestations in Behçet's disease: five-year report. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 97-102	2.3	10
50	Gene expression profiling and association studies implicate the neuregulin signaling pathway in Behçet's disease susceptibility. <i>Journal of Molecular Medicine</i> , 2013 , 91, 1013-23	5.5	10
49	Mesenchymal stem cell therapy unable to rescue the vision from advanced Behcet's disease retinal vasculitis: report of three patients. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 139-47	2.3	10
48	Intragenic SNP haplotypes associated with 84dup18 mutation in TNFRSF11A in four FEO pedigrees suggest three independent origins for this mutation. <i>Journal of Bone and Mineral Metabolism</i> , 2007 , 25, 159-64	2.9	10
47	Histone variants expression in peripheral blood mononuclear cells of patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1831-1837	2.3	9
46	Performance of existing diagnosis/classification criteria for Behcet's disease in Iranian patients: analysis of 5666 patients and 2406 controls. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 238-243		9
45	The association of pathergy reaction and active clinical presentations of Behçet's disease. <i>Reumatologia</i> , 2017 , 55, 79-83	1.7	8
44	Association of killer cell immunoglobulin-like receptor (KIR) genes and their HLA ligands with susceptibility to Behçet's disease. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 155-163	1.9	8
43	Association between dietary intake of some antioxidant micronutrients with some inflammatory and antioxidant markers in active Rheumatoid Arthritis patients. <i>International Journal for Vitamin and Nutrition Research</i> , 2019 , 89, 238-245	1.7	8
42	Correlation of clinical signs and symptoms of Behçet's disease with mean platelet volume (MPV) and red cell distribution width (RDW). <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 297	4.2	8
41	Plasma homocysteine level in patients with Behcet's disease with or without thrombosis. <i>Archives of Iranian Medicine</i> , 2010 , 13, 476-81	2.4	8
40	Genital aphthosis in Behçet's disease: is it associated with less eye involvement?. <i>Rheumatology International</i> , 2014 , 34, 1581-7	3.6	7
39	Investigation of bacterial and viral agents and immune status in Behcet's disease patients from Iran. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 298-310	2.3	7
38	Prevalence of celiac disease among patients with Behcet's disease in Iran. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1736-9	4	7
37	Management of ocular manifestations of Behcet's disease: outcome with cytotoxic drugs. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 119-123		7
36	Lupus Erythematosus and Chronic Granulomatous Disease: Report of Four Iranian Patients with AR-CGD and One XL-CGD. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2019 , 18, 452-458	1.1	7

35	Impact of the positive pathergy test on the performance of classification/diagnosis criteria for Behcet's disease. <i>Modern Rheumatology</i> , 2013 , 23, 125-32	3.3	7
34	Diagnosis of Behçet's disease: clinical characteristics, diagnostic criteria, and differential diagnoses. <i>BMC Rheumatology</i> , 2021 , 5, 2	2.9	7
33	Effects of hydroalcoholic extract of Berberis Integerrima on the anthropometric indices and metabolic profile in active rheumatoid arthritis patients. <i>Complementary Therapies in Medicine</i> , 2020 , 50, 102331	3.5	6
32	Scientometric analysis and mapping of scientific articles on Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 185-92	2.3	6
31	Effect of early treatment in polymyositis and dermatomyositis. <i>Neurology India</i> , 2010 , 58, 58-61	0.7	6
30	Ophthalmic findings in Behcet's disease: Cases without apparent ocular signs. <i>Journal of Current Ophthalmology</i> , 2015 , 27, 46-50	2	5
29	CLA Has a Useful Effect on Bone Markers in Patients with Rheumatoid Arthritis. <i>Lipids</i> , 2016 , 51, 1397-1406	4.0	5
28	The relationship between plasma homocysteine level and HLA-B*51 in patients with Behcet's disease: a case-control study. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 466-70	2.3	5
27	Study of the correlation of serum selenium level with Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 375-8	2.3	5
26	Characteristics of Macular Edema in Behcet Disease after Intravitreal Bevacizumab Injection. <i>Journal of Ophthalmic and Vision Research</i> , 2017 , 12, 44-52	1.2	5
25	Geographical variations in ocular and extra-ocular manifestations in Behçet's disease. <i>European Journal of Rheumatology</i> , 2019 , 6, 199-206	1.7	5
24	Correlation of clinical signs and symptoms of Behçet's disease with platelet-to-lymphocyte ratio (PLR) and neutrophil-to-lymphocyte ratio (NLR). <i>Immunologic Research</i> , 2021 , 69, 363-371	4.3	5
23	Epistatic Interaction of ERAP1 and HLA-B*51 in Iranian Patients with Behçet's Disease. <i>Scientific Reports</i> , 2018 , 8, 17612	4.9	5
22	Osteoporosis in patients with Pemphigus Vulgaris before steroid therapy. <i>Acta Medica Iranica</i> , 2014 , 52, 879-83		5
21	Headache in Behcet's disease: types and characteristics. <i>SpringerPlus</i> , 2016 , 5, 1077		4
20	Association of mitochondrial polymorphism m.709G>A with Behçet's disease. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1514-6	2.4	4
19	A comprehensive overview on the genetics of Behçet's disease. <i>International Reviews of Immunology</i> , 2020 , 1-64	4.6	4
18	Classification and Diagnosis Criteria for Behçet's Disease. <i>Rare Diseases of the Immune System</i> , 2014 , 189-198	0.2	3

17	Coronavirus disease 2019 in patients with Behcet's disease: a report of 59 cases in Iran. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	3
16	Prevalence and Clinical Investigation of the Behcet's Disease in Middle East and North Africa: A Systematic Review and Meta-Analysis. <i>Iranian Red Crescent Medical Journal</i> , 2017 , 19,	1.3	3
15	Macrophages from Behcet's Disease Patients Express Decreased Level of Aryl Hydrocarbon Receptor (AHR) mRNA. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2017 , 16, 418-424	1.1	3
14	ERAP1 polymorphisms interactions and their association with Behcet's disease susceptibility: Application of Model-Based Multifactor Dimension Reduction Algorithm (MB-MDR). <i>PLoS ONE</i> , 2020 , 15, e0227997	3.7	2
13	Behcet's Disease Criteria. <i>Journal of Medical & Surgical Pathology</i> , 2017 , 02,	0	2
12	Iron deficiency state in resistant oral aphthosis of Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 425-9	2.3	2
11	The effect of ginger supplementation on IL2, TNF α and IL1 β cytokines gene expression levels in patients with active rheumatoid arthritis: A randomized controlled trial. <i>Medical Journal of the Islamic Republic of Iran</i> , 2019 , 33, 154	1.1	2
10	IL10 low-frequency variants in Behcet's disease patients. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 622-627	2.3	1
9	Multiple aneurysms in an Iranian patient with neuro-Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 220-223		1
8	Single Nucleotide Polymorphisms of FCRL3 in Iranian Patients with Behcet's Disease. <i>Iranian Journal of Public Health</i> , 2019 , 48, 1133-1139	0.7	1
7	Electrocardiogram and heart rate variability assessment in patients with common autoimmune diseases: a methodological review. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2020 , 48, 312-327	0.3	1
6	Effects of hydroalcoholic extract of <i>Berberis integerrima</i> on the clinical signs, hs-CRP, TNF α and ESR in active rheumatoid arthritis patients. <i>Journal of Herbal Medicine</i> , 2021 , 28, 100444	2.3	0
5	FRI0346 PED-BD, cohort study for paediatric behcet's disease: Update 2012 reporting 206 patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 431.2-431	2.4	
4	ERAP1 polymorphisms interactions and their association with Behcet's disease susceptibility: Application of Model-Based Multifactor Dimension Reduction Algorithm (MB-MDR) 2020 , 15, e0227997		
3	ERAP1 polymorphisms interactions and their association with Behcet's disease susceptibility: Application of Model-Based Multifactor Dimension Reduction Algorithm (MB-MDR) 2020 , 15, e0227997		
2	ERAP1 polymorphisms interactions and their association with Behcet's disease susceptibility: Application of Model-Based Multifactor Dimension Reduction Algorithm (MB-MDR) 2020 , 15, e0227997		
1	ERAP1 polymorphisms interactions and their association with Behcet's disease susceptibility: Application of Model-Based Multifactor Dimension Reduction Algorithm (MB-MDR) 2020 , 15, e0227997		