

Satoru Tsuchikawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8058295/publications.pdf>

Version: 2024-02-01

97
papers

2,715
citations

236925

25
h-index

206112

48
g-index

99
all docs

99
docs citations

99
times ranked

1420
citing authors

#	ARTICLE	IF	CITATIONS
1	Review of near infrared hyperspectral imaging applications related to wood and wood products. <i>Applied Spectroscopy Reviews</i> , 2023, 58, 585-609.	6.7	10
2	Moisture transport dynamics in wood during drying studied by long-wave near-infrared hyperspectral imaging. <i>Cellulose</i> , 2022, 29, 133-145.	4.9	6
3	Rapid and nondestructive prediction of firmness, soluble solids content, and pH in kiwifruit using Visâ€NIR spatially resolved spectroscopy. <i>Postharvest Biology and Technology</i> , 2022, 186, 111841.	6.0	15
4	Application of near-infrared spectroscopy to agriculture and forestry. <i>Analytical Sciences</i> , 2022, 38, 635-642.	1.6	28
5	Cognitive spectroscopy for the classification of rice varieties: A comparison of machine learning and deep learning approaches in analysing long-wave near-infrared hyperspectral images of brown and milled samples. <i>Infrared Physics and Technology</i> , 2022, 123, 104100.	2.9	12
6	Production of Nanocellulose Film from Abaca Fibers. <i>Crystals</i> , 2022, 12, 601.	2.2	5
7	Experimental study and three-dimensional modeling of moisture transport in wood by means of near-infrared hyperspectral imaging coupled with a heat and mass transfer simulation method. <i>Holzforschung</i> , 2022, 76, 699-710.	1.9	2
8	Comparative Performance of NIR-Hyperspectral Imaging Systems. <i>Foundations</i> , 2022, 2, 523-540.	1.3	3
9	Rapid and nondestructive evaluation of soluble solids content (SSC) and firmness in apple using Visâ€NIR spatially resolved spectroscopy. <i>Postharvest Biology and Technology</i> , 2021, 173, 111417.	6.0	40
10	Non-destructive and fast method of mapping the distribution of the soluble solids content and pH in kiwifruit using object rotation near-infrared hyperspectral imaging approach. <i>Postharvest Biology and Technology</i> , 2021, 174, 111440.	6.0	25
11	Finite Element Method Simulations and Experiments of Detachments of <i>Lycium barbarum</i> L.. <i>Forests</i> , 2021, 12, 699.	2.1	7
12	Modal Analysis and Experiment of a <i>Lycium barbarum</i> L. Shrub for Efficient Vibration Harvesting of Fruit. <i>Agriculture (Switzerland)</i> , 2021, 11, 519.	3.1	16
13	Near-infrared spectroscopy and hyperspectral imaging can aid in the prediction and mapping of polyploid acacia hybrid wood properties in tree improvement programs. <i>Holzforschung</i> , 2021, 75, 1067-1080.	1.9	4
14	Parameter Optimization of Vibrating and Comb-Brushing Harvesting of <i>Lycium barbarum</i> L. Based on FEM and RSM. <i>Horticulturae</i> , 2021, 7, 286.	2.8	7
15	Rapid and nondestructive evaluation of hygroscopic behavior changes of thermally modified softwood and hardwood samples using near-infrared hyperspectral imaging (NIR-HSI). <i>Holzforschung</i> , 2021, 75, 345-357.	1.9	7
16	Measuring the tensile strain of wood by visible and near-infrared spatially resolved spectroscopy. <i>Cellulose</i> , 2021, 28, 10787-10801.	4.9	4
17	Demonstration of the applicability of visible and near-infrared spatially resolved spectroscopy for rapid and nondestructive wood classification. <i>Holzforschung</i> , 2021, 75, 419-427.	1.9	6
18	Rapid and non-destructive seed viability prediction using near-infrared hyperspectral imaging coupled with a deep learning approach. <i>Computers and Electronics in Agriculture</i> , 2020, 177, 105683.	7.7	49

#	ARTICLE	IF	CITATIONS
19	Holistic research of diffusely reflected light in cellulosic materials. NIR News, 2020, 31, 19-23.	0.3	0
20	Physical and Mechanical Properties of Fast Growing Polyploid Acacia Hybrids (<i>A. auriculiformis</i> × <i>A. mangium</i>). Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.1	10
21	Rapidly visualizing the dynamic state of free, weakly, and strongly hydrogen-bonded water with lignocellulosic material during drying by near-infrared hyperspectral imaging. Cellulose, 2020, 27, 4857-4869.	4.9	14
22	Rapid identification of wood species by near-infrared spatially resolved spectroscopy (NIR-SRS) based on hyperspectral imaging (HSI). Holzforschung, 2019, 73, 323-330.	1.9	24
23	Three-dimensional grain angle measurement of softwood (Hinoki cypress) using near infrared spatially and spectrally resolved imaging (NIR-SSRI). Holzforschung, 2019, 73, 817-826.	1.9	11
24	A new approach based on a combination of capacitance and near-infrared spectroscopy for estimating the moisture content of timber. Wood Science and Technology, 2019, 53, 579-599.	3.2	9
25	Cognitive spectroscopy for wood species identification: near infrared hyperspectral imaging combined with convolutional neural networks. Analyst, The, 2019, 144, 6438-6446.	3.5	18
26	Effect of knots and holes on the modulus of elasticity prediction and mapping of sugi (<i>Cryptomeria japonica</i>). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 259-268.	1.9	10
27	Effect of cellular structure on the optical properties of wood. Journal of Near Infrared Spectroscopy, 2018, 26, 53-60.	1.5	12
28	Noncontact evaluation of soluble solids content in apples by near-infrared hyperspectral imaging. Journal of Food Engineering, 2018, 224, 53-61.	5.2	79
29	Selective assessment of duplex heat-treated wood by near-infrared spectroscopy with principal component and kinetic analyses. Journal of Wood Science, 2018, 64, 6-15.	1.9	8
30	A novel combined application of capacitive method and near-infrared spectroscopy for predicting the density and moisture content of solid wood. Wood Science and Technology, 2018, 52, 115-129.	3.2	15
31	Non-destructive evaluation of wood stiffness and fiber coarseness, derived from SilviScan data, via near infrared hyperspectral imaging. Journal of Near Infrared Spectroscopy, 2018, 26, 398-405.	1.5	14
32	Determination of physical and chemical properties and degradation of archeological Japanese cypress wood from the Tohyamago area using near-infrared spectroscopy. Journal of Wood Science, 2018, 64, 347-355.	1.9	13
33	Optical characteristics of Douglas fir at various densities, grain directions and thicknesses investigated by near-infrared spatially resolved spectroscopy (NIR-SRS). Holzforschung, 2018, 72, 789-796.	1.9	14
34	Calibration of SilviScan data of <i>Cryptomeria japonica</i> wood concerning density and microfibril angles with NIR hyperspectral imaging with high spatial resolution. Holzforschung, 2017, 71, 341-347.	1.9	26
35	High spatial resolution and non-destructive evaluation of wood density and microfibril angle by NIR hyperspectral imaging. NIR News, 2017, 28, 7-12.	0.3	2
36	Dynamic behavior of wood chemical components under drying process measured by near infrared spectroscopy. Journal of Near Infrared Spectroscopy, 2017, 25, 400-406.	1.5	5

#	ARTICLE	IF	CITATIONS
37	Modulus of elasticity prediction model on sugi (<i>Cryptomeria japonica</i>) lumber using online near-infrared (NIR) spectroscopic system. <i>International Wood Products Journal</i> , 2017, 8, 193-200.	1.1	9
38	High-Resolution and Non-destructive Evaluation of the Spatial Distribution of Nitrate and Its Dynamics in Spinach (<i>Spinacia oleracea</i> L.) Leaves by Near-Infrared Hyperspectral Imaging. <i>Frontiers in Plant Science</i> , 2017, 8, 1937.	3.6	16
39	Stiffness and moisture content prediction model of wooden veneer using fast online near-infrared (NIR) spectroscopic system. <i>Forestry Research and Engineering International Journal</i> , 2017, 1, .	0.1	2
40	Optical properties of drying wood studied by time-resolved near-infrared spectroscopy. <i>Optics Express</i> , 2016, 24, 9561.	3.4	14
41	Non-Destructive Inspection of Insects in Chocolate Using near Infrared Multispectral Imaging. <i>Journal of Near Infrared Spectroscopy</i> , 2016, 24, 391-397.	1.5	5
42	Determination of Optical Parameters and Moisture Content of Wood with Visible-Near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2016, 24, 571-585.	1.5	4
43	Three-Fibre-Based Diffuse Reflectance Spectroscopy for Estimation of Total Solid Content in Natural Rubber Latex. <i>Journal of Near Infrared Spectroscopy</i> , 2016, 24, 327-335.	1.5	5
44	Determination of true optical absorption and scattering coefficient of wooden cell wall substance by time-of-flight near infrared spectroscopy. <i>Optics Express</i> , 2016, 24, 3999.	3.4	15
45	Coming Full Circle: Back to Basics in the Application of near Infrared Spectroscopy to the Forest and Wood Products Sector. <i>Journal of Near Infrared Spectroscopy</i> , 2016, 24, v-vii.	1.5	3
46	Creation of Novel Science by Contacting Dissimilar Field: Introduction of Near Infrared Spectroscopy as Example. <i>Trends in the Sciences</i> , 2016, 21, 2_66-2_71.	0.0	0
47	Visualisation of Degree of Acetylation in Beechwood by near Infrared Hyperspectral Imaging. <i>Journal of Near Infrared Spectroscopy</i> , 2015, 23, 353-360.	1.5	8
48	Assessment of variations in air-dry wood density using time-of-flight near-infrared spectroscopy. <i>Wood Material Science and Engineering</i> , 2015, 10, 57-68.	2.3	14
49	Fast online NIR technique to predict MOE and moisture content of sawn lumber. <i>Holzforschung</i> , 2015, 69, 329-335.	1.9	24
50	A review of recent application of near infrared spectroscopy to wood science and technology. <i>Journal of Wood Science</i> , 2015, 61, 213-220.	1.9	213
51	Construction of a novel densitometer that utilizes a near-infrared laser system with Douglas fir (<i>Pseudotsuga menziesii</i>). <i>Wood Material Science and Engineering</i> , 2015, 10, 69-74.	2.3	5
52	Prediction of oven-dry density of wood by time-domain terahertz spectroscopy. <i>Holzforschung</i> , 2014, 68, 61-68.	1.9	22
53	Prediction of dry veneer stiffness using near infrared spectra from transverse section of green log. <i>Journal of Wood Science</i> , 2013, 59, 383-388.	1.9	5
54	High accuracy rapid prediction and feasibility of on-site nondestructive estimation of Para rubber quality by spectroscopic methods. <i>Journal of Wood Science</i> , 2013, 59, 119-126.	1.9	3

#	ARTICLE	IF	CITATIONS
55	A Review of Recent Near-Infrared Research for Wood and Paper (Part 2). <i>Applied Spectroscopy Reviews</i> , 2013, 48, 560-587.	6.7	143
56	Applicability of Vis-NIR hyperspectral imaging for monitoring wood moisture content (MC). <i>Holzforschung</i> , 2013, 67, 307-314.	1.9	52
57	Prediction of Wood Density Using near Infrared-Based Partial Least Squares Regression Models Calibrated with X-Ray Microdensity. <i>NIR News</i> , 2013, 24, 4-8.	0.3	7
58	Vis-NIR spectroscopy for the on-site prediction of wood properties. <i>Forestry Chronicle</i> , 2013, 89, 631-638.	0.6	3
59	A review of near-infrared spectroscopy for monitoring moisture content and density of solid wood. <i>Forestry Chronicle</i> , 2013, 89, 595-606.	0.6	64
60	Establishment of near Infrared Archaeometry. <i>NIR News</i> , 2013, 24, 4-7.	0.3	1
61	Prediction of Wood Density Independently of Moisture Conditions Using near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2012, 20, 353-359.	1.5	29
62	Eucalyptus camaldulensis density and fiber length estimated by near-infrared spectroscopy. <i>Wood Science and Technology</i> , 2012, 46, 143-155.	3.2	44
63	Optical characteristics of wood investigated by time-of-flight near infrared spectroscopy. <i>Holzforschung</i> , 2011, 65, .	1.9	7
64	Identification of Dead and Sound Knots by near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2010, 18, 473-479.	1.5	11
65	Feasibility of near-infrared spectroscopy for online multiple trait assessment of sawn lumber. <i>Journal of Wood Science</i> , 2010, 56, 452-459.	1.9	21
66	Feasibility of Near-Infrared Spectroscopy for On-Line Grading of Sawn Lumber. <i>Applied Spectroscopy</i> , 2010, 64, 92-99.	2.2	23
67	Difference of the Crystal Structure of Cellulose in Wood after Hydrothermal and Aging Degradation: A NIR Spectroscopy and XRD Study. <i>Biomacromolecules</i> , 2010, 11, 2300-2305.	5.4	125
68	Near-infrared spectroscopic analysis of aging degradation in antique washi paper using a deuterium exchange method. <i>Vibrational Spectroscopy</i> , 2009, 51, 100-104.	2.2	18
69	Application of Time-of-Flight Near-Infrared Spectroscopy to Fruits: Analysis of Absorption and Scattering Conditions of Near-Infrared Radiation Using Cross-Correlation of the Time-Resolved Profile. <i>Applied Spectroscopy</i> , 2009, 63, 306-312.	2.2	6
70	Discriminant Analyzing System for Wood Wastes Using a Visible-Near-Infrared Chemometric Imaging Technique. <i>Applied Spectroscopy</i> , 2008, 62, 854-859.	2.2	7
71	Near-Infrared Spectroscopic Monitoring of the Water Adsorption/Desorption Process in Modern and Archaeological Wood. <i>Applied Spectroscopy</i> , 2008, 62, 860-865.	2.2	48
72	Near-Infrared Spectroscopic Investigation of the Hydrothermal Degradation Mechanism of Wood as an Analogue of Archaeological Objects. Part I: Softwood. <i>Applied Spectroscopy</i> , 2008, 62, 1209-1215.	2.2	19

#	ARTICLE	IF	CITATIONS
73	Monitoring of Hydroxyl Groups in Wood during Heat Treatment Using NIR Spectroscopy. <i>Biomacromolecules</i> , 2008, 9, 286-288.	5.4	94
74	Application of Time-of-Flight near Infrared Spectroscopy to Fruits's Permeability of Pulsed Laser Beam into Satsuma Mandarin, White Grapefruit and Fuji Apple. <i>Journal of Near Infrared Spectroscopy</i> , 2008, 16, 139-142.	1.5	4
75	Application of near Infrared Spectroscopy for Estimating Wood Mechanical Properties of Small Clear and Full Length Lumber Specimens. <i>Journal of Near Infrared Spectroscopy</i> , 2008, 16, 529-537.	1.5	75
76	Estimation of Wood Stiffness and Strength Properties of Hybrid Larch by Near-Infrared Spectroscopy. <i>Applied Spectroscopy</i> , 2007, 61, 882-888.	2.2	59
77	A Review of Recent Near Infrared Research for Wood and Paper. <i>Applied Spectroscopy Reviews</i> , 2007, 42, 43-71.	6.7	319
78	Sampling Techniques. , 2006, , 133-143.		0
79	Application of near Infrared Spectroscopy to Assessments of Colour Change in Plantation-Grown <i>Eucalyptus Grandis</i> Wood Subjected to Heat and Steaming Treatments. <i>Journal of Near Infrared Spectroscopy</i> , 2005, 13, 371-376.	1.5	7
80	Rapid assessment of wood chemical properties and pulp yield of <i>Eucalyptus camaldulensis</i> in Thailand tree plantations by near infrared spectroscopy for improving wood selection for high quality pulp. <i>Journal of Wood Science</i> , 2005, 51, 167-171.	1.9	42
81	Near-Infrared Spectroscopic Study of the Physical and Mechanical Properties of Wood with Meso- and Micro-Scale Anatomical Observation. <i>Applied Spectroscopy</i> , 2005, 59, 86-93.	2.2	53
82	Near-infrared spectroscopic observation of the ageing process in archaeological wood using a deuterium exchange method. <i>Analyst, The</i> , 2005, 130, 379.	3.5	74
83	Application of Time-of-Flight Near Infrared Spectroscopy for Detecting Sugar and Acid Contents in Apples. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 2434-2439.	5.2	17
84	Discriminant analysis of wood-based materials using near-infrared spectroscopy. <i>Journal of Wood Science</i> , 2003, 49, 275-280.	1.9	49
85	Near-Infrared Spectroscopic Monitoring of the Diffusion Process of Deuterium-Labeled Molecules in Wood. Part I: Softwood. <i>Applied Spectroscopy</i> , 2003, 57, 667-674.	2.2	120
86	Near-Infrared Spectroscopic Monitoring of the Diffusion Process of Deuterium-Labeled Molecules in Wood. Part II: Hardwood. <i>Applied Spectroscopy</i> , 2003, 57, 675-681.	2.2	63
87	Near-Infrared Spectroscopic Comparison of Antique and Modern Wood. <i>Applied Spectroscopy</i> , 2003, 57, 1451-1453.	2.2	53
88	Discriminant Analysis of Wood-Based Materials with Weathering Damage by near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2003, 11, 391-399.	1.5	12
89	Spectroscopic Monitoring of Biomass Modification by Light-Irradiation and Heat Treatment. <i>Journal of Near Infrared Spectroscopy</i> , 2003, 11, 401-405.	1.5	14
90	Non-Destructive near Infrared Spectroscopic Measurement of Antique Washi Calligraphic Scrolls. <i>Journal of Near Infrared Spectroscopy</i> , 2003, 11, 407-411.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Application of Time-of-flight Near-infrared Spectroscopy to Detect Sugar and Acid Content in Satsuma Mandarin. <i>Journal of the American Society for Horticultural Science</i> , 2003, 128, 391-396.	1.0	11
92	Application of Time-of-Flight Near-Infrared Spectroscopy to Wood with Anisotropic Cellular Structure. <i>Applied Spectroscopy</i> , 2002, 56, 869-876.	2.2	30
93	Application of Time-of-flight Near-infrared Spectroscopy for Detecting Water Core in Apples. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 303-308.	1.0	17
94	Directional Characteristics of Near Infrared Light Reflected from Wood. <i>Holzforschung</i> , 2001, 55, 534-540.	1.9	14
95	Directional Characteristics Model and Light-Path Model for Biological Material Having Cellular Structure. <i>Applied Spectroscopy</i> , 1999, 53, 233-240.	2.2	7
96	Analytical Characterization of Reflected and Transmitted Light from Cellular Structural Material for the Parallel Beam of NIR Incident Light. <i>Applied Spectroscopy</i> , 1999, 53, 1033-1039.	2.2	5
97	Nondestructive Measurement of the Subsurface Structure of Biological Material Having Cellular Structure by Using Near-Infrared Spectroscopy. <i>Applied Spectroscopy</i> , 1996, 50, 1117-1124.	2.2	39