

Madeleine E Hackney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8058714/publications.pdf>

Version: 2024-02-01

61
papers

3,151
citations

218677

26
h-index

168389

53
g-index

69
all docs

69
docs citations

69
times ranked

2471
citing authors

#	ARTICLE	IF	CITATIONS
1	Apathy-Related Symptoms Appear Early in Parkinson's Disease. <i>Healthcare (Switzerland)</i> , 2022, 10, 91.	2.0	4
2	The use of patient-led goal setting in the intervention of chronic low back pain in adults: a narrative review. <i>Pain Management</i> , 2022, 12, 653-664.	1.5	2
3	The Relationship Between Attitudes about Research and Health Literacy among African American and White (Non-Hispanic) Community Dwelling Older Adults. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021, , 1.	3.2	7
4	Abnormal center of mass feedback responses during balance: A potential biomarker of falls in Parkinson's disease. <i>PLoS ONE</i> , 2021, 16, e0252119.	2.5	21
5	Online Dance Therapy for People With Parkinson's Disease: Feasibility and Impact on Consumer Engagement. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 1076-1087.	2.9	28
6	Qualitative Evaluation Informs Understanding of Motor Cognition and Therapies in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 1-13.	2.6	4
7	Dance Is an Accessible Physical Activity for People with Parkinson's Disease. <i>Parkinson's Disease</i> , 2021, 2021, 1-20.	1.1	9
8	Improved Mobility, Cognition, and Disease Severity in Corticobasal Degeneration of an African American Man After 12 Weeks of Adapted Tango. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, e21-e27.	1.4	1
9	Differentiating Parkinson Disease Subtypes Using Clinical Balance Measures. <i>Journal of Neurologic Physical Therapy</i> , 2020, 44, 34-41.	1.4	9
10	Effects of a Health Education and Research Participation Enhancement Program on Participation and Autonomy in Diverse Older Adults. <i>Gerontology and Geriatric Medicine</i> , 2020, 6, 233372142092495.	1.5	2
11	Association between anti-inflammatory interleukin-10 and executive function in African American women at risk for Alzheimer's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 647-659.	1.3	4
12	Association Between Motor Subtype and Visuospatial and Executive Function in Mild-Moderate Parkinson Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1580-1589.	0.9	11
13	Mismatch between subjective and objective motor improvements with adapted tango intervention in older adults. <i>Physiotherapy Research International</i> , 2020, 25, e1835.	1.5	1
14	A Formative Qualitative Evaluation to Inform Implementation of a Research Participation Enhancement and Advocacy Training Program for Diverse Seniors: The DREAMS Program. <i>Journal of Applied Gerontology</i> , 2019, 38, 959-982.	2.0	11
15	"Draw your pelvis" test for assessing pelvic schema in people with Parkinson's disease: a validity and reliability study. <i>Somatosensory & Motor Research</i> , 2019, 36, 156-161.	0.9	1
16	Antagonist muscle activity during reactive balance responses is elevated in Parkinson's disease and in balance impairment. <i>PLoS ONE</i> , 2019, 14, e0211137.	2.5	36
17	Internally Guided Lower Limb Movement Recruits Compensatory Cerebellar Activity in People With Parkinson's Disease. <i>Frontiers in Neurology</i> , 2019, 10, 537.	2.4	25
18	Lower Limb Rigidity Is Associated with Frequent Falls in Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2019, 6, 446-451.	1.5	8

#	ARTICLE	IF	CITATIONS
19	Psychometric properties of clock and pelvic drawings in Parkinson's disease: A validity and cross-sectional study. <i>Physiotherapy Research International</i> , 2019, 24, e1781.	1.5	2
20	Dynamic Neuro-Cognitive Imagery (DNITM) Improves Developmental Performance, Kinematics, and Mental Imagery Ability in University-Level Dance Students. <i>Frontiers in Psychology</i> , 2019, 10, 382.	2.1	10
21	MEN WITH PARKINSON'S MAY HAVE GREATER DISEASE BURDEN IN ASPECTS OF COGNITIVE AND PSYCHOSOCIAL FUNCTION THAN WOMEN. <i>Innovation in Aging</i> , 2019, 3, S948-S949.	0.1	0
22	The association between Parkinson's disease symptom side-of-onset and performance on the MDS-UPDRS scale part IV: Motor complications. <i>Journal of the Neurological Sciences</i> , 2019, 396, 262-265.	0.6	4
23	“Will you draw me a pelvis?” Dynamic neuro-cognitive imagery improves pelvic schema and graphic-metric representation in people with Parkinson's Disease: A randomized controlled trial. <i>Complementary Therapies in Medicine</i> , 2019, 43, 28-35.	2.7	10
24	Impaired set shifting is associated with previous falls in individuals with and without Parkinson's disease. <i>Gait and Posture</i> , 2018, 62, 220-226.	1.4	26
25	Effects of line dancing on physical function and perceived limitation in older adults with self-reported mobility limitations. <i>Disability and Rehabilitation</i> , 2018, 40, 1259-1265.	1.8	23
26	The Body Position Spatial Task, a Test of Whole-Body Spatial Cognition: Comparison Between Adults With and Without Parkinson Disease. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 961-975.	2.9	9
27	Dynamic Neuro-Cognitive Imagery Improves Mental Imagery Ability, Disease Severity, and Motor and Cognitive Functions in People with Parkinson's Disease. <i>Neural Plasticity</i> , 2018, 2018, 1-15.	2.2	29
28	Kinematic and Kinetic Analysis of Repeated and Static Elevation in Adolescent Female Dance Students. <i>Journal of Dance Medicine and Science</i> , 2018, 22, 33-43.	0.7	1
29	Research Advocacy Training Program Benefits Diverse Older Adults in Participation, Self-Efficacy and Attitudes toward Research. <i>Progress in Community Health Partnerships: Research, Education, and Action</i> , 2018, 12, 367-380.	0.3	12
30	Increased neuromuscular consistency in gait and balance after partnered, dance-based rehabilitation in Parkinson's disease. <i>Journal of Neurophysiology</i> , 2017, 118, 363-373.	1.8	74
31	Adapted Tango for Adults With Parkinson's Disease: A Qualitative Study. <i>Adapted Physical Activity Quarterly</i> , 2017, 34, 256-275.	0.8	20
32	The DREAMS Team: Creating community partnerships through research advocacy training for diverse older adults. <i>Educational Gerontology</i> , 2017, 43, 440-450.	1.3	12
33	Small forces that differ with prior motor experience can communicate movement goals during human-human physical interaction. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2017, 14, 8.	4.6	44
34	Feasibility and preliminary efficacy of a telerehabilitation approach to group adapted tango instruction for people with Parkinson disease. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 740-746.	2.7	37
35	Older adults' acceptance of a robot for partner dance-based exercise. <i>PLoS ONE</i> , 2017, 12, e0182736.	2.5	64
36	Adapted Tango improves aspects of participation in older adults versus individuals with Parkinson's disease. <i>Disability and Rehabilitation</i> , 2017, 39, 2294-2301.	1.8	19

#	ARTICLE	IF	CITATIONS
37	Balance, Body Motion, and Muscle Activity After High-Volume Short-Term Dance-Based Rehabilitation in Persons With Parkinson Disease: A Pilot Study. <i>Journal of Neurologic Physical Therapy</i> , 2016, 40, 257-268.	1.4	50
38	Multimodal Exercise Benefits Mobility in Older Adults With Visual Impairment: A Preliminary Study. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 630-639.	1.0	26
39	Adapted Tango Improves Mobility, Motorâ€œCognitive Function, and Gait but Not Cognition in Older Adults in Independent Living. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2105-2113.	2.6	51
40	Context-Dependent Neural Activation: Internally and Externally Guided Rhythmic Lower Limb Movement in Individuals With and Without Neurodegenerative Disease. <i>Frontiers in Neurology</i> , 2015, 6, 251.	2.4	31
41	Neuromechanical Principles Underlying Movement Modularity and Their Implications for Rehabilitation. <i>Neuron</i> , 2015, 86, 38-54.	8.1	305
42	Evaluation by Expert Dancers of a Robot That Performs Partnered Stepping via Haptic Interaction. <i>PLoS ONE</i> , 2015, 10, e0125179.	2.5	31
43	The Four Square Step Test in individuals with Parkinson's disease: Association with executive function and comparison with older adults. <i>NeuroRehabilitation</i> , 2014, 35, 279-289.	1.3	32
44	Impact of Tai Chi Chu'an Practice on Balance and Mobility in Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2014, 37, 127-135.	1.1	64
45	Community-based Adapted Tango Dancing for Individuals with Parkinson's Disease and Older Adults. <i>Journal of Visualized Experiments</i> , 2014, , .	0.3	21
46	The Effects of Adapted Tango on Spatial Cognition and Disease Severity in Parkinson's Disease. <i>Journal of Motor Behavior</i> , 2013, 45, 519-529.	0.9	148
47	Dancing for Balance. <i>Nursing Research</i> , 2013, 62, 138-143.	1.7	34
48	Application of Adapted Tango as Therapeutic Intervention for Patients With Chronic Stroke. <i>Journal of Geriatric Physical Therapy</i> , 2012, 35, 206-217.	1.1	50
49	Physical and Cognitive Function in Older Men: Is Longitudinal Study Participation Related to Better Functioning?. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 396-398.	2.6	0
50	Social Partnered Dance for People With Serious and Persistent Mental Illness. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 76-78.	1.0	25
51	Recommendations for Implementing Tango Classes for Persons with Parkinson Disease. <i>American Journal of Dance Therapy</i> , 2010, 32, 41-52.	0.3	49
52	Effects of Dance on Gait and Balance in Parkinsonâ€™s Disease: A Comparison of Partnered and Nonpartnered Dance Movement. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 384-392.	2.9	220
53	Effects of dance on balance and gait in severe Parkinson disease: A case study. <i>Disability and Rehabilitation</i> , 2010, 32, 679-684.	1.8	80
54	The Effects of a Secondary Task on Forward and Backward Walking in Parkinson's Disease. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 97-106.	2.9	60

#	ARTICLE	IF	CITATIONS
55	Backward walking in Parkinson's disease. <i>Movement Disorders</i> , 2009, 24, 218-223.	3.9	83
56	Short duration, intensive tango dancing for Parkinson disease: An uncontrolled pilot study. <i>Complementary Therapies in Medicine</i> , 2009, 17, 203-207.	2.7	101
57	Health-related quality of life and alternative forms of exercise in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 644-648.	2.2	190
58	Effects of dance on movement control in Parkinson's disease: A comparison of Argentine tango and American ballroom. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 475-481.	1.1	334
59	Tai Chi improves balance and mobility in people with Parkinson disease. <i>Gait and Posture</i> , 2008, 28, 456-460.	1.4	240
60	Effects of Tango on Functional Mobility in Parkinson's Disease: A Preliminary Study. <i>Journal of Neurologic Physical Therapy</i> , 2007, 31, 173-179.	1.4	236
61	A Study on the Effects of Argentine Tango as a Form of Partnered Dance for those with Parkinson Disease and the Healthy Elderly. <i>American Journal of Dance Therapy</i> , 2007, 29, 109-127.	0.3	107