## Heath D Skinner

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8060246/heath-d-skinner-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113 3,255 33 53 h-index g-index citations papers 4.81 3,978 120 5.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
113	Knowledge-based planning for the radiation therapy treatment plan quality assurance for patients with head and neck cancer <i>Journal of Applied Clinical Medical Physics</i> , <b>2022</b> , e13614	2.3	2
112	Targeting DNA damage response in head and neck cancers through abrogation of cell cycle checkpoints. <i>International Journal of Radiation Biology</i> , <b>2021</b> , 97, 1121-1128	2.9	17
111	Inhibition of histone acetyltransferase function radiosensitizes CREBBP/EP300 mutants via repression of homologous recombination, potentially targeting a gain of function. <i>Nature Communications</i> , <b>2021</b> , 12, 6340	17.4	2
110	Metformin generates profound alterations in systemic and tumor immunity with associated antitumor effects <b>2021</b> , 9,		5
109	Generating High-Quality Lymph Node Clinical Target Volumes for Head and Neck Cancer Radiation Therapy Using a Fully Automated Deep Learning-Based Approach. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2021</b> , 109, 801-812	4	8
108	Perspectives in immunotherapy: meeting report from the "Immunotherapy Bridge" (December 4th-5th, 2019, Naples, Italy). <i>Journal of Translational Medicine</i> , <b>2021</b> , 19, 13	8.5	1
107	Addition of Metformin to Concurrent Chemoradiation in Patients With Locally Advanced Non-Small Cell Lung Cancer: The NRG-LU001 Phase 2 Randomized Clinical Trial. <i>JAMA Oncology</i> , <b>2021</b> , 7, 1324-133	2 <sup>13.4</sup>	9
106	Metabolic Responses to Metformin in Inoperable Early-stage Non-Small Cell Lung Cancer Treated With Stereotactic Radiotherapy: Results of a Randomized Phase II Clinical Trial. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>2020</b> , 43, 231-235	2.7	11
105	Demographic and Tumor Characteristic Impact on Laryngeal Cancer Outcomes in a Minority Underserved Patient Population. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2020</b> , 162, 888-896	5.5	5
104	Intraoperative Margin Assessment in Head and Neck Cancer: A Case of Misuse and Abuse?. <i>Head and Neck Pathology</i> , <b>2020</b> , 14, 291-302	3.3	9
103	Cutaneous squamous cell carcinoma in the organ transplant recipient. Oral Oncology, 2020, 103, 104562	24.4	3
102	Caspase-8 loss radiosensitizes head and neck squamous cell carcinoma to SMAC mimetic-induced necroptosis. <i>JCI Insight</i> , <b>2020</b> , 5,	9.9	11
101	Late and Long-Term Treatment-Related Effects and Survivorship for Head and Neck Cancer Patients. <i>Current Treatment Options in Oncology</i> , <b>2020</b> , 21, 92	5.4	5
100	Outcomes of carotid-sparing IMRT for T1 glottic cancer: Comparison with conventional radiation. <i>Laryngoscope</i> , <b>2020</b> , 130, 146-153	3.6	11
99	Impact of Neck Disability on Health-Related Quality of Life among Head and Neck Cancer Survivors. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2020</b> , 162, 64-72	5.5	11
98	Early glottic cancer in a veteran population: Impact of race on management and outcomes. Laryngoscope, <b>2020</b> , 130, 1733-1739	3.6	1
97	High expression of oxidative phosphorylation genes predicts improved survival in squamous cell carcinomas of the head and neck and lung. <i>Scientific Reports</i> , <b>2020</b> , 10, 6380	4.9	7

### (2018-2019)

96	Risk of second primary malignancies in head and neck cancer patients treated with definitive radiotherapy. <i>Npj Precision Oncology</i> , <b>2019</b> , 3, 22	9.8	16
95	An IRAK1-PIN1 signalling axis drives intrinsic tumour resistance to radiation therapy. <i>Nature Cell Biology</i> , <b>2019</b> , 21, 203-213	23.4	19
94	Swallowing Function in Survivors of Oropharyngeal Cancer Is Associated With Advanced T Classification. <i>Annals of Otology, Rhinology and Laryngology</i> , <b>2019</b> , 128, 696-703	2.1	5
93	Variations in HPV function are associated with survival in squamous cell carcinoma. <i>JCI Insight</i> , <b>2019</b> , 4,	9.9	30
92	Usefulness of surveillance imaging in patients with head and neck cancer who are treated with definitive radiotherapy. <i>Cancer</i> , <b>2019</b> , 125, 1823-1829	6.4	13
91	Imaging-Genomic Study of Head and Neck Squamous Cell Carcinoma: Associations Between Radiomic Phenotypes and Genomic Mechanisms via Integration of The Cancer Genome Atlas and The Cancer Imaging Archive. <i>JCO Clinical Cancer Informatics</i> , <b>2019</b> , 3, 1-9	5.2	27
90	YAP1-Mediated CDK6 Activation Confers Radiation Resistance in Esophageal Cancer - Rationale for the Combination of YAP1 and CDK4/6 Inhibitors in Esophageal Cancer. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 2264-2277	12.9	34
89	Predicting Outcome in Head and Neck Cancer: miRNAs with Potentially Big Effects. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 1441-1442	12.9	3
88	Radiographic retropharyngeal lymph node involvement in HPV-associated oropharyngeal carcinoma: Patterns of involvement and impact on patient outcomes. <i>Cancer</i> , <b>2019</b> , 125, 1536-1546	6.4	11
87	Outcomes of patients diagnosed with carcinoma metastatic to the neck from an unknown primary source and treated with intensity-modulated radiation therapy. <i>Cancer</i> , <b>2018</b> , 124, 1415-1427	6.4	15
86	Salvage pembrolizumab added to kinase inhibitor therapy for the treatment of anaplastic thyroid carcinoma <b>2018</b> , 6, 68		100
85	Actionable Locoregional Relapses after Therapy of Localized Esophageal Cancer: Insights from a Large Cohort. <i>Oncology</i> , <b>2018</b> , 94, 345-353	3.6	
84	Recent advances and emerging therapies in anaplastic thyroid carcinoma. F1000Research, 2018, 7,	3.6	13
83	Influence of induction chemotherapy in trimodality therapy-eligible oesophageal cancer patients: secondary analysis of a randomised trial. <i>British Journal of Cancer</i> , <b>2018</b> , 118, 331-337	8.7	6
82	Early Metabolic Change after Induction Chemotherapy Predicts Histologic Response and Prognosis in Patients with Esophageal Cancer: Secondary Analysis of a Randomized Trial. <i>Targeted Oncology</i> , <b>2018</b> , 13, 99-106	5	8
81	A Novel YAP1 Inhibitor Targets CSC-Enriched Radiation-Resistant Cells and Exerts Strong Antitumor Activity in Esophageal Adenocarcinoma. <i>Molecular Cancer Therapeutics</i> , <b>2018</b> , 17, 443-454	6.1	75
80	BAP1 Is a Novel Target in HPV-Negative Head and Neck Cancer. Clinical Cancer Research, 2018, 24, 600-	<b>607</b> .9	15
79	Predicting treatment Response based on Dual assessment of magnetic resonance Imaging kinetics and Circulating Tumor cells in patients with Head and Neck cancer (PREDICT-HN): matching Riquid biopsyRand quantitative tumor modeling. <i>BMC Cancer</i> , <b>2018</b> , 18, 903	4.8	10

78	Significance of Negative Posttreatment 18-FDG PET/CT Imaging in Patients With p16/HPV-Positive Oropharyngeal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2018</b> , 102, 1029-103	5 <sup>4</sup>	11
77	Neoadjuvant BRAF- and Immune-Directed Therapy for Anaplastic Thyroid Carcinoma. <i>Thyroid</i> , <b>2018</b> , 28, 945-951	6.2	71
76	Radiation Therapy for Locally Advanced Esophageal Cancer. <i>Surgical Oncology Clinics of North America</i> , <b>2017</b> , 26, 257-276	2.7	13
75	Integrative Analysis Identifies a Novel AXL-PI3 Kinase-PD-L1 Signaling Axis Associated with Radiation Resistance in Head and Neck Cancer. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 2713-2722	12.9	66
74	The KRAS-Variant and Cetuximab Response in Head and Neck Squamous Cell Cancer: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Oncology</i> , <b>2017</b> , 3, 483-491	13.4	37
73	Recurrent oral cavity cancer: Patterns of failure after salvage multimodality therapy. <i>Head and Neck</i> , <b>2017</b> , 39, 633-638	4.2	14
72	Patterns of locoregional failure following post-operative intensity-modulated radiotherapy to oral cavity cancer: quantitative spatial and dosimetric analysis using a deformable image registration workflow. <i>Radiation Oncology</i> , <b>2017</b> , 12, 129	4.2	4
71	Design and fabrication of a 3D-printed oral stent for head and neck radiotherapy from routine diagnostic imaging. <i>3D Printing in Medicine</i> , <b>2017</b> , 3, 12	5	17
70	Predictive Biomarkers for Therapy in Adenocarcinoma of the Upper Digestive Tract <b>2017</b> , 118-129		
69	Pathological complete response in patients with esophageal cancer after the trimodality approach: The association with baseline variables and survival-The University of Texas MD Anderson Cancer Center experience. <i>Cancer</i> , <b>2017</b> , 123, 4106-4113	6.4	61
68	Nuclear expression of Gli-1 is predictive of pathologic complete response to chemoradiation in trimodality treated oesophageal cancer patients. <i>British Journal of Cancer</i> , <b>2017</b> , 117, 648-655	8.7	20
67	Cognitive function and patient-reported memory problems after radiotherapy for cancers at the skull base: A cross-sectional survivorship study using the Telephone Interview for Cognitive Status and the MD Anderson Symptom Inventory-Head and Neck Module. <i>Head and Neck</i> , <b>2017</b> , 39, 2048-2056	4.2	4
66	101 Long-Term Survivors Who Had Metastatic Gastroesophageal Cancer and Received Local Consolidative Therapy. <i>Oncology</i> , <b>2017</b> , 93, 243-248	3.6	9
65	Metabolic interrogation as a tool to optimize chemotherapeutic regimens. <i>Oncotarget</i> , <b>2017</b> , 8, 18154-1	18,1365	6
64	Utility of endoscopic ultrasound-guided fine-needle aspiration of regional lymph nodes that are proximal to and far from the primary distal esophageal carcinoma. <i>Oncotarget</i> , <b>2017</b> , 8, 79356-79365	3.3	2
63	Outcomes of oral cavity cancer patients treated with surgery followed by postoperative intensity modulated radiation therapy. <i>Oral Oncology</i> , <b>2017</b> , 72, 90-97	4.4	18
62	Metformin for chemo-radio-sensitization of NSCLC. Radiotherapy and Oncology, 2016, 120, 363-4	5.3	1
61	Down-regulation of malic enzyme 1 and 2: Sensitizing head and neck squamous cell carcinoma cells to therapy-induced senescence. <i>Head and Neck</i> , <b>2016</b> , 38 Suppl 1, E934-40	4.2	13

### (2015-2016)

60	Impact of race on oropharyngeal squamous cell carcinoma presentation and outcomes among veterans. <i>Head and Neck</i> , <b>2016</b> , 38, 44-50	4.2	20
59	Association of Body Composition With Survival and Locoregional Control of Radiotherapy-Treated Head and Neck Squamous Cell Carcinoma. <i>JAMA Oncology</i> , <b>2016</b> , 2, 782-9	13.4	126
58	Clinical Outcomes and Patterns of Disease Recurrence After Intensity Modulated Proton Therapy for Oropharyngeal Squamous Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2016</b> , 95, 360-367	4	61
57	Everything Old Is New Again: Using Nelfinavir to Radiosensitize Rectal Cancer. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 1834-6	12.9	3
56	The Influence of Diabetes Mellitus and Metformin on Distant Metastases in Oropharyngeal Cancer: A Multicenter Study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2016</b> , 94, 523-531	4	12
55	Phase I Trial of Consolidative Radiotherapy with Concurrent Bevacizumab, Erlotinib and Capecitabine for Unresectable Pancreatic Cancer. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156910	3.7	8
54	MK-8776, a novel chk1 kinase inhibitor, radiosensitizes p53-defective human tumor cells. <i>Oncotarget</i> , <b>2016</b> , 7, 71660-71672	3.3	26
53	Comparison of systemic therapies used concurrently with radiation for the treatment of human papillomavirus-associated oropharyngeal cancer. <i>Head and Neck</i> , <b>2016</b> , 38 Suppl 1, E1554-61	4.2	9
52	Salvage total laryngectomy after external-beam radiotherapy: A 20-year experience. <i>Head and Neck</i> , <b>2016</b> , 38 Suppl 1, E1962-8	4.2	41
51	A Nomogram to Predict Distant Metastases After Multimodality Therapy for Patients With Localized Esophageal Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , <b>2016</b> , 14, 173-9	7.3	6
50	The role of elective nodal irradiation for esthesioneuroblastoma patients with clinically negative neck. <i>Practical Radiation Oncology</i> , <b>2016</b> , 6, 241-247	2.8	28
49	Proteomic Profiling Identifies PTK2/FAK as a Driver of Radioresistance in HPV-negative Head and Neck Cancer. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 4643-50	12.9	44
48	Evolutionary Action Score of TP53 Coding Variants Is Predictive of Platinum Response in Head and Neck Cancer Patients. <i>Cancer Research</i> , <b>2015</b> , 75, 1205-15	10.1	63
47	Wee-1 Kinase Inhibition Sensitizes High-Risk HPV+ HNSCC to Apoptosis Accompanied by Downregulation of MCl-1 and XIAP Antiapoptotic Proteins. <i>Clinical Cancer Research</i> , <b>2015</b> , 21, 4831-44	12.9	34
46	The ability of bilirubin in identifying smokers with higher risk of lung cancer: a large cohort study in conjunction with global metabolomic profiling. <i>Clinical Cancer Research</i> , <b>2015</b> , 21, 193-200	12.9	36
45	Acute Tumor Lactate Perturbations as a Biomarker of Genotoxic Stress: Development of a Biochemical Model. <i>Molecular Cancer Therapeutics</i> , <b>2015</b> , 14, 2901-8	6.1	12
44	Evolutionary Action Score of TP53 Identifies High-Risk Mutations Associated with Decreased Survival and Increased Distant Metastases in Head and Neck Cancer. <i>Cancer Research</i> , <b>2015</b> , 75, 1527-36	10.1	107
43	18-fluorodeoxy-glucose positron emission computed tomography as predictive of response after chemoradiation in oesophageal cancer patients. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 2545-52	7.5	34

42	Inhibition of EGFR or IGF-1R signaling enhances radiation response in head and neck cancer models but concurrent inhibition has no added benefit. <i>Cancer Medicine</i> , <b>2015</b> , 4, 65-74	4.8	8
41	Radiation therapy for locally advanced esophageal cancer <b>2015</b> , 237-250		
40	Oropharyngeal squamous cell carcinoma in the veteran population: Association with traditional carcinogen exposure and poor clinical outcomes. <i>Head and Neck</i> , <b>2015</b> , 37, 1246-53	4.2	22
39	Risk of late toxicity in men receiving dose-escalated hypofractionated intensity modulated prostate radiation therapy: results from a randomized trial. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2014</b> , 88, 1074-84	4	106
38	Gain-of-function mutant p53 promotes cell growth and cancer cell metabolism via inhibition of AMPK activation. <i>Molecular Cell</i> , <b>2014</b> , 54, 960-74	17.6	160
37	Post-chemoradiation surgical pathology stage can customize the surveillance strategy in patients with esophageal adenocarcinoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , <b>2014</b> , 12, 1139-44	7.3	13
36	Individualized Radiotherapy by Dose Escalation and Altered Fractionation in Non-Small Cell Lung Cancer <b>2014</b> , 379-389		
35	Metformin sensitizes chemotherapy by targeting cancer stem cells and the mTOR pathway in esophageal cancer. <i>International Journal of Oncology</i> , <b>2014</b> , 45, 567-74	4.4	76
34	Evaluation of hyperpolarized [1-ШC]-pyruvate by magnetic resonance to detect ionizing radiation effects in real time. <i>PLoS ONE</i> , <b>2014</b> , 9, e87031	3.7	29
33	The p53-reactivating small molecule RITA induces senescence in head and neck cancer cells. <i>PLoS ONE</i> , <b>2014</b> , 9, e104821	3.7	20
32	Importance of surveillance and success of salvage strategies after definitive chemoradiation in patients with esophageal cancer. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 3400-5	2.2	63
31	A validated miRNA profile predicts response to therapy in esophageal adenocarcinoma. <i>Cancer</i> , <b>2014</b> , 120, 3635-41	6.4	42
30	Association between metformin use and improved survival in patients with laryngeal squamous cell carcinoma. <i>Head and Neck</i> , <b>2014</b> , 36, 1039-43	4.2	45
29	Clinical characteristics of patients with multiple potentially human papillomavirus-related malignancies. <i>Head and Neck</i> , <b>2014</b> , 36, 819-25	4.2	5
28	Use of biguanides to improve response to chemotherapy. <i>Methods in Molecular Biology</i> , <b>2014</b> , 1165, 3-9	1.4	
27	Radiation dose escalation for loco-regional recurrence of breast cancer after mastectomy. <i>Radiation Oncology</i> , <b>2013</b> , 8, 13	4.2	25
26	Chemoradiation for esophageal cancer. <i>Thoracic Surgery Clinics</i> , <b>2013</b> , 23, 551-8	3.1	15
25	Integration of cancer genomics with treatment selection: from the genome to predictive biomarkers. <i>Cancer</i> , <b>2013</b> , 119, 3914-28	6.4	13

#### (2005-2013)

24	Metformin use and improved response to therapy in esophageal adenocarcinoma. <i>Acta Oncolgica</i> , <b>2013</b> , 52, 1002-9	3.2	76
23	Locoregional failure rate after preoperative chemoradiation of esophageal adenocarcinoma and the outcomes of salvage strategies. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 4306-10	2.2	52
22	Metformin use and improved response to therapy in rectal cancer. Cancer Medicine, 2013, 2, 99-107	4.8	70
21	Impact of race/ethnicity on laryngeal cancer in patients treated at a Veterans Affairs Medical Center. <i>Laryngoscope</i> , <b>2013</b> , 123, 2170-5	3.6	19
20	Propensity-based matching between esophagogastric cancer patients who had surgery and who declined surgery after preoperative chemoradiation. <i>Oncology</i> , <b>2013</b> , 85, 95-9	3.6	31
19	Residual nodal disease in patients with advanced-stage oropharyngeal squamous cell carcinoma treated with definitive radiation therapy and posttreatment neck dissection: Association with locoregional recurrence, distant metastasis, and decreased survival. <i>Head and Neck</i> , <b>2013</b> , 35, 1454-60	4.2	9
18	Radiotherapy: patient selection and clinical outcomes <b>2013</b> , 76-86		
17	Individualizing antimetabolic treatment strategies for head and neck squamous cell carcinoma based on TP53 mutational status. <i>Cancer</i> , <b>2012</b> , 118, 711-21	6.4	45
16	Oropharynx cancer. Current Problems in Cancer, 2012, 36, 334-415	2.3	5
15	Glycolytic inhibition alters anaplastic thyroid carcinoma tumor metabolism and improves response to conventional chemotherapy and radiation. <i>Molecular Cancer Therapeutics</i> , <b>2012</b> , 11, 1373-80	6.1	43
14	TP53 disruptive mutations lead to head and neck cancer treatment failure through inhibition of radiation-induced senescence. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 290-300	12.9	212
13	Charged-particle therapy for hepatocellular carcinoma. <i>Seminars in Radiation Oncology</i> , <b>2011</b> , 21, 278-8	<b>6</b> 5.5	48
12	Outcomes of malignant tumors of the lacrimal apparatus: the University of Texas MD Anderson Cancer Center experience. <i>Cancer</i> , <b>2011</b> , 117, 2801-10	6.4	49
11	Radiation treatment outcomes for unresectable hepatocellular carcinoma. <i>Acta Oncolgica</i> , <b>2011</b> , 50, 1191-8	3.2	15
10	Predicting, preventing, treating and understanding radiation nephropathy. <i>Journal of Gastrointestinal Oncology</i> , <b>2010</b> , 1, 2-4	2.8	1
9	Mechanism of vascular endothelial growth factor expression mediated by cisplatin in human ovarian cancer cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2007</b> , 358, 92-8	3.4	14
8	Leptin receptor expression and cell signaling in breast cancer <b>2006</b> , 28, 985		4
7	Prenatal stress influences 8-OH-DPAT modulated startle responding and [3H]-8-OH-DPAT binding in rats. <i>Pharmacology Biochemistry and Behavior</i> , <b>2005</b> , 81, 601-7	3.9	9

6	Vascular endothelial growth factor transcriptional activation is mediated by hypoxia-inducible factor 1alpha, HDM2, and p70S6K1 in response to phosphatidylinositol 3-kinase/AKT signaling. Journal of Biological Chemistry, <b>2004</b> , 279, 45643-51	5.4	159
5	Arsenite induces p70S6K1 activation and HIF-1alpha expression in prostate cancer cells. <i>Molecular and Cellular Biochemistry</i> , <b>2004</b> , 255, 19-23	4.2	19
4	Prostate cancer cell proliferation is influenced by leptin. <i>Journal of Surgical Research</i> , <b>2004</b> , 118, 71-82	2.5	127
3	Mild prenatal stress in rats is associated with enhanced conditioned fear. <i>Physiology and Behavior</i> , <b>2003</b> , 79, 209-15	3.5	45
2	Inhibition of histone acetyltranserase function radiosensitizes CREBBP/EP300 mutants via repression of homologous recombination, potentially targeting a novel gain of function		1
1	Imaging-Genomics Study Of Head-Neck Squamous Cell Carcinoma: Associations Between Radiomic Phenotypes And Genomic Mechanisms Via Integration Of TCGA And TCIA		1