

Melissa P Delbello

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8060855/melissa-p-delbello-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124 papers	5,566 citations	38 h-index	73 g-index
136 ext. papers	6,415 ext. citations	3.8 avg, IF	5.36 L-index

#	Paper	IF	Citations
124	Long-term implications of early onset in bipolar disorder: data from the first 1000 participants in the systematic treatment enhancement program for bipolar disorder (STEP-BD). <i>Biological Psychiatry</i> , 2004 , 55, 875-81	7.9	618
123	Reliability of the Washington University in St. Louis Kiddie Schedule for Affective Disorders and Schizophrenia (WASH-U-KSADS) mania and rapid cycling sections. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001 , 40, 450-5	7.2	342
122	A double-blind, randomized, placebo-controlled study of quetiapine as adjunctive treatment for adolescent mania. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 1216-23	7.2	336
121	Magnetic resonance imaging analysis of amygdala and other subcortical brain regions in adolescents with bipolar disorder. <i>Bipolar Disorders</i> , 2004 , 6, 43-52	3.8	296
120	Twelve-month outcome of adolescents with bipolar disorder following first hospitalization for a manic or mixed episode. <i>American Journal of Psychiatry</i> , 2007 , 164, 582-90	11.9	232
119	Review of studies of child and adolescent offspring of bipolar parents. <i>Bipolar Disorders</i> , 2001 , 3, 325-34	3.8	228
118	Neuroimaging in bipolar disorder. <i>Bipolar Disorders</i> , 2000 , 2, 148-64	3.8	199
117	Retrospective age at onset of bipolar disorder and outcome during two-year follow-up: results from the STEP-BD study. <i>Bipolar Disorders</i> , 2009 , 11, 391-400	3.8	187
116	MRI analysis of the cerebellum in bipolar disorder: a pilot study. <i>Neuropsychopharmacology</i> , 1999 , 21, 63-8	8.7	169
115	A double-blind randomized pilot study comparing quetiapine and divalproex for adolescent mania. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 305-313	7.2	156
114	Prior stimulant treatment in adolescents with bipolar disorder: association with age at onset. <i>Bipolar Disorders</i> , 2001 , 3, 53-7	3.8	150
113	A pilot controlled trial of topiramate for mania in children and adolescents with bipolar disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005 , 44, 539-47	7.2	118
112	Co-occurrence of bipolar and attention-deficit hyperactivity disorders in children. <i>Bipolar Disorders</i> , 2006 , 8, 710-20	3.8	107
111	Functional magnetic resonance imaging brain activation in bipolar mania: evidence for disruption of the ventrolateral prefrontal-amygdala emotional pathway. <i>Biological Psychiatry</i> , 2011 , 69, 381-8	7.9	106
110	Neurochemical effects of olanzapine in first-hospitalization manic adolescents: a proton magnetic resonance spectroscopy study. <i>Neuropsychopharmacology</i> , 2006 , 31, 1264-73	8.7	103
109	A double-blind, placebo-controlled pilot study of quetiapine for depressed adolescents with bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 483-93	3.8	102
108	The International Society for Bipolar Disorders Task Force report on pediatric bipolar disorder: Knowledge to date and directions for future research. <i>Bipolar Disorders</i> , 2017 , 19, 524-543	3.8	95

107	Open-label lithium for the treatment of adolescents with bipolar depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 289-297	7.2	85
106	The Generalized Anxiety Disorder 7-item scale in adolescents with generalized anxiety disorder: Signal detection and validation. <i>Annals of Clinical Psychiatry</i> , 2017 , 29, 227-234A	1.4	81
105	A 12-week single-blind trial of quetiapine for the treatment of mood symptoms in adolescents at high risk for developing bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 789-95	4.6	77
104	Effects of race on psychiatric diagnosis of hospitalized adolescents: a retrospective chart review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2001 , 11, 95-103	2.9	68
103	Lithium in the Acute Treatment of Bipolar I Disorder: A Double-Blind, Placebo-Controlled Study. <i>Pediatrics</i> , 2015 , 136, 885-94	7.4	63
102	Adjunctive topiramate treatment for pediatric bipolar disorder: a retrospective chart review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2002 , 12, 323-30	2.9	62
101	Neural Function Before and After Mindfulness-Based Cognitive Therapy in Anxious Adolescents at Risk for Developing Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 372-9	2.9	54
100	Neuroanatomical characterization of child offspring of bipolar parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 526-531	7.2	54
99	Efficacy and safety of quetiapine in children and adolescents with mania associated with bipolar I disorder: a 3-week, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e100-9	4.6	53
98	Efficacy and Safety of Lurasidone in Children and Adolescents With Bipolar I Depression: A Double-Blind, Placebo-Controlled Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 1015-1025	7.2	52
97	Human response to repeated low-dose d-amphetamine: evidence for behavioral enhancement and tolerance. <i>Neuropsychopharmacology</i> , 2001 , 25, 548-54	8.7	52
96	Efficacy and safety of extended-release quetiapine fumarate in youth with bipolar depression: an 8 week, double-blind, placebo-controlled trial. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2014 , 24, 325-35	2.9	50
95	Prediction of lithium response in first-episode mania using the LITHium Intelligent Agent (LITHIA): Pilot data and proof-of-concept. <i>Bipolar Disorders</i> , 2017 , 19, 259-272	3.8	49
94	Detection and Treatment of Long-Chain Omega-3 Fatty Acid Deficiency in Adolescents with SSRI-Resistant Major Depressive Disorder. <i>PharmaNutrition</i> , 2014 , 2, 38-46	2.9	48
93	Olanzapine/Fluoxetine combination in children and adolescents with bipolar I depression: a randomized, double-blind, placebo-controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 217-24	7.2	47
92	Mindfulness-based cognitive therapy for youth with anxiety disorders at risk for bipolar disorder: a pilot trial. <i>Microbial Biotechnology</i> , 2016 , 10, 426-34	3.3	46
91	Antidepressant tolerability in anxious and depressed youth at high risk for bipolar disorder: a prospective naturalistic treatment study. <i>Bipolar Disorders</i> , 2014 , 16, 523-30	3.8	45
90	Lithium treatment effects on Myo-inositol in adolescents with bipolar depression. <i>Biological Psychiatry</i> , 2006 , 60, 998-1004	7.9	45

89	The neurophysiology of childhood and adolescent bipolar disorder. <i>CNS Spectrums</i> , 2006 , 11, 298-311	1.8	45
88	Antidepressant-Induced Activation in Children and Adolescents: Risk, Recognition and Management. <i>Current Problems in Pediatric and Adolescent Health Care</i> , 2018 , 48, 50-62	2.2	43
87	Tolerability of oral ziprasidone in children and adolescents with bipolar mania, schizophrenia, or schizoaffective disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 491-9	2.9	42
86	Comparative efficacy and tolerability of drug treatments for bipolar disorder. <i>CNS Drugs</i> , 2001 , 15, 701-18	3.7	35
85	Tissue-dependent cerebral energy metabolism in adolescents with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 191, 248-55	6.6	34
84	Lipid peroxidation biomarkers in adolescents with or at high-risk for bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 192, 176-83	6.6	32
83	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 720-740	3.8	32
82	Cortical surface anatomy in pediatric patients with generalized anxiety disorder. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 717-23	10.9	32
81	Rates and predictors of developing a manic or hypomanic episode 1 to 2 years following a first hospitalization for major depression with psychotic features. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2003 , 13, 173-85	2.9	32
80	Adolescents with or at ultra-high risk for bipolar disorder exhibit erythrocyte docosahexaenoic acid and eicosapentaenoic acid deficits: a candidate prodromal risk biomarker. <i>Microbial Biotechnology</i> , 2016 , 10, 203-11	3.3	32
79	Discrete patterns of cortical thickness in youth with bipolar disorder differentially predict treatment response to quetiapine but not lithium. <i>Neuropsychopharmacology</i> , 2018 , 43, 2256-2263	8.7	30
78	Adjunctive Maintenance Lamotrigine for Pediatric Bipolar I Disorder: A Placebo-Controlled, Randomized Withdrawal Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 1020-1031.e3	7.2	29
77	Parametric neurocognitive task design: a pilot study of sustained attention in adolescents with bipolar disorder. <i>Journal of Affective Disorders</i> , 2004 , 82 Suppl 1, S79-88	6.6	26
76	fMRI brain activation changes following treatment of a first bipolar manic episode. <i>Bipolar Disorders</i> , 2016 , 18, 490-501	3.8	24
75	MRI Evidence of Neuropathic Changes in Former College Football Players. <i>Clinical Journal of Sport Medicine</i> , 2018 , 28, 100-105	3.2	22
74	White matter volumes in youth offspring of bipolar parents. <i>Journal of Affective Disorders</i> , 2017 , 209, 246-253	6.6	19
73	Neurostructural impact of co-occurring anxiety in pediatric patients with major depressive disorder: a voxel-based morphometry study. <i>Journal of Affective Disorders</i> , 2015 , 171, 54-9	6.6	19
72	A Pharmacologic Algorithm for Youth Who Are at High Risk for Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 796-805	2.9	19

71	First-episode bipolar disorder is associated with erythrocyte membrane docosahexaenoic acid deficits: Dissociation from clinical response to lithium or quetiapine. <i>Psychiatry Research</i> , 2015 , 230, 447-53	9.9	19
70	Lithium for the Maintenance Treatment of Bipolar I Disorder: A Double-Blind, Placebo-Controlled Discontinuation Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 287-296.e4	7.2	19
69	A double-blind, placebo-controlled study of selegiline transdermal system in depressed adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2014 , 24, 311-7	2.9	18
68	Hospitalized youth and child abuse: a systematic examination of psychiatric morbidity and clinical severity. <i>Child Abuse and Neglect</i> , 2014 , 38, 76-83	4.3	18
67	Response and remission in adolescent mania: signal detection analyses of the young mania rating scale. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 628-635	7.2	18
66	Neurochemical predictors of response to pharmacologic treatments for bipolar disorder. <i>Current Psychiatry Reports</i> , 2004 , 6, 466-72	9.1	16
65	Escitalopram in Adolescents With Generalized Anxiety Disorder: A Double-Blind, Randomized, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	16
64	Pharmacological interventions for bipolar youth: developmental considerations. <i>Development and Psychopathology</i> , 2006 , 18, 1231-46	4.3	15
63	Effect of lisdexamfetamine on emotional network brain dysfunction in binge eating disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 286, 53-59	2.9	14
62	Correlations of inflammatory gene pathways, corticolimbic functional activities, and aggression in pediatric bipolar disorder: a preliminary study. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 107-11	2.9	14
61	Acute dystonia associated with aripiprazole in a child. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 306-307	7.2	13
60	Neurophysiological effects of multiple mood episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 503-513	3.8	12
59	Risk and protective factors associated with substance use disorders in adolescents with first-episode mania. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 771-9	7.2	12
58	Mindfulness-based cognitive therapy for children and adolescents with anxiety disorders at-risk for bipolar disorder: A psychoeducation waitlist controlled pilot trial. <i>Microbial Biotechnology</i> , 2020 , 14, 211-219	3.3	12
57	Early response or nonresponse at week 2 and week 3 predict ultimate response or nonresponse in adolescents with schizophrenia treated with olanzapine: results from a 6-week randomized, placebo-controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1485-96	5.5	11
56	Toward prevention of bipolar disorder in at-risk children: Potential strategies ahead of the data. <i>Journal of Affective Disorders</i> , 2020 , 272, 508-520	6.6	11
55	The effects of carbamazepine on prefrontal activation in manic youth with bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 223, 268-70	2.9	11
54	A 52-Week Study of Olanzapine with a Randomized Behavioral Weight Counseling Intervention in Adolescents with Schizophrenia or Bipolar I Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 922-934	2.9	11

53	Effects of fish oil supplementation on prefrontal metabolite concentrations in adolescents with major depressive disorder: a preliminary 1H MRS study. <i>Nutritional Neuroscience</i> , 2016 , 19, 145-55	3.6	9
52	Pharmacokinetics and Safety of Vortioxetine in Pediatric Patients. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 526-534	2.9	9
51	Quality of life in children and adolescents with bipolar I depression treated with olanzapine/fluoxetine combination. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017 , 11, 34	6.8	8
50	Factor analysis of regional brain activation in bipolar and healthy individuals reveals a consistent modular structure. <i>Journal of Affective Disorders</i> , 2018 , 234, 14-19	6.6	8
49	A 6-Month Open-Label Extension Study of Vortioxetine in Pediatric Patients with Depressive or Anxiety Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2018 , 28, 47-54	2.9	8
48	Metabolic Monitoring Rates of Youth Treated with Second-Generation Antipsychotics in Usual Care: Results of a Large US National Commercial Health Plan. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 119-122	2.9	8
47	Neurofunctional Differences Among Youth With and at Varying Risk for Developing Mania. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 980-989	7.2	8
46	The Importance of Second-Generation Antipsychotic-Related Weight Gain and Adherence Barriers in Youth with Bipolar Disorders: Patient, Parent, and Provider Perspectives. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 376-380	2.9	7
45	Aripiprazole for the Treatment of Antipsychotic-Induced Hyperprolactinemia in an Adolescent Boy. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 490-1	2.9	7
44	Longitudinal proton spectroscopy study of the prefrontal cortex in youth at risk for bipolar disorder before and after their first mood episode. <i>Bipolar Disorders</i> , 2019 , 21, 330-341	3.8	6
43	Cardiometabolic risks and omega-3 index in recent-onset bipolar I disorder. <i>Bipolar Disorders</i> , 2018 , 20, 658-665	3.8	6
42	Identifying epilepsy psychiatric comorbidities with machine learning. <i>Acta Neurologica Scandinavica</i> , 2020 , 141, 388-396	3.8	6
41	Brain structural correlates of familial risk for mental illness: a meta-analysis of voxel-based morphometry studies in relatives of patients with psychotic or mood disorders. <i>Neuropsychopharmacology</i> , 2020 , 45, 1369-1379	8.7	5
40	A Machine Learning Approach to Identifying Changes in Suicidal Language. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 939-947	3.9	5
39	Individual prediction of symptomatic converters in youth offspring of bipolar parents using proton magnetic resonance spectroscopy. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 55-64	5.5	5
38	Network-level functional topological changes after mindfulness-based cognitive therapy in mood dysregulated adolescents at familial risk for bipolar disorder: a pilot study. <i>BMC Psychiatry</i> , 2021 , 21, 213	4.2	5
37	Familial risk for bipolar disorder is not associated with impaired peroxisomal function: Dissociation from docosahexaenoic acid deficits. <i>Psychiatry Research</i> , 2016 , 246, 803-807	9.9	5
36	Acute Neurofunctional Effects of Escitalopram in Pediatric Anxiety: A Double-Blind, Placebo-Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 1309-1318	7.2	5

35	Clinical Conundrum: How do you treat youth with depression and a family history of bipolar disorder?. <i>Bipolar Disorders</i> , 2019 , 21, 383-386	3.8	4
34	Effects of Fish Oil Monotherapy on Depression and Prefrontal Neurochemistry in Adolescents at High Risk for Bipolar I Disorder: A 12-Week Placebo-Controlled Proton Magnetic Resonance Spectroscopy Trial. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 293-305	2.9	4
33	Neurofunctional effects of quetiapine in patients with bipolar mania. <i>Bipolar Disorders</i> , 2015 , 17, 444-9	3.8	4
32	Medication exposure and predictors of first mood episode in offspring of parents with bipolar disorder: a prospective study. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 481-488	2.6	4
31	Changes in the brain structural connectome after a prospective randomized clinical trial of lithium and quetiapine treatment in youth with bipolar disorder. <i>Neuropsychopharmacology</i> , 2021 , 46, 1315-1323	8.7	4
30	A Preliminary Study of the Effects of Treatment with Lithium Versus Quetiapine on Attention of Adolescents with Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 465-469	2.9	3
29	Baseline Characteristics and Early Response at Week 1 Predict Treatment Outcome in Adolescents With Bipolar Manic or Mixed Episode Treated With Olanzapine: Results From a 3-Week, Randomized, Placebo-Controlled Trial. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1158-e1166	4.6	3
28	Variation in rostral anterior cingulate functional connectivity with amygdala and caudate during first manic episode distinguish bipolar young adults who do not remit following treatment. <i>Bipolar Disorders</i> , 2021 , 23, 500-508	3.8	3
27	CYP2D6 Phenotype Influences Aripiprazole Tolerability in Pediatric Patients with Mood Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021 , 31, 56-62	2.9	3
26	A Randomized, Double-Blind, Controlled Trial of Lithium Versus Quetiapine for the Treatment of Acute Mania in Youth with Early Course Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021 , 31, 485-493	2.9	3
25	Phenomenology and epidemiology of childhood psychiatric disorders that may necessitate treatment with atypical antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2004 , 65 Suppl 6, 12-9	4.6	3
24	Capacity to provide informed consent among adults with bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 242, 1-4	6.6	2
23	Cariprazine in Youth with Bipolar and Psychotic Disorders: A Retrospective Chart Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 267-272	2.9	2
22	N-acetylcysteine for depression and glutamate changes in the left prefrontal cortex in adolescents and young adults at risk for bipolar disorder: A pilot study. <i>Microbial Biotechnology</i> , 2021 ,	3.3	2
21	N-acetylcysteine as an adjunctive treatment for bipolar depression: A systematic review and meta-analysis of randomized controlled trials. <i>Bipolar Disorders</i> , 2021 , 23, 707-714	3.8	2
20	Association between poor tolerability of antidepressant treatment and brain functional activation in youth at risk for bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 43, 70-74	2.6	2
19	Thyroid Function Screening in Children and Adolescents With Mood and Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	1
18	Greater Dynamic and Lower Static Functional Brain Connectivity Prospectively Predict Placebo Response in Pediatric Generalized Anxiety Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 606-616	2.9	1

17	Isn't the evidence base for pediatric bipolar disorder already sufficient to inform clinical practice?. <i>Bipolar Disorders</i> , 2020 , 22, 664-665	3.8	1
16	Fish oil supplementation alters emotion-generated corticolimbic functional connectivity in depressed adolescents at high-risk for bipolar I disorder: A 12-week placebo-controlled fMRI trial. <i>Bipolar Disorders</i> , 2021 ,	3.8	1
15	Combining Deep Learning and Graph-Theoretic Brain Features to Detect Posttraumatic Stress Disorder at the Individual Level. <i>Diagnostics</i> , 2021 , 11,	3.8	1
14	Emotion-Related Network Reorganization Following Fish Oil Supplementation in Depressed Bipolar Offspring: An fMRI Graph-Based Connectome Analysis. <i>Journal of Affective Disorders</i> , 2021 , 292, 319-327	6.6	1
13	A customized adherence enhancement program for adolescents and young adults with suboptimal adherence and bipolar disorder: Trial design and methodological report.. <i>Contemporary Clinical Trials</i> , 2022 , 106729	2.3	1
12	Frontolimbic brain volume abnormalities in bipolar disorder with suicide attempts. <i>Psychiatry Research</i> , 2020 , 294, 113516	9.9	0
11	159 Safety and Efficacy of Lurasidone in Children and Adolescents with Bipolar Depression: Results from a 2-Year Open-label Extension Study. <i>CNS Spectrums</i> , 2020 , 25, 301-302	1.8	0
10	Irritability, Anger, and Aggression in the Context of Pediatric Bipolar Disorder. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2021 , 30, 561-571	3.3	0
9	Tolerability, Safety, and Effectiveness of Two Years of Treatment with Lurasidone in Children and Adolescents with Bipolar Depression. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021 , 31, 494-503	2.9	0
8	Brain morphometric features predict medication response in youth with bipolar disorder: a prospective randomized clinical trial.. <i>Psychological Medicine</i> , 2022 , 1-11	6.9	0
7	Clinical Relevance Versus Statistical Significance: DelBello and Colleagues Respond to Editorial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 353-354	7.2	
6	Reply to Drs. Fossey, Allen and Yates regarding "Concurrent tracking of alcohol use and bipolar disorder symptoms" <i>Bipolar Disorders</i> , 2007 , 9, 790-791	3.8	
5	Prevalence and the Shift in Age of Onset. <i>CNS Spectrums</i> , 2004 , 9, 12-18	1.8	
4	Effectiveness of Mindfulness-Based Cognitive Therapy in Child With Youth Who Have a Parent Diagnosed With Bipolar I Disorder. <i>Journal of Mental Health Counseling</i> , 2021 , 43, 59-74	1	
3	Essential Pharmacotherapies for Bipolar Disorder. <i>Current Treatment Options in Psychiatry</i> , 2019 , 6, 75-93	3.1	
2	Bipolar Disorder in Primary Care: Considerations in Management. <i>Current Treatment Options in Psychiatry</i> , 2018 , 5, 441-451	3.1	
1	Mobility for All?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 792-793	7.2	