

Conrad L Schoch

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8061904/conrad-l-schoch-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

20,167
citations

51
h-index

93
g-index

93
ext. papers

25,068
ext. citations

7.8
avg. IF

5.65
L-index

#	Paper	IF	Citations
87	Publicly Available and Validated DNA Reference Sequences Are Critical to Fungal Identification and Global Plant Protection Efforts: A Use-Case in .. <i>Plant Disease</i> , 2022 , PDIS09212083SR	1.5	1
86	GenBank. <i>Nucleic Acids Research</i> , 2021 ,	20.1	20
85	Fungal taxonomy and sequence-based nomenclature. <i>Nature Microbiology</i> , 2021 , 6, 540-548	26.6	32
84	How to publish a new fungal species, or name, version 3.0. <i>IMA Fungus</i> , 2021 , 12, 11	6.8	26
83	GenBank. <i>Nucleic Acids Research</i> , 2021 , 49, D92-D96	20.1	59
82	Ribovore: ribosomal RNA sequence analysis for GenBank submissions and database curation. <i>BMC Bioinformatics</i> , 2021 , 22, 400	3.6	2
81	Species Identification in Plant-Associated Prokaryotes and Fungi Using DNA.. <i>Phytobiomes Journal</i> , 2020 , 4, 103-114	4.8	6
80	Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding?. <i>IMA Fungus</i> , 2020 , 11, 14	6.8	101
79	NCBI Taxonomy: a comprehensive update on curation, resources and tools. <i>Database: the Journal of Biological Databases and Curation</i> , 2020 , 2020,	5	235
78	Database resources of the National Center for Biotechnology Information. <i>Nucleic Acids Research</i> , 2019 , 47, D23-D28	20.1	301
77	Revisions to the Classification, Nomenclature, and Diversity of Eukaryotes. <i>Journal of Eukaryotic Microbiology</i> , 2019 , 66, 4-119	3.6	477
76	Using average nucleotide identity to improve taxonomic assignments in prokaryotic genomes at the NCBI. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2386-2392	2.2	140
75	The NCBI BioCollections Database. <i>Database: the Journal of Biological Databases and Curation</i> , 2018 , 2018,	5	18
74	Using standard keywords in publications to facilitate updates of new fungal taxonomic names. <i>IMA Fungus</i> , 2017 , 8, A70-A73	6.8	7
73	Improving taxonomic accuracy for fungi in public sequence databases: applying lone name one speciesUn well-defined genera with Trichoderma/Hypocrea as a test case. <i>Database: the Journal of Biological Databases and Curation</i> , 2017 , 2017,	5	21
72	Reference sequence (RefSeq) database at NCBI: current status, taxonomic expansion, and functional annotation. <i>Nucleic Acids Research</i> , 2016 , 44, D733-45	20.1	2530
71	Sequence-based classification and identification of Fungi. <i>Mycologia</i> , 2016 , 108, 1049-1068	2.4	111

70	Scaling up discovery of hidden diversity in fungi: impacts of barcoding approaches. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016 , 371,	5.8	61
69	An overview of the genus <i>Glyphium</i> and its phylogenetic placement in Patellariales. <i>Mycologia</i> , 2015 , 107, 607-18	2.4	12
68	International Society of Human and Animal Mycology (ISHAM)-ITS reference DNA barcoding database--the quality controlled standard tool for routine identification of human and animal pathogenic fungi. <i>Medical Mycology</i> , 2015 , 53, 313-37	3.9	195
67	6 Pezizomycotina: Dothideomycetes and Arthoniomycetes 2015 , 143-176		3
66	A multigene phylogenetic synthesis for the class Lecanoromycetes (Ascomycota): 1307 fungi representing 1139 infrageneric taxa, 317 genera and 66 families. <i>Molecular Phylogenetics and Evolution</i> , 2014 , 79, 132-68	4.1	203
65	The Genera of Fungi: fixing the application of type species of generic names. <i>IMA Fungus</i> , 2014 , 5, 141-60.8	6.8	49
64	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , 2014 , 2014,	5	199
63	Transposable element-assisted evolution and adaptation to host plant within the <i>Leptosphaeria maculans</i> - <i>Leptosphaeria biglobosa</i> species complex of fungal pathogens. <i>BMC Genomics</i> , 2014 , 15, 891	4.5	111
62	Mycobank gearing up for new horizons. <i>IMA Fungus</i> , 2013 , 4, 371-9	6.8	117
61	Meeting report: fungal its workshop (october 2012). <i>Standards in Genomic Sciences</i> , 2013 , 8, 118-23		26
60	Filling gaps in biodiversity knowledge for macrofungi: contributions and assessment of an herbarium collection DNA barcode sequencing project. <i>PLoS ONE</i> , 2013 , 8, e62419	3.7	112
59	Pleosporales. <i>Fungal Diversity</i> , 2012 , 53, 1-221	17.6	222
58	The revised classification of eukaryotes. <i>Journal of Eukaryotic Microbiology</i> , 2012 , 59, 429-93	3.6	1118
57	Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 6241-6 ^{11.5}	11.5	2981
56	Phylogenetic placement of the ectomycorrhizal genus <i>Cenococcum</i> in Gloniaceae (Dothideomycetes). <i>Mycologia</i> , 2012 , 104, 758-65	2.4	32
55	Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. <i>PLoS Pathogens</i> , 2012 , 8, e1003037	7.6	387
54	Five simple guidelines for establishing basic authenticity and reliability of newly generated fungal ITS sequences. <i>MycKeys</i> , 2012 , 4, 37-63	2.4	126
53	A molecular, morphological and ecological re-appraisal of Venturiales-a new order of Dothideomycetes. <i>Fungal Diversity</i> , 2011 , 51, 249-277	17.6	74

52	A reappraisal of Microthyriaceae. <i>Fungal Diversity</i> , 2011 , 51, 189-248	17.6	73
51	Capnodiaceae. <i>Fungal Diversity</i> , 2011 , 51, 103-134	17.6	93
50	Geographic, climatic, and chemical differentiation in the <i>Hypogymnia imshaugii</i> species complex (Lecanoromycetes, Parmeliaceae) in North America. <i>Bryologist</i> , 2011 , 114, 526	0.7	7
49	<i>Hypogymnia</i> phylogeny, including <i>Cavernularia</i> , reveals biogeographic structure. <i>Bryologist</i> , 2011 , 114, 392	0.7	24
48	Effector diversification within compartments of the <i>Leptosphaeria maculans</i> genome affected by Repeat-Induced Point mutations. <i>Nature Communications</i> , 2011 , 2, 202	17.4	354
47	Testing the phylogenetic utility of MCM7 in the Ascomycota. <i>MycKeys</i> , 2011 , 1, 63-94	2.4	46
46	<i>Dolabra nepheliae</i> on rambutan and lychee represents a novel lineage of phytopathogenic Eurotiomycetes. <i>Mycoscience</i> , 2010 , 51, 300-309	1.2	15
45	On the evolution of the Hysteriaceae and Mytiliniaceae (Pleosporomycetidae, Dothideomycetes, Ascomycota) using four nuclear genes. <i>Mycological Research</i> , 2009 , 113, 461-79		55
44	The Ascomycota tree of life: a phylum-wide phylogeny clarifies the origin and evolution of fundamental reproductive and ecological traits. <i>Systematic Biology</i> , 2009 , 58, 224-39	8.4	480
43	<i>Hypogymnia minilobata</i> (Parmeliaceae), a new lichen from coastal California. <i>Bryologist</i> , 2009 , 112, 94-100	0.7	9
42	Phylogeny of rock-inhabiting fungi related to Dothideomycetes. <i>Studies in Mycology</i> , 2009 , 64, 123-133	22.2	154
41	A class-wide phylogenetic assessment of Dothideomycetes. <i>Studies in Mycology</i> , 2009 , 64, 1-15	22.2	423
40	Multi-locus phylogeny of Pleosporales: a taxonomic, ecological and evolutionary re-evaluation. <i>Studies in Mycology</i> , 2009 , 64, 85-102	22.2	221
39	Phylogenetic lineages in the Capnodiales. <i>Studies in Mycology</i> , 2009 , 64, 17-47	22.2	246
38	A molecular phylogenetic reappraisal of the Hysteriaceae, Mytiliniaceae and Gloniaceae (Pleosporomycetidae, Dothideomycetes) with keys to world species. <i>Studies in Mycology</i> , 2009 , 64, 49-83	22.2	76
37	Geoglossomycetes cl. nov., Geoglossales ord. nov. and taxa above class rank in the Ascomycota Tree of Life. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2009 , 22, 129-38	9	44
36	Genome sequencing and analysis of the biomass-degrading fungus <i>Trichoderma reesei</i> (syn. <i>Hypocrea jecorina</i>). <i>Nature Biotechnology</i> , 2008 , 26, 553-60	44.5	920
35	Homologs of ToxB, a host-selective toxin gene from <i>Pyrenophora tritici-repentis</i> , are present in the genome of sister-species <i>Pyrenophora bromi</i> and other members of the Ascomycota. <i>Fungal Genetics and Biology</i> , 2008 , 45, 363-77	3.9	50

34	Detection and identification of fungi intimately associated with the brown seaweed <i>Fucus serratus</i> . <i>Applied and Environmental Microbiology</i> , 2008 , 74, 931-41	4.8	113
33	Contributions of <i>rpb2</i> and <i>tef1</i> to the phylogeny of mushrooms and allies (Basidiomycota, Fungi). <i>Molecular Phylogenetics and Evolution</i> , 2007 , 43, 430-51	4.1	264
32	Marine fungal lineages in the Hypocreomycetidae. <i>Mycological Research</i> , 2007 , 111, 154-62		29
31	A higher-level phylogenetic classification of the Fungi. <i>Mycological Research</i> , 2007 , 111, 509-47		1630
30	Dothideomycete plant interactions illuminated by genome sequencing and EST analysis of the wheat pathogen <i>Stagonospora nodorum</i> . <i>Plant Cell</i> , 2007 , 19, 3347-68	11.6	205
29	The halotolerant fungus <i>Glomerobolus gelineus</i> is a member of the Ostropales. <i>Mycological Research</i> , 2006 , 110, 257-63		32
28	Eurotiomycetes: Eurotiomycetidae and Chaetothyriomycetidae. <i>Mycologia</i> , 2006 , 98, 1053-64	2.4	138
27	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. <i>Mycologia</i> , 2006 , 98, 1088-1103	2.4	200
26	A multigene phylogeny of the Dothideomycetes using four nuclear loci. <i>Mycologia</i> , 2006 , 98, 1041-52	2.4	231
25	An overview of the systematics of the Sordariomycetes based on a four-gene phylogeny. <i>Mycologia</i> , 2006 , 98, 1076-87	2.4	160
24	A phylogenomic analysis of the Ascomycota. <i>Fungal Genetics and Biology</i> , 2006 , 43, 715-25	3.9	92
23	A five-gene phylogeny of Pezizomycotina. <i>Mycologia</i> , 2006 , 98, 1018-28	2.4	192
22	A multigene phylogeny of the Dothideomycetes using four nuclear loci. <i>Mycologia</i> , 2006 , 98, 1041-1052	2.4	298
21	Eurotiomycetes: Eurotiomycetidae and Chaetothyriomycetidae. <i>Mycologia</i> , 2006 , 98, 1053-1064	2.4	76
20	A five-gene phylogeny of Pezizomycotina. <i>Mycologia</i> , 2006 , 98, 1018-1028	2.4	255
19	An overview of the systematics of the Sordariomycetes based on a four-gene phylogeny. <i>Mycologia</i> , 2006 , 98, 1076-1087	2.4	227
18	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. <i>Mycologia</i> , 2006 , 98, 1088-1103	2.4	126
17	Reconstructing the early evolution of Fungi using a six-gene phylogeny. <i>Nature</i> , 2006 , 443, 818-22	50.4	1392

16	Evolution of helotialean fungi (Leotiomyces, Pezizomycotina): a nuclear rDNA phylogeny. <i>Molecular Phylogenetics and Evolution</i> , 2006 , 41, 295-312	4.1	137
15	Assembling the fungal tree of life: progress, classification, and evolution of subcellular traits. <i>American Journal of Botany</i> , 2004 , 91, 1446-80	2.7	640
14	Deletion of all <i>Cochliobolus heterostrophus</i> monofunctional catalase-encoding genes reveals a role for one in sensitivity to oxidative stress but none with a role in virulence. <i>Molecular Plant-Microbe Interactions</i> , 2003 , 16, 1013-21	3.6	27
13	A complete inventory of fungal kinesins in representative filamentous ascomycetes. <i>Fungal Genetics and Biology</i> , 2003 , 39, 1-15	3.9	53
12	Female Fertility and Single Nucleotide Polymorphism Comparisons in <i>Cylindrocladium pauciramosum</i> . <i>Plant Disease</i> , 2001 , 85, 941-946	1.5	16
11	Species concepts in the <i>Cylindrocladium floridanum</i> and <i>Cy. spathiphylli</i> complexes (Hypocreaceae) based on multi-allelic sequence data, sexual compatibility and morphology. <i>Systematic and Applied Microbiology</i> , 2001 , 24, 206-17	4.2	32
10	Phylogeny of <i>Calonectria</i> based on comparisons of β -tubulin DNA sequences. <i>Mycological Research</i> , 2001 , 105, 1045-1052		27
9	Recombination in <i>Calonectria morganii</i> and Phylogeny with Other Heterothallic Small-Spored <i>Calonectria</i> Species. <i>Mycologia</i> , 2000 , 92, 665	2.4	10
8	<i>Cylindrocladium angustatum</i> sp. nov., a new leaf spot pathogen of <i>Tillandsia capitata</i> from Florida, U.S.A. <i>Mycoscience</i> , 2000 , 41, 521-526	1.2	5
7	Recombination in <i>Calonectria morganii</i> and phylogeny with other heterothallic small-spored <i>Calonectria</i> species. <i>Mycologia</i> , 2000 , 92, 665-673	2.4	14
6	Phylogenetic relationships of <i>Cylindrocladium pseudogracile</i> and <i>Cylindrocladium rumohrae</i> with morphologically similar taxa, based on morphology and DNA sequences of internal transcribed spacers and beta-tubulin. <i>Canadian Journal of Botany</i> , 2000 , 77, 1813-1820		0
5	The <i>Cylindrocladium candelabrum</i> species complex includes four distinct mating populations. <i>Mycologia</i> , 1999 , 91, 286-298	2.4	48
4	First report of <i>Cylindrocladium</i> root and petiole rot of <i>Spathiphyllum</i> in South Africa. <i>South African Journal of Botany</i> , 1999 , 65, 208-211	2.9	6
3	The <i>Cylindrocladium candelabrum</i> Species Complex Includes Four Distinct Mating Populations. <i>Mycologia</i> , 1999 , 91, 286	2.4	29
2	Phylogenetic relationships of <i>Cylindrocladium pseudogracile</i> and <i>Cylindrocladium rumohrae</i> with morphologically similar taxa, based on morphology and DNA sequences of internal transcribed spacers and beta-tubulin. <i>Canadian Journal of Botany</i> , 1999 , 77, 1813-1820		29
1	A <i>Saccharomyces cerevisiae</i> mutant defective in the kinesin-like protein Kar3 is sensitive to NaCl-stress. <i>Current Genetics</i> , 1997 , 32, 315-22	2.9	6