

# Thomas J Gould

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8062364/publications.pdf>

Version: 2024-02-01

145  
papers

6,320  
citations

53939

47  
h-index

97045

71  
g-index

146  
all docs

146  
docs citations

146  
times ranked

6276  
citing authors

#	ARTICLE	IF	CITATIONS
1	Paternal nicotine enhances fear memory, reduces nicotine administration, and alters hippocampal genetic and neural function in offspring. <i>Addiction Biology</i> , 2021, 26, e12859.	1.4	19
2	Systems genetic analysis of nicotine withdrawal deficits in hippocampus-dependent learning. <i>Genes, Brain and Behavior</i> , 2021, 20, e12734.	1.1	6
3	Multigenerational nicotine exposure affects offspring nicotine metabolism, nicotine-induced hypothermia, and basal corticosterone in a sex-dependent manner. <i>Neurotoxicology and Teratology</i> , 2021, 85, 106972.	1.2	9
4	Adolescent Stress Reduces Adult Morphine-Induced Behavioral Sensitization in C57BL/6J Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 678102.	1.0	5
5	Therapeutic potential of ketamine for alcohol use disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 573-589.	2.9	23
6	Stress and nicotine during adolescence disrupts adult hippocampus-dependent learning and alters stress reactivity. <i>Addiction Biology</i> , 2020, 25, e12769.	1.4	9
7	Cognitive rigidity and BDNF-mediated frontostriatal glutamate neuroadaptations during spontaneous nicotine withdrawal. <i>Neuropsychopharmacology</i> , 2020, 45, 866-876.	2.8	10
8	Impact of nicotine, alcohol, and cocaine exposure on germline integrity and epigenome. <i>Neuropharmacology</i> , 2020, 173, 108127.	2.0	14
9	The effects of adolescent alcohol exposure on learning and related neurobiology in humans and rodents. <i>Neurobiology of Learning and Memory</i> , 2020, 172, 107234.	1.0	13
10	Adolescent and adult nicotine exposure differentially impacts oral nicotine and oral saccharin self-administration in mice. <i>Behavioural Brain Research</i> , 2019, 359, 836-844.	1.2	12
11	Multigenerational and transgenerational effects of paternal exposure to drugs of abuse on behavioral and neural function. <i>European Journal of Neuroscience</i> , 2019, 50, 2453-2466.	1.2	60
12	Differential effects of $\alpha 4\beta 2$ nicotinic receptor antagonists and partial-agonists on contextual fear extinction in male C57BL/6 mice. <i>Psychopharmacology</i> , 2018, 235, 1211-1219.	1.5	4
13	Chronic nicotine differentially alters spontaneous recovery of contextual fear in male and female mice. <i>Behavioural Brain Research</i> , 2018, 341, 176-180.	1.2	2
14	Sex differences in the effects of nicotine on contextual fear extinction. <i>Pharmacology Biochemistry and Behavior</i> , 2018, 165, 25-28.	1.3	3
15	Tyrosine receptor kinase B receptor activation reverses the impairing effects of acute nicotine on contextual fear extinction. <i>Journal of Psychopharmacology</i> , 2018, 32, 367-372.	2.0	4
16	Nicotine exposure leads to deficits in differential cued fear conditioning in mice and humans: A potential role of the anterior cingulate cortex. <i>Neuroscience Letters</i> , 2018, 673, 142-149.	1.0	5
17	Pre-adolescent and adolescent mice are less sensitive to the effects of acute nicotine on extinction and spontaneous recovery. <i>Brain Research Bulletin</i> , 2018, 138, 50-55.	1.4	11
18	Neuregulin 3 Signaling Mediates Nicotine-Dependent Synaptic Plasticity in the Orbitofrontal Cortex and Cognition. <i>Neuropsychopharmacology</i> , 2018, 43, 1343-1354.	2.8	22

#	ARTICLE	IF	CITATIONS
19	Digital Delivery of Meditative Movement Training Improved Health of Cigarette-Smoke-Exposed Subjects. <i>Frontiers in Public Health</i> , 2018, 6, 282.	1.3	3
20	Nicotine modulates contextual fear extinction through changes in ventral hippocampal GABAergic function. <i>Neuropharmacology</i> , 2018, 141, 192-200.	2.0	11
21	The long-term cognitive consequences of adolescent exposure to recreational drugs of abuse. <i>Learning and Memory</i> , 2018, 25, 481-491.	0.5	37
22	Choline ameliorates adult learning deficits and reverses epigenetic modification of chromatin remodeling factors related to adolescent nicotine exposure. <i>Neurobiology of Learning and Memory</i> , 2018, 155, 239-248.	1.0	16
23	Basic Science and Public Policy: Informed Regulation for Nicotine and Tobacco Products. <i>Nicotine and Tobacco Research</i> , 2018, 20, 789-799.	1.4	19
24	Differential Effects of Nicotine Exposure on the Hippocampus Across Lifespan. <i>Current Neuropharmacology</i> , 2018, 16, 388-402.	1.4	16
25	Chronic nicotine exposure in preadolescence enhances later spontaneous recovery of fear memory.. <i>Behavioral Neuroscience</i> , 2018, 132, 240-246.	0.6	1
26	Developmental toxicity of nicotine: A transdisciplinary synthesis and implications for emerging tobacco products. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 72, 176-189.	2.9	135
27	Nicotine disrupts safety learning by enhancing fear associated with a safety cue via the dorsal hippocampus. <i>Journal of Psychopharmacology</i> , 2017, 31, 934-944.	2.0	7
28	Acute nicotine disrupts consolidation of contextual fear extinction and alters long-term memory-associated hippocampal kinase activity. <i>Neurobiology of Learning and Memory</i> , 2017, 145, 143-150.	1.0	6
29	Chronic fluoxetine ameliorates adolescent chronic nicotine exposure-induced long-term adult deficits in trace conditioning. <i>Neuropharmacology</i> , 2017, 125, 272-283.	2.0	10
30	Chronic Nicotine Treatment During Adolescence Attenuates the Effects of Acute Nicotine in Adult Contextual Fear Learning. <i>Nicotine and Tobacco Research</i> , 2017, 19, 87-93.	1.4	9
31	c-Jun-N-terminal kinase 1 is necessary for nicotine-induced enhancement of contextual fear conditioning. <i>Neuroscience Letters</i> , 2016, 627, 61-64.	1.0	3
32	Nicotine, adolescence, and stress: A review of how stress can modulate the negative consequences of adolescent nicotine abuse. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 65, 173-184.	2.9	45
33	Adolescent mice are less sensitive to the effects of acute nicotine on context pre-exposure than adults. <i>Brain Research</i> , 2016, 1642, 445-451.	1.1	7
34	Long-term effects of chronic nicotine on emotional and cognitive behaviors and hippocampus cell morphology in mice: comparisons of adult and adolescent nicotine exposure. <i>European Journal of Neuroscience</i> , 2016, 44, 2818-2828.	1.2	29
35	Effects of drugs of abuse on hippocampal plasticity and hippocampus-dependent learning and memory: contributions to development and maintenance of addiction. <i>Learning and Memory</i> , 2016, 23, 515-533.	0.5	213
36	Impairment of contextual fear extinction by chronic nicotine and withdrawal from chronic nicotine is associated with hippocampal nAChR upregulation. <i>Neuropharmacology</i> , 2016, 109, 341-348.	2.0	12

#	ARTICLE	IF	CITATIONS
37	The role of working memory and declarative memory in trace conditioning. <i>Neurobiology of Learning and Memory</i> , 2016, 134, 193-209.	1.0	37
38	Acute nicotine enhances spontaneous recovery of contextual fear and changes <i>c-fos</i> early gene expression in infralimbic cortex, hippocampus, and amygdala. <i>Learning and Memory</i> , 2016, 23, 405-414.	0.5	19
39	nAChR dysfunction as a common substrate for schizophrenia and comorbid nicotine addiction: Current trends and perspectives. <i>Schizophrenia Research</i> , 2016, 171, 1-15.	1.1	71
40	Nicotinic modulation of hippocampal cell signaling and associated effects on learning and memory. <i>Physiology and Behavior</i> , 2016, 155, 162-171.	1.0	48
41	Cognitive control deficits during mecamylamine-precipitated withdrawal in mice: Possible links to frontostriatal BDNF imbalance. <i>Neurobiology of Learning and Memory</i> , 2016, 128, 110-116.	1.0	14
42	High-affinity $\alpha 4\beta 2$ nicotinic receptors mediate the impairing effects of acute nicotine on contextual fear extinction. <i>Neurobiology of Learning and Memory</i> , 2016, 128, 17-22.	1.0	15
43	Concentration- and age-dependent effects of chronic caffeine on contextual fear conditioning in C57BL/6J mice. <i>Behavioural Brain Research</i> , 2016, 298, 69-77.	1.2	9
44	Negative affective states and cognitive impairments in nicotine dependence. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 58, 168-185.	2.9	71
45	Nicotine Addiction and Psychiatric Disorders. <i>International Review of Neurobiology</i> , 2015, 124, 171-208.	0.9	34
46	Stronger learning recruits additional cell-signaling cascades: c-Jun-N-terminal kinase 1 (JNK1) is necessary for expression of stronger contextual fear conditioning. <i>Neurobiology of Learning and Memory</i> , 2015, 118, 162-166.	1.0	8
47	Nicotine modulation of fear memories and anxiety: Implications for learning and anxiety disorders. <i>Biochemical Pharmacology</i> , 2015, 97, 498-511.	2.0	72
48	Strain-dependent performance in nicotine-induced conditioned place preference.. <i>Behavioral Neuroscience</i> , 2015, 129, 37-41.	0.6	12
49	Thyroid receptor $\beta 2$ involvement in the effects of acute nicotine on hippocampus-dependent memory. <i>Neuropharmacology</i> , 2015, 93, 155-163.	2.0	6
50	Contributions of $\beta 2$ subunit-containing nAChRs to chronic nicotine-induced alterations in cognitive flexibility in mice. <i>Psychopharmacology</i> , 2015, 232, 1207-1217.	1.5	22
51	ABT-089, but not ABT-107, ameliorates nicotine withdrawal-induced cognitive deficits in C57BL6/J mice. <i>Behavioural Pharmacology</i> , 2015, 26, 241-248.	0.8	11
52	Thyroid hormone signaling: Contribution to neural function, cognition, and relationship to nicotine. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 57, 252-263.	2.9	16
53	The GSK3 Signaling Pathway Is Activated by Cocaine and Is Critical for Cocaine Conditioned Reward in Mice. <i>PLoS ONE</i> , 2014, 9, e88026.	1.1	39
54	Donepezil reverses nicotine withdrawal-induced deficits in contextual fear conditioning in c57bl/6j mice.. <i>Behavioral Neuroscience</i> , 2014, 128, 588-593.	0.6	11

#	ARTICLE	IF	CITATIONS
55	Adolescent mice, unlike adults, consume more alcohol in the presence of peers than alone. <i>Developmental Science</i> , 2014, 17, 79-85.	1.3	69
56	Involvement of neuronal $\alpha 2$ subunit-containing nicotinic acetylcholine receptors in nicotine reward and withdrawal: Implications for pharmacotherapies. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 457-467.	0.7	12
57	Withdrawal From Chronic Nicotine Reduces Thyroid Hormone Levels and Levothyroxine Treatment Ameliorates Nicotine Withdrawal-Induced Deficits in Hippocampus-Dependent Learning in C57BL/6J Mice. <i>Nicotine and Tobacco Research</i> , 2014, 17, 690-696.	1.4	6
58	The effects of acute nicotine on contextual safety discrimination. <i>Journal of Psychopharmacology</i> , 2014, 28, 1064-1070.	2.0	16
59	Cellular, molecular, and genetic substrates underlying the impact of nicotine on learning. <i>Neurobiology of Learning and Memory</i> , 2014, 107, 108-132.	1.0	59
60	Acute nicotine delays extinction of contextual fear in mice. <i>Behavioural Brain Research</i> , 2014, 263, 133-137.	1.2	37
61	The neural and genetic basis of executive function: Attention, cognitive flexibility, and response inhibition. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 123, 45-54.	1.3	308
62	Reactivation of cocaine reward memory engages the Akt/GSK3/mTOR signaling pathway and can be disrupted by GSK3 inhibition. <i>Psychopharmacology</i> , 2014, 231, 3109-3118.	1.5	68
63	17 $\beta$ -Estradiol regulates histone alterations associated with memory consolidation and increases <i>Bdnf</i> promoter acetylation in middle-aged female mice. <i>Learning and Memory</i> , 2014, 21, 457-467.	0.5	62
64	Nicotine shifts the temporal activation of hippocampal protein kinase A and extracellular signal-regulated kinase 1/2 to enhance long-term, but not short-term, hippocampus-dependent memory. <i>Neurobiology of Learning and Memory</i> , 2014, 109, 151-159.	1.0	24
65	Dissociation of tolerance and nicotine withdrawal-associated deficits in contextual fear. <i>Brain Research</i> , 2014, 1559, 1-10.	1.1	25
66	Malleability in the development of spatial reorientation. <i>Developmental Psychobiology</i> , 2013, 55, 243-255.	0.9	65
67	Genetic background influences the effects of withdrawal from chronic nicotine on learning and high-affinity nicotinic acetylcholine receptor binding in the dorsal and ventral hippocampus. <i>Psychopharmacology</i> , 2013, 225, 201-208.	1.5	30
68	Withdrawal from chronic nicotine and subsequent sensitivity to nicotine challenge on contextual learning. <i>Behavioural Brain Research</i> , 2013, 250, 58-61.	1.2	21
69	Effects of chronic low- and high-dose nicotine on cognitive flexibility in C57BL/6J mice. <i>Behavioural Brain Research</i> , 2013, 238, 134-145.	1.2	54
70	Divergent Functional Effects of Sazetidine-A and Varenicline During Nicotine Withdrawal. <i>Neuropsychopharmacology</i> , 2013, 38, 2035-2047.	2.8	27
71	The effects of acute nicotine, chronic nicotine, and withdrawal from chronic nicotine on performance of a cued appetitive response.. <i>Behavioral Neuroscience</i> , 2013, 127, 303-310.	0.6	19
72	Targeted Deletion of the Mouse $\alpha 2$ Nicotinic Acetylcholine Receptor Subunit Gene ( <i>Chrna2</i> ) Potentiates Nicotine-Modulated Behaviors. <i>Journal of Neuroscience</i> , 2013, 33, 7728-7741.	1.7	61

#	ARTICLE	IF	CITATIONS
73	Comparison of the performance of DBA/2 and C57BL/6 mice in transitive inference and foreground and background contextual fear conditioning.. Behavioral Neuroscience, 2012, 126, 249-257.	0.6	17
74	<i>Gadd45b</i> knockout mice exhibit selective deficits in hippocampus-dependent long-term memory. Learning and Memory, 2012, 19, 319-324.	0.5	74
75	The duration of nicotine withdrawal-associated deficits in contextual fear conditioning parallels changes in hippocampal high affinity nicotinic acetylcholine receptor upregulation. Neuropharmacology, 2012, 62, 2118-2125.	2.0	55
76	Developmental effects of acute, chronic, and withdrawal from chronic nicotine on fear conditioning. Neurobiology of Learning and Memory, 2012, 97, 482-494.	1.0	71
77	Nicotinic receptors in the dorsal and ventral hippocampus differentially modulate contextual fear conditioning. Hippocampus, 2012, 22, 1681-1690.	0.9	56
78	Strain-dependent Effects of Acute, Chronic, and Withdrawal from Chronic Nicotine on Fear Conditioning. Behavior Genetics, 2012, 42, 133-150.	1.4	58
79	Learning and Nicotine Interact to Increase CREB Phosphorylation at the <i>jnk1</i> Promoter in the Hippocampus. PLoS ONE, 2012, 7, e39939.	1.1	26
80	The effects of galantamine on nicotine withdrawal-induced deficits in contextual fear conditioning in C57BL/6 mice. Behavioural Brain Research, 2011, 223, 53-57.	1.2	23
81	Nicotine ameliorates NMDA receptor antagonist-induced deficits in contextual fear conditioning through high-affinity nicotinic acetylcholine receptors in the hippocampus. Neuropharmacology, 2011, 60, 617-625.	2.0	29
82	Nicotine acts in the anterior cingulate, but not dorsal or ventral hippocampus, to reverse ethanol-induced learning impairments in the plus-maze discriminative avoidance task. Addiction Biology, 2011, 16, 176-188.	1.4	24
83	The effects of acute, chronic, and withdrawal from chronic nicotine on novel and spatial object recognition in male C57BL/6J mice. Psychopharmacology, 2011, 217, 353-365.	1.5	62
84	The enhancement of contextual fear conditioning by ABT-418. Behavioural Pharmacology, 2010, 21, 246-249.	0.8	12
85	Involvement of Hippocampal Jun-N Terminal Kinase Pathway in the Enhancement of Learning and Memory by Nicotine. Neuropsychopharmacology, 2010, 35, 483-492.	2.8	40
86	Addiction and cognition. Addiction Science & Clinical Practice, 2010, 5, 4-14.	1.2	120
87	Nicotine withdrawal disrupts new contextual learning. Pharmacology Biochemistry and Behavior, 2009, 92, 117-123.	1.3	42
88	Interactive effects of ethanol and nicotine on learning, anxiety, and locomotion in C57BL/6 mice in the plus-maze discriminative avoidance task. Neuropharmacology, 2009, 57, 302-310.	2.0	25
89	Hippocampal nAChRs mediate nicotine withdrawal-related learning deficits. European Neuropsychopharmacology, 2009, 19, 551-561.	0.3	55
90	The Hippocampus and Cingulate Cortex Differentially Mediate the Effects of Nicotine on Learning Versus on Ethanol-Induced Learning Deficits Through Different Effects at Nicotinic Receptors. Neuropsychopharmacology, 2009, 34, 2167-2179.	2.8	22

#	ARTICLE	IF	CITATIONS
91	Of mice ( <i>Mus musculus</i> ) and toddlers ( <i>Homo sapiens</i> ): Evidence for species-general spatial reorientation.. <i>Journal of Comparative Psychology</i> (Washington, D C: 1983), 2009, 123, 342-345.	0.3	23
92	Effects of ethanol and caffeine on behavior in C57BL/6 mice in the plus-maze discriminative avoidance task.. <i>Behavioral Neuroscience</i> , 2009, 123, 1271-1278.	0.6	38
93	Interactive effects of ethanol and nicotine on learning in C57BL/6J mice depend on both dose and duration of treatment. <i>Psychopharmacology</i> , 2008, 196, 483-495.	1.5	48
94	Modulation of Hippocampus-Dependent Learning and Synaptic Plasticity by Nicotine. <i>Molecular Neurobiology</i> , 2008, 38, 101-121.	1.9	222
95	$\alpha 2$ subunit containing acetylcholine receptors mediate nicotine withdrawal deficits in the acquisition of contextual fear conditioning. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 106-113.	1.0	64
96	Varenicline ameliorates ethanol-induced deficits in learning in C57BL/6 mice. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 230-236.	1.0	34
97	Nicotine withdrawal disrupts both foreground and background contextual fear conditioning but not pre-pulse inhibition of the acoustic startle response in C57BL/6 mice. <i>Behavioural Brain Research</i> , 2008, 190, 174-181.	1.2	41
98	Genetic variability in nicotinic acetylcholine receptors and nicotine addiction: Converging evidence from human and animal research. <i>Behavioural Brain Research</i> , 2008, 193, 1-16.	1.2	71
99	Varenicline ameliorates nicotine withdrawal-induced learning deficits in C57BL/6 mice.. <i>Behavioral Neuroscience</i> , 2008, 122, 1166-1171.	0.6	59
100	Nicotine enhances context learning but not context-shock associative learning.. <i>Behavioral Neuroscience</i> , 2008, 122, 1158-1165.	0.6	46
101	Associative Learning, the Hippocampus, and Nicotine Addiction. <i>Current Drug Abuse Reviews</i> , 2008, 1, 9-19.	3.4	42
102	Atomoxetine Reverses Nicotine Withdrawal-Associated Deficits in Contextual Fear Conditioning. <i>Neuropsychopharmacology</i> , 2007, 32, 2011-2019.	2.8	53
103	Hippocampal $\alpha 2$ Nicotinic Acetylcholine Receptor Involvement in the Enhancing Effect of Acute Nicotine on Contextual Fear Conditioning. <i>Journal of Neuroscience</i> , 2007, 27, 10870-10877.	1.7	100
104	Extracellular signal-regulated kinase 1/2 involvement in the enhancement of contextual fear conditioning by nicotine.. <i>Behavioral Neuroscience</i> , 2007, 121, 1119-1124.	0.6	31
105	Signal transduction mechanisms within the entorhinal cortex that support latent inhibition of cued fear conditioning. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 359-368.	1.0	16
106	Reversible inactivation of the entorhinal cortex disrupts the establishment and expression of latent inhibition of cued fear conditioning in C57BL/6 mice. <i>Hippocampus</i> , 2007, 17, 462-470.	0.9	38
107	Acute Ethanol Has Biphasic Effects on Short- and Long-Term Memory in Both Foreground and Background Contextual Fear Conditioning in C57BL/6 Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1528-1537.	1.4	57
108	Bupropion dose-dependently reverses nicotine withdrawal deficits in contextual fear conditioning. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 88, 179-187.	1.3	48

#	ARTICLE	IF	CITATIONS
109	̢2 subunit-containing nicotinic receptors mediate the enhancing effect of nicotine on trace cued fear conditioning in C57BL/6 mice. <i>Psychopharmacology</i> , 2007, 190, 343-352.	1.5	68
110	Nicotine enhances both foreground and background contextual fear conditioning. <i>Neuroscience Letters</i> , 2006, 394, 202-205.	1.0	67
111	Nicotine and Hippocampus-Dependent Learning: Implications for Addiction. <i>Molecular Neurobiology</i> , 2006, 34, 93-108.	1.9	57
112	The effects of DHBE and MLA on nicotine-induced enhancement of contextual fear conditioning in C57BL/6 mice. <i>Psychopharmacology</i> , 2006, 184, 345-352.	1.5	74
113	Rolipram Attenuates MK-801-Induced Deficits in Latent Inhibition.. <i>Behavioral Neuroscience</i> , 2005, 119, 595-602.	0.6	43
114	The interactive effects of nicotinic and muscarinic cholinergic receptor inhibition on fear conditioning in young and aged C57BL/6 mice. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 80, 251-262.	1.3	36
115	Withdrawal from Chronic Nicotine Administration Impairs Contextual Fear Conditioning in C57BL/6 Mice. <i>Journal of Neuroscience</i> , 2005, 25, 8708-8713.	1.7	141
116	Coantagonism of glutamate receptors and nicotinic acetylcholinergic receptors disrupts fear conditioning and latent inhibition of fear conditioning. <i>Learning and Memory</i> , 2005, 12, 389-398.	0.5	31
117	Atomoxetine and nicotine enhance prepulse inhibition of acoustic startle in C57BL/6 mice. <i>Neuroscience Letters</i> , 2005, 377, 85-90.	1.0	40
118	Age-related deficits in the retention of memories for cued fear conditioning are reversed by galantamine treatment. <i>Behavioural Brain Research</i> , 2005, 165, 160-171.	1.2	53
119	A Central Role for Norepinephrine in the Modulation of Cerebellar Learning Tasks. <i>Behavioral and Cognitive Neuroscience Reviews</i> , 2004, 3, 131-138.	3.9	25
120	Sensorimotor Gating Deficits in Transgenic Mice Expressing a Constitutively Active Form of Gs̢. <i>Neuropsychopharmacology</i> , 2004, 29, 494-501.	2.8	33
121	Latent inhibition of cued fear conditioning: an NMDA receptor-dependent process that can be established in the presence of anisomycin. <i>European Journal of Neuroscience</i> , 2004, 20, 818-826.	1.2	20
122	Nicotine enhances trace cued fear conditioning but not delay cued fear conditioning in C57BL/6 mice. <i>Behavioural Brain Research</i> , 2004, 155, 167-173.	1.2	76
123	Inhibition of Mitogen-Activated Protein Kinase-Extracellular Signal-Regulated Kinase Disrupts Latent Inhibition of Cued Fear Conditioning in C57BL/6 Mice.. <i>Behavioral Neuroscience</i> , 2004, 118, 1444-1449.	0.6	6
124	Nicotine produces a within-subject enhancement of contextual fear conditioning in C57BL/6 mice independent of sex. <i>Integrative Psychological and Behavioral Science</i> , 2003, 38, 124-132.	0.3	43
125	Nicotine and ethanol enhancements of acoustic startle reflex are mediated in part by dopamine in C57BL/6J mice. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 76, 179-186.	1.3	12
126	Nicotine enhances contextual fear conditioning in C57BL/6J mice at 1 and 7 days post-training. <i>Neurobiology of Learning and Memory</i> , 2003, 80, 147-157.	1.0	119



#	ARTICLE	IF	CITATIONS
127	Ethanol disrupts fear conditioning in C57BL/6 mice. <i>Journal of Psychopharmacology</i> , 2003, 17, 77-81.	2.0	61
128	Nicotine Enhances Contextual Fear Conditioning and Ameliorates Ethanol-Induced Deficits in Contextual Fear Conditioning. <i>Behavioral Neuroscience</i> , 2003, 117, 1276-1282.	0.6	77
129	Age-Related Impairment in the 250-Millisecond Delay Eyeblink Classical Conditioning Procedure in C57BL/6 Mice. <i>Learning and Memory</i> , 2002, 9, 321-336.	0.5	33
130	Neuronal Nicotinic Acetylcholine Receptors: Involvement in Alzheimer's Disease and Schizophrenia. <i>Behavioral and Cognitive Neuroscience Reviews</i> , 2002, 1, 5-20.	3.9	51
131	Differential sensitivity to lithium's reversal of amphetamine-induced open-field activity in two inbred strains of mice. <i>Behavioural Brain Research</i> , 2001, 118, 95-105.	1.2	82
132	Nicotine enhances latent inhibition and ameliorates ethanol-induced deficits in latent inhibition. <i>Nicotine and Tobacco Research</i> , 2001, 3, 17-24.	1.4	56
133	Antioxidant-rich diets improve cerebellar physiology and motor learning in aged rats. <i>Brain Research</i> , 2000, 866, 211-217.	1.1	262
134	Behavior and mutagenesis screens: the importance of baseline analysis of inbred strains. <i>Mammalian Genome</i> , 2000, 11, 555-564.	1.0	151
135	Nicotine enhancement of contextual fear conditioning. <i>Behavioural Brain Research</i> , 1999, 102, 31-39.	1.2	146
136	Antioxidant protection of cerebellar $\hat{1}2$ -adrenergic receptor function in aged F344 rats. <i>Neuroscience Letters</i> , 1998, 250, 165-168.	1.0	8
137	The effects of aging on cerebellar $\hat{1}2$ -adrenergic receptor activation and motor learning in female F344 rats. <i>Neuroscience Letters</i> , 1996, 216, 53-56.	1.0	16
138	Acquisition of a runway motor learning task is impaired by a beta adrenergic antagonist in F344 rats. <i>Behavioural Brain Research</i> , 1996, 78, 235-241.	1.2	26
139	Changes in Rabbit Cerebellar Cortical and Interpositus Nucleus Activity during Acquisition, Extinction, and Backward Classical Eyelid Conditioning. <i>Neurobiology of Learning and Memory</i> , 1996, 65, 17-34.	1.0	118
140	Decline in striatal dopamine D1 and D2 receptor activation in aged F344 rats. <i>Neurobiology of Aging</i> , 1996, 17, 877-883.	1.5	17
141	Effects of dietary restriction on motor learning and cerebellar noradrenergic dysfunction in aged F344 rats. <i>Brain Research</i> , 1995, 684, 150-158.	1.1	23
142	The effects of chronic treatment with N-tert-butyl- $\hat{1}2$ -phenylnitronone on cerebellar noradrenergic receptor function in aged F344 rats. <i>Brain Research</i> , 1994, 660, 333-336.	1.1	18
143	Multiple-unit activity from rabbit cerebellar cortex and interpositus nucleus during classical discrimination/reversal eyelid conditioning. <i>Brain Research</i> , 1994, 652, 98-106.	1.1	43
144	Possible CS and US pathways for rabbit classical eyelid conditioning: Electrophysiological evidence for projections from the pontine nuclei and inferior olive to cerebellar cortex and nuclei. <i>Behavioral and Neural Biology</i> , 1993, 60, 172-185.	2.3	58

#	ARTICLE	IF	CITATIONS
145	Haloperidol impairs classical nictitating membrane conditioning in rabbits when stimulation of the pontine nuclei is used as a conditioned stimulus. <i>Life Sciences</i> , 1991, 49, 233-240.	2.0	0